NORWICH
CARROW HOUSE

NORFOLK.

1911 — 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

11

Kept at Carrow Ho | 5 in.
e Ground 1 ft. 6 in.
in the County of N | Sea Level 35 ft.
a.m
by Miss | Name Trowse
Distance 1/8 m. Direction S.E.

IMPORTANT NOT… the result entered to the previous day. If an O… …ersal rule, he is earnestly requested to add the rea… …r in the space provided for it at the end of thi… …ent of rain, the selection and placi… …ish Rainfall Organization are given in … sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·51		·01				·04	·11		·11		·01	1
2	·26		·10	·02	·17	·10	·02				·05	·10	2
3	·07	·03		·06	·12					·11	·02	·04	3
4	·05		·04	·11					·06	·03	·17	·03	4
5		·06		·16						·17	·01	·23	5
6	·23		·04	·02						·09	·02	·06	6
7	·02	·02									·10	·25	7
8	·15		·07						·02		·07	·09	8
9	·07		·02	·04						·01		·02	9
10	·34	·04	·07								·12	·46	10
11	·03	·34	·01								·28		11
12	·04	·05	·31								·01	·01	12
13	·04		·19		·75	·14			·14	·63	·01	·06	13
14		·04	·20		·42	·01				·01		·04	14
15		·05	·14						·02		·13	·03	15
16			·02			·54			·01		·19	·10	16
17	·04					·01					·02	·08	17
18		·19				·02					·72	·06	18
19		·03	·03			·59			·01		·18	·02	19
20		03	·42			·02		·02	·38	·03	04	·27	20
21	·01	·11						·07		·16		·06	21
22		·11	·06					·11		·21	03	·40	22
23	·03	·02	·38		02	·98		·07	·26			·12	23
24		·05	·06			·05	·17			·56		·14	24
25		·03	·09	·07		·07	·23	·02			·13	·07	25
26				·11			·15	·01		·15	·04	·28	26
27		·16	·11	·19					·27			·02	27
28		·11		·29			·05	·04			·02	·03	28
29				·25		·40	·01		·39	·28		·02	29
30					·16	·03			·37	·16	·01		30
31										·03		·01	31
Total	1·89	1·47	2·37	1·32	1·64	2·96	·67	·45	1·93	2·74	2·37	3·11	TOTAL for year 22·92
No. of Rain Days	15	18	20	11	6	13	7	8	11	16	22	29	176

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Carrow House. Norwich
in the County of Norfolk
by Miss Colman
per H Jones

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 35 ft.
Time of Observation 9. a. m
Nearest Railway Station
Name Trowse
Distance ⅛ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·51		·01				·04	·11		·11		·01	1
2	·26		·10	·02	·17	·10	·02				·05	·10	2
3	·07	·03		·06	·12					·11	·02	·04	3
4	·05		·04	·11					·06	·03	·17	·03	4
5		·06		·16						·17	·01	·23	5
6	·23		·04	·02						·09	·02	·06	6
7	·02	·02									·10	·25	7
8	·15		·07						·02		·07	·09	8
9	·07		·02	·04						·01		·02	9
10	·34	·04	·07								·12	·46	10
11	·03	·34	·01								·28		11
12	·04	·05	·31								·01	·01	12
13	·04		·19		·75	·14			·14	·63	·01	·06	13
14		·04	·20		·42	·01				·01		·04	14
15		·05	·14						·02		·13	·03	15
16			·02			·54			·01		·19	·10	16
17	·04					·01					·02	·08	17
18		·19				·02					·72	·06	18
19		·03	·03			·59			·01		·18	·02	19
20		03	·42			·02		·02	·38	·03	04	·27	20
21	·01	·11						·07		·16		·06	21
22		·11	·06					·11		·21	03	·40	22
23	·03	·02	·38		·02	·98		·07	·26			·12	23
24		·05	·06			·05	·17			·56		·14	24
25		·03	·09	·07		·07	·23	·02			·13	·07	25
26				·11			·15	·01		·15	·04	·28	26
27		·16	·11	·19					·27			·02	27
28		·11		·29			·05	·04			·02	·03	28
29				·25		·40	·01		·39	·28		·02	29
30					·16	·03			·37	·16	·01		30
31										·03		·01	31
Total	1·89	1·47	2·37	1·32	1·64	2·96	·67	·45	1·93	2·74	2·37	3·11	TOTAL for year 22·92
No. of Rain Days	15	18	20	11	6	13	7	8	11	16	22	29	176

9,000, IX. '10.

wrote re correction 19 II 13 gl.

[illegible] 17·11·13 W D.S.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
4 - FEB 1913

Kept at Carrow House. Norwich

in the County of Norfolk

by Miss Colman

Lat.
Long.
Time of Observation 9·0 a.m
Nearest Railway Station Trowse
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·04	·03	·02		·06	·12		·10			·25	1
2		·06	·03	·02	·03		·19	·01		·02	·06		2
3	·10	·05	·03			·17	·01	·01	·04			·07	3
4	·10		·40	·02	·02	·21		·01			·11		4
5	·01	·07	·18	·01		·04							5
6	·63	·10	·01		·04	·25	·20	·04	·07				6
7	·07	·01			·02	·17	·02	·32	·06				7
8	·15	·01	·03	·03		·03	·11	·02	·25			·04	8
9		·01		·12	·02		·01		·22			·25	9
10	·01	·03		·02				·08	·15		·13		10
11		·03		·02				·18	·04		·35	·12	11
12		·09	·04		·08	·17				·03	·36		12
13	·04	·04	·03			·08		·02			·33		13
14			·01		·02	·07		·03		·04	·08	·10	14
15	·05	·02	·10		·20	·11		·02			·02	·02	15
16	·21	·01	·03		·05	·11		·03		·12	·02		16
17	·02		·14			·12		·12					17
18	·02		·14				·29	·02		·07		·14	18
19	·08	·06	·15			·01	·72	·04		·03			19
20		·02	·04		·07		·02	·02		·28			20
21	·09	·01	·15				·01	·53		·09			21
22	·28	·07	·02				·72	·09	·04			·04	22
23	·07	·44	·19		·01		·01	·45		·02	·25	·10	23
24	·01	·02	·05			·12	·20	·15					24
25	·03	·01				·12	·05	·61			·18	·25	25
26		·01				·12	·14	6·67		·17	·15	·22	26
27		·01				·01	·06	·10		·06		·11	27
28				·03			·01		·02	·30	·15	·29	28
29	·07			·02		·21	·23	·35	·41		·19		29
30	·05		·02			·01	·01	·21	·65	·24			30
31	·02		·10		·09		·15	·09	~~2·05~~	·17		·07	31
Total	2·12	1·22	1·92	·31	·65 ·66	2·19	3·28	10·22	2·05	1·64	2·38 2·38	2·07	YEAR'S TOTAL 30·05 30·05
Rain Days.	22	23	22	10	13	20	21	26	12	14	14	15	212

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Carrow House Gardens
in the County of Norwich. Norfolk
by Miss Colman

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Trowse
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·25	·11	·19		·01			·07		·06		1
2	·02	·15	·16		·06		·17		·09		·02		2
3					·25		·01		·04	1·10			3
4	·07				·01	·04						·18	4
5	·05				·04				·04	·43	·02		5
6					·17	·01	·01			·05	·05		6
7		·03			·05					·34			7
8				·07	·13	·10	·01			·04		·01	8
9		·09	·01	·03	·22	·17		·14	·04		·14		9
10				·07				·02			·10		10
11	·85			·75				·60			·66		11
12				·02		·01					·09		12
13	·11		·02	·03							·40		13
14	·08		·09	·05			1·61		·23	·29			14
15	·15		·20	·13			·38				·14		15
16	·08		·24	·26			·11		·41		·09	·02	16
17	·02		·30			·18			·13		·01		17
18			·08	·04			·04		·77				18
19	·08		·09	·02		05			·19			·12	19
20	·14		·05				·31		·12	·22			20
21	·03		·13				·36			·42	·23		21
22	·06		·12			·03			·14				22
23			·02			·19		·13					23
24	·06			·02			·01	·30					24
25				·11								·06	25
26		·06	·12							·72	·03		26
27		·04								·01			27
28	·15		·11							·07			28
29	·26		·16	·14	·18								29
30	·29			·28	·08						·15	·31	30
31			·11					·47					31
Total	2·50	·62	2·12	2·21	1·19	·79	3·02	1·66	2·27	3·69	2·19	·70	YEAR'S TOTAL 22·96
Rain Days.	17	6	18	16	10	10	11	6	12	11	15	6	138

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Carrow House Norwich

in the County of Norfolk

by Miss Colman

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Trowse
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·18			·27		1
2	·02			·01			·02	·02			·01		2
3	·01		·08		·11		1·02						3
4	·15		·02	·15						·01	·23		4
5			·07	·24	·10		·06	·14		·01			5
6		·06			·10		·04	·02			·09	·21	6
7	·01	·03	·32	·09	·03	·11						·26	7
8	·13	·04	·42	·03	·18	·34		·09	07	·02			8
9	·53		·47	·01	·01	·70				·06		·71	9
10	·88		·09	·04									10
11		·25	·33		·18	·19			·14		·17	·44	11
12	·04				·01		·05		·27			·41	12
13		·18	·23						·02	·03	·26	·57	13
14			·28							·28	·38	·46	14
15	·08		·18				·89				·05	·29	15
16	·04		·14				·10		·10		·08	·02	16
17		·34							·20			·16	17
18		·28	·05						·04	·05		·49	18
19		·03	·16					·01	·34	·15	·16		19
20	·07		·39			·09			·21	·18	·07	·04	20
21	·04	·42	·15							·39	·09	·12	21
22					·16	·03	·21						22
23					·05		·06			·09	·02		23
24			·07	·26	·05	·06		·01		·63	·06		24
25					·07		·05			·02			25
26								·14			·09	·36	26
27							·44			·12		·23	27
28	·02	·04					·01			·55	·42	1·21	28
29	·04						·01				·05		29
30		X	·06							·01	·18	·05	30
31		X		X	·05	X	·04		X		X	·08	31
Total	2·06	1·67	3·51	·83	1·10	1·52	3·00	·61	1·39	2·60	2·68	6·11	YEAR'S TOTAL 27·08
Rain Days.	14	10	18	8	13	7	14	8	9	16	18	18	153

W. 8,000. X. 14.

~~W~~ 98 [illegible] 28.III.16

1556

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 12 FEB 1916

Kept at Carrow House. Norwich

in the County of Norfolk

by Miss Colman

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Trowse

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·22	·01		14			·35	·36	·04	·16		1
2	·02		·28	·05				·13	·05		·12		2
3	·28	·05	·14	·07				·03	·05		·21	·23	3
4	·03							·04		·19	·26	·47	4
5	·03	·01								·29	·04	·28	5
6	·06	·27	·26	·16	·69		·18	·10		·01		·04	6
7	·12	·28	·14				13	·03				·16	7
8	·03	·07	·05	·05				·07	·04	·09			8
9		·08		·01				·03		·06	·24	·46	9
10	·38	·01	·01									·10	10
11	·02				·09		·24	·49		·02	·26	·07	11
12	·06			·32	·21		·11				·85	·04	12
13	·11	·30		·09	1·01		·64	·09			·25	·03	13
14		·45		·01			·03	·21				·29	14
15	·30	·26			·09		·64	·05				·15	15
16	·05	·25					·07			·01	·18	·02	16
17	·36	·31	·05		·02						·02	·24	17
18	·27	·08	·30		·26		·12				·14	·02	18
19	·01	·07						·01		·18			19
20	·18			·02			·03					·38	20
21	·40				·04		·36					·09	21
22	·02	·05	·35				·11					·19	22
23	·02	·09					·35				~~·23~~ ·08	·11	23
24		·10	·53				·03		·02		·14	·07	24
25	·08		·09			·23				·01	·08	·04	25
26		·19	·02			·13	·41			·08	·07	·24	26
27		·05	·01			·49	·04	·04	·07	·03		·13	27
28		·10				·74	·05	·13	·41	·28.			28
29	·08		·01			·06		·05	·37	·49	·09	·03	29
30	·10	X				·02			·16	·01	·01		30
31		X		X		X	·01	·07	X	·24	X	·15	31
Total	3·17	3·29	2·25	·78	2·55	1·67	3·55	1·92	1·53	2·03	3·20	4·03	YEAR'S TOTAL 29·97
Rain Days.	24	21	15	9	9	6	18	17	9	16	18	25	187

W. 8,000. X. 15.

W cnd pr auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

10 JAN 1917

Kept at Carrow House, Norwich

in the County of Norfolk

by Miss Colman

Lat. Long.

Time of Observation 9·0 a.m

Nearest Railway Station Trowse

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		02		05	03							1
2	·55	02	08		20		05		08				2
3		07	02				03		28	28	33		3
4	·26	18	07				09		22	05	29	27	4
5	·10	08	27	01		43			04	08	21		5
6		06	23	38		13	04				26	03	6
7	·11		44		49	01	14			11	10		7
8	·02		04		12	16						20	8
9			04		26	04	16					26	9
10			15	08		08				10		25	10
11	09	65	13	22	09	04	08					03	11
12	06			28	36	61		13		12		10	12
13	06	12	21	06	05	50			13				13
14		43	62	01	24	10		44				20	14
15		39	26			04		19	13	25		09	15
16		08	04	19			08	09				14	16
17	02			28			13	16		26			17
18		21	·04	20				18	28	14	93	01	18
19	06			13						01	38	03	19
20	17	09	09	04				09	30		08	15	20
21	03	22	09						03			43	21
22	·02	1·01	01		39	06						43	22
23		50				19		03			09	17	23
24		23					02	03		34		25	24
25		05	16					06		20		05	25
26		12	78			08		29		10	24		26
27		29	39			01							27
28		20	08		11							15	28
29						05		1·14		24		05	29
30						18		32		42			30
31	20							(·06)		02		03	31
Total	1·78 1·78	5·00	3·66	1·88	2·36	2·64 2·74	·82	3·21 ✓	1·49	2·72	2·91	3·32	YEAR'S TOTAL 31·88 31·89
Rain Days.	15	20	23	12	11	18	10	14	9	16	10	21	179

W. 8,000, VIII. 16

1459

FORM A.
BRITISH RAINFALL.
29 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Carrow House Gardens Norwich
in the County of Norfolk
by Miss Colman

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station Trowse
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·28				1·24	·24				1
2	·08			·22		03		·40					2
3			·02	·05				·95		·14			3
4		·52						·03		·60			4
5	·14			·25					·22		·16		5
6									·09				6
7	·41		·08							·50			7
8	·23			·13			1·20	·17		·21	·11		8
9	·06		·25	·23				·21			·12	·27	9
10	·07	·08	·68	·19						·04	·28		10
11	·08	~~·02~~	·07							·29	·03		11
12	·34	·02	·09	·11						·36			12
13	·23						·03	·25		·05		·03	13
14	·07			·22			·39	·20					14
15	·19							·04		·03			15
16	·05	·09		·44			·03			·39		·42	16
17	·02	·02	·07	·19	·53	·14	·11		·62	·26			17
18	·05			·02			·19		·52				18
19		·02	·34			·05			·07				19
20	·03	·25	·14			·08		·04	·31		·26		20
21		·20				·04							21
22			·12					·04		·08			22
23					·10			·08					23
24						·09		·18		·22	·17	·13	24
25			·09			·11					·21	·09	25
26			·09					·17	·03		·59	·11	26
27								·36					27
28		·04	·15			·33		·07				·11	28
29	·04					·59				·06		·03	29
30	·11	×					·29	·09					30
31	·03	×	·89	×		×	·41	·15	×		×		31
Total	2·23	1·27	3·08	2·33	·63	1·46	2·65	4·67	2·10	3·23	1·93	1·19	YEAR'S TOTAL 26·77
Rain Days.	18	11	14	12	2	9	8	18	8	14	9	8	131

W. 8,000, IX. 17.

W 81 [illegible]

22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
25.1.19

Kept at Carrow House Gardens. Norwich
in the County of Norfolk
by Miss Colman

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Trowse
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·49

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07					09		·05	·05	1
2	·09			·04				·35		·03		·21	2
3			·15		·04			·20			·89		3
4									·42	·03	·25		4
5			·14		·18			·28	·06	·18		·01	5
6		·20		·21					·01			·07	6
7	·25	·15		·18						·03			7
8		·03							·09		·14	02	8
9	·10	·05		·03		·09			·63	·22			9
10	·08						(·12) ·17				·09	·05	10
11		·08			·15				·18	·88		·16	11
12		·13					·12			·24		·29	12
13	·37	·08			·20		·03		·04			·07	13
14	·84			·03					·24	·43		·01	14
15			·07	1·89					·28	·04			15
16				·31					·06			·07	16
17				·07		·07	1·07					·28	17
18	·64			·08		·09	·01					·57	18
19	·13			·12					·14			·15	19
20		·08		·08		·01	·76		·07	·43			20
21	·04					·04	·08		·40	·10			21
22				·06		·07	·06					45	22
23	·07				·35		·05						23
24		·20							·12				24
25						·58	·45	·20					25
26							·70	·19	·03			·24	26
27				·43			·05	·23			·18	·21	27
28			·23			25		·03			·11	·47	28
29			·03						1·33		·05	·03	29
30		✕	·26						·31	·05	·18	·02	30
31		✕		✕		✕			✕		✕		31
Total	2·61	1·00	·88	3·60	·92	1·20	3·67	1·48	4·50	2·66	1·94	3·43	YEAR'S TOTAL 27·89
Rain Days.	10	9	6	14	5	8	13	7	18	12	9	20	120 130

W. 6,500, VII. 18. w w c

1366

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19[illegible].

Kept at Carrow House Gardens Norwich

in the County of Norfolk

by Miss Colman

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Trowse

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·49	·04			·15		·40			·46	·03	·70	1
2	·16		·03		·05		·03			·02	·45	·39	2
3	·23		·09				·21			·03	·10		3
4	·18		·22		·02	·03					·03	·24	4
5	·56	·07	·01					·02	·10		·02	·04	5
6			·19								·05	·31	6
7			·21	·10							·24	·34	7
8	·11									·03	·03	·14	8
9			·03	·03						·18	·08		9
10	·02		·13	·02						·45	·19		10
11	·14		·21	·05			·50			·03	·06	·78	11
12	·16			·03		15	·18			·02	·07		12
13	·25			·22			·10			·04	·05		13
14	·19			·42			·23		·04	·02			14
15		·02		·15			04			·08	·11	·07	15
16		·80		·05				·08		·19			16
17		1·21		·04							·31		17
18		·34						·14				·27	18
19		·08	·24					·24	·36		·09		19
20	·34	·05	·16			·45	·60	·24					20
21		·25	·02			·15	·31					·21	21
22		·23	·02				·20		20			·31	22
23		·02					07	·07	·04			·04	23
24				·04	·26	·16	·05	·52				·01	24
25				·04	·53	·04				·03		·06	25
26		·38	·29	·17		·09		·25	·09	·28		·42	26
27			·04	·04			·03			·34	·32	·13	27
28	·13			·06			·04	·63		·75	·11	·32	28
29				·13		·05	·03	·04		·14	·17	·24	29
30		╳	·08	·19						·27	·19	·19	30
31		╳		╳		╳	·05		╳	13	╳	·10	31
TOTAL	2·96 ✓	3·49	1·97 ✓	1·78 ✓	1·01 ✓	1·12 ✓	3·07 ✓	2·23 ✓	·83 ✓	3·59 ✓	2·70 ✓	5·31 ✓	YEAR'S TOTAL 30·06 ✓
Days with ·01 in. or more	13	13	16	17	5	8	17	10	6	19	20	21	164

[illegible] 1290

24 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Carrow House Gardens, Norwich
in the County of NORFOLK
by Miss Colman

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Trowse
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
„ „ „ „ Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·02	·05		·26		·08	·39	·12	·01	1
2								·12				·11	2
3		·02		·04					·05			·10	3
4	·03			·27	·08							·20	4
5				·09	·10		·11	·18	·12			·20	5
6			·30		·05		·46	·04				·02	6
7				·11	·01		·13					·08	7
8				·48	·07		·03	·08					8
9	·20	·05		·56				·17				·05	9
10	·23	·08		·19			·03	·06				·05	10
11	·43	·02		·08			·11					·40	11
12	·11		·14	·15		·04	·02						12
13	·08	·03		·16		·54			05			·10	13
14	·02		·24	·09		·19	·08		·06			·05	14
15		·02	·20	·05			·01		·05	·30	·25	·15	15
16				·16					·61		·11	·30	16
17				·04	·24				·11			·13	17
18				·01				·17	·31				18
19	·18							·25	·03			·10	19
20	·09	·33		·18		·61			·09				20
21							·36	10	·17			·07	21
22				·05				·18	·21			·02	22
23							·50					·20	23
24			·11				·08					·08	24
25			·01	·04		·09	·23		·05				25
26	·06	·08		·15	·60		·15						26
27	·14			·17	·01	·48					·08	·11	27
28	·51			·08			·02				·07	·05	28
29			·05		·09		·13				·08	·21	29
30				·03	·20	·53	·15		·05		·14	·20	30
31	·07							·14				·20	31
													YEAR'S TOTAL
TOTAL	2·15	·63	1·05	3·20	1·50	2·48	2·86	1·49	2·04	·69	·85	3·19	22·13
Days with ·01 in. or more	13	8	7	23	11	7	18	11	15	2	7	25	147
Days with ·04 in. or more	11	4	6	20	9	7	13	11	14	2	7	22	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORWICH
EATON
CHRISTCHURCH RD

NORFOLK

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGI

Kept at Norwich (London) in.

in the County of Norfolk und 1 ft. 1 in.

Level 98 ft.

by Arthur W. Preston, e Norwich (Victoria)

nce 3/4 m Direction E

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing c Rainfall Organization are given in "R cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	·03	—	—	—	·05	·15	—	·16	—	·01	1
2	·31	·01	·12	—	·20	·13	·03	—	—	·01	·07	·18	2
3	·05	·05	—	·07	·14	—	—	—	—	·12	·03	·06	3
4	·08	—	·09	·17	—	—	—	—	·08	·04	·25	·06	4
5	·01	·05	—	·16	—	—	—	—	—	·21	·01	·24	5
6	·23	·01	·06	·05	—	—	—	—	—	·05	·03	·15	6
7	·04	·04	·01	—	—	—	—	—	—	—	·13	·30	7
8	·18	—	·12	—	—	—	—	—	·02	·02	·09	·10	8
9	·10	—	·05	·05	—	·01	—	—	—	—	·02	—	9
10	·07	·05	·11	—	—	·02	—	—	—	—	·12	·49	10
11	·39	·39	—	—	—	—	—	—	—	—	·36	·02	11
12	·04	·02	·41	—	—	—	—	—	·01	—	·01	—	12
13	·11	—	·23	—	·76	·12	—	—	·17	·46	—	·10	13
14	·01	·05	·26	—	·46	·01	—	—	·02	·01	—	·11	14
15	—	·08	·27	—	—	—	—	—	·02	·01	·20	·02	15
16	—	—	·06	—	—	·41	—	—	—	—	·26	·11	16
17	·02	—	·25	—	—	·01 ·03	—	—	—	—	·01	·10	17
18	—	·21	·02	·03	—	·80	—	—	—	—	·97	·07	18
19	·01	·05	—	—	—	·06	—	·02	·02	·01	·21	·02	19
20	·01	·03	—	·03	—		—	·04	·17	·04	·05	·40	20
21	·01	·21	—	·01	—		—	·06	·01	·13	—	·06	21
22	·02	·06	·09	—	—	·83	—	·14	—	·15	·05	·45	22
23	·02	·03	·39	—	·03	·07	—	·12	·33	—	—	·15	23
24	—	·07	·05	—	—	·09	·19	—	—	·57	—	·18	24
25	—	·05	·07	·11	—		·26	·12	—	·01	·14	·09	25
26	—	—	—	·12	—	—	·11	·02	—	·17	·05	·39	26
27	—	·23	·12	·21	—	—	—	—	·32	—	·01	·02	27
28	—	·20	·01	·28	—	·40	·05	·07	—	·01	·06	·06	28
29	—		—	·22	—	[illegible]	·05	—	·42	·35	·01	·02	29
30	—		—	—	·19	·03	—	—	·51	·22	—	·01	30
31	—				—		—	—		·03		·01	31
Total	2·17	1·89	2·82	1·51	1·78	3·02	·74	·74	2·10	2·78	3·14	3·98	TOTAL for year 26·67
No. of Rain Days	20	20	21	13	6	15	7	9	13	21	23	29	~~26·67~~ 197

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL

Kept at Norwich

in the County of Norfolk

by Arthur W. Preston, F. R. Met: Soc.

Rain Gauge: Pattern	Symons (Snowdon)
Diameter of top	5 in.
Height of top above Ground	1 ft. 1 in.
„ „ „ Sea Level	98 ft.

Time of Observation 9 am

Nearest Railway Station: Name Norwich (Victoria)
Distance 3/4 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	·03	—	—	—	·05	·15	—	·16	—	·01	1
2	·31	·01	·12	—	·20	·13	·03	—	—	·01	·07	·18	2
3	·05	·05	—	·07	·14	—	—	—	—	·12	·03	·06	3
4	·08	—	·09	·17	—	—	—	—	·08	·04	·25	·06	4
5	·01	·05	—	·16	—	—	—	—	—	·21	·01	·24	5
6	·23	·01	·06	·05	—	—	—	—	—	·05	·03	·15	6
7	·04	·04	·01	—	—	—	—	—	—	—	·13	·30	7
8	·18	—	·12	—	—	—	—	—	·02	·02	·09	·10	8
9	·10	—	·05	·05	—	·01	—	—	—	—	·02	—	9
10	·07	·05	·11	—	—	·02	—	—	—	—	·12	·49	10
11	·39	·39	—	—	—	—	—	—	—	—	·36	·02	11
12	·04	·02	·41	—	—	—	—	—	·01	—	·01	—	12
13	·11	—	·23	—	·76	·12	—	—	·17	·46	—	·10	13
14	·01	·05	·26	—	·46	·01	—	—	·02	·01	—	·11	14
15	—	·08	·27	—	—	—	—	—	·02	·01	·20	·02	15
16	—	—	·06	—	—	·41	—	—	—	—	·26	·11	16
17	·02	—	·25	—	—	·01 ·03	—	—	—	—	·01	·10	17
18	—	·21	·02	·03	—	·80	—	—	—	—	·97	·07	18
19	·01	·05	—	—	—	·06	—	·02	·02	·01	·21	·02	19
20	·01	·03	—	·03	—		—	·04	·17	·04	·05	·40	20
21	·01	·21	—	·01	—		—	·06	·01	·13	—	·06	21
22	·02	·06	·09	—	—	·83	—	·14	—	·15	·05	·45	22
23	·02	·03	·39	—	·03	·07	—	·12	·33	—	—	·15	23
24	—	·07	·05	—	—	·09	·19	—	—	·57	—	·18	24
25	—	·05	·07	·11	—	—	·26	·12	—	·01	·14	·09	25
26	—	—	—	·12	—	—	·11	·02	—	·17	·05	·39	26
27	—	·23	·12	·21	—	—	—	—	·32	—	·01	·02	27
28	—	·20	·01	·28	—	·40	·05	·07	—	·01	·06	·06	28
29	—		—	·22	—	[illegible]	·05	—	·42	·35	·01	·02	29
30	—		—	—	·19	·03	—	—	·51	·22	—	·01	30
31	—		—		—		—	—		·03		·01	31
Total	2·17	1·89	2·82	1·51	1·78	3·02	·74	·74	2·10	2·78	3·14	3·98	TOTAL for year 26·67
No. of Rain Days	20	20	21	13	6	15	7	9	13	21	23	29	~~26·67~~ 197

9,000, IX. '10.

Exc BL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-8 MAR 1913

Kept at Norwich, Christchurch Road

in the County of Norfolk

by A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·02	·01	·03		·05	·10		·12	·01		·30	1
2		·08	·07	·03	·05		·32			·01	·10	·03	2
3	·15	·14	·02			·21	·02	·01	·05	·04		·07	3
4	·13		·45	·02	·02	·15		·05			·13	·01	4
5	·01	·09	·22			·04		·02			·01		5
6	·71	·12			·03	·22	·35	·04	·11			·02	6
7	·10				·02	·27	·02	·36	·09				7
8	·20	·02	·06	·04		·02	·11	·05	·30			·02	8
9		·01		·13	·02				·25			·27	9
10				·02				·14	·27	·01	·15	·02	10
11	·01	·05		·05				·20	·06		·39	·18	11
12	·07	·08	·06		·08	·17					·49		12
13	·01	·05	·04			·08		·01			·44	·04	13
14					·02	·08		·05	·01	·06	·08	·13	14
15	·01	·02	·17		·25	·14		·03			·03	·04	15
16	·09	·01	·08		·09	·10		·05		·15	·02		16
17	·17		·17			·14		·12			·01	·10	17
18	·03		·11				·52	·05		·09	·05	·07	18
19	·05	·12	·21			·03	·77	·22		·04	·01		19
20	·11		·06		·12		·01	·07		·30			20
21	·01		·16		·02		·07	·64		·09	·02		21
22	·09	·08	·04		·01	·01	·58	·20				·04	22
23	·34	·45	·22		·02			·55	·10	·02	·22	·03	23
24	·09	·01	·05			·15	·29	·16				·09	24
25	·03					·13	·04	1·03		·01	·27	·28	25
26	·02	·01			·01	·05	·25	6·31		·23	·20	·23	26
27								·20		·08	·07	·14	27
28		·01		·05			·01	·14	·03	·31	·15	·37	28
29	·12		·03	·02		·09	·24	·26	·48	·08	·23	·01	29
30	·06				·01			·20	·75	·19			30
31	·02		·11		·10		·15	·11		·17		·09	31
													YEAR'S TOTAL
Total	2·65	1·37	2·34	·39	·87	2·13	3·85	11·27	2·62	1·89	3·07	2·68	35·03
Rain Days.	25	18	20	9	16	19	17	27	13	18	20	23	225

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 - JAN 1914

Kept at Christchurch Lodge, Norwich

in the County of Norfolk

by Arthur W. Preston

1

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Norwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level about 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·29	·12	·19	—	·01	—	—	·11	—	·06	—	1
2	·05	·19	·02	—	·03	—	·16	—	·02	—	·03	—	2
3	—	—	·23	—	·22	—	·01	—	·06	·76	—	·05	3
4	·11	—	·01	—	·01	·04	·01	—	—	—	·02	·16	4
5	·06	—	—	—	·03	—	·01	—	·07	·85	·03	·02	5
6	—	—	·01	—	·14	·03	—	—	·04	·05	·01	—	6
7	—	·04	—	—	·03	—	·01	—	—	·34	—	·02	7
8	—	—	—	·05	·15	·08	·02	—	—	·02	·11	—	8
9	—	·11	·02	·04	·23	·16	—	·08	·10	—	·06	·02	9
10	—	—	—	·05	—	—	—	·03	—	·01	·20	—	10
11	·82	—	—	·76	—	—	—	·54	—	—	·58	—	11
12	—	·01	—	·02	—	·02	—	·01	—	—	·11	—	12
13	·09	·01	·04	·07	—	—	—	—	—	—	·35	—	13
14	·08	—	·10	·06	—	—	1·19	—	·13	·28	·05	—	14
15	·21	·02	·22	·18	—	—	·31	—	—	—	·10	—	15
16	·12	—	·30	·21	—	—	—	—	·62	—	·10	·02	16
17	·03	·01	·29	·01	—	·09	·12	—	·31	—	·01	·02	17
18	·01	—	·11	·07	—	—	·02	·01	·96	—	—	·02	18
19	·08	—	·05	·02	—	·05	·02	·01	·46	—	—	·11	19
20	·13	—	·09	—	—	—	—	—	·03	·22	—	—	20
21	·04	·02	·12	·02	—	—	·34	—	—	·38	·24	—	21
22	·10	—	·11	—	—	—	·39	·01	·13	—	—	·01	22
23	—	—	—	—	—	·04	·01	·12	·01	·01	·01	—	23
24	·09	—	—	·03	—	·18	—	·34	—	—	·01	·04	24
25	·01	—	—	·12	—	—	·01	—	—	·01	—	·01	25
26	—	·04	·12	—	—	—	—	—	—	·78	·02	·11	26
27	—	·07	·02	—	—	·01	—	—	—	·03	—	—	27
28	·19	·03	·11	—	—	·01	—	—	—	·06	—	—	28
29	·28		·15	·19	·24	—	—	—	—	—	·01	·06	29
30	·32		—	·27	·08	—	—	·01	—	·03	·16	·12	30
31	—		·08		—		—	·37		—		—	31
Total	2·92	·84	2·32	2·36	1·16	·72	2·63	1·53	3·05	3·83	2·27	·79	YEAR'S TOTAL 24·42
Rain Days.	20	12	21	18	10	12	15	11	14	15	21	15	184

W.7,000, XI. 13

Ex 9d

REGISTER OF RAINFALL IN 1914

FORM A. 4. BRITISH RAINFALL. 4 JAN 1915

Kept at Norwich

1

in the County of Norfolk

by Arthur W. Preston

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 2 ft. in.

" " " " Sea Level about 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·14	—	·02	·25	·01	1
2	·02	—	—	·01	—	—	·01	—	—	—	·03	·04	2
3	·01	—	·10	—	·12	—	·96	·01	—	—	·01	—	3
4	·15	—	·02	·18	—	·02	—	—	—	—	·21	·07	4
5	·01	—	·07	·23	·14	·06	·07	·23	—	·02	·01	—	5
6	·01	·05	—	—	·12	—	·03	·02	—	—	·11	·12	6
7	·01	·04	·33	·04	·02	·07	—	—	—	—	—	·30	7
8	·15	·03	·40	·03	·15	·32	—	·09	·09	·02	—	—	8
9	·51	—	·50	·01	·02	·69	—	—	·01	·03	—	·76	9
10	·86	·02	·10	·05	·01	—	—	—	—	—	—	·07	10
11	—	·26	·32	·11	·16	·15	—	—	·13	—	·31	·44	11
12	·04	—	·02	—	·02	—	·01	—	·27	—	—	·31	12
13	·01	·20	·24	—	·01	—	—	—	·02	·02	·22	·63	13
14	—	—	·24	—	—	—	—	—	—	·22	·19	·50	14
15	·10	·01	·20	—	—	—	1·18	—	—	—	·21	·32	15
16	·06	—	·14	—	—	—	·17	—	·06	—	·09	·01	16
17	·02	·40	—	—	—	—	—	—	·15	—	·03	·20	17
18	—	·26	·03	—	—	—	—	—	·04	—	—	·52	18
19	·03	·02	·17	—	—	·05	—	—	·20	·02	·20	·01	19
20	·04	—	·40	—	—	·09	—	—	·15	·15	·06	·01	20
21	·06	·40	·17	—	—	—	—	·02	—	·07	·13	·10	21
22	—	—	·01	·01	·14	·05	·21	·01	—	·42	—	·07	22
23	—	—	·04	·01	·02	·05	·06	—	—	·03	·02	·02	23
24	·01	—	·01	·11	·02	·02	·01	·03	—	·07	·06	·01	24
25	—	·01	—	—	·03	—	·05	—	—	·62	·01	·01	25
26	—	—	—	—	—	—	·01	·09	—	·02	·11	·29	26
27	·01	—	·03	—	—	—	·16	—	—	·01	·02	·26	27
28	—	·03	—	—	—	—	·03	—	—	·10	·43	1·44	28
29	·03		·04	—	—	—	·03	—	·01	·45	·04	·01	29
30	—	X	·04	·01	—	—	—	—	—	·01	·19	·05	30
31	—	X	—	X	·05	X	·05	—	X	·01	X	·09	31
Total	2·14	1·73	3·62	·80	1·03	1·57	3·04	·64	1·13	2·31	2·94	6·67	YEAR'S TOTAL 27·62
Rain Days.	20	13	23	12	15	11	16	9	11	19	23	28	200

W. 8,000. X. 14.

1555

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Norwich

in the County of Norfolk

by Arthur W. Preston

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Norwich

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.22	.01	—	.15	—	—	—	.19	.02	.14	.05	1
2	.03	.04	.30	.05	—	.01	—	.40	.03	—	.15	.01	2
3	.29	—	.11	.07	—	—	.01	.38	.05	—	.23	.20	3
4	.02	—	—	—	.05	—	—	.04	.01	.11	.15	.53	4
5	.04	.04	.01	—	.06	—	—	.04	—	.24	.04	.26	5
6	.08	.23	.23	.17	.37	—	.27	—	—	.01	.01	.04	6
7	.11	.37	.10	—	.01	—	.27	.11	—	—	—	.18	7
8	.04	.08	.03	.05	—	—	.01	.03	—	.08	—	—	8
9	.03	.07	—	.04	—	.02	—	.05	—	.04	.24	.48	9
10	.40	.01	—	—	—	.04	—	.03	—	—	.01	.07	10
11	.03	—	—	—	.07	—	.28	—	—	.01	.23	.09	11
12	.08	—	.01	.31	.24	—	.08	.79	—	—	.82	.03	12
13	.12	.28	—	.07	.93	—	—	.02	—	—	.30	—	13
14	—	.45	—	.01	.03	—	.66	.24	—	—	.01	.34	14
15	.32	.38	—	—	.09	—	.04	.27	—	—	—	.16	15
16	.05	.32	—	—	—	—	.67	.08	—	.06	.10	.02	16
17	.42	.22	.05	—	.01	—	.08	.01	—	—	.04	.12	17
18	.09	.07	.36	—	.25	—	—	—	—	.01	.12	.02	18
19	.01	.12	.01	—	—	—	.14	—	—	.18	.01	.01	19
20	.18	—	—	.02	—	—	—	.07	—	—	—	.41	20
21	.38	—	—	—	.15	—	.03	—	—	—	—	.08	21
22	.04	.05	.30	—	—	—	.38	—	—	—	—	.19	22
23	.02	.07	—	—	—	.03	.09	—	—	—	.09	.13	23
24	.01	.07	.27	—	—	—	.31	—	.06	.05	.08	.08	24
25	.05	—	.06	—	—	.19	.04	—	—	.06	.12	.05	25
26	.02	.19	.04	.01	—	.11	—	—	—	.09	.03	.29	26
27	.01	.04	.03	—	—	.04	.29	—	.12	.30	.02	.03	27
28	—	.12	—	—	—	.32	.02	.04	.44	.51	—	—	28
29	.07		.02	—	.03	.08	.05	.12	.42	.01	.09	.05	29
30	.12	X	—	—	—	.09	—	.02	.21	—	.01	—	30
31	.03	X	—	X	—	X	.01	.07	X	.23	X	.14	31
Total	3.24	3.44	1.94	.80	2.44	.93	3.73	2.81	1.53	2.01	3.04	4.06	YEAR'S TOTAL 29.97
Rain Days.	29	21	17	10	14	10	20	19	9	17	23	27	216

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Norwich

in the County of Norfolk

by Arthur W. Preston

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Norwich

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	—	.01	—	.04	.04	—	—	—	—	.10	—	1
2	.50	.01	.07	—	.32	—	.04	—	.15	.02	.01	—	2
3	—	.06	.07	—	—	.10	.05	—	.24	.26	.33	.01	3
4	.31	.10	.09	—	—	.37	.17	—	.23	.05	.20	.33	4
5	.09	.08	.30	.02	.01	.17	—	—	.04	.10	.22	.01	5
6	—	.09	.30	.39	.03	.03	.03	—	.01	.04	.29	—	6
7	.12	—	.33	.01	.60	.19	.13	—	—	.09	.10	.01	7
8	.02	—	.06	—	.11	.11	—	—	—	—	.01	.20	8
9	—	—	.02	—	.27	.12	—	—	—	.02	—	.24	9
10	—	—	.15	.09	—	.03	.18	—	.02	.12	—	.22	10
11	.08	.62	.12	.23	.08	.61	—	—	—	—	—	.01	11
12	.06	.01	.01	.23	.35	.52	.10	.17	—	.17	—	—	12
13	.07	.13	.18	.06	.14	.06	.02	.01	.12	.02	—	—	13
14	.01	.36	.01	.04	.14	.04	—	.16	.05	.08	—	.15	14
15	.01	.38	.24	—	—	—	—	.10	.07	.22	—	.07	15
16	—	.07	.04	.23	—	—	.12	.07	—	.05	—	.12	16
17	.02	—	.01	.28	—	—	.15	.19	.25	.28	—	.01	17
18	—	.23	.02	.20	—	.01	—	.51	.06	.13	.91	.01	18
19	.05	.01	—	.08	—	.01	—	—	.29	.03	.27	.04	19
20	.19	—	.11	.02	—	—	—	.11	.02	—	.10	.17	20
21	.05	.09	.11	.04	—	—	.01	—	—	—	.01	.39	21
22	—	.30	.01	—	.37	.11	.02	—	—	—	—	.45	22
23	—	.80	—	—	—	.12	.01	.05	—	—	.10	.16	23
24	—	.34	—	.01	—	.05	.02	.04	—	.31	.01	.20	24
25	—	.26	.15	—	—	—	—	.08	—	.18	.05	.07	25
26	—	.05	.01	—	—	.30	—	.17	—	.02	.18	—	26
27	—	.08	.85	—	—	.01	—	.06	—	.07	.01	—	27
28	—	.28	.42	—	.10	—	—	—	.02	.02	—	.16	28
29	—	.17	—	—	—	.06	—	1.23	—	.20	—	.05	29
30	—		—	—	—	.17	—	.33	—	.43	—	.01	30
31	.20		—		.02		—	.07		.01		.02	31
Total	1.83	4.52	3.69	1.93	2.58	3.23	1.05	3.35	1.57	2.92	2.90	3.11	YEAR'S TOTAL 32.68
Rain Days.	16	22	25	15	14	22	14	16	14	24	17	24	223

W. 8,000, VIII. 16

1458

REGISTER OF RAINFALL IN 1917

FORM ... BRITISH RAINFALL 17 JAN 1918

Kept at Norwich
in the County of Norfolk
by Arthur W. Preston

Lat. 52·37 N Long. 1·18 E
Time of Observation 9 am G.M.T.
Nearest Railway Station Norwich (City)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	·01	·37	—	—	—	1·04	·28	—	·05	·02	1
2	·07	·01	·01	·18	—	·05	—	·44	—	—	·01	—	2
3	·01	—	·02	·04	—	—	—	·95	—	·08	—	·01	3
4	—	·46	—	—	—	—	—	·02	—	·71	—	·01	4
5	·15	·06	·04	·14	—	—	—	—	·39	·01	·13	—	5
6	·01	—	—	·02	—	·03	—	·01	·12	·05	·04	—	6
7	·37	—	·03	—	—	·01	—	—	—	·48	—	·02	7
8	·22	—	—	·17	—	—	1·17	·13	—	·21	·10	·02	8
9	·02	—	·03	·10	—	—	·01	·15	—	·01	·23	·22	9
10	·09	—	·24	·13	—	—	·01	·01	—	·05	·32	·01	10
11	·09	—	·69	·18	—	—	—	—	—	·31	·01	—	11
12	·33	·06	·08	·10	—	—	—	·04	—	·36	·01	·02	12
13	·23	—	·06	—	—	—	·03	·35	·06	·04	—	·01	13
14	·04	—	·02	·20	—	—	·07	·10	—	—	—	·05	14
15	·15	—	—	—	·01	—	—	·07	—	·04	—	·03	15
16	·06	·08	—	·50	—	·02	·07	—	—	·44	·01	·33	16
17	·03	·02	·05	·19	·59	·09	·20	—	·56	·28	—	·02	17
18	·04	—	—	·04	·01	·02	·12	·02	·58	·01	—	—	18
19	·01	·03	·33	·01	—	·02	—	—	·25	—	—	—	19
20	·04	·27	·15	—	—	·08	—	—	·06	—	·28	—	20
21	·01	·17	·08	—	—	·02	—	·05	—	—	·02	·02	21
22	—	·01	·17	—	·02	—	—	·04	—	·09	—	—	22
23	—	·01	—	—	·09	—	—	·07	—	—	—	·04	23
24	·01	—	—	—	—	·11	·02	·14	—	·22	·13	·05	24
25	—	—	·07	—	—	·18	·01	—	—	·01	·19	·27	25
26	—	—	·07	—	—	—	—	·18	·04	—	·63	·05	26
27	—	—	—	—	—	·10	—	·45	—	—	·01	·12	27
28	—	·04	·16	—	—	·31	—	·09	—	—	—	·08	28
29	·02	×	—	—	—	·50	·09	·01	—	·10	—	·03	29
30	·11	×	·02	—	—	—	·15	·09	—	·02	—	·01	30
31	·09	×	·85	×	—	×	·51	·16	×	—	×	·03	31
Total	2·20	1·24	3·18	2·37	·72	1·54	2·46	4·61	2·34	3·52	2·17	1·47	YEAR'S TOTAL 27·82
Rain Days.	23	13	21	15	5	14	13	23	9	20	16	23	195

W. 8,000, IX. 17.

Ex MOI

21

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. 1. 19

Kept at Norwich

in the County of Norfolk

by Arthur W. Preston

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	—	·06	—	—	—	—	·11	·01	·04	·09	1
2	·08	—	—	·04	—	—	—	·39	·02	·03	—	·24	2
3	·01	—	·04	—	·09	—	—	·09	·02	—	·86	·01	3
4	·01	·01	·10	—	—	—	—	·03	·44	·08	·27	—	4
5	—	·06	·05	—	·15	—	—	·25	·06	·15	·01	·02	5
6	—	·12	—	·19	—	—	—	—	·02	—	—	·09	6
7	·14	·18	—	·18	—	·01	—	—	·07	·06	·08	·01	7
8	—	·03	·03	·02	—	—	·02	—	·14	—	·09	·03	8
9	·10	·06	—	·01	—	·10	—	—	·53	·24	—	·05	9
10	·10	—	—	—	—	—	·15	—	·01	—	·10	·22	10
11	·02	·09	—	·01	·15	—	·05	—	·15	·97	·02	·31	11
12	—	·15	—	—	—	—	·24	·02	·09	·25	—	·07	12
13	—	·10	—	—	·13	—	—	—	·07	·01	—	·02	13
14	·35	—	—	—	—	—	·10	—	·29	·35	·01	·03	14
15	1·02	—	·05	1·68	—	—	·03	—	·21	·09	—	·07	15
16	—	—	—	·36	—	·02	—	—	·05	·02	—	·01	16
17	·17	—	—	·03	—	·09	·90	—	—	—	—	·31	17
18	·57	—	—	·07	—	·08	·02	—	·17	·02	—	·63	18
19	·16	—	·02	·25	—	—	·04	—	—	·18	—	·15	19
20	·02	·07	—	·10	—	·02	·75	—	·08	·20	—	·06	20
21	·03	—	—	—	—	·04	·07	—	·40	·13	—	·01	21
22	·03	—	—	·08	—	·06	·05	—	·02	·01	—	·43	22
23	·07	—	—	·01	·27	—	·09	·08	·01	—	·02	·01	23
24	—	·21	—	—	—	—	·03	—	·16	—	·13	—	24
25	—	—	·02	—	—	·58	·49	·14	—	—	·01	·09	25
26	—	—	—	—	—	·01	·42	·19	·02	—	·10	·17	26
27	·01	·03	—	·36	—	—	·03	·23	·08	—	·04	·22	27
28	·02	·10	·26	·01	—	·07	—	·05	—	—	·11	·45	28
29	·01		·02	—	—	—	—	—	1·18	—	·07	·02	29
30	—	X	·25	—	—	—	—	—	·25	·03	·15	·05	30
31	·01	X	·01	X	—	X	—	—	X	·03	X	·10	31
Total	2·94	1·22	·85	3·46	·79	1·08	3·48	1·47	4·65	2·86	2·11	3·97	YEAR'S TOTAL 28·88
Rain Days.	21	14	11	17	5	11	17	10	26	19	17	29	197

W. 8,000, IX. 17.

Ex. H86

1365

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Norwich

in the County of Norfolk

by Arthur W Preston

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Norwich

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·01	—	—	·16	—	·19	—	·01	·38	·05	·58	1
2	·15	·01	·03	—	·01	—	·03	—	—	·02	·50	·68	2
3	·25	—	·11	—	—	—	·15	—	—	—	·09	·03	3
4	·12	—	·25	—	·01	·02	—	·01	—	—	·01	·25	4
5	·58	·06	·02	—	—	—	—	—	·09	—	—	·06	5
6	·02	—	·22	—	—	—	·01	—	—	·01	·10	·32	6
7	—	—	·26	—	·04	—	·01	—	—	—	·26	·29	7
8	·10	—	—	·11	—	—	·01	—	—	·02	·02	·24	8
9	—	—	·03	·03	—	—	—	—	—	·19	·10	·01	9
10	·03	—	·13	·02	·08	—	—	—	—	·32	·16	·01	10
11	·01	—	·24	·06	·01	—	·53	—	—	·05	·14	·11	11
12	·16	—	·05	·04	—	·14	·12	—	—	·02	·02	·01	12
13	·08	—	·01	·25	—	—	·15	—	—	·05	·02	—	13
14	·38	·01	—	·47	—	—	·09	—	·06	·03	·03	·01	14
15	·15	—	—	·08	—	—	·02	—	—	·27	·09	·08	15
16	·02	·88	·02	·07	—	—	—	·06	—	·16	—	·13	16
17	—	1·18	·10	·04	·18	—	—	—	—	—	·32	·04	17
18	·02	·18	—	—	—	—	—	·16	·03	—	·03	·16	18
19	—	·09	·18	—	—	·06	·04	·25	·32	—	·08	·01	19
20	·28	·07	·15	·01	—	·36	·41	·30	·01	—	·02	·03	20
21	·01	·27	·03	—	—	·11	·40	—	—	—	—	·17	21
22	—	·28	·02	—	—	—	·14	—	·25	—	·04	·32	22
23	—	—	—	—	—	·08	·09	·06	·02	—	·01	·04	23
24	—	·01	—	·04	·14	·10	·05	—	—	—	—	·01	24
25	·01	—	—	·06	·23	·10	—	·47	—	·01	—	·05	25
26	·10	·31	·32	·14	—	·04	·01	·23	·09	·40	—	·45	26
27	—	·02	·04	·04	—	—	·03	—	—	·60	·45	·04	27
28	·05	—	—	·07	—	—	·04	·66	—	·50	·05	·33	28
29	·03		—	·10	—	·07	·02	·05	—	·20	·31	·25	29
30	—	╳	·09	·19	—	·19	—	·01	—	·20	·18	·22	30
31	·02	╳	—	╳	—	╳	·08	—	╳	·10	╳	·12	31
TOTAL	2·94	3·38	2·30	1·82	·86	1·27	2·62	2·26	·88	3·53	3·08	5·05	YEAR'S TOTAL 29·99 ✓
Days with ·01 in. or more	22	14	20	18	9	11	22	11	9	19	24	30	209 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1289

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Norwich

in the County of Norfolk

by A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·02	·06		·22		·02	·42		·01	1
2			·03					·14	·04	·01		·13	2
3		·02		·13		·01			·03			·13	3
4	·02		·02	·31	·13		·05	·03				·21	4
5			·07	·07	·13		·12	·21	·14			·31	5
6			·13		·05		·40	·03	·02			·02	6
7	·01		·13	·12	·01		·22					·09	7
8			·01	·52	·10		·05	·16				·01	8
9	·22	·05		·58				·22				·01	9
10	·24	·07	·06	·22			·04	·03			·01	·07	10
11	·43	·02		·16	·03		·10					·30	11
12	·12		·10	·18		·08	·05					·06	12
13	·08	·04	·03	·09		·55			·05			·09	13
14	·02	·03	·23	·11		·21	·07		·07		·27		14
15	·01	·01	·22	·10			·01		·13	·30	·13	·10	15
16			·01	·12	·01				·55	·01	·01	·28	16
17			·01	·03	·14				·11	·01		·13	17
18	·02			·01	·03			·24	·30			·10	18
19	·17			·04				·40	·05			·01	19
20	·10	·29		·18		·62	·01	·02	·18				20
21	·01	·01		·02			·52	·12	·18			·07	21
22				·06				·20	·22			·02	22
23							·48		·01			·19	23
24			·14				·08		·03			·08	24
25		·04	·01	·04		·12	·32		·03		·01		25
26	·06	·01	·02	·18	·62		·11					·01	26
27	·15	·13	·01	·20		·45					·04	·12	27
28	·56	·01		·07	·04	·05	·02				·07	·05	28
29	·01				·20		·14				·09	·21	29
30		✕		·04	·23	·02	·15		·05		·16	·21	30
31	·10	✕		✕		✕		·27	✕	·02	✕	·20	31
TOTAL	2·34	·73	1·23	3.60	1·78	2.11	3.16	2·07	2·21	·77	·78	3.22	YEAR'S TOTAL 24.00
Days with ·01 in. or more	19	13	17	25	14	9	20	13	19	6	9	28	192
5·04	11	6	8	21	10	7	17	9	13	2	6	21 ✓	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1789

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Norwich (Eaton)

in the County of Norfolk

by A. W. Preston

Lat. 52° 37′ N Long. 1° 16′ E

Time of Observation

Nearest Railway Station —

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	-	-	0·02	0·06	-	0·22	-	0·02	0·42	-	0·01	1
2	-	-	0·03	-	-	-	-	0·14	0·04	0·01	-	0·13	2
3	-	0·02	- 2	0·13	-	0·01	-	-	0·03	-	-	0·13	3
4	0·02	-	~~0·04~~	0·31	0·13	-	0·05	0·03	-	-	-	0·21	4
5	-	-	0·07	0·07	0·13	-	0·12	0·21	0·14	-	-	0·31	5
6	-	-	0·13	-	0·05	-	0·40	0·03	0·02	-	-	0·02	6
7	0·01	-	0·13	0·12	0·01	-	0·22	-	-	-	-	0·09	7
8	-	-	0·01	0·52	0·10	-	0·05	0·16	-	-	-	0·01	8
9	0·22	0·05	-	0·58	-	-	-	0·22	-	-	-	0·01	9
10	0·24	0·07	0·06	0·22	-	-	0·04	0·03	-	-	0·01	0·07	10
11	0·43	0·02	-	0·16	0·03	-	0·10	-	-	-	-	0·30	11
12	0·12	-	0·10	0·18	-	0·08	0·05	-	-	-	-	0·06	12
13	0·08	0·04	0·03	0·09	-	0·55	-	-	0·06	-	-	0·09	13
14	0·02	0·03	0·23	0·11	-	0·21	0·07	-	0·07	-	0·24	-	14
15	0·01	0·01	0·22	0·10	-	-	0·01	-	0·13	0·30	0·13	0·10	15
16	-	-	0·01	0·12	0·01	-	-	-	0·55	0·01	0·01	0·28	16
17	-	-	0·01	0·03	0·14	-	-	-	0·11	0·01	-	0·13	17
18	0·02	-	-	0·01	0·03	-	-	0·24	0·30	-	-	0·10	18
19	0·17	-	-	0·04	-	-	-	0·40	0·05	-	-	0·01	19
20	0·10	0·29	-	0·18	-	0·62	0·01	0·02	0·18	-	-	-	20
21	0·01	0·01	-	0·02	-	-	0·52	0·12	0·18	-	-	0·07	21
22	-	-	-	0·06	-	-	-	0·20	0·22	-	-	0·02	22
23	-	-	-	-	-	-	0·48	-	0·01	-	-	0·19	23
24	-	-	0·14	-	-	-	0·08	-	0·03	-	-	0·08	24
25	-	0·04	0·01	0·04	-	0·12	0·32	-	0·03	-	0·01	-	25
26	0·06	0·01	0·02	0·18	0·62	-	0·11	-	-	-	-	0·01	26
27	0·15	0·13	0·01	0·20	-	0·45	-	-	-	-	0·04	0·12	27
28	0·56	0·01	-	0·07	0·04	0·06	0·02	-	-	-	0·07	0·05	28
29	0·01	-	-	-	0·20	-	0·14	-	-	-	0·09	0·21	29
30	-	✕	-	0·04	0·23	0·02	0·15	-	0·05	-	0·15	0·21	30
31	0·10	✕	-	✕	-	✕	-	0·27	✕	0·02	✕	0·20	31
TOTAL	2·34	0·73	1·2~~5~~3	3·60	1·78	2·11	3·16	2·07	~~2·04~~ 2·21	0·77	0·48	3·22	YEAR'S TOTAL ~~24·02~~
Days with ·01 in. or more	19	13	17	25	14	9	20	13	~~18~~9	6	9	28	192
	11	6	8 9	21	10	7	17	9	13	2	6	21	131~~2~~

(4526s). Wt. 11958—218 7500 10/19. Gp. 132. A.&E.W.

from orig.

OLD BUCKENHAM HALL
ATTLEBOROUGH
NORFOLK

1913 — 1915

FORM A.
BRITISH RAINFALL.

31 MAR 1914

Kept at Old

in the County of

by C. Robson

3

ng.

on

ge 12 in.

above Ground ft. in.

" Sea Level ft.

IMPORTANT and the result entered to the previous day. universal rule, he is earnestly requested to add year in the space provided for it at the end surement of rain, the selection and British Rainfall Organization are on application to Dr. H. R. Mill, Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·10	·22	·13	·26					·30		·04	·03	1
2	·04	·17		·01	·02		·17		·04		·02		2
3			·23		·34		·01					·01	3
4	·04				·03						·02	·09	4
5	·06								·05	1·00	·03	·03	5
6					·18	·06	·03	·12		·08	·04		6
7		·02			·08					·46	·03		7
8				·01	·20	·27				·02	·05	·01	8
9		·15			·24	·22		·06			·04	·01	9
10				·10			·12				·07		10
11	·37			·21				·30			·48		11
12	·04	·02		·30							·11		12
13			·06	·05				·04			·50		13
14		·02	·07	·10			·18			·26	·10		14
15	·10		·20	·01			·29				·04		15
16	·20		·22	·15					·38		·05	·04	16
17	·35		·20	·04		·05	·15					·03	17
18			·05	·10	·03				·13				18
19	·05		·05		·02		·03	·04	·16			·07	19
20	·07		·03						·04				20
21	·02		·09	·02			·14			·54	·21		21
22	·20		·05				·18						22
23								·11			·01		23
24	·07		·01			·56			·21		·02	·04	24
25				·15								·03	25
26			·06							·67		·10	26
27		·06									·02		27
28	·19		·09	·14						·07			28
29	·34		·11	·25	·20							·04	29
30	·21			·22	·05	·01			·07	·03	·11		30
31							·01	·17					31
Total	2·45	·66	1·65	2·12	1·39	1·17	1·31	·84	1·38	3·13	1·99	·53	YEAR'S TOTAL 18·62
Rain Days.	17	7	16	17	11	6	10	7	9	9	20	13	142

W. 7,500, XI. ·12

from orig. ret

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

31 MAR 1914

Kept at Old Buckenham, Attleborough

in the County of Norfolk.

by C. Robson per Chas McNeill

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·22	·13	·26					·30		·04	·03	1
2	·04	·17		·01	·02		·17		·04		·02		2
3			·23		·34		·01					·01	3
4	·04				·03						·02	·09	4
5	·06								·05	1·00	·03	·03	5
6					·18	·06	·03	·12		·08	·04		6
7		·02			·08					·46	·03		7
8				·01	·20	·27				·02	·05	·01	8
9		·15			·24	·22		·06			·04	·01	9
10				·10			·12				·07		10
11	·37			·21				·30			·48		11
12	·04	·02		·30							·11		12
13			·06	·05				·04			·50		13
14		·02	·07	·10			·18			·26	·10		14
15	·10		·20	·01			·29				·04		15
16	·20		·22	·15					·38		·05	·04	16
17	·35		·20	·04		·05	·15					·03	17
18			·05	·10	·03				·13				18
19	·05		·05		·02		·03	·04	·16			·07	19
20	·07		·03						·04				20
21	·02		·09	·02			·14			·54	·21		21
22	·20		·05				·18						22
23								·11			·01		23
24	·07		·01			·56			·21		·02	·04	24
25				·15								·03	25
26			·06							·67		·10	26
27		·06									·02		27
28	·19		·09	·14						·07			28
29	·34		·11	·25	·20							·04	29
30	·21			·22	·05	·01			·07	·03	·11		30
31							·01	·17					31
Total	2·45	·66	1·65	2·12	1·39	1·17	1·31	·84	1·38	3·13	1·99	·53	YEAR'S TOTAL 18·62
Rain Days.	17	7	16	17	11	6	10	7	9	9	20	13	142

W. 7,500, XI. ·12

[illegible] 5/3/15

Ex LMcC

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL.
6 - JAN 1915

Kept at Old Buckenham Hall
in the County of Norfolk 4
by Lionel G. Robinson per. C. McNeill. agent.

approx. Lat. 52° 28' Long. 1° 2' E
Time of Observation 9 AM
Nearest Railway Station Attleborough
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·17	0·0	0·0	0·14	0·0	1
2	0·07	0·0	0·0	0·04	0·0	0·0	0·03	0·01	0·0	0·0	0·05	0·0	2
3	0·0	0·0	0·08	0·0	0·08	0·0	0·19	0·0	0·0	0·0	0·0	0·0	3
4	0·13	0·0	0·02	0·11	0·01	0·0	0·0	0·0	0·0	0·0	0·26	0·09	4
5	0·01	0·01	0·15	0·11	0·08	0·04	0·07	0·20	0·0	0·0	0·0	0·0	5
6	0·0	0·04	0·0	0·01	0·09	0·0	0·02	0·03	0·0	0·01	0·03	0·13	6
7	0·0	0·03	0·33	0·12	0·11	0·08	0·0	0·0	0·0	0·0	0·0	0·16	7
8	0·27	0·04	0·29	0·0	0·18	0·35	0·10	0·14	0·0	0·0	0·0	0·0	8
9	0·31	0·01	0·48	0·03	0·04	0·53	0·0	0·0	0·10	0·05	0·0	0·64	9
10	0·51	0·0	0·06	0·03	0·01	0·0	0·0	0·0	0·0	0·0	0·0	0·04	10
11	0·0	0·38	0·35	0·08	0·09	0·06	0·0	0·0	0·13	0·0	0·35	0·25	11
12	0·02	0·01	0·05	0·0	0·01	0·0	0·0	0·0	0·29	0·0	0·0	0·17	12
13	0·0	0·18	0·15	0·0	0·01	0·0	0·0	0·0	0·0	0·04	0·10	0·51	13
14	0·0	0·0	0·21	0·0	0·0	0·0	0·0	0·0	0·0	0·50	0·0	0·39	14
15	0·07	0·0	0·22	0·0	0·0	0·0	0·85	0·02	0·0	0·0	0·30	0·29	15
16	0·06	0·0	0·08	0·0	0·0	0·0	0·34	0·0	0·0	0·0	0·05	0·04	16
17	0·0	0·32	0·0	0·0	0·0	0·01	0·0	0·0	0·07	0·0	0·02	0·16	17
18	0·0	0·23	0·03	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·60	18
19	0·0	0·05	0·07	0·0	0·0	0·12	0·0	0·0	0·07	0·0	0·24	0·01	19
20	0·0	0·0	0·42	0·0	0·0	0·0	0·0	0·01	0·17	0·05	0·03	0·0	20
21	0·01	0·18	0·21	0·0	0·0	0·06	0·0	0·0	0·0	0·04	0·05	0·08	21
22	0·0	0·0	0·01	0·06	0·18	0·09	0·21	0·07	0·0	0·46	0·0	0·02	22
23	0·0	0·0	0·06	0·0	0·05	0·09	0·06	0·0	0·0	0·03	0·02	0·0	23
24	0·0	0·0	0·0	0·12	0·0	0·0	0·01	0·01	0·0	0·07	0·08	0·01	24
25	0·02	0·02	0·0	0·0	0·03	0·0	0·02	0·0	0·0	0·54	0·0	0·0	25
26	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·11	0·0	0·0	0·0	0·31	26
27	0·0	0·0	0·0	0·0	0·0	0·0	0·14	0·04	0·0	0·02	0·14	0·20	27
28	0·02	0·02	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·24	0·42	1·01	28
29	0·03	✕	0·01	0·0	0·0	0·0	0·02	0·0	0·0	0·35	0·03	0·10	29
30	0·0	✕	0·09	0·01	0·0	0·0	0·0	0·0	0·0	0·0	0·14	0·05	30
31	0·0	✕	0·0	✕	0·08	✕	0·08	0·0	✕	0·02	✕	0·07	31
Total	1·53 ✓	1·52 ✓	3·37 ✓	0·72 ✓	1·05 ✓	1·43 ✓	2·14 ✓	0·81 ✓	0·83 ✓	2·42 ✓	2·45 ✓	5·33 ✓	YEAR'S TOTAL 23·60 ✓
Rain Days.	13	14	21	11	15	10	14	11	6	14	18	23	170. ✓

W. 8,000. X. 14.

corr for auth 2·III·16

1601

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Old Buckenham Hall
in the County of Norfolk 4
by C. McNeill agent for Lionel Robinson

Lat. 52° 28' Long. 1° 2' E
Time of Observation 9 am
Nearest Railway Station Eccles.
Diameter of Funnel of Rain Gauge 12" in.
Height of top of Gauge above Ground 2 ft. in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·20	0·32	0·8	0·0	0·8	0·0	0·0	0·2	0·23	0·0	0·20	0·6	1
2	0·2	0·7	0·20	0·6	0·0	0·0	0·0	0·33	0·11	0·0	0·2	0·0	2
3	0·27	0·0	0·16	0·10	0·0	0·0	0·0	0·35	0·21	0·0	0·3	0·8	3
4	0·0	0·0	0·0	0·0	0·4	0·0	0·0	0·0	0·0	0·5	0·7	0·47	4
5	0·4	0·2	0·1	0·0	0·0	0·0	0·0	0·2	0·0	0·23	0·0	0·27	5
6	0·11	0·23	0·16	0·33	0·0	0·0	0·29	0·12	0·0	0·0	0·2	0·6	6
7	0·7	0·18	0·11	0·2	0·0	0·0	0·35	0·2	0·0	0·0	0·1	0·11	7
8	0·5	0·5	0·4	0·10	0·0	0·0	0·4	0·4	0·0	0·1	0·2	0·0	8
9	0·7	0·9	0·0	0·1	0·0	0·0	0·0	0·2	0·0	0·0	0·20	0·43	9
10	0·35	0·0	0·1	0·0	0·0	0·2	0·6	0·4	0·0	0·0	0·0	0·4	10
11	0·1	0·0	0·4	0·0	0·3	0·0	0·10	0·0	0·2	0·0	0·31	0·2	11
12	0·2	0·0	0·1	0·28	0·5	0·0	0·0	0·22	0·0	0·5	0·82	0·8	12
13	0·13	0·27	0·0	0·4	0·94	0·0	0·0	0·2	0·0	0·0	0·7	0·0	13
14	0·0	0·43	0·0	0·2	0·3	0·0	0·72	0·0	0·0	0·0	0·0	0·[illegible]7 17	14
15	0·27	0·0	0·0	0·0	0·5	0·0	0·2	0·6	0·0	0·0	0·0	0·38	15
16	0·1	0·11	0·0	0·0	0·0	0·0	0·64	0·1	0·0	0·0	0·5	0·0	16
17	0·17	0·25	0·0	0·0	0·3	0·0	0·9	0·0	0·4	0·0	0·0	0·0	17
18	0·16	0·4	0·6	0·0	0·20	0·0	0·0	0·0	0·0	0·0	0·0	0·9	18
19	0·0	0·1	0·6	0·0	0·0	0·0	0·15	0·0	0·0	0·4	0·0	0·0	19
20	0·21	0·0	0·2	0·3	0·0	0·0	0·0	0·0	0·0	0·0	0·4	0·36	20
21	0·14	0·0	0·0	0·0	0·0	0·0	0·2	0·0	0·0	0·0	0·1	0·13	21
22	0·15	0·0	0·30	0·0	0·0	0·0	0·51	0·0	0·0	0·0	0·0	0·0	22
23	0·1	0·11	0·1	0·0	0·0	0·0	0·15	0·0	0·0	0·2	0·14	0·10	23
24	0·0	0·0	0·35	0·0	0·0	0·0	0·55	0·0	0·0	0·0	0·4	0·24	24
25	0·2	0·0	0·10	0·0	0·0	0·9	0·1	0·0	0·0	0·0	0·0	0·0	25
26	0·0	0·13	0·0	0·0	0·0	0·2	0·0	0·2	0·2	0·0	0·7	0·9	26
27	0·0	0·2	0·1	0·0	0·0	0·17	0·2	0·0	0·0	0·40	0·0	0·0	27
28	0·0	0·7	0·0	0·0	0·0	0·5	0·75	0·0	0·48	0·49	0·0	0·12	28
29	0·0	X	0·0	0·0	0·0	0·55	0·2	0·21	0·10	0·0	0·6	0·7	29
30	0·7	X	0·0	0·0	0·0	0·9	0·17	0·0	0·16	0·2	0·2	0·0	30
31	0·2	X	0·0	X	0·0	X	0·1	0·10	X	0·6	X	0·15	31
Total	2·57	2·40	1·73	0·99	1·45	0·99	4·67	1·60	1·37	1·37	2·20	3·52 3·52	YEAR'S TOTAL 24·86 24·86
Rain Days.	23	17	18	10	9	7	20	16	9	10	19	21	149

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
14 JUL 1913

RE

Kept at Old Ca … n

in the County of No … rwich City … 8 in.

by Mr W. S … Ground ft. in.

Sea Level ft.

OLD CATTON

NORFOLK

1912

IMPORTANT NO … he result entered to the previous day. If an … rsal rule, he is earnestly requested to add the re … in the space provided for it at the end of th … ent of rain, the selection and placin … ish Rainfall Organization are given i … plication to Dr. H. R. MILL, 62, Ca … Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	·02	·01	-	·08	·10	-	·08	·01	·01	·30	1
2	-	-	·05	·03	·08	·01	·35	-	·01	·04	·10	·03	2
3	·18	-	·01	-	-	·22	·02	·02	·05	·04	·02	·04	3
4	·11	-	·43	·04	-	·20	-	·01	-	·02	·15	·01	4
5	-	-	·35	-	-	·10	-	-	-	-	·02	-	5
6	·68	·45	·02	-	·02	·15	·78	·07	·15	-	-	·01	6
7	·12	·01	-	-	·02	·49	·01	·28	·09	-	-	·01	7
8	·19	·01	·05	·04	-	·02	·07	·07	·35	·01	-	02	8
9	·03	·01	·01	·14	·02	-	·01	·02	·35	·01	-	·27	9
10	·01	·04	·01	·04	·01	-	-	·14	·28	·01	·17	·01	10
11	·01	·04	-	·04	-	-	-	·24	·07	·01	·35	·16	11
12	·02	·09	·06	-	·04	·13	-	·01	-	·01	·45	·01	12
13	·06	·03	·05	-	-	·05	·02	·03	-	-	·45	·02	13
14	·01	-	·01	-	·01	·06	-	·02	·01	·02	·11	·12	14
15	·01	·02	·16	-	·22	·18	-	·02	-	·01	·04	·04	15
16	·06	·01	·03	-	·05	·24	-	·07	-	·13	·05	-	16
17	·19	-	·16	-	-	·15	-	·12	-	·01	·02	·03	17
18	·02	-	·19	-	-	-	·33	·14	-	·10	·08	·13	18
19	·02	·12	·22	-	-	·02	·98	·22	·02	·02	·03	·01	19
20	·11	·02	·03	-	·19	-	·02	·13	-	·31	·01	·01	20
21	·01	-	·40	-	-	-	·25	·64	-	·05	·02	-	21
22	·09	·07	·05	-	-	-	·86	·11	-	-	·01	·04	22
23	·41	·70	·21	-	·02	-	-	·65	·10	-	·20	·02	23
24	·09	·01	·04	-	-	·13	·25	·21	-	-	-	·11	24
25	·02	·01	-	-	-	·15	·05	·72	-	-	·18	·25	25
26	·02	·03	-	-	-	·05	·19	6·90	-	·23	·23	·30	26
27	-	-	-	-	-	·01	·03	·03	-	·06	-	·13	27
28	-	·01	-	·07	-	-	·01	·05	·03	·30	·18	·30	28
29	·02	-	·02	·08	-	·11	·29	·37	·45	·01	·32	·01	29
30	·03		-	·07	·03	·01	·01	·05	·76	·20	-	-	30
31	·01		·08	·	·07		·23	·09		·24		·11	31
Total	2·54	1·68	2·66	0·45	0·78	2·56	4·86	11·43	2·80	1·85	3·20	2·50	YEAR'S TOTAL 37·31
Rain Days.	27	18	24	10	13	21	21	28	15	23	23	27	250

37·31

W. 7,500, XI. 12

RE

~~W. H.B.~~

Kept at Old Catton
in the County of Norfolk 2
by Mr W. S. Tillett

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Norwich City
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

14 JUL 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·02	·01	-	·08	·10	-	·08	·01	·01	·30	1
2	-	-	·05	·03	·08	·01	·35	-	·01	·04	·10	·03	2
3	·18	-	·01	-	-	·22	·02	·02	·05	·04	·02	·04	3
4	·11	-	·43	·04	-	·20	-	·01	-	·02	·15	·01	4
5	-	-	·35	-	-	·10	-	-	-	-	·02	-	5
6	·68	·45	·02	-	·02	·15	·78	·07	·15	-	-	·01	6
7	·12	·01	-	-	·02	·49	·01	·28	·09	-	-	·01	7
8	·19	·01	·05	·04	-	·02	·07	·07	·35	·01	-	02	8
9	·03	·01	·01	·14	·02	-	·01	·02	·35	·01	-	·27	9
10	·01	·04	·01	·04	·01	-	-	·14	·28	·01	·17	·01	10
11	·01	·04	-	·04	-	-	-	·24	·07	·01	·35	·16	11
12	·02	·09	·06	-	·04	·13	-	·01	-	·01	·45	·01	12
13	·06	·03	·05	-	-	·05	·03	·03	-	-	·45	·02	13
14	·01	-	·01	-	·01	·06	-	·02	·01	·02	·11	·12	14
15	·01	·02	·16	-	·22	·18	-	·02	-	·01	·04	·04	15
16	·06	·01	·03	-	·05	·24	-	·07	-	·13	·05	-	16
17	·19	-	·16	-	-	·15	-	·12	-	·01	·02	·03	17
18	·02	-	·19	-	-	-	·33	·14	-	·10	·08	·13	18
19	·02	·12	·22	-	-	·02	·98	·22	·02	·02	·03	·01	19
20	·11	·02	·03	-	·19	-	·02	·13	-	·31	·01	·01	20
21	·01	-	·40	-	-	-	·25	·64	-	·05	·02	-	21
22	·09	·07	·05	-	-	-	·86	·11	-	-	·01	·04	22
23	·41	·70	·21	-	·02	-	-	·65	·10	-	·20	·02	23
24	·09	·01	·04	-	-	·13	·25	·21	-	-	-	·11	24
25	·02	·01	-	-	-	·15	·05	·72	-	-	·18	·25	25
26	·02	·03	-	-	-	·05	·19	6·90	-	·23	·23	·30	26
27	-	-	-	-	-	·01	·03	·03	-	·06	-	·13	27
28	-	·01	-	·07	-	-	·01	·05	·03	·30	·18	·30	28
29	·02	-	·02	·03	-	·11	·29	·37	·45	·01	·32	·01	29
30	·03		-	·01	·03	·01	·07	·05	·76	·20	-	-	30
31	·01		·08	·	·07		·23	·09		·24		·11	31
Total	2·94	1·68	2·66	0·45	0·78	2·56	4·86	11·43	2·80	1·85	3·20	2·50	YEAR'S TOTAL 37·31
Rain Days.	27	18	24	10	13	21	21	28	15	23	23	27	250

37·31

W. 7,500, XI. ·12

B A T C H S L I P

STD JOB: MET-ARCH

BATCH : METZ009A

ENTRY ✓29 VERIFY X

1911 — 1920 (10)

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

R 11

Kept at Ormesby 8 in.

ove Ground One ft. — in.

in the County of „ Sea Level 21'-6 ft.

a.m.

by The Great Yarmo

Name G. Ormesby

Distance 2 m Direction E.S.E.

IMPORTANT nd the result entered to the previous day. If a niversal rule, he is earnestly requested to add the year in the space provided for it at the end c rement of rain, the selection and British Rainfall Organization are give n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60 ✓		·02				·02	·04		·24		·03	1
2	·21	·01	·04	·02	·22	·06	·02			·03	·06	·14	2
3	·06	·04		·08 ●	·10		·04			·24	·03	·04	3
4	·03		·11	·32 ⊕					·04	·04	·14	·13	4
5	·01	·08		·28 ●						·82		·15	5
6	·24	·07	·02	·04 ⊕	·01					·01	·02	·17	6
7	·02	·02								·01	·12	·25	7
8	·24 ✓	·01	·14						·02	·03	·12	·11	8
9	·10 ✓		·12			·01					·02	·01	9
10	·05	·06	·04			·03		·02			·10	·50	10
11	·31	·22	·01					·01			·37		11
12	·03	·05	·40						·02	·05	·01		12
13	·07	·02	·23 ✓		·04	·03			·18	·23	·01	·07	13
14	·01	·05	·26 ✓		·47	·15			·03	·02		·10	14
15	·01	·07	·08				·01		·07		·17	·02	15
16	·02	·01	·07			·28			·06		·25	·10	16
17	·01	·01	·01								·03	·07	17
18		·26		·06		·04					·82	·11	18
19		·02			·01	·56		·31	·05	·02	·24	·05	19
20	·03	·01		·01		·04		·03	·02		·11	·31	20
21		·18						·15		·05		·03	21
22	·01	·07	·15					·12	·05	·10	·03	·58	22
23		·03	·04		·02	1·08			·29			·11	23
24	·01	·04	+ ·08			·04	·27		·01	·40		·15	24
25	·05	·10	+ ·06	·06		·11	·30	·04		·07	·17	·08	25
26				·04		·01	·03			·27	·14 +	·38	26
27		·19	·04	·23				·01	·22	·01		·02	27
28	·01	·14		·26			·03	·04		·05	·01	·07	28
29			·01	·25		·32			·42	·32	·01	·03	29
30					·13	·04	·05		·62	·12		·01	30
31			·01							·04		·01	31
Total	2·13	1·76	1·94	1·65	1·00	2·80	·77	·77	2·10	3·17	2·98	3·83	TOTAL for year 24·90
~~No. of Rain Days~~	22	3·89 24	5·83 21	7·48 12	8·48 8	11·28 13	12·05 9	12·82 10	14·92 15	18·09 22	21·07 22	24·90 29	209

9,000, IK. '10.

Note:- ✓ Snow & Hail & Rain + Snow & Rain ⊕ Hail & Snow

R 11

ORMESBY 1429

ST MICHEAL

NORFOLK

1911 — 1920 (10)

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Ormesby

8 in.

ove Ground One ft. — in.

in the County of

, Sea Level 21'-6 ft.

by The Great Yarmo

a.m.

Name G. Ormesby

Distance 2 m Direction E.S.E.

IMPORTANT N nd the result entered to the previous day. If ar niversal rule, he is earnestly requested to add the year in the space provided for it at the end of ement of rain, the selection and British Rainfall Organization are give application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60 ✓		·02				·02	·04		·24		·03	1
2	·21	·01	·04	·02	·22	·06	·02			·03	·06	·14	2
3	·06	·04		·08 ●	·10		·04			·24	·03	·04	3
4	·03		·11	·32 ⊕					·04	·04	·14	·13	4
5	·01	·08		·28 ●						·82		·15	5
6	·24	·07	·02	·04 ⊕	·01					·01	·02	·17	6
7	·02	·02								·01	·12	·25	7
8	·24 ✓	·01	·14						·02	·03	·12	·11	8
9	·10 ✓		·12			·01					·02	·01	9
10	·05	·06	·04			·03		·02			·10	·50	10
11	·31	·22	·01					·01			·37		11
12	·03	·05	·40						·02	·05	·01		12
13	·07	·02	·23 ✓		·04	·03			·18	·23	·01	·07	13
14	·01	·05	·26 ✓		·47	·15			·03	·02		·10	14
15	·01	·07	·08				·01		·07		·17	·02	15
16	·02	·01	·07			·28			·06		·25	·10	16
17	·01	·01	·01								·03	·07	17
18		·26		·06		·04					·82	·11	18
19		·02			·01	·56		·31	·05	·02	·24	·05	19
20	·03	·01		·01		·04		·03	·02		·11	·31	20
21		·18						·15		·05		·03	21
22	·01	·07	·15					·12	·05	·10	·03	·58	22
23		·03	·04		·02	1·08			·29			·11	23
24	·01	·04	+ ·08			·04	·27		·01	·40		·15	24
25	·05	·10	+ ·06	·06		·11	·30	·04		·07	·17	·08	25
26				·04		·01	·03			·27	·14 +	·38	26
27		·19	·04	·23				·01	·22	·01		·02	27
28	·01	·14		·26			·03	·04		·05	·01	·07	28
29			·01	·25		·32			·42	·32	·01	·03	29
30					·13	·04	·05		·62	·12		·01	30
31			·01							·04		·01	31
Total	2·13	1·76	1·94	1·65	1·00	2·80	·77	·77	2·10	3·17	2·98	3·83	TOTAL for year 24·90
~~No. of Rain Days~~	22	3·89 24	5·83 21	7·48 12	8·48 8	11·28 13	12·05 9	12·82 10	14·92 15	18·09 22	21·07 22	24·90 29	209

9,000, IX. '10.

Note:- ✓ Snow & Hail & Rain + Snow & Rain ⊕ Hail & Snow

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Ormesby St. Michael

in the County of Norfolk 2

by The Great Yarmouth Water Works Coy.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground One ft. — in.
" " " Sea Level 21'-6 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name G. Ormesby
Distance 2 m Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60 ✓		·02				·02	·04		·24		·03	1
2	·21	·01	·04	·02	·22	·06	·02			·03	·06	·14	2
3	·06	·04		·08 ⊕	·10		·04			·24	·03	·04	3
4	·03		·11	·32 ⊕					·04	·04	·14	·13	4
5	·01	·08		·28 ⊕						·82		·15	5
6	·24	·07	·02	·04 ⊕	·01					·01	·02	·17	6
7	·02	·02								·01	·12	·25	7
8	·24 ✓	·01	·14						·02	·03	·12	·11	8
9	·10 ✓		·12			·01					·02	·01	9
10	·05	·06	·04			·03		·02			·10	·50	10
11	·31	·22	·01					·01			·37		11
12	·03	·05	·40						·02	·05	·01		12
13	·07	·02	·23 ✓		·04	·03			·18	·23	·01	·07	13
14	·01	·05	·26 ✓		·47	·15			·03	·02		·10	14
15	·01	·07	·08				·01		·07		·17	·02	15
16	·02	·01	·07			·28			·06		·25	·10	16
17	·01	·01	·01								·03	·07	17
18		·26		·06		·04					·82	·11	18
19		·02			·01	·56		·31	·05	·02	·24	·05	19
20	·03	·01		·01		·04		·03	·02		·11	·31	20
21		·18						·15		·05		·03	21
22	·01	·07	·15					·12	·05	·10	·03	·58	22
23		·03	·04		·02	1·08			·29			·11	23
24	·01	·04	+ ·08			·04	·27		·01	·40		·15	24
25	·05	·10	+ ·06	·06		·11	·30	·04		·07	·17	·08	25
26				·04		·01	·03			·27	·14 +	·38	26
27		·19	·04	·23				·01	·22	·01		·02	27
28	·01	·14		·26			·03	·04		·05	·01	·07	28
29			·01	·25		·32			·42	·32	·01	·03	29
30					·13	·04	·05		·62	·12		·01	30
31			·01							·04		·01	31
Total	2·13	1·76	1·94	1·65	1·00	2·80	·77	·77	2·10	3·17	2·98	3·83	TOTAL for year ✓ 24·90
~~No. of Rain Days~~	22	3·89 24	5·83 21	7·48 12	8·48 8	11·28 13	12·05 9	12·82 10	14·92 15	18·09 22	21·07 22	24·90 29	✓ 209

9,000, IX. '10.

Note:- ✓ Snow & Hail & Rain + Snow & Rain ⊕ Hail & Snow

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Ormesby St. Michael

in the County of Norfolk 2

by The Great Yarmouth Water Works Coy.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground One ft. — in.
" " " Sea Level 21'-6" ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name G. Ormesby
Distance 2 m. Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·33+	·04	·07		·19	·36	·01	·09	·01	·07	·25	1
2		·12+	·07	·03	·12	·01	·19		·01	·08	·06	·06	2
3	·13	·07+	·04	·01	·01	·31	·01	·03	·05	·03	·02	·04	3
4	·08		·45	·07✓		·20				·02	·14	·01	4
5	·02	·07+	·18	·01		·02				·01	·01		5
6	·63	·09	·05		·06	1·01×	·27	·22	·12			·01	6
7	·01	·01			·01	·33	·07	·35°	·10	·01	·01	·03	7
8	·24	·03	·04	·05⁜		·01	·03	·13°	·33	·01	·01	·02	8
9	·01		·01	·11	·01	·11			·42	·01		·28	9
10	·02	·02		·05+				·64	·26	·02	·13	·02	10
11		·06		·02				·14	·01	·01	·85	·16	11
12		·04	·05		·07	·02		·05		·01	·27		12
13	·04	·06	·03			·03		·01	·01	·01	·39	·06	13
14	·01		·03		·02	·11		·01		·05	·09	·12	14
15		·01	·40		·20	·36				·01	·04	·01	15
16	·02		·03	·01	·10	·03		·04		·10	·03		16
17	·15+	·01	·31			·18		·08	·01	·01	·02	·04	17
18	·02		·34				·12	·03	·01	·12	·07	·08	18
19	·02	·05	·08			·01	·38	·05		·03	·04	·01	19
20	·05	·03	·03		·17		·01	·03		·30			20
21	·01		·18		·01		·66	·43		·16	·04	·01	21
22	·06	·09	·03			·01	·05	·12			·02	·04	22
23	·33	·41	·19			·04	·12	·58	·05	·03	·14	·03	23
24	·06	·02	·04		·03	·33	·08	·24		·01	·01	·11	24
25	·01		·01			·18	·03	1·42		·01	·19	·25	25
26	·01	·04				·06	·26	5·17⊕		·20	·12	·23	26
27						·05	·05	·04		·06	·21	·22	27
28	·01	·01		·04	·03	·08	·02	·02	·03	·32	·28	·23	28
29	·01	·02		·01	·01	·17	·14	·14	·60	·07	·06		29
30	·07				·04	1·23°	·04	·10	·85	·19	·02		30
31	·05+		·13		·09		·27	·06		·18		·05	31
Total	2·08	1·59	2·76	·48	·98	5·08	3·16	10·14	2·95	2·08	3·34	2·37	TOTAL for year 37·01
~~No. of Rain Days.~~	26	3·67 21	6·43 23	6·91 12	7·89 16	12·97 25	16·13 20	26·27 26	29·22 16	31·30 29	34·64 27	37·01 25	

W. 8,000, X. '11. + Snow ✓ Hail ⁜ Sleet. × Thunder Storm with Hail ○ Thunderstorm ⊕ Great Rainstorm.

266

Ex DL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at - Ormesby St. Michael
in the County of Norfolk. 2
by The G. Yarmouth Water Works Coy.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G. Ormesby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 21'-6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·28	·11	·29	·01	·09			·09		·03	·01	1
2	·06	·17	·02		·05		·12		·02		·02	·01	2
3	·05		·25	·01	·13		·02		·03	1·25			3
4	·06		·01		·01	·06	·01		·02	·02	·01	✓ ·12	4
5	·02			·01	·05		·01	·02		·69	·03	·05	5
6				·01	·20	·01		·06		·08	·01	·01	6
7		·02	·02		·01		·03			·38	·02	·01	7
8	·01			·02	·05	·11	·03		·01	·07	·05		8
9		·09	·01	·04	·28	·16	·01	·17	·02	·02	·08	·01	9
10		·01		·05	·01		·01	·04		·07	·15	·02	10
11	·80	·01		·40	·01	·01	·01	·06	·01	·01	·35		11
12	·01			·14		·04		·02		·01	·11	·01	12
13	·13	·01	·05								·25		13
14	·09	·01	·02	·05			1·05		·84	·30	·03	·01	14
15	·14	·01	·16	·19			·28		·01	·01	·10		15
16	·10		·23	·24			·01		·13	·01	·16	·07	16
17	·02	·02	·28 +	·01			·05	·05	·75	·01	·03	·02	17
18	·01		·09	·11			·07	·03	·11				18
19	·06		·08			·01	·01	·01	·02			·09	19
20	·09		·04						·20	·21			20
21	·05	·01	·14	·01	·01		·24		·01	·54		·01	21
22	·19		·05				·61		·02	·01	·23	·01	22
23			·01				·01	·15				·04	23
24	·06			·02		⋕ ·42		·14		·01	·01	·02	24
25	·01		·01	·08			·01	·01	·01	·02			25
26		·02	·13			·07		·01		·76	·03	·11	26
27		·02	·08		·01	·03				·06	·01		27
28	·11	·02	·10			·04			·02	·26	·02	·14 ⊕	28
29	·33		·16	·07	·33				·02	·01	·02	·03 ⊕	29
30	·34			·68	·09			·02		·02	·17	·16 ⊕	30
31			·38					·49					31
Total	2·78	·70	2·43	2·43	1·25	1·05	2·59	1·28	2·34	4·83	1·92	·96	YEAR'S TOTAL
~~Rain Days.~~	23	14 3·48	23 5·91	19 8·34	15 9·59	12 10·64	19 13·23	15 14·51	19 16·85	24 21·68	23 23·60	21 24·56	✓ 24·56 227

W.7,000, XI. 13 + Snow. ⋕ Hail + Rain ✓ Snow + Rain ⊕ Snow + Sleet.

Ext

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Ormesby St Michael

in the County of Norfolk 2

by The Gt Yarmouth Water Works Coy

Lat. 52°·41 Long. 1°·39

Time of Observation 9 A M.

Nearest Railway Station Gt Ormesby

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 21'-6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04							·05		·02	·12	·01	1
2	·03			·01				·01			·01	·03	2
3	·04		·07	·02	·09		·32	·01			·01		3
4	·16	·02	·04	·13						·04	·19	·10	4
5	·01	·05	·13	·16	·34	·07		·12		·04	·02		5
6	·26 +	·06		·02	·30		·47	·02			·16	·13	6
7	·02		·28	·03	·02					·01	·01	·11	7
8	·23	·08	·37	·01	·15	·31		·08	·45	·04	·01	·01	8
9	·78	·01	·43	·02	·01	·80		·01	·02	·04		1·10	9
10	·94 +	·04	·01	·11				·01	·04	·01	·01	·10	10
11		·23	·28	·19	·20	·15			·12	·01	·37	·30	11
12	·02		·08		·04				·20	·01	·06	·25	12
13	·02	·21	·19		·02				·02		·25 +	·44	13
14	·01 +	·01	·10		·01		·24			·07	·30 +	·58	14
15	·12		·15				1·15				·31	·21	15
16	·05		·17			·02	·02		·03		·03	·01	16
17		·22	·01						·14		·07	·10	17
18		·24	·03						·14		·04	·45	18
19	·01 +	·03	·45					·02	·27	·01	·15	·02	19
20	·03 +	·01	·16			·02			·16	·21	·10	·02	20
21	·08	·47	·09					·21	·04	·02	·11	·13	21
22	·01		·01	·03	·13	·02	·14	·01		·16	·01	·11	22
23		·01	·05	·02	·13	·19	·04	·01		·07	·07	·05	23
24	·02	·01	·01	·12			·01		·01	·70	·10	·04	24
25		·01	·01		·04		·06	·02	·01	·02	·01		25
26			·01		·02		·06	·17		·01	·09	·28	26
27	·02						·08	·01		·01	·03	·24	27
28	·01	·02					·07			·14	·53	1·32	28
29	·03						·07		·01	·50	·05	·01	29
30			·07							·01	·31	·03	30
31	·01				·07		·04	·01		·02		·06	31
Total	2·95	1·73	3·20	·87	1·57	1·58	2·77	·77	1·66	2·17	3·53	6·24	YEAR'S TOTAL
~~Rain Days~~		4·68	7·88	8·75	10·32	11·90	14·67	15·44	17·10	19·27	22·80	29·04	29·04
	24	18	24	13	15	8	14	16	15	23	29	28	227

W. 7,500, XI. 12

1571

FORM A.
BRITISH RAINFALL
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ormesby St Michael
in the County of Norfolk 2
by The Gt Yarmouth Water Works Coy

Lat. 52° 41 Long. 1° 39
Time of Observation 9 AM
Nearest Railway Station Gt Ormesby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 21-6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·20	·05		·20	·02		·25	·29	·07	·16	·07	1
2	·12	·05	·40	·05				·02	·23	·01	·20		2
3	·41	·01	·10	·09			·09		·02	·02	·18	·18	3
4	·03		·02		·02		·18			·15	·34	·47	4
5	·09	·02	·04				·06	·08		·50	·06	·22	5
6	·07	·34	·17	·13	·11		·09	·11		·01	·02	·04	6
7	·11	·25	·12	·01			·19	·04	·03	·03	·01	·16	7
8	·03	·12	·01	·05				·04	·01	·02	·01	·01	8
9	·04	·13		·07		·05		·27	·02	·05	·19	·51	9
10	·34	·01	·01					·01		·01		·10	10
11	·03		·02		·06		·10		·02	·02	·24	·18	11
12	·07	·09	·01	·28	·14		·02	·74	·01	·01	·44	·17	12
13	·09	·22	·01	·04	1·05			·96	·15	·01	·22	·01	13
14	·04	·21					·65	·07	·01			·21	14
15	·26	·05			·04		·10	·09		·02	·01	·13	15
16	·41	·22					·84	·15		·01	·30	·02	16
17	·21	·19	·05	·01	·09		·09	·01			·09	·02	17
18	·09	·06	·80		·36		·04	·07		·02	·29	·05	18
19	·06	·13	·03				·12			·09	·01	·01	19
20	·19	·01	·01	·07	·03			·02		·01		·43	20
21	·44		·01		·07		·03	·01		·11		·16	21
22	·01	·11	·29				·32	·01	·01	·01	·01	·14	22
23	·02	·09	·01			·01	·15			·01	·05	·09	23
24		·04	·21				1·25		·01	·02	·17	·08	24
25	·03	·03	·03			·33	·21		·01	·04	·30	·07	25
26	·05	·13	·01	·01		·03	·01			·09	·02	·28	26
27	·01	·02	·01			·02	·51	·01	·07	·29		·01	27
28		·23	·01			·38	·02	·06	·43	·51			28
29	·04				·05	·22	·05	·19	·34	·02	·12	·05	29
30	·08	×				·01	·17	·18	·66	·01		·03	30
31	·03	×		×		×	·03	·06	×	·32	×	·20	31
Total	3·50	2·96	2·43	·81	2·22	1·07	5·32	3·45	2·32	2·49	3·44	4·10	YEAR'S TOTAL
Rain Days.		6·46	8·89	9·70	11·92	12·99	18·31	21·76	24·08	26·57	30·01	34·11	34·11
	29	25	24	11	12	9	24	23	17	29	23	29	255

W. 8,000. X. 14.

1545

FORM A.
BRITISH RAINFALL.
~~18.~~ 20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ormesby St Michael
in the County of Norfolk
by The Gt Yarmouth Water Works Coy

Lat. 52° 41 Long. 1° 39
Time of Observation 9 A.M.
Nearest Railway Station Gt Ormesby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 21'-6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·02	·01	·04	·06	·01		·01		·07		1
2	·54	·03	·03	·04	·14		·05		·22	·01	·02		2
3	·01	·06	·03		·01	·01	·01		·08	·17	·32	·05 +	3
4	·23	·12	·15 ⁜		·02	·63			·45	·01	·22	·14	4
5	·06	·03	·09 ⁜	·02		·23			·03	·07	·11	·02	5
6	·14	·07	·22 ⁜	·46	·03	·10 ✓	·06		·01	·02	·26	·01	6
7	·01	·02	·20 ⁜	·01	·12	·32 ✓	·09			·07	·13	·01	7
8	·02		·05		·13	·31				·01	·01	·16	8
9	·01	·09	·03		·22	·30				·02	·01	·30	9
10	·03	·05	·18	·09	·01	·20	·13		·05		·01	·36	10
11	·05	·67	·18	·15	·14	·60			·04		·01	·04	11
12	·08	·11	·01	·25	·57	·54	·15	·06	·01	·22	·01	·03	12
13	·08	·11	·19	·06	·01	·01		·01	·23	·06	·01	·03	13
14	·01	·41 +	·03	·02	·18	·08		·09	·04		·02	·20	14
15	·01	·37 +	·24				·02	·15	·07	·46		·04	15
16		·08	·03	·20	·01		·17	·06	·01	·09		·09	16
17	·02	·09	·01	·42			·10	·16	·22	·24		·02	17
18	·02	·03	·01	·18		·02	·02	·07	·07	·16	·54	·01	18
19	·05	·04	·02	·05		·03		·01	·09	·04	·52	·06	19
20	·13	·01	·10	·02				·27	·02	·01	·05	·11	20
21	·02	·07 +	·05	·03				·01	·01		·01	·38	21
22	·01	·03 +		·01	·58	·10	·01				·02	·43	22
23		·80 +	·05		·01	·19	·03	·03		·02	·08	·18	23
24		·35 +	·02			·12	·02	·05		·34	·04	·36	24
25		·12 +	·16			·01	·02	·21	·01	·15	·04	·09	25
26	·01	·05 +	·02 ⁜				·01	·13	·02	·05	·25	·02	26
27		·17	·53			·02	·01	·03	·07	·11	·02		27
28	·02	·33	·87 ⁜			·02	·01	·01	·03	·01	·01	·16	28
29	·01	·13	·08 ⁜			·06		·92		·20		·07	29
30	·01	X			·02	·13		·32		·39	·01	·03	30
31	·10	X	·01	X	·01	X		·09	X	·02	X	·10	31
Total	1·70	4·45	3·61	2·02	2·25	4·09	·92	2·68	1·79	2·95	2·80	3·50	YEAR'S TOTAL 32·76
~~Rain Days.~~	26	6·15 28	9·76 29	11·78 17	14·03 18	18·12 23	19·04 18	21·72 19	23·51 22	26·46 25	29·26 26	32·76 28	279

W. 8,000. X. 15. + Snow & Rain. ⁜ Snow. ✓ Hail & Rain.

✓ Ecd 4/6 1477

REGISTER OF RAINFALL IN 19/7

FORM A. BRITISH RAINFALL. FEB

Kept at Ormesby St Michael
in the County of Norfolk
by The Gt Yarmouth Water Works Coy

Lat. 52° 41 Long. 1° 39
Time of Observation 9 a.m.
Nearest Railway Station Gt Ormesby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 21'-6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03 *		·10 *				·94	·26	·01	·04	·02	1
2	·11	·02 *	·02	·52 *			·01	·83	·01	·01	·01	·02	2
3			·06	·10 *			·01	·35	·01	·14		·09 *	3
4		·45 *		·02				·01	·02	·63	·01	·01	4
5	·12	·08 *	·04	·10				·01	·02	·01	·10	·01	5
6	·03			·02				·01	·16		·02	·01	6
7	·41		·03	·01		·01		·02	·01	·33	·01		7
8	·08		·01	·13 *			1·34	·56		·26	·10	·08	8
9	·11 +		·01	·09 *			·01	·02		·01	·15	·11	9
10	·11 +		·23	·17 *		·01		·04		·08	·04	·01	10
11	·12 +	·16	·72	·19 *		·02		·01		·24	·05		11
12	·48	·05	·10	·09 *				·04		·36	·02	·01	12
13	·12 +		·07	·06			·01	·09	·06	·01	·01		13
14	·05 *	·02	·03	·20			·24	·09		·01	·02	·06	14
15	·01 *	·02	·01	·01			·14	·36	·01	·03	·03		15
16	·03 *	·07	·01	·21			·03	·01		·30	·01	·27 +	16
17	·08 *	·02	·07	·20 *	·49	·04	·15		·50	·17	·01	·05 +	17
18	·04 *	·02		·06 *	·01	·11	·13	·01	·49	·01	·01	·01	18
19		·04	·21	·02	·05	·07	·01	·01	·27	·01	·01	·01	19
20	·03 *	·20	·05 *	·02		·14	·02	·10	·04		·23	·01	20
21		·24	·12 *		·17	·05	·01	·32		·04		·01	21
22	·01 *	·02	·04 *		·04	·01		·04		·10	·02		22
23	·01 *	·01			·07			·08	·01	·01	·01	·03	23
24		·01		·02		·06		·38	·01	·13	·09	·05 +	24
25		·01	·05			·13	·30		·01		·27 +1	·18 +	25
26			·03 *			·02		·36	·03		·51 +	·03	26
27			·01			·11		·43		·01	·02	·04 +	27
28		·04	·17			·23	·01	·05	·01	·03		·08 +	28
29	·02 *		·01			·14	·58	·	·01	·05	·01	·06	29
30	·07 *	X	·02 *				·40	·08	·01	·03		·01	30
31	·05 *	X	·70 *	X		X	·68	·15	X	·01	X	·03	31
Total	2·09 ✓	1·51 ✓	2·82 ✓	2·34 ✓	·83 ✓	1·15 ✓	4·08 ✓	5·40 ✓	1·95 ✓	3·03 ✓	1·81 ✓	1·30 ✓	YEAR'S TOTAL
~~Rain Days.~~		3·60	6·42	8·76	9·59	10·74	14·82	20·22	22·17	25·20	27·01	28·31	28·31 ✓

W. 8,000. X. 14. 21 + 19 Snow 25 Rain 21 * Snow. 15 18 28 3·78 20 27 26 26 252

Excd C/S.

40

FORM A.
BRITISH RAINFALL

1 · 19

REGISTER OF RAINFALL IN 1918.

Kept at Ormesby S. Michael

in the County of Norfolk

by The G. Yarmouth Water Works Coy.

Lat. 52° 41 Long. 1° 39

Time of Observation 9 a.m.

Nearest Railway Station G. Ormesby

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 21' - 6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·01	·05				·01	·11	·01	·02	·05	1
2	·06+	·02		·05				·50		·03	·02	·17	2
3	·04+	·01	·04		·03			·58		·02	·60	·01	3
4	·01+	·01	·09		·01			·03	·51	·04	·23	·02	4
5	·01	·02	·03		·26			·14	·05	·07	·02	·02	5
6	·02	·12	·01	·15	·01			·01	·02	·01	·01	·07	6
7	·17*	·12	·06*	·01					·03	·08	·05	·02	7
8	·02*	·01	·02	·02		·02			·03	·01	·07	·02	8
9	·07*	·06	·02	·04		·08	·03		·54	·23	·01	·17	9
10	·12*	·04		·01		·01	·76			·02	·06	·19	10
11	·02*	·17		·01	·13	·01	·06		·12	·75	·01	·42	11
12	·01	·09			·17		·24	·09	·14	·26	·01	·15	12
13		·03			·09		·01		·04	·01	·01	·02	13
14	·31✓	·01		·02			·10		·18	·26	·01	·03	14
15	·93✓		·06	1·60		·04	·03		·22	·05		·03	15
16	·02✓	·01	·01	·35		·02	·06		·07	·12		·06	16
17	·18	·01	·01	·11✓			·65		·01	·01		·32	17
18	·54	·01	·01	·06✓		·08			·37	·06		·35	18
19	·16		·02	·05✓		·01	·03	·02		·21	·01	·20	19
20	·07	·08		·01		·03	1·40		·04	·12	·01	·15	20
21	·04	·01				·07	·02		·03	·09	·01	·01	21
22	·04		·01	·11		·07	·12		·15	·02	·02	·47	22
23	·08	·01		·02	·05	·01	·14	·06	·03	·01	·02	·01	23
24	·01	·22			·04	·03	·04		·11	·01	·03	·01	24
25	·01	·01	·07	·01		·43	·80	·04		·02	·01	·07	25
26			·01			·01	·42	·27	·03	·01	·09	·18	26
27	·02	·03	·02	·45		·04	·23	·18	·05		·02	·25	27
28	·02	·09	·13			·08	·02	·07			·06	·20	28
29	·02		·02				·01	·02	1·25		·04	·05	29
30	·02	×	·26		·01			·04	·10	·13	·12	·02	30
31	·02	×	·01	×		×			×	·03	×	·07	31
Total	3·05 ✓	1·20 ✓	·92 ✓	3·13 ✓	·80 ✓	1·04 ✓	5·17 ✓	2·06 ✓	4·23 ✓	2·69 ✓	1·57 ✓	3·81 ✓	YEAR'S TOTAL
~~Rain Days.~~	✓	4·25	5·17	8·30	9·10	10·14	15·31	17·37	21·60	24·29	25·86	29·67	29·67 ✓
	29	24	21	19	10	17	20	15	24	28	26	31	264

W. 8,000, IX. 17. + Snow & Hail ✻ Snow. ✓ Snow & Rain

1384

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Ormesby St. Michael
in the County of Norfolk
by The Gt. Yarmouth Water Works Coy.

Lat. 52° 41 Long. 1° 39
Time of Observation 9 a.m.
Nearest Railway Station Gt. Ormesby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 21'-6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·01		·01	·15		·02		·01	·40	·04	·48	1
2	·13	·03	·03	·01	·03		·02			·06	·37#	·30	2
3	·29	·01	·12				·39		·02		·06	·04	3
4	·17	·01	·33			·18✓	·01		·01	·01	·01	·22	4
5	·60	·02	·02		·01	·02			·05		·01	·06	5
6	·01		·10						·01	·01	·11	·12	6
7			·18		·58		·05				·13	·27	7
8	·17		·01	·08#	·01		·02		·01	·02	·01	·03	8
9	·01		·01	·04#					·01	·16	·07	·02	9
10	·05	·01	·13	·02	·03		·01		·01	·29	·06++	·01	10
11	·04	·01	·26	·03	·01	·17	·43			·06	·07++	·19	11
12	·05		·03	·03		·02	·10		·01	·02	·03++	·01	12
13	·06	·02	·01	·15	·01		·13			·09	·09++	·01	13
14	·31	·02	·01	·29			·11		·02	·04	·02++	·02	14
15	·16	·01	·02	·21			·02			·77✓	·09++	·02	15
16	·04	·90	·02	·05				·11		·10✓		·11	16
17	·03	·64	·13	·02	·02				·01	·01	·27++	·03	17
18	·09	·19	·02				·01	·09	·06	·01	·02	·17	18
19	·01	·14	·02	·02	·01	·07	·02	·23	·40	·02	·06	·02	19
20	·19	·06	·03+	·02		·54	·62	·24	·34	·01	·01	·06	20
21	·01	·18	·01			·15	·33	·01		·02	·01	·10	21
22	·01	·16	·03+				·07		·26	·01	·03	·26	22
23	·02	·02	·02+	·02		·07	·04	·33	·07		·01	·07	23
24		·02		·04	·03	·08	·03		·01			·02	24
25	·05	·01		·13	·28	·04	·01	·15		·04	·01	·05	25
26	·13	·38	·23	·14+✓	·01	·04	·01	·51	·06	·56#		·34	26
27	·07	·05	·03+	·01	·01	·04	·03	·05		·12#	·27	·03	27
28	·04	·02	·01+	·12#	·01	·01	·02	·64		·54#	·06	·32	28
29	·06		·04+	·21	·01	·19	·02	·18		·07	·19	·11	29
30	·02+		·07+	·26	·01	·13	·01	·01		·13	·23	·27	30
31	·01+		·01+		·01		·10			·10		·09	31
TOTAL	3·13 29	2·92 23	1·93 28	1·91 22	1·23 19	1·75 15	2·63 26	2·55 12	1·37 18	3·67 26	2·34 27	3·85 31	YEAR'S TOTAL
~~Days with ·01 in. or more~~		6·05	7·98	9·89	11·12	12·87	15·50	18·05	19·42	23·09	25·43	29·28	29·28 275

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

+ Snow. # Rain + Hail +✓ Rain + Snow ✓ Tempest ++ Hail, Snow + Rain

1308

FORM A.
BRITISH RAINFALL.

21 JAN 192

REGISTER OF RAINFALL IN 1920

Kept at Ormesby St. Michael

in the County of Norfolk

by The Gt. Yarmouth Water Works Coy.

Lat. 52°·41 Long. 1°·39

Time of Observation 9 a.m.

Nearest Railway Station Great Ormesby

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 21'- 6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03				·03		·10		·10	·20		·05	1
2	·02		·03	·03				·11	·06	·06		·13	2
3	·01	·02		·05			·01		·03		·01	·12	3
4	·03	·01	·01	·18	·03		·02	·02	·01			·19	4
5		·01	·06		·11		·05	·05	·04		·01	·12	5
6			·08		·02		·43	·13	·03	·01		·06	6
7	·01	·01	·16 +	·17			·08				·01	·08	7
8		·02	·01 +	·47	·06		·03			·01	·01	·02	8
9	·22			·48			·01	·17				+1 ·10	9
10	·18	·08	·06	·04	·01		·03					+1 ·22	10
11	·25	·08	·05	·05			·13				·01	+1 ·33	11
12	·11	·01	·11	·16	·01		·02			·01	·01	+1 ·07	12
13	·06	·04	·02	·02		·42			·05		·01	+1 ·08	13
14	·02	·06	·29	·10		·10	·07		·08	·03	·18	+1 ·01	14
15	·02	·02	·09 +1	·16			·01		·40	·24	·12	+1 ·07	15
16	·01	·01	·04	·15 ++					·40	·02		·17	16
17	·02	·01		·05	·35				·12		·01	·10	17
18	·04			·03	·03			·27	·10			·08	18
19	·16			·10				·35	·05		·01	·03	19
20	·21	·25		·21		·65			·03			·03	20
21	·01	·01		·10		·01	·36	·24	·17	·01	·01	·05	21
22	·02	·01	·01	·06			·10	·12	·32	·01		·02	22
23	·02	·02	·01	·01			·52	·01	·01			·18	23
24		·01	·06	·01			·05		·03	·02	·01	·09	24
25		·02		·04		·19	·30		·02	·01	·01	·01	25
26	·05	·05	·07	·13	·19	·01	·08			·01		·01	26
27	·13	·10		·13	·08	·49			·01	·01	·05	·09	27
28	·58			·19	·01	·03	·01			·02	·03	·07	28
29	·02			·01	·05		·25		·02		·08	·24	29
30	·09	✕		·03	·13	·06	·18	·01	·04		·13	·15	30
31		✕	·02	✕	·02	✕		·03	✕	·02	✕	·17	31
Total	2·32	·85	1·18	3·16	1·13	1·96	2·84	1·51	2·12	·69	·71	3·14	YEAR'S TOTAL 21·61
~~Rain Days.~~	25	~~3·17~~	~~4·35~~	~~7·51~~	~~8·64~~	~~10·60~~	~~13·44~~	~~14·95~~	~~17·07~~	~~17·76~~	~~18·47~~	21·61	

12 21 18 22 12 22 16 17 31 236

W, 6,500, VII. 18. w w + Snow. +1 Snow & Rain ++ Hail & Rain

11 20 7 6 14 8 13 13 5 26 140

~~84~~

1464

—

OUTWELL

NORFOLK

1911 —— 1920

911 , 26 JAN 1912

FORM A2. BRITISH RAINFALL.

286

Kept at Outwe

in the County of N

by A. Lunn

op 9 in.

above Ground ft. in.

„ Sea Level ft.

on Name

Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and p British Rainfall Organization are given in ~~Rules for Rainfall Observers,~~ sent p on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07												1
2	.38				.10	.03					.08	.10	2
3	.02	.07		.06	.12					.07		.10	3
4	.03	.03	.15	.08				.03	.12	.04	.12	.15	4
5		.03		.04				.12				.10	5
6	.40	.02	.02							.04		.28	6
7	.03										.12	.22	7
8	.27		.14						.30		.10	.10	8
9	.11			.11							.10		9
10	.06	.07	.09								.03	.11	10
11	.24					.05					.32		11
12	.16	.02	.41		.44				.06		.11		12
13	.03		.16			.09			.22	.10		.22	13
14		.07	.15		.38						.02	.38	14
15		.09	.39							.03	.09		15
16			.03			.15				.02	.32	.08	16
17											.03	.08	17
18		.08				.07					.93	.04	18
19						.35		.03	.11		.25		19
20	.02			.04		.04		.09	.33	.06		.38	20
21		.16						1.10		.12		.14	21
22	.03	.07	.10	.02		.02		.05		.21	.03	.30	22
23		.03	.12		.05	.80			.46			.15	23
24		.04	.05			.18				.46		.11	24
25		.03	.04	.09		.11	.02	.15		.03	.07	.02	25
26				.16			.02			.23	.08	.35	26
27		.19	.08	.06			.04	.04	.22		.02	.05	27
28		.15		.23				.25			.10	.11	28
29			.02			.21		.02	.37	.28		.02	29
30			.02	.03	.07	.04	.13		.16	.05			30
31												.04	31
Total	1.85	1.15	1.97	.92	1.16	2.14	.21	1.88	2.35	1.74	2.92	3.63	TOTAL for year 21.92
No. of Rain Days	14	16	16	11	6	13	4	10	10	14	19	24	157

9,000, IX. '10.

84/

256

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL 911

Kept at Outwell

in the County of Norfolk ~~F~~ 4

by A. Lunn

Rain Gauge	Pattern
	Diameter of top 9 in.
	Height of top above Ground ft. in.
	" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07												1
2	·38				·10	·03					·08	·10	2
3	·02	·07		·06	·12					·07		·10	3
4	·03	·03	·15	·08				·03	·12	·04	·12	·15	4
5		·03		·04				·12				·10	5
6	·40	·02	·02							·04		·28	6
7	·03										·12	·22	7
8	·27		·14						·30		·10	·10	8
9	·11			·11							·10		9
10	·06	·07	·09								·03	·11	10
11	·24					·05					·32		11
12	·16	·02	·41		·44				·06		·11		12
13	·03		·16			·09			·22	·10		·22	13
14		·07	·15		·38						·02	·38	14
15		·09	·39							·03	·09		15
16			·03			·15				·02	·32	·08	16
17											·03	·08	17
18		·08				·07					·93	·04	18
19						·35		·03	·11		·25		19
20	·02			·04		·04		·09	·33	·06		·38	20
21		·16						1·10		·12		·14	21
22	·03	·07	·10	·02		·02		·05		·21	·03	·30	22
23		·03	·12		·05	·80			·46			·15	23
24		·04	·05			·18				·46		·11	24
25		·03	·04	·09		·11	·02	·15		·03	·07	·02	25
26				·16			·02			·23	·08	·35	26
27		·19	·08	·06			·04	·04	·22		·02	·05	27
28		·15		·23				·25			·10	·11	28
29			·02			·21		·02	·37	·28		·02	29
30			·02	·03	·07	·04	·13		·16	·05			30
31												·04	31
Total	1·85	1·15	1·97	·92	1·16	2·14	·21	1·88	2·35	1·74	2·92	3·63	TOTAL for year 21.92
No. of Rain Days	14	16	16	11	6	13	4	10	10	14	19	24	157

9,000, IX. '10.

Section **A** for the entry of Daily Observations

Station No. 1464

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1911

Kept at OUTWELL

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07													1
2	·38				·10	·03					·08	·10		2
3	·02	·07		·06	·12					·07		·10		3
4	·03	·03	·15	·08				·03	·12	·04	·12	·15		4
5		·03		·04				·12				·10		5
6	·40	·02	·02							·04		·28		6
7	·03										·12	·22		7
8	·27		·14						·30		·10	·10		8
9	·11			·11							·10			9
10	·06	·07	·09								·03	·11		10
11	·24					·05					·32			11
12	·16	·02	·41						·06		·11			12
13	·03		·16			·09			·22	·10		·22		13
14		·07	·15		·44						·02	·38		14
15		·09	·39							·03	·09			15
16			·03			·15				·02	·32	·08		16
17											·03	·08		17
18		·08				·07					·93	·04		18
19					·38	·35		·03	·11		·25			19
20				·04		·04		·09	·33	·06		·38		20
21		·16						1·10		·12		·14		21
22	·02	·07	·10	·02		·02		·05		·21		·30		22
23	·03	·03	·12		·05	·80			·46			·15		23
24		·04	·05			·18				·46		·11		24
25		·03	·04	·09		·11	·02	·15		·03	·03	·02		25
26				·16			·02			·23	·08	·35		26
27		·19	·08	·06			·04	·04	·22		·02	·05		27
28		·15		·23				·25			·10	·11		28
29		X	·02			·21		·02	·37	·28		·02		29
30		X	·02	·03	·07	·04	·13		·16	·05	·07			30
31		X		X		X			X		X	·04		31
TOTAL	1·85	1·15	1·97	·92	1·16	2·14	·21	1·88	2·35	1·74	2·92	3·63	Year's total 21·92	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

81 CxML 283

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Outwell, Wellbreck Sluice

in the County of Norfolk 4

by A. Lunn

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.05	.10	.05	.08	.02		.27	1
2		.03			.06		.35			.02			2
3	.20	.02			.02	.41		.14	.05			.08	3
4	.04		.50		.05	.07		.08			.36		4
5		.10	.36			.11		.19	.02		.04		5
6	.64	.12			.02	.03	.70	.17				.04	6
7					.03	.41	.06	.02	.02				7
8	.17	.08	.10	.04		.10	.17	.06	.13				8
9		.07		.11	.22	.39						.18	9
10				.03		.03		.10	.25		.08		10
11	.10	.09							.10		.02	.16	11
12	.09		.15		.05	.04					.38		12
13	.03					.04	.05	.03			.55	.02	13
14					.03			.03		.11	.02		14
15	.03		.12		.27	.23		.02				.08	15
16	.12		.09		.24	.23		.15	.06	.09	.03		16
17	.22		.30			.18		.11				.09	17
18	.05		.10				.05	.17		.06		.08	18
19	.13	.19	.07				.30	.52		.02	.05		19
20	.08	.03			.02		.11	.36		.26			20
21			.17		.27		.03	.66		.03	.08		21
22	.09	.09			.72		.85	.24				.03	22
23	.26	.30	.27		.02		.03	.78	.04		.12	.34	23
24	.47	.04				.10	.03	.16				.10	24
25	.03					.12	.40	.65			.18	.28	25
26			.04			.05	.05	2.15		.43	.21	.16	26
27					.03			.04		.16		.18	27
28		.03		.08	.04		.05	.38		.24	.18	.36	28
29						.12	.17	.04	.72	.15	.12		29
30	.03				.23	.03			.37	.29			30
31			.18		.15		.22	.25		.02		.03	31
Total	2.78	1.19	2.45	.26	2.47	2.74	3.72	7.55	1.84	1.90	2.42	2.48	TOTAL for year 31.80
No. of Rain Days.	18	13	13	4	18	19	18	26	11	14	15	17	186

W. 8,000, X. '11.

Section A for the entry of Daily Observations

Station No. 1464

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1912

Kept at OUTWELL

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·05	·10	·05	·08	·02		·27		1
2		·03			·06		·35			·02				2
3	·20	·02			·02	·41		·14	·05			·08		3
4	·04		·50		·05	·07		·08						4
5		·10	·36			·11		·19	·02		·36			5
6	·64	·12			·02	·03	·70	·17			·04	·04		6
7					·03	·41	·06	·02	·02					7
8	·17	·08	·10	·04		·10	·17	·06	·13					8
9		·07		·11	·22	·39						·18		9
10				·03		·03		·10	·25		·08			10
11	·10	·09							·10		·02	·16		11
12	·09		·15		·05	·04					·38			12
13	·03					·04	·05	·03			·55	·02		13
14					·03			·03		·11	·02			14
15	·03		·12		·27	·23		·02				·08		15
16	·12		·09		·24	·23		·15	·06	·09	·03			16
17	·22		·30			·18		·11				·09		17
18	·05		·10				·05	·17		·06		·08		18
19	·13	·19	·07				·30	·52		·02	·05			19
20	·08	·03			·02		·11	·36		·26				20
21			·17		·27		·03	·66		·03	·08			21
22	·09	·09			·72		·85	·24				·03		22
23	·26	·30	·27		·02		·03	·78	·04		·12	·34		23
24	·47	·04				·10	·03	·16				·10		24
25	·03					·12	·40	·65			·18	·28		25
26			·04			·05	·05	2·15		·43	·21	·16		26
27					·03			·04		·16		·18		27
28		·03		·08	·04		·05	·38		·24	·18	·36		28
29						·12	·17	·04	·72	·15	·12			29
30	·03	X			·23	·03			·37	·29				30
31		X	·18	X	·15	X	·22	·25	X	·02	X	·03		31
TOTAL	2·78	1·19	2·45	·26	2·47	2·74	3·72	7·55	1·84	1·90	2·42	2·48	Year's total 31·80	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1464

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1913

Kept at OUT WELL

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·10	·10	·06					·22		·02			1
2	·04	·10	·03				·13		·02		·03			2
3			·21		·11				·03	·10				3
4	·19				·83		·05			·08	·07	·06		4
5	·03									·46	·01			5
6			·02	·02	·35	·12	·16			10	·02			6
7		·03			·10	·10				·48	·01			7
8				·02	·38	·18	·02			·95	·08			8
9		·24	·06	·04	·11	·10		·05			·06	·01		9
10				·05			·02	·11			·23			10
11	·30			·38	·02			·05			·04			11
12											·11			12
13	·02		·03					·08			·40			13
14	·20	·05	·15	·06			·03		·07		·02			14
15	·23		·17	·09			·04		·22	·23	·01			15
16	·17	·02	·75	·14					·22		·06			16
17	·06	·02	·11	·08		·26	·13					·01		17
18			·14	·15			·05	·05			·01	·02		18
19	·10		·11					·02	·08			·01		19
20	·11		·12						·65			·04		20
21	·03		·07		·04		·16			·25	·15			21
22	20		·06				·30	·03	·11	·05				22
23			·04			·03	·06		06		·02			23
24	·05					·11					·01			24
25				·13						·03		·02		25
26		·04	·10							·62	·04	·12		26
27		·05		·02		·14				·03	·01			27
28	·11		·09	·04						·17				28
29	·23	X	·15	·17	·07			·11				·05		29
30	16	X		·13						·10	·09			30
31		X		X	·02	X		·46	X	·03	X			31
TOTAL	2·31	·65	2·51	1·58	2·03	1·04	1·15	·96	1·68	3·68	1·50	·34	Year's total 19·43	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

82 ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

291

27 JAN 1914

Kept at Outwell

in the County of Norfolk

by A. Lunn C.E.

4

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.10	.10	.06					.22		.02		1
2	.04	.10	.03				.13		.02		.03		2
3			.21		.11				.03	.10			3
4	.19				.83		.05			.08	.07	.06	4
5	.03									.46	.01		5
6			.02	.02	.35	.12	.16			.10	.02		6
7		.03			.10	.10				.48	.01		7
8				.02	.38	.18	.02			.95	.08		8
9		.24	.06	.04	.11	.10		.05			.06	.01	9
10				.05			.02	.11			.23		10
11	.30			.38	.02			.05			.04		11
12											.11		12
13	.02		.03					.08			.40		13
14	.20	.05	.15	.06			.03		.07		.02		14
15	.23		.17	.09			.04		.22	.23	.01		15
16	.17	.02	.75	.14					.22		.06	.01	16
17	.06	.02	.11	.08		.26	.13					.02	17
18			.14	.15			.05	.05			.01	.01	18
19	.10		.11					.02	.08			.04	19
20	.11		.12						.65				20
21	.03		.07		.04		.16			.25	.15		21
22	.20		.06				.30	.03	.11	.05			22
23			.04			.03	.06		.06		.02		23
24	.05					.11					.01		24
25				.13						.03		.02	25
26		.04	.10							.62	.04	.12	26
27		.05		.02		.14				.03	.01		27
28	.11		.09	.04						.17			28
29	.23		.15	.17	.07			.11				.05	29
30	.16			.13						.10	.09		30
31					.02			.46		.03			31
Total	2.31	.65	2.51	1.58	2.03	1.04	1.15	.96	1.68	3.68	1.50	.34	YEAR'S TOTAL 19.43
Rain Days.	18	9	19	16	10	8	12	9	10	15	22	9	157

W. 7,500, XI. 12

281

FORM A.
BRITISH RAINFALL

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Outwell, Wellbreck Sluice

in the County of Norfolk 4

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02			·40	·47		·01	·09	·02	1
2							·58	·06			·04	·04	2
3			·11		·15		·17	·11			·06		3
4	·20		·01	·24		·01	·01	·31			·28	·09	4
5			·05	·03	·01		·17	·07			·02		5
6		·07			·08		·10	·03	·01		·52	·02	6
7		·03	·36		·01	·18	·01				·02	·05	7
8	·28	·02	·17	·01	·11	·59	·01	·17				·05	8
9	·45		·21	·01	·02	·82			·20			·11	9
10	·30	·10	·01	·04	·04				·10				10
11		·06	·31	·07	·05	·03			·08	·01	·32	·14	11
12			·03			·01	·41		·26		·03	·27	12
13	·02	·11	·17							·04	·06	·31	13
14			·18				·27			·42	·13	·47	14
15	·01	·02	·14			·01	·01	·05	·03	·01	·05	·38	15
16			·04				·19		·02		·09		16
17		·31	·01				·01		·07	·03		·06	17
18			·02				·06		·02	·01	·02	·54	18
19		·06	·13			·40	·01		·04	·01	·21	·02	19
20		·04	·39			·05			·01		·01	·02	20
21	·02	·10	·23			·07		·23		·11	·01	·09	21
22		·01	·02	·22	·21	·04	·01	·08	·01	·16	·01	·03	22
23		·02	·04	·01	·07	·01	·07			·04		·02	23
24	·01		·01	·05		·03	·01	·01		·07	·13		24
25					·05		·02	·01		·41		·04	25
26							·02	·11		·04	·09	·28	26
27	·01						·01			·01	·04	·14	27
28		·05						·01		·06	·11	1·01	28
29	·03		·03							·16	·06		29
30			·02	·01						·03	·16	·13	30
31					·06		·08			·02		·10	31
Total	1·33	1·00	2·69	·71	·86	2·25	2·63	1·72	·85	1·65	2·56	4·43	YEAR'S TOTAL 22·68
Rain Days.	10	14	23	11	12	13	22	14	12	19	24	25	199

W.7,000, XI. 13

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

Form 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1914

Kept at OUTWELL SLUICE
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	.02	–	–	.40	.47	–	.01	.09	.02		1
2	–	–	–	–	–	–	.58	.06	–	–	.04	.04		2
3	–	–	.11	–	.15	–	.17	.11	–	–	.06	–		3
4	.20	–	.01	.24	–	.01	.01	.31	–	–	.28	.09		4
5	–	–	.05	.03	.01	–	.17	.07	–	–	.02	–		5
6	–	.07	–	–	.08	–	.10	.03	.01	–	.52	.02		6
7	–	.03	.36	–	.01	.18	.01	–	–	–	.02	.05		7
8	.28	.02	.17	.01	.11	.59	.01	.17	–	–	–	.05		8
9	.45	–	.21	.01	.02	.82	–	–	.20	–	–	.11		9
10	.30	.10	.01	.04	.04	–	–	–	.10	–	–	–		10
11	–	.06	.31	.07	.05	.03	–	–	.08	.01	.32	.14		11
12	–	–	.03	–	–	.01	.41	–	.26	–	.03	.27		12
13	.02	.11	.17	–	–	–	–	–	–	.04	.06	.31		13
14	–	–	.18	–	–	–	.27	–	–	.42	.13	.47		14
15	.01	.02	.14	–	–	.01	.01	.05	.03	.01	.05	.38		15
16	–	–	.04	–	–	–	.19	–	.02	–	.09	–		16
17	–	.31	.01	–	–	–	.01	–	.07	.03	–	.06		17
18	–	–	.02	–	–	–	.06	–	.02	.01	.02	.54		18
19	–	.06	.13	–	–	.40	.01	–	.04	.01	.21	.02		19
20	–	.04	.39	–	–	.05	–	–	.01	–	.01	.02		20
21	.02	.10	.23	–	–	.07	–	.23	–	.11	.01	.09		21
22	–	.01	.02	.22	.21	.04	.01	.08	.01	.16	.01	.03		22
23	–	.02	.04	.01	.07	.01	.07	–	–	.04	–	.02		23
24	.01	–	.01	.05	–	.03	.01	.01	–	.07	.13	–		24
25	–	–	–	–	.05	–	.02	.01	–	.41	–	.04		25
26	–	–	–	–	–	–	.02	.11	–	.04	.09	.28		26
27	.01	–	–	–	–	–	.01	–	–	.01	.04	.14		27
28	–	.05	–	–	–	–	–	.01	–	.06	.11	1.01		28
29	.03	X	.03	–	–	–	–	–	–	.16	.06	–		29
30	–	X	.02	.01	–	–	–	–	–	.03	.16	.13		30
31	–	X	–	X	.06	X	.08	–	X	.02	X	.10		31
TOTAL	1.35	1.00	2.69	.71	.86	2.25	2.63	1.72	.85	1.65	2.56	4.43	Year's total 22.68	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

82

1608/~~276~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Outwell Sluice
in the County of Norfolk 14
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·23			·24		·01		·06		·11	·05	1
2	·03	·11	·23	·03	·01	·02		·36	·08		·05	·02	2
3	·16		·13	·09		—	·08	·01	·06		·09	·17	3
4	·21		·01				·14	·28		·02	·03	·56	4
5	·04	·03			·29			·05		·04	·02	·21	5
6	·09	·04	·07	·12	·01		·89	·03		·02	·01	·05	6
7	·08	·25	·10	·01			·03	·07				·14	7
8	·02	·05	·02	·02			·02	·03					8
9	·10	·07				·04		·01		·01	·12	·33	9
10	·26		·10					·28		·02	·02	·01	10
11	·01		·02		·06		·09	·01		·01	·32	·11	11
12	·11		·02	·18	·26		·02	·83			2·04		12
13	·02	·33			·75			·03	·02				13
14		·16			·04		·22					·24	14
15	·18			·02	·11			·04			·52	·05	15
16	·03	·16					·69	·16		·09		·08	16
17	·08	·08					·10	·01		·01		·01	17
18		·01								·01	·06		18
19		·05	·05				·20	·02					19
20	·26		·07	·01				·01		·02		·32	20
21	·11	·08			·02		·07					·02	21
22	·41		·16	·01			·49		·03			·26	22
23	·02	·11	·02				·11		·17	·05	·02	·24	23
24	·01		·02				·07		·13	·02		·07	24
25			·03			·34	·05		·01	·02		·11	25
26		·09				·03	·05			·01		·22	26
27		·03				·12	·29		·02	·47		·01	27
28		·14				·21	·02	·08	·06	·54			28
29						·14		·15	·01	·02	·12	·18	29
30	·09					·38	·05	·06	·01	·02	·01		30
31	·04		·01					·12		·06		·10	31
Total	2·65	2·02	1·06	·49	1·79	1·28	3·69	2·64	·66	1·46	3·54	3·56	YEAR'S TOTAL 24·84
Rain Days.	23	18	16	9	10	8	21	21	12	19	15	24	196

W. 8,000. X. 14.

Section ✓ **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

Form 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1915

Kept at OUTWELL SLUICE.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·23	—	—	·24	—	·01	—	·06	—	·11	·05		1
2	·03	·11	·23	·03	·01	·02	—	·36	·08	—	·05	·02		2
3	·16	—	·73	·09	—	—	·08	·01	·06	—	·09	·17		3
4	·21	—	·01	—	—	—	·14	·28	—	·02	·03	·56		4
5	·04	·03	—	—	·29	—	—	·05	—	·04	·02	·21		5
6	·09	·04	·07	·12	·01	—	·89	·03	—	·02	·01	·05		6
7	·08	·25	·10	·01	—	—	·03	·07	—	—	—	·14		7
8	·02	·05	·02	·02	—	—	·02	·03	—	—	—	—		8
9	·10	·07	—	—	—	·04	—	·01	—	·01	·12	·33		9
10	·26	—	·10	—	—	—	—	·28	—	·02	·02	·01		10
11	·01	—	·02	—	·06	=	·09	·01	—	·01	·32	·11		11
12	·11	—	·02	·18	·26	—	·02	·83	—	—	2·04	—		12
13	·02	·33	—	—	·75	—	—	·03	·02	—	—	—		13
14	—	·16	—	—	·04	—	·22	—	—	—	—	·24		14
15	·18	—	—	·02	·11	—	—	·04	—	—	—	·05		15
16	·03	·16	—	—	—	—	·69	·16	—	·09	·52	·08		16
17	·08	·08	—	—	—	—	·10	·01	—	·01	—	·01		17
18	—	·01	—	—	—	—	—	=	—	·01	·06	—		18
19	—	·05	·05	—	—	—	·20	·02	—	—	—	—		19
20	·26	—	·07	·01	—	—	—	·01	—	·02	—	·32		20
21	·11	·08	—	—	·02	—	·07	—	—	—	—	·02		21
22	·41	—	·16	·01	—	—	·49	—	·03	—	—	·26		22
23	·02	·11	·02	—	—	—	·11	—	·17	·05	·02	·24		23
24	·01	—	·02	—	—	—	·07	—	·13	·02	—	·07		24
25	—	—	·03	—	—	34	·05	—	·01	·02	—	·11		25
26	—	·09	—	—	—	03	·05	—	—	·01	—	·22		26
27	—	·03	—	—	—	·12	·29	—	·02	·47	—	·01		27
28	—	·14	—	—	—	·21	·02	·08	·06	·54	—	—		28
29	—	X	—	—	—	·14	—	·45	·01	·02	·12	·18		29
30	·09	X	—	—	—	·38	·05	·06	·01	·02	·01	—		30
31	·04	X	·01	X	—	X	—	·12	X	·06	X	·10		31
TOTAL	2·65	2·02	1·06	·49	1·79	1·28	3·69	2·64	·66	1·46	354	3·56	Year's total 24·84	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

Dh

1583
~~244~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Outwell

in the County of Norfolk

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03			·05	·11				·31		1
2	·37	·01	·02		·28		·04		·02	·05	·02		2
3		·06	·03		·01	·01	·06		·43	·29	·12		3
4	·33	·14			·03	·11	·01		·58	·02	·20		4
5	·02	·02		·02	·02	·20	·02		·01	·14	·19	·08	5
6		·09	·11	·23	·10	·01	·07			·02	·26		6
7	·07		·15	·01	·36	·02	·57		·01	·07	·10	·07	7
8			·02		·06	·09	·01				·01	·19	8
9			·06		·24	·07				·06		·08	9
10		·01	·08	·06	·01	·17	·21		·02			·12	10
11	·06	·41	·06	·25	·09	·37			·04		·01	·04	11
12		·01	·01	·01	·46	·33	·08	·08	·01	·09	·01	·01	12
13		·21	·09	·03	·10	·03	·12	·01					13
14		·31	·06		·09	·04	·04	·25		·04		·02	14
15		·15	·21	·02			·03	·02	·04	·03		·10	15
16		·07	·07	·15	·01		·08	·04		·01		—	16
17	·03		·01	·32			·20	·15	·26	·22			17
18	·01	·12		·11			·01	·26	·14	·08	·31		18
19	·07		·02	·27				·32	·15		·42	·13	19
20	·08		·22	·06				·14	·02	·01	·09	·15	20
21			·16	·02			·01	·01				·69	21
22	·02	·18			·18	·02			·01	·02	·02	·45	22
23	·02	·22				·16	·04	·04	·01	·01	·09	·13	23
24		·17	·01	·01			·01	·05		·17	·01	·15	24
25		·13	·06				·01	·12	·01	·03	·07		25
26		·02				·03		·13		·03	·04		26
27		·27	·55	·01				·04	·02	·03			27
28	·01	·16	·62					·01	·03		·01	·15	28
29	·01	·04	·01			·10		2·16		·16		·02	29
30	·02	X				·10		·22		·18		·01	30
31		X		X		X		·06	X	·04	X		31
Total	1·14	2·80	2·66	1·58	2·04	1·91	1·73	4·11	1·81	1·80	2·29	2·59	YEAR'S TOTAL 26·46
Rain Days.	15	21	23	16	15 14	18	20	19	18	23	19	18	225

W. 8,000. X. 15.

Section 1 **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1916

Kept at OUTWELL SLUICE.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	0	.03	–	–	.05	.11	–	–	–	.31	–		1
2	.37	.01	.02	–	.28	–	.04	–	.02	.05	.02	–		2
3	–	.06	.03	–	.01	.01	.06	–	.43	.29	.12	–		3
4	.33	.14	–	–	.03	.11	.01	–	.58	.02	.20	–		4
5	.02	.02	–	.02	.02	.20	.02	–	.01	.14	.19	.08		5
6	–	.09	.11	.23	.10	.01	.07	–	–	.02	.26	–		6
7	.07	–	.15	.01	.36	.02	.57	–	.01	.07	.10	.07		7
8	–	–	.02	–	.06	.09	.01	–	–	–	.01	.19		8
9	–	–	.06	–	.24	.07	–	–	–	.06	–	.08		9
10	–	.01	.08	.06	.01	.17	.21	–	.02	–	–	.12		10
11	.06	.41	.06	.25	.09	.37	–	–	.04	–	.01	.04		11
12	–	.01	.01	.01	.46	.33	.08	.08	.01	.09	.01	.01		12
13	–	.21	.09	.03	.10	.03	.12	.01	–	–	–	–		13
14	–	.31	.06	–	.09	.04	.04	.25	–	.04	–	.02		14
15	–	.15	.21	.02	–	–	.03	.02	.04	.03	–	.10		15
16	–	.07	.07	.15	.01	–	.08	.04	–	.01	–	–		16
17	.03	–	.01	.32	–	–	.20	.15	.26	.22	–	–		17
18	.01	.12	–	.11	–	–	.01	.26	.14	.08	.31	–		18
19	.07	–	.02	.27	–	–	–	.32	.15	–	.42	.13		19
20	.08	–	.22	.06	–	–	–	.14	.02	.01	.09	.15		20
21	–	–	.16	.02	–	–	.01	.01	–	–	–	.69		21
22	.02	.18	–	–	.18	.02	–	–	.01	.02	.02	.45		22
23	.02	.22	–	–	–	.16	.04	.04	.01	.01	.09	.13		23
24	–	.17	.01	.01	–	–	.01	.05	–	.17	.01	.15		24
25	–	.13	.06	–	–	–	.01	.12	.01	.03	.07	–		25
26	–	.02	–	–	–	.03	–	.13	–	.03	.04	–		26
27	–	.27	.55	.01	–	–	–	.04	.02	.03	–	–		27
28	.01	.16	.62	–	–	–	–	.01	.03	–	.01	.15		28
29	.01	.04	.01	–	–	.10	–	2.16	–	.16	–	.02		29
30	.02	X	–	–	–	.10	–	.22	–	.18	–	.01		30
31	–	X	–	X	–	X	–	.06	X	.04	X	–		31
TOTAL	1.14	2.80	2.66	1.58	2.04	1.91	1.73	4.11	1.81	1.80	2.29	2.59	Year's total 26.46	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*)..........(P.T.O.)

Dr ✓ ~~Ex Dr~~ 1509 ~~227~~

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Outwell, Wisbech

in the County of ~~Cambridgeshire~~ Norfolk

by C P Burling

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08				1·29	·59	·02	·02		1
2	·05			·23		·06		·25		·03	·02		2
3		·05						·34	·01	·16			3
4		·04	·02					·03		·52	·01		4
5	·22		·01	·12				·02	·03	·01	·17		5
6						·12		·01		·05	·02		6
7	·41					·06			·01	·41		·02	7
8	·15			·15			·55	·11		·22	·12	·02	8
9	·13		·02	·01			·02	·07		·01	·06	·01	9
10	·19		·15	·07				·27		·06	·04	·02	10
11	·07	·04	·27	·09				·01		·20	·01		11
12	·08		·01		·01			·06		·37	·02	·03	12
13	·16		·32	·02			·04	·15	·05	·09	·02	·01	13
14	·21			·08				·01			·01		14
15			·02		·02		·09	·17		·03	·01	·05	15
16	·06	·09	·03	·21		·08				·64	·01	·15	16
17	·01	·02	·05	·22	·48	·25	·11	·01	·21	·36		·03	17
18	·02	·02		·04	·01	·06	·20	·05	·97	·01			18
19		·06	·15			·03		·01	·10				19
20		·20	·04				·19	·02	·02	·01	·18	·02	20
21	·01	·03	·09		·03	·03			·01	·01	·03		21
22			·09					·04		·08			22
23		·01			·11			·06	·04			·03	23
24		·01	·01			·16	·01	·01		·16	·09		24
25		·04	·02								·06	·03	25
26			·03			·12		·26	·07		·49	·12	26
27						·42	·02	·58	·01			·04	27
28		·04	·05		·02	·17		·12		·05		·03	28
29			·03				1·22	·03		·25		·03	29
30	·03	X	·04				·14	·14		·02		·01	30
31	·01	X	·09	X		X	·37	·17	X	·01	X	·05	31
Total	1·81	·65	1·54	1·32 ✓	·68	1·56	2·96	4·29	2·12	3·78	1·39	·70	YEAR'S TOTAL 22·80
Rain Days.	16	13	21	12 ✓	7	12	12	27	13	25	19	18	195

3·61

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 19 1917.

Kept at OUTWELL SLUICE.
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	[illegible]	.08	–	–	–	1.29	.59	.02	.02	–		1
2	.05	–	–	.23	–	.06	–	.25	–	.03	.02	–		2
3	–	.05	–	–	–	–	–	.34	.01	.16	–	–		3
4	–	.04	.02	–	–	–	–	.03	–	.52	.01	–		4
5	.22	–	.01	.12	–	–	–	.02	.03	.01	.17	–		5
6	–	–	–	–	–	.12	–	.01	–	.05	.02	.02		6
7	.41	–	–	–	–	.06	–	–	.01	.41	–	.02		7
8	.15	–	–	.15	–	–	.55	.11	–	.22	.12	.01		8
9	.13	–	.02	.01	–	–	.02	.07	–	.01	.06	.02		9
10	.19	–	.15	.07	–	–	–	.27	–	.06	.04	–		10
11	.07	.04	.27	.09	–	–	–	.01	–	.20	.01	–		11
12	.08	–	.01	–	.01	–	–	.06	–	.37	.02	.03		12
13	.16	–	.32	.02	–	–	.04	.15	.05	.09	.02	.01		13
14	.21	–	–	.08	–	–	–	.01	–	–	.01	–		14
15	–	–	.02	–	.02	–	.09	.17	–	.03	.01	.05		15
16	.06	.09	.03	.21	–	.08	–	–	–	.64	.01	.15		16
17	.01	.02	.05	.22	.48	.25	.11	.01	.21	.36	–	.03		17
18	.02	.02	–	.04	.01	.06	.20	.05	.97	.01	–	–		18
19	–	.06	.15	–	–	.03	–	.01	.10	–	–	–		19
20	–	.20	.04	–	–	–	.19	.02	.02	.01	.18	.02		20
21	.01	.03	.09	–	.03	.03	–	–	.01	.01	.03	–		21
22	–	–	.09	–	–	–	–	.04	–	.08	–	–		22
23	–	.01	–	–	.11	–	–	.06	.04	–	–	.03		23
24	–	.01	.01	–	–	.16	.01	.01	–	.16	.09	–		24
25	–	.04	.02	–	–	–	–	–	–	–	.06	.03		25
26	–	–	.03	–	–	–	–	.26	.07	–	.49	.12		26
27	–	–	–	–	–	.12	.02	.58	.01	–	–	.04		27
28	–	.04	.05	–	.02	.42	–	.12	–	.05	–	.03		28
29	–	X	.03	–	–	.17	1.22	.03	–	.25	–	.03		29
30	.03	X	.04	–	–	–	.14	.14	–	.02	–	.01		30
31	.01	X	.09	X	–	X	.37	.17	X	.01	X	.05		31
TOTAL	1.81	.65	1.54	1.32	.68	1.56	2.96	4.29	2.12	3.78	1.39	.70	Year's total 22.80	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

81

72 ~~218~~

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
30.1.19

Kept at Aqueduct Outwell
in the County of Norfolk
by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·02	·12					·04		·04	·14	1
2		·06		·13				·47		·01	·02	·23	2
3	·05	·02	·07		·31			·11			·70	·01	3
4		·04	·10				·03	·02	·42	·01	·27	(·02)	4
5		·01	·01		·09			·22	·81	·08			5
6		·04		·10	·01			·01	·02	·01	·01	·02	6
7	·03	·06		·06		·07			·02	·05	·10	·02	7
8		·02					·04		·10		·07	·01	8
9	·02	·10		·07		·07	·06		·28	·29	·01	·03	9
10	·07	·01		·01			·42		·03	·04	·02	·19	10
11	·03			·02	·21		·19		·11	·43	·04	·21	11
12		·18	·03		·05		·20		·01	·02		·06	12
13		·01		·01	·35		·01		·10	·01		·03	13
14	·25		·01	·03			·20		·17	·22		·02	14
15	·56			·85		·02	·37		·18	·01	·03	·06	15
16	·02			·25			·01		1·27		—		16
17	·17			·07	1·03		·64	·03	·02	·02		·15	17
18	·33		·02	·02	·01	·07	·02		·23	·06		·30	18
19	·09	·06	·07	·02		·10				·07		·13	19
20	·03	·03	·01			·03	·06		·12	·08			20
21	·04					·05			·31	·02	·03	·02	21
22	·03			·01		·01	·04		·05	·02		·30	22
23	·11				·42		·14	·01	·11		·04	·01	23
24		·25		·01	·17		·34		·02		·11		24
25		·01	·05			·18	·09	·25			·08		25
26							·75	·03	·04	·02	·26	·10	26
27				·03		·09	·01	·22			·09	·03	27
28	·02	·12	·12		·01			·01	·02		·16	·28	28
29							·01		·92		·04		29
30	·02	X	·24						·09		·14	·10	30
31	·02	X	·03	X		X			X	·08	X	·07	31
Total	1·89	1·03	·78	1·81	2·66	·69	3·63	1·38	5·49	1·55	2·26	2·54	YEAR'S TOTAL 25·71
Rain Days.	18	17	13	17	11	10	20	~~10~~ 11	25	20	20	25	207

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1918

Kept at OUTWELL SLUICE

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	.02	.12	—	—	—	—	.04	—	.04	.14		1
2	—	.06	—	.13	—	—	—	.47	—	.01	.02	.23		2
3	.05	.02	.07	—	.31	—	—	.11	—	—	.70	.01		3
4	—	.04	.10	—	—	—	.03	.02	.42	.01	.27	.01		4
5	—	.01	.01	—	.09	—	—	.22	.81	.08	—	—		5
6	—	.04	—	.10	.01	—	—	.01	.02	.01	.01	.02		6
7	.03	.06	—	.06	—	.07	—	—	.02	.05	.10	.02		7
8	—	.02	—	—	—	—	.04	—	.10	—	.07	.01		8
9	.02	.10	—	.07	—	.07	.06	—	.28	.29	.01	.03		9
10	.07	.01	—	.01	—	—	.42	—	.03	.04	.02	.19		10
11	.03	—	—	.02	.21	—	.19	—	.11	.43	.04	.21		11
12	—	.18	.03	—	.05	—	.20	—	.01	.02	—	.06		12
13	—	.01	—	.01	.35	—	.01	—	.10	.01	—	.03		13
14	.25	—	.01	.03	—	—	.20	—	.17	.22	—	.02		14
15	.56	—	—	.85	—	.02	.37	—	.18	.01	.03	.06		15
16	.02	—	—	.25	—	—	.01	—	1.27	—	—	—		16
17	.17	—	—	.07	1.03	—	.64	.03	.02	—	—	.15		17
18	.33	—	.02	.02	.01	.07	.02	—	.23	.02	—	.30		18
19	.09	.06	.07	.02	—	.10	—	—	—	.06	—	.13		19
20	.03	.03	.01	—	—	.03	.06	—	.12	.07	—	—		20
21	.04	—	—	—	—	.05	—	—	.31	.08	.03	.02		21
22	.03	—	—	.01	—	.01	.04	—	.05	.02	—	.30		22
23	.11	—	—	—	.42	—	.14	.01	.11	.02	.04	.01		23
24	—	.25	—	.01	.17	—	.34	—	.02	—	.11	—		24
25	—	.01	.05	—	—	.18	.09	.25	—	—	.08	—		25
26	—	—	—	—	—	—	.75	.03	.04	.02	.26	.10		26
27	—	—	—	.03	—	.09	.01	.22	—	—	.09	.03		27
28	.02	.12	.12	—	.01	—	—	.01	.02	—	.16	.28		28
29	—	X	—	—	—	—	.01	—	.92	—	.04	—		29
30	.02	X	.24	—	—	—	—	—	.09	—	.14	.10		30
31	.02	X	.03	X	—	X	—	—	X	.08	X	.07		31
TOTAL	1.89	1.03	.78	1.81	2.66	.69	3.63	1.38	5.49	1.55	2.26	2.53 ~~2.54~~	Year's total 25.71	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

81 78 1415

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Outwell Sluice

in the County of Norfolk

by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·03					·26			·15	·04	·14	1
2	·15	·02		·02	·06		·10			·04	·04	·62	2
3	·37		·11				·05		·11		·20	·42	3
4	·08		·26				·16		·07		·11		4
5	·08	·07	·04			·12	·16	·09	·38			·18	5
6	·01		·06									·09	6
7			·21								·02	·08	7
8	·11		·02	·02							·11		8
9	·01		·02								·06	·09	9
10			·13	·03						·01			10
11	·09		·20							·11			11
12	·03		·23				·62		·02				12
13	·17		·01	·01						·02			13
14	·30			·10		·08				·06			14
15	·11	·05	·05	·12					·02				15
16	·09	·50	·01	·24						·06		·10	16
17		·31	·03	·05							·49	·01	17
18		·03	·01		·06								18
19	·01	·11	·29				·01	·10	·12		·01	·11	19
20	·24	·02	·16			·13	·16	·23	·06				20
21	·27	·46	·02				·47					·04	21
22		·12	·01			·01	·51		·41		·01	·11	22
23		·01					·17		·04		·05	·45	23
24				·14	·26	·05	·17						24
25	·10					·09				·06			25
26	·20	·09	·14	·06	·21			·30	·06				26
27	·19	·09	·01	·16		·02			·03			·37	27
28										·17			28
29				·29				·84		·15	·11	·30	29
30			·01	·01		·08		·15		·19		·24	30
31	·02									·06		·12	31
Total	2·91	1·91	2·03	1·25	·59	·58	2·84	1·71	1·32	1·08	1·25	3·47	YEAR'S TOTAL 20·94
Rain Days.	21	14	22	13	4	8	12	6	11	12	12	17	152

W, 6,500, VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1917

Kept at OUTWELL SLUICE

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.28	.03	–	–	–	–	.26	–	–	–	.04	.14		1
2	.15	.02	–	.02	.06	–	.10	–	–	.15	.04	.62		2
3	.37	–	.11	–	–	–	.05	–	.11	.04	.20	.42		3
4	.08	–	.26	–	–	–	.16	–	.07	–	.11	–		4
5	.08	.07	.04	–	–	.12	.16	–	.38	–	–	.18		5
6	.01	–	.06	–	–	–	–	–	–	–	–	.09		6
7	–	–	.21	–	–	–	–	–	–	–	.02	.08		7
8	.11	–	.02	.02	–	–	–	–	–	–	.11	–		8
9	.01	–	.02	–	–	–	–	–	–	–	.06	.09		9
10	–	–	.13	.03	–	–	–	–	–	.01	–	–		10
11	.09	–	.20	–	–	–	–	–	–	.11	–	–		11
12	.03	–	.23	–	–	–	.62	–	.02	–	–	–		12
13	.17	–	.01	.01	–	–	–	–	–	.02	–	–		13
14	.30	–	–	.10	–	.08	–	–	–	.06	–	–		14
15	.11	.05	.05	.12	–	–	–	–	.02	–	–	–		15
16	.09	.50	.01	.24	–	–	–	–	–	.06	–	.10		16
17	–	.31	.03	.05	–	–	–	–	–	–	.49	.01		17
18	–	.03	.01	–	.06	–	–	–	–	–	–	–		18
19	.01	.11	.29	–	–	–	.01	.10	.12	–	.01	.11		19
20	.24	.02	.16	–	–	.13	.16	.23	.06	–	–	–		20
21	.27	.46	.02	–	–	–	.47	–	–	–	–	.04		21
22	–	.12	.01	–	–	.01	.51	–	.41	–	.01	.11		22
23	–	.01	–	–	–	–	.17	–	.04	–	.05	.45		23
24	–	–	–	.14	.26	.05	.17	–	–	–	–	–		24
25	.10	–	–	–	–	.09	–	–	–	.06	–	–		25
26	.20	.09	.14	.06	.21	–	–	.30	.06	–	–	–		26
27	.19	.09	.01	.16	–	.02	–	–	.03	–	–	.37		27
28	–	–	–	–	–	–	–	–	–	.17	–	–		28
29	–	X	–	.29	–	–	–	.84	–	.15	–	.30		29
30	–	X	.01	.01	–	.08	–	.15	–	.19	.11	.24		30
31	.02	X	–	X	–	X	–	–	X	.06	X	.12		31
TOTAL	2.91	1.91	2.03	1.25	.59	.58	2.84	1.71	1.32	1.08	1.25	3.47	Year's total 20.96	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

254 1338

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Outwell & Wellbreck Sluice
in the County of Norfolk
by G. E. Mathews

Lat.……… Long.………
Time of Observation………
Nearest Railway Station………
Diameter of Funnel of Rain Gauge………in.
Height of top of Gauge above Ground………ft………in.
„ „ „ „ Sea Level………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·07			·13		·20			·23	·10	·06	1
2				·03			·03	·16	·04	·04			2
3				·03			·17		·15				3
4			·04	·15	·01			·24	·06	·05		·03	4
5		·01	·05	·03	·29		·35	·12	·08			·08	5
6			·04		·05		·38						6
7			·04	·15	·04		·18						7
8				·32			·03						8
9	·04	·01		·21	·11								9
10	·29	·01	·12	·10			·02						10
11	·05		·06	·14	·07		·01				·04	·05	11
12	·16		·02	·14							·01		12
13	·10		·01	·09		·62	·03				·04		13
14	·05		·22	·10		·10	·01		·25	·04	·14		14
15		·03	·26	·04					·18				15
16	·01			·05	·03								16
17				·02	·01		·03		·15			·31	17
18						·13		·45	·16			·08	18
19	·07			·04				·13					19
20	·12			·28		·62				·04			20
21	·09	·31		·16		·62	·02	·11	·27			·06	21
22								·32	·13				22
23							·21					·31	23
24			·18	·02			·29			·03		·05	24
25		·02	·04	·08	·50						·16		25
26		·09			·30		·06						26
27	·03			·13		·35	·06				·14	·10	27
28		·01			·18		·05				·09	·07	28
29	·31		·38	·02	·03		·06				·08	·29	29
30	·01						·08				·11	·17	30
31			·04									·10	31
Total	1·39	·56	1·50	2·33	1·75	2·44	2·27	1·53	1·47	·43	·91	1·76	YEAR'S TOTAL 18·34
Days with ·01 in. or more	14	9	14	22	13	6	20	7	10	6	10	14	145
·04	11	3	12	16	9	6	12	7	10	5	9	13	113

(4434) Wt. 21958—218 7500. 10/19. Gp.113 A.&E.W.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1920

Kept at OUTWELL SLUICE

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.07	—	—	.13	—	.20	—	—	.23	.10	.06		1
2	—	—	—	.03	—	—	.03	.16	.04	.04	—	—		2
3	—	—	—	.03	—	—	.17	—	.15	—	—	—		3
4	—	—	.04	.15	.01	—	—	.24	.06	.05	—	.03		4
5	—	.01	.05	.03	.29	—	.35	.12	.08	—	—	.08		5
6	—	—	.04	—	.05	—	.38	—	—	—	—	—		6
7	—	—	.04	.15	.04	—	.18	—	—	—	—	—		7
8	—	—	—	.32	—	—	.03	—	—	—	—	—		8
9	.04	.01	—	.21	.11	—	—	—	—	—	—	—		9
10	.29	.01	.12	.10	—	—	.02	—	—	—	—	—		10
11	.05	—	.06	.14	.07	—	.01	—	—	—	.04	.05		11
12	.16	—	.02	.14	—	—	—	—	—	—	.01	—		12
13	.10	—	.01	.09	—	.62	.03	—	—	—	.04	—		13
14	.05	—	.22	.10	—	.10	.01	—	.25	.04	.14	—		14
15	—	.03	.26	.04	—	—	—	—	.18	—	—	—		15
16	.01	—	—	.05	.03	—	—	—	—	—	—	—		16
17	—	—	—	.02	.01	—	.03	—	.15	—	—	.31		17
18	—	—	—	—	—	.13	—	.45	.16	—	—	.08		18
19	.07	—	—	.04	—	—	—	.13	—	—	—	—		19
20	.12	—	—	.28	—	.62	—	—	—	.04	—	—		20
21	.09	.31	—	.16	—	.62	.02	.11	.27	—	—	.06		21
22	—	—	—	—	—	—	—	.32	.13	—	—	—		22
23	—	—	—	—	—	—	.21	—	—	—	—	.31		23
24	—	—	.18	.02	—	—	.29	—	—	.03	—	.05		24
25	—	.02	.04	.08	.50	—	—	—	—	—	.16	—		25
26	—	.09	—	—	.30	—	.06	—	—	—	—	—		26
27	.03	—	—	.13	—	.35	.06	—	—	—	.14	.10		27
28	—	.01	—	—	.18	—	.05	—	—	—	.09	.07		28
29	.31	—	.38	.02	.03	—	.06	—	—	—	.08	.29		29
30	.01	X	—	—	—	—	.08	—	—	—	.11	.17		30
31	—	X	.04	X	—	X	—	—	X	—	X	.10		31
TOTAL	1.39	.56	1.50	2-33	1.75	2.44	2.27	1.53	1.47	.43	.91	1.76	Year's total 18.34	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

1441

NORTHREPPS

HALL

NORFOLK

1911 — 1920

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

REG

Kept at Northrepp

in the County of No

by A.W. Pres

ft. 4 in.

el 200 ft.

Direction

IMPORTANT NOTE. … esult entered to the previous day. If an Obs… ule, he is earnestly requested to add the readi… he space provided for it at the end of this … rain, the selection and placing … ainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79		.02				.01	.10		.15			1
2	.19	.01	.02	.01	.13	.03	.03			.19	.07	.14	2
3	.09	.02		.03		.04		.04		.20	.06	.03	3
4	.11		.13	.22				.02			.32	.07	4
5	.03	.09		.07						.25		.27	5
6	.23	.03		.01							.05	.12	6
7	.03	.05	.04							.01	.11	.30	7
8	.15	.02	.18							.03	.04	.08	8
9	.13		.08	.05						.03	.01		9
10	.07	.07	.08					.07			.05	.60	10
11	.43	.37	.01			.03					.30	.01	11
12	.06	.03	.40			.19			.02		.03	.01	12
13	.04		.08		.12				.23	.11		.06	13
14		.08	.32		.50							.04	14
15		.10	.10						.04	.01	.12	.03	15
16	.01		.21			.21	.02		.03			.16	16
17			.04			.21					.03	.09	17
18		.15		.04		.07				.01	1.14	.06	18
19	.01	.01				.87	.02	.50	.05		.18	.02	19
20	.01			.01			.02	.02	.16	.04	.15	.30	20
21		.43		.02				.10		.11	.02	.06	21
22	.03	.02	.03		.02	.08		.01		.29	.04	.28	22
23	.02	.04	.20			.61		04	.30	.30		.08	23
24		.05	.04			.13			.05	.08		.03	24
25	01		.03	.21		.13				.24	.12	.11	25
26				.01		.05	.41			.08	.22	.43	26
27		.11	.08	.28					.33	.01	.03	.02	27
28		.23		.30		.03		.07		.40		.02	28
29			.01	.14		.15			.37	.22	.01	.06	29
30					.36	.05			.58				30
31			.02							.05		.02	31
Total	2.44	1.91	2.12	1.40	1.13	2.88	.51	.97	2.16	2.81	3.10	3.50	TOTAL for year 24.93
No. of Rain Days	19	19	21	14	5	16	6	10	11	21	21	28	191

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Northrepps Hall Cromer

in the County of Norfolk 2

by A. W. Preston

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 4 in.
" " " Sea Level 200 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79		.02				.01	.10		.15			1
2	.19	.01	.02	.01	.13	.03	.03			.19	.07	.14	2
3	.09	.02		.03		.04		.04		.20	.06	.03	3
4	.11		13	.22				.02			.32	.07	4
5	.03	.09		.07						.25		.27	5
6	.23	.03		.01							.05	.12	6
7	.03	.05	.04							.01	.11	.30	7
8	.15	.02	.18							.03	.04	.08	8
9	.13		.08	.05						.03	.01		9
10	.07	.07	.08					.07			.05	.60	10
11	.43	.37	.01			.03					.30	.01	11
12	.06	.03	.40			.19			.02		.03	.01	12
13	.04		.08		.12				.23	.11		.06	13
14		.08	.32		.50							.04	14
15		.10	.10						.04	.01	.12	.03	15
16	.01		.21			.21	.02		.03			.16	16
17			.04			.21					.03	.09	17
18		.15		.04		.07				.01	1.14	.06	18
19	.01	.01				87	.02	.50	.05		.18	.02	19
20	.01			.01			.02	.02	.16	.04	.15	.30	20
21		.43		.02				.10		.11	.02	.06	21
22	.03	.02	.03		.02	.08		.01		.29	.04	.28	22
23	.02	.04	.20			.61		04	.30	.30		.08	23
24		.05	.04			.13			.05	.08		.03	24
25	01		.03	.21		.13				.24	.12	.11	25
26				.01		.05	.41			.08	.22	.43	26
27		.11	.08	.28					.33	.01	.03	.02	27
28		.23		.30		.03		.07		.40		.02	28
29			.01	.14		.15			.37	.22	.01	.06	29
30					.36	.05			.58				30
31			.02							.05		.02	31
Total	2.44	1.91	2.12	1.40	1.13	2.88	.51	.97	2.16	2.81	3.10	3.50	TOTAL for year 24.93
No. of Rain Days	19	19	21	14	5	16	6	10	11	21	21	28	191

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

22 FEB 1913

Kept at Cromer, Northrepps Hall

in the County of Norfolk 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·21	·02	·03		·17	·04		·03	·02	·06	·38	1
2		·21	·02		·07		·50	·01	·02	·02	·14	·03	2
3	·15	·19			·01	·24	·01	·02	·09	·09	·04	·08	3
4	·06		·43	·04		·16		·02		·06	·27	·01	4
5	·03	·13	·19			·32					·01	·01	5
6	·76	·13	·04		·03	·31	·34	·02	·19			·01	6
7	·28					·23		·14	·19			·01	7
8	·23	·02	·09	·03		·01	·09	·30	·50			·02	8
9		·01	·01	·11		·06			·34	·02		·30	9
10	·01							·46	·24		·24	·02	10
11	·03	·01		·01				·03	·01		·50	·23	11
12		·10	·05		·06	·34				·01	·28		12
13	·04	·21	·09			·03		·08			·30	·02	13
14	·01		·02			·10		·02		·02	·16	·14	14
15		·01	·35		·21	·19		·02			·06	·01	15
16	·04	·01	·04		·11	·24				·09	·03		16
17	·10		·20			·32		·12			·05	·10	17
18	·02		·29			·01	·25	·10		·11	·03	·04	18
19	·05	·10	·24				·43	·07		·06		·01	19
20	·11	·09	·03		·08		·10	·18		·31		·01	20
21			·35				·38	·30		·03	·03		21
22	·01	·08			·03		·99	·04				·06	22
23	·31	·35	·18				·01	·85	·02	·05	·15	·12	23
24	·30	·01	·04			·27	·07	·16				·13	24
25		·01				·19	·20	·56			·15	·22	25
26		·03	·02			·01	·13	4·90		·25	·19	·20	26
27							·04	·24		·15	·25	·08	27
28				·02			·45	·13	·02	·81	·14	·21	28
29	·18				·01	·11	·22	·19	·36		·32	·01	29
30	·14					·59	·03	·02	·79	·42	·02		30
31	·02		·17		·07		·19	·07		·13		·04	31
Total	2·89	1·91	2·87	·24	·68	3·90	4·47	9·05	2·80	2·65	3·42	2·50	YEAR'S TOTAL 37·38
Rain Days.	22	19	21	6	10	20	19	26	13	18	22	27	223

W. 7,500, XI. ·12

~~fm Norfolk Cards~~

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Northrepps Hall E.R.

in the County of Norfolk 2

by A.W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.14	.10	.10					.08		.05		1
2	.03	.19	.01				.07		.05		.02		2
3			.21		.09		.02		.06			.02	3
4	.08					.03	.06			.01	.05	.18	4
5	.03				08	.05	.01		.02	.36	.05	.01	5
6	.01		.04	.01	.17	.06				.40		.01	6
7	.01	.08		.06	.03	.02	.03			.44			7
8					.14	.18	.12			09	.12	.01	8
9		.09	.02	.07	23	.13		.18	.12	.02	.06	.04	9
10				.05							.10		10
11	.66	.01		.56	01	.03		.14			.44		11
12		.01		.04		03		.02			.11		12
13	.10	.01	.07	.02				.05			.36		13
14	.06		.16	.06			.44			.36	.13		14
15	.19	.02	.10	.18			.32		.50		.07		15
16	.10		.48	.20					.30	.01	.19	.03	16
17	.03	.01	.81	.05			.07	.03		.01	.04	.01	17
18	.02		.09	.28	.24		.04	.05	.13		.02		18
19	.07		.13	.01				.06	.14			.02	19
20	.12		.13						.05	.24			20
21	.04		.03	.02			.15			.34	.27		21
22	.14		.06		.01		.39	.04	.12		.02	.01	22
23	.01					.02	.02	.17	.01				23
24	.12		.01			.17		.17			.01	.03	24
25	.02			.14			.02			.02			25
26		.06	.02			.11				.60			26
27		.04	.05		.41	.04				.01	.04	.13	27
28	.16		.11						03	.07		.06	28
29	.29		.17	.16	.12							.05	29
30	.48				.07			.01	.01	.06	.06	.15	30
31			.05	41				.13					31
Total	2.84	.66	2.85	2.37	1.60	.87	1.76	1.05	1.62	3.04	2.21	76	YEAR'S TOTAL 21.63
Rain Days.	23	11	21	18	12	12	14	12	14	16	20	15	188

W.7,000, XI. 13

Copied from C.

Ex MFC

REGISTER OF RAINFALL IN 1914

Ke~~pt at~~ Cromer (Northrepps Hall)
in the County of Norfolk 2.
by Mrs R Gurney A W Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
4 - MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	·40	-	-	·18	·05	1
2	·02	-	-	-	-	-	·07	·07	-	-	-	·04	2
3	·02	-	·11	·01	·15	-	-	·07	-	-	·01	-	3
4	·16	-	·04	·10	-	-	-	·06	·02	·02	·24	-	4
5	-	-	·72	·15	·25	·06	·11	·85	-	·03	-	-	5
6	·15	·06	-	·02	·14	-	·03	·05	-	·02	·06	·08	6
7	-	·04	·19	-	·07	-	·01	-	-	-	·01	·11	7
8	·32	·01	·28	·03	·20	·47	-	·08	·01	-	-	·01	8
9	·59	-	·34	·02	-	·87	-	·05	·48	·02	-	·49	9
10	·97	-	·08	·04	·01	-	-	-	·05	·04	-	·08	10
11	-	·26	·29	-	·02	·08	-	-	·22	-	·26	·49	11
12	·07	·01	·03	-	·02	·01	-	-	·16	-	-	·22	12
13	-	·16	·19	-	·02	-	-	-	·01	·03	·15	·52	13
14	·01	-	·31	-	-	-	-	-	-	·04	·17	·47	14
15	·09	·05	·11	-	-	-	-	-	·03	-	·41	·33	15
16	·07	-	·17	-	-	-	·71	·04	·02	-	·06	-	16
17	·01	·31	-	-	-	-	·32	-	·18	-	·02	·13	17
18	-	·22	·03	-	-	-	-	-	·02	-	·03	·45	18
19	-	·01	·10	-	-	-	·01	-	·55	-	·29	·01	19
20	·05	·01	·48	-	-	·06	-	-	·12	·09	·06	·02	20
21	·03	·29	·20	-	-	·20	-	·09	·01	-	·05	·08	21
22	-	·01	·11	-	·12	·07	·09	·04	-	·40	-	·20	22
23	-	·01	-	-	·14	·21	·08	-	-	·02	·08	·08	23
24	·01	-	·11	·03	-	-	·03	·04	-	·02	·08	·01	24
25	·01	·04	-	·16	·04	-	·04	-	-	·75	-	-	25
26	-	-	·01	-	-	-	·88	·20	-	·02	·14	·25	26
27	·02	-	·01	-	-	-	·03	-	·01	-	·04	·30	27
28	·01	·03	-	-	-	-	-	-	-	·14	·42	1·26	28
29	·02	-	-	·01	-	-	·02	-	-	·51	·08	·01	29
30	-	X	·03	-	-	-	-	-	-	-	·18	·06	30
31	-	X	-	X	-	X	·09	·06	X	·02	X	·11	31
Total	2·63	1·52	3·94	·57	1·21	2·03	2·52	2·10	1·89	2·17	3·02	5·86	YEAR'S TOTAL 29·46
Rain Days.	19	16	22	10	12	9	15	14	15	16	22	26	196

W. 8,000. X. 14.

from Preston C ✓

from C [illegible]

1586

FORM A. BRITISH RAINFALL.

23. MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Cromer Northrepps Hall

in the County of Norfolk 2

by A W Preston Mrs R Gurney

Lat. Long.

Time of Observation

Nearest Railway Station Cromer G.E.R. 3/4 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	.17	.06		.41				.16	.10	.06	.07	1
2	.06	.09	.41	.12		.03		.63			.15	.01	2
3	.29		.09	.06			.03		.09		.07	.15	3
4	.02		.01		.02					.05		.85	4
5	.09							.07		.34	.09	.20	5
6	.07	.31	.12	16			.29	.10				.03	6
7	.18	.34	.07				.38	.29		.02	.02	.21	7
8	.01	.12	.01				.13	.02	.01	.08	17		8
9	.07	.06		.09		.03		.03		.01		.46	9
10	.39		.01			01		.01					10
11	.02				.19		.04				.28	.12	11
12	.09	.02	.01	.24	.13		.17	.33		.01	1.25	.13	12
13	.15	.30		.07	70			.02	.09		.33	.01	13
14	.40	.15		.04			.07	.13			.02	.27	14
15		.04		.01			.17	.05				.14	15
16	.40	.20			.04		.82	.46			.30	.02	16
17	.44	.19	.16				.36				.12		17
18	.14	.03	.61		.08				.02		.13	.01	18
19	.05	17					.30			.28	.01	.01	19
20	.25			.01				.01		.05		.50	20
21	.30	.09			.03		.06					.19	21
22	.09	.01	.24		.04		.48					.18	22
23		.14	.02								.07	.09	23
24	.02	.11	.22				.27		.04	.10	.14	.15	24
25	.03		.03			.33	.08			.06	.20	.05	25
26	.04	.15	03	.02		.10	.22			.05		.25	26
27	.07	.13				.04	.20		.16	.35		.07	27
28		.20	.11			.14		.11	.01	.58			28
29	05				.06	.04		.30	.19		.18	04	29
30	.10	X				.01		.05	.28		01		30
31	.13	X		X		X	.06	.12	X	.14	X	.12	31
Total	4.11	3.02	2.21	.82	1.70	.73	4.13	2.73	1.05	2.22	3.60	4.33	YEAR'S TOTAL 30.65
Rain Days.	28	21	17	10	10	9	18	17	10	15	19	26	200

slip 4.10

W. 8,000. X. 15.

for Prestons

1560

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 MAR 1917

Kept at Northrepps Hall Cromer

in the County of Norfolk

by A W Preston Mr A Jurney Mr Rivebzord Gardener

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.01	.08		.02	.03	.02		—		.22		1
2	.03		.03		.34	.02	.08		.02	.04	.01		2
3	.39						.31		.33	.10	.32	.06	3
4	.32	.04	.11			.20	.05		.61	.17	.20		4
5	.07	.01	.15	.05		.53	.05		.02	.14	.30	.02	5
6	.08	.10	.36	.42	.04	.03	.02				.23		6
7	.04		.15	.05	.45	.16	.08			.04	.08	.03	7
8	.04		.02		.10	.16						.14	8
9		.05	.06		.17					.05		.18	9
10			.11	.07		.25	.10		.05			.30	10
11	.08	.61	.20	.17	.02	.61	.02		.03			.09	11
12	.03			.06	.54	.60	.08	.11		.02		.08	12
13	.02	.07	.10		.01		.02	.09	09		.02	.01	13
14		.39	.02		.22	.16		.37		.05		.15	14
15		.22	.10					.16	14	.30		.06	15
16		.12	.04	.23			.15	.15		.08		.27	16
17	.01			.35		.01	.07	.24	.19	.13		.01	17
18	.01	.15	.01	.18				.02	.16	.42	.65		18
19	.16	.01		.05		.03		.08	.07		.28	.08	19
20	.16		.05	.08					.07	.01	.14	.12	20
21	.01	.04	.09	.12					.01		.01	.59	21
22		.15	.01		.22	.01	.02					.41	22
23		.22				.20	.06	.04			.08	.28	23
24		.56	.01			.03	.02		.02	.27	.01	.15	24
25		.57	.26					.07		.16	.06	.05	25
26		.03				.05	.02	.01		.03	.24	.01	26
27	.01	.19	.51			.05		.05		.26	.05	.01	27
28		.25	.85			.02	.01	.03				.12	28
29	.01	.11	.20			.07		1.23	.02	.15		.22	29
30		X				07		.33		.21		.02	30
31	.26	X		X	.01	X		.10	X	02	X	.16	31
Total	1.76	3.90	3.52	1.83	2.14	3.29	1.18	3.08	1.83	2.65	2.90	3.62	YEAR'S TOTAL 31.70
Rain Days.	19	21	23	12	12	21	18	16	15	20	17	26	220

W. 8,000, VIII. 16

from Cards Exd & T C

1491

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Northrepps Hall

in the County of Norfolk.

by per A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·31	–	–	–	·80	49	–	05	·11	1
2	·08	·06	01	·13	–	–	–	·48	02	·02	·01	–	2
3	·01	·01	02	·06	–	–	–	·48	–	·05	–	4	3
4	–	·42	–	–	–	–	–	–	–	·57	–	–	4
5	·14	·14	02	·21	–	–	–	·01	·03	–	·24	–	5
6	·07	–	–	·01	–	–	–	–	·09	–	·02	–	6
7	·32	–	·02	–	–	·02	–	–	–	·40	–	·03	7
8	·22	–	·03	·18	–	–	·73	·31	01	·25	·12		8
9	·05	–	·02	·09	–	–	·02	·41	–	·01	·26	·12	9
10	13	·02	·26	·20	–	–	–	·02	–	·13	·32	–	10
11	·07	·11	·36	·17	–	–	–	–	–	·18	·02	–	11
12	·35	·02	·02	·13	–	–	–	·05	–	·55	·01	·02	12
13	12	–	·15	·11	–	–	·03	·17	·10	·28	·01	·02	13
14	50	–	·01	06	–	–	–	06	–	–	·01	04	14
15	–	–	·01	–	·05	–	·22	12	–	·02	02	–	15
16	06	·06	–	36	–	–	·27	–	–	·46	–	44	16
17	·04	–	·07	·15	·37	·23	25	–	·23	28		01	17
18	05	02	–	·02	·01	·02	·18	·02	·51	01		–	18
19	·01	–	·15	·02	·03	·03		–	·11	–		–	19
20	–	25	·18	·01	–	·06		–	–	–	31	02	20
21	–	·22	·08	–	–	–		–	–	·01	01	–	21
22	–	·01	·05	–	·03	·05		·08	–	·18	–	–	22
23	–	01	–	–	·19	–		04	–	–	–	03	23
24	–	–	–	–	·05	12	03	08	–	37	05	·01	24
25	–	–	·04	–	–	–	·09	–	–	3	37	19	25
26	–	–	·03	–	–	–	–	·39	·08	–	38	·04	26
27	–	–	02	–	–	–	·04	36	–	–		·09	27
28	–	·05	·21	–	–	·22	–	14	–	19		·06	28
29	05	X	01	–	–	·08	·17	3	–	12		·01	29
30	15	X	·01	–	–		11	11	–	2		–	30
31	09	X	·56	X		X	·57	7	X	–	X	–	31
Total	2·51	1·40	2·34	2·22	·73	·83	2·71	4·17	1·67	4·13	2·21	1·25	YEAR'S TOTAL 26·17
Rain Days.	19	14	24	17	7	9	13	21	16	21	17	17	189

W. 8,000, VIII. 16

6/ Exe DL 52

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

16 APR 1919

Kept at Cromer, Northrepps Hall

in the County of Norfolk

by A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01		·09	·02				·18		·03	·20	1
2	·07			·02				·60		·02		·21	2
3	·01		·02		·04			·23			·87	·01	3
4		·02	·13						·65	·02	·33		4
5		·02	·06		·21			·29	·10	·10		·02	5
6		·23		·12					·01	·04		·04	6
7	·17	·14	·04	·23		·02			·02	·14	·03	·01	7
8	·04			·02			·03		·50	·01		·03	8
9	·11	·11	·01	·01		·05	·22		·46	·32		·08	9
10		·06					·24				·10	·23	10
11		·09		·23	·28		·25		·04	1·03		·13	11
12	·04	·09		·01	·24		·08	·05	·07	·38		·14	12
13		·05							·03			·02	13
14	·27	·04		·03			·07		·08	·21		·03	14
15	·28		·03	1·50			·09		·28	·07		·11	15
16	·01		·02	·18		·01			·24	·27		·01	16
17	·25			·09			·93	·08				·29	17
18	·30		·02	·14		·06	·01		·93	·01		·30	18
19	·16	·05		·12		·01		·04		·15		·19	19
20	·05			·07		·03	1·03		·12	·07		·08	20
21	·02					·04			·19	·17			21
22	·02			·15		·07	·05		·13			·46	22
23	·08				·54		·14		·03				23
24		·24					·09		·12		·10	·01	24
25			·06			·46	·01	·11		·02	·06	·08	25
26				·01			·85	·19	·02	·01	·16	·06	26
27	·01			·19			·01	·40	·07		·02	·26	27
28	·01	·08	·13				·02	·03			·01	·20	28
29	·01		·03						·83		·09	·09	29
30		X	·24	·04				·02	·38	·01	·08	·17	30
31	·02	X	·01	X		X			X	·04	X	·07	31
Total	1·94	1·23	·80	3·25	1·33	·75	4·12	2·04	5·48	3·09	1·88	3·53	YEAR'S TOTAL 29·44
Rain Days.	21	14	13	19	6	9	17	11	23	20	12	28	193

W, 6,500, VII. 18. W W Ç

Eve 8L

1396

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 MAR 20

Kept at Northrepps Hall
in the County of Norfolk
by per Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·06		·02	·17		·73			·46	·11	·64	1
2	·13	·03	·06				·25			·01	·40	·67	2
3	·22		·10			·03	·09		·03		·09	·02	3
4	·11		·35					·03	·01		·02	·26	4
5	·76								·12			·09	5
6	·01		·10		·02		·01				·11	·18	6
7			·16		·02		·03				·17	·52	7
8	·11			·05						·05	·03	·04	8
9				·07							·08	·01	9
10	·02		·20	·03	·01					·35	·18		10
11	·01		·27	·03	·03		·56			·01	·06	·14	11
12	·17		·08	·15		·12	·08				·09		12
13	·08	·01		·23			·37		·01	·06	·25		13
14	·43		·05	·30			·05			·15		·01	14
15	·27		·01	·24			·01			·35	·10	·07	15
16	·15	·82		·06				·05		·08	·01		16
17	·01	·50	·04	·03	·07						·25	·04	17
18	·13	·06						·22		·01		·13	18
19		·09	·08	·13		·12	·03	·13	·32		·04	·01	19
20	·25	·04	·23			·46	·88		·36			·05	20
21	·04	·22	·02				·34					·26	21
22		·14					·09		·11		·02	·29	22
23		·01				·08	·07	·03	·01	·01	·03	·08	23
24		·01		·02		·07		·28	·01	·06			24
25	·02	·01		·13	·44	·04		·12		·38		·13	25
26	·15	·67	·28	·07			·02		·06	·10	·01	·39	26
27	·01	·03	·01	·06			·03			·48	·15	·01	27
28	·03		·01	·07		·02	·02	1·04		·04	·04	·34	28
29			·02	·08		·16	·01	·15		·14	·34	·21	29
30	·01		·12	·18		·38					·16	·32	30
31	·01						·07			·04		·15	31
Total	3·36	2·70	2·19	1·95	·76	1·48	3·74	2·05	1·04	2·78	2·74	5·06	Year's Total. 29·85
Days with ·01 in. or more	24	15	19	19	7	10	20	9	10	18	23	26	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1441 1441 203931

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Northrepps Hall Norwich

in the County of Norfolk

by Rev. A.W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·	·	·	·	·	·18	·	·14	·58	·	·01	1
2	·01	·	·06	·	·	·	·04	·25	·	·	·	·26	2
3	·	·01	·	·04	·	·	·	·	·05	·	·	·11	3
4	·01	·	·03	·27	·03	·	·29	·03	·02	·	·	·36	4
5	·	·	·06	·03	·18	·	·19	·14	·02	·	·	·07	5
6	·	·	·22	·	·	·	·60	·05	·01	·01	·	·03	6
7	·	·01	·11	·	·03	·	·09	·	·	·	·02	·15	7
8	·03	·01	·	·13	·	·	·01	·14	·	·	·	·01	8
9	·17	·03	·	·34	·	·	·04	·28	·	·	·	·01	9
10	·22	·03	·07	·37	·	·	·03	·01	·	·	·04	·37	10
11	·34	·	·	·19	·01	·	·05	·	·	·	·	·23	11
12	·06	·	·10	·09	·05	·	·03	·	·	·	·01	·05	12
13	·	·02	·04	·14	·	·39	·	·	·05	·01	·02	·62	13
14	·02	·05	·25	·04	·	·08	·10	·	·09	·02	·18	·	14
15	·01	·	·19	·08	·	·	·02	·	·26	·25	·12	·02	15
16	·	·	·	·06	·	·	·	·	·42	·	·	·09	16
17	·	·	·	·01	·03	·	·	·	·06	·	·	·11	17
18	·07	·01	·	·01	·14	·	·	·34	·19	·	·02	·10	18
19	·20	·	·	·02	·09	·	·	·47	·	·	·	·03	19
20	·15	·25	·	·08	·	·44	·	·01	·06	·	·	·	20
21	·	·	·	·15	·	·	·18	·17	·14	·	·	·07	21
22	·	·01	·	·09	·	·	·44	·02	·35	·	·	·01	22
23	·01	·	·01	·07	·	·	·01	·	·	·	·	·14	23
24	·	·01	·12	·	·	·	·32	·	·03	·	·	·04	24
25	·	·09	·02	·02	·	·04	·38	·01	·06	·	·	·	25
26	·13	·05	·	·17	·07	·	·	·	·	·	·	·01	26
27	·15	·09	·	·24	·01	·45	·	·	·01	·	·01	·09	27
28	·62	·	·	·10	·12	·	·05	·	·	·	·10	·11	28
29	·05	·	·02	·04	·20	·01	·12	·	·	·	·15	·13	29
30	·		·	·11	·06	·	·19	·	·06	·	·15	·15	30
31	·13		·01		·		·	·		·12		·25	31
TOTAL	2·41	~~·68~~ ·67	~~1·30~~ 1·31	2·89	1·02	1·41	3·36	1·92	2·02	0·99	0·82	3·03	YEAR'S TOTAL 21·85
Days with ·01 in. or more	19	14	15	25	13	6	21	13	18	6	11	28	189
Days with ·04 in. or more	12	5	10	20	8	5	16	8	13	3	6	19	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PULHAM

AIRSHIP ST.

NORFOLK

1917 — 1918

REG

'14-'20

Ke at Pulham ... ham St. Mary

in the County of Nor ... auge 8 in.

by H. G. Harris ... Ground 1 ft. — in.

Sea Level 126 ft.

FORM A. BRITISH RAINFALL.

18 JAN

IMPORTANT NOT ... he result entered to the previous day. If an Ol ... sal rule, he is earnestly requested to add the read ... in the space provided for it at the end of thi ... nt of rain, the selection and placing ... sh Rainfall Organization are given in ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·08	·01	1
2											nil	Nil	2
3											nil	Nil	3
4											nil	Nil	4
5											·08	Nil	5
6											·04	Nil	6
7											nil	·04	7
8											·08	·12	8
9											·02	·27	9
10											·2	·01	10
11											·04	Nil	11
12											·04	Nil	12
13											nil	Nil	13
14											·04	·01	14
15											·04	·02	15
16											·04	·33	16
17											nil	·01	17
18											nil	Nil	18
19											nil	Nil	19
20											·06	·01	20
21											·04	Nil	21
22											nil	Nil	22
23											nil	·02	23
24											·08	·02	24
25											·16	·14	25
26											·55	·06	26
27											nil	·02	27
28											nil	·07	28
29											nil	·08	29
30		X									nil	Nil	30
31		X		X		X			X		X	Nil	31
Total											1·59 1·59	1·24	YEAR'S TOTAL
Rain Days.											16.	17	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

18 JAN 1918

Kept at Pulham

in the County of Norfolk

by H. G. Harris Lieut RNVR.

Lat. 52°-24'-16" N Long. 1°-14-2 E

Time of Observation 9 hrs

Nearest Railway Station Pulham St. Mary

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 126 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·08	·01	1
2											nil	Nil	2
3											nil	Nil	3
4											nil	Nil	4
5											·08	Nil	5
6											·04	Nil	6
7											nil	·04	7
8											·08	·12	8
9											·02	·27	9
10											·2	·01	10
11											·04	Nil	11
12											·04	Nil	12
13											nil	Nil	13
14											·04	·01	14
15											·04	·02	15
16											·04	·33	16
17											nil	·01	17
18											nil	Nil	18
19											nil	Nil	19
20											·06	·01	20
21											·04	Nil	21
22											nil	Nil	22
23											nil	·02	23
24											·08	·02	24
25											·16	·14	25
26											·55	·06	26
27											nil	·02	27
28											nil	·07	28
29											nil	·08	29
30		X									nil	Nil	30
31		X		X		X			X		X	Nil	31
Total											1·59 1·59	1·24	YEAR'S TOTAL
Rain Days.											16.	17	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

24

Kept at Airship Station Pulham Norfolk

in the County of Norfolk

by Capt. C. R. L. [illegible] Meteorological Officer

Lat. 52°24'16" Long. 1°14'20"

Time of Observation 9 am

Nearest Railway Station Pulham St. Mary

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 126 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	1.6	–	–	–	–	0.3	–	0.8	4.0	1
2	1.5	0.6	–	0.2	–	–	–	6.4	0.2	0.1	–	6.8	2
3	–	–	0.9	–	0.2	–	–	2.0	0.6	–	21.4	–	3
4	0.15	0.4	3.0	–	–	–	–	0.6	5.2	1.2	5.8	–	4
5	–	0.3	0.1	–	6.8	–	–	6.7	2.3	3.8	–	–	5
6	–	4.1	–	9.4	–	–	–	–	0.5	0.5	–	1.0	6
7	0.6	2.0	–	–	–	–	–	–	0.4	2.2	[illegible].7	–	7
8	–	0.2	–	0.1	–	–	–	–	0.8	–	3.5	0.9	8
9	1.5	[illegible].3	0.3	3.7	–	2.5	0.9	–	8.1	4.8	–	1.0	9
10	1.4	[illegible]	–	0.1	–	–	9.4	–	–	0.1	1.0	4.3	10
11	0.2	0.2	–	–	3.0	–	1.5	–	3.3	25.1	0.4	7.2	11
12	–	3.3	–	–	4.1	–	0.8	–	5.2	4.2	–	2.8	12
13	–	0.4	–	–	3.4	–	–	–	2.3	–	–	3.6	13
14	6.4	–	–	0.3	–	1.3	2.3	–	3.4	9.2	–	1.3	14
15	19.4	–	–	36.9	–	–	1.0	–	2.6	3.0	–	0.3	15
16	2.0	–	–	11.6	–	4.2	0.5	0.2	2.2	0.3	–	4.2	16
17	3.3	–	–	4.7	–	3.3	26.6	0.2	–	–	–	4.2	17
18	12.2	–	–	3.0	–	3.0	1.3	–	5.0	–	–	13.3	18
19	1.3	–	0.4	6.7	–	–	2.4	–	–	2.7	–	3.5	19
20	0.1	2.4	–	–	–	0.3	25.6	–	0.8	9.4	0.1	–	20
21	1.0	–	–	–	–	2.2	6.5	–	6.3	3.8	0.2	–	21
22	0.3	–	–	0.8	–	0.5	3.4	–	0.9	–	–	11.0	22
23	3.6	–	–	0.1	3.9	–	2.1	0.8	0.8	–	–	–	23
24	–	4.9	–	–	0.9	–	0.8	–	2.1	–	1.75	–	24
25	–	–	0.5	–	1.0	16.7	0.6	0.8	–	0.1	0.4	1.6	25
26	–	–	–	–	–	–	14.0	4.5	–	–	2.4	4.8	26
27	0.2	–	–	8.6	–	–	4.1	4.5	1.2	–	0.4	4.0	27
28	0.3	2.4	4.1	0.2	–	2.9	0.1	0.4	–	–	2.7	6.9	28
29	0.3	X	0.2	–	–	–	–	–	32.1	–	1.4	–	29
30	–	X	7.2	–	–	–	–	0.1	3.7	1.9	1.7	1.4	30
31	0.4	X	–	X	–	X	–	–	X	0.3	X	1.3	31
Total	56.15	21.5	16.7	88.0	23.3	36.9	103.9	27.2	90.3	72.7	44.65	89.4	YEAR'S TOTAL 690.70 670.70
Rain Days.	~~20~~ 19	13	~~9~~ 8	~~16~~ 13	8	10	~~19~~ 18	~~12~~ 11	24	~~18~~ 15	~~16~~ 15	22	~~187~~ 176

W.-6,500. VII. 18. W W C

PULHAM - ST MARY
NORFOLK
1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

9 11

Kept at Pulham
in the County of
by W. G. Rutt

Howards.
op 5 in.
above Ground 1 ft. - in.
„ Sea Level - ft.
9.0 a.m daily
ion { Name Pulham St Mary.
Distance 1/4 mile Direction South.

IMPORTANT … and the result entered to the previous day. If ar … universal rule, he is earnestly requested to add the … ng year in the space provided for it at the end o … asurement of rain, the selection and … he British Rainfall Organization are give … e on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28		·07					·12		·17			1
2	·26		·10		·22		·02				·09	·17	2
3	·05	·05		·08	·09					·13	·03	·03	3
4	·04	·02	·10	·13						·02	·12	·04	4
5	·02	·04		·10						·12	·02	·18	5
6	·29		·04	·03						·04		·14	6
7	·04	·03								·02	·15	·28	7
8	·15		·14						·05	·01	·09	·16	8
9	·13		·11	·06							·07	·06	9
10	·04	·03	·09								·09	·40	10
11	·37	·23	·01			·07					·40		11
12	·06		·37			·08			·02	·02	·01		12
13	·03		·27		·40	·06			·27	·26	·04	·11	13
14		·02	·16		·48	·07	·01			·01		·13	14
15		·13	·19							·01	·09	·03	15
16			·04			·35					·22	·08	16
17			·01								·03	·07	17
18	·01	·04	·01			·40					·99	·06	18
19		·18				·68	·03		·04	·02	·23	·05	19
20		·05				·10		·08	·04	·02	·05	·43	20
21	·03	·12				·04		·07		·17		·16	21
22	·02	·05	·14					·04		·09	·05	·33	22
23	·02		·26		·01	1·14		·01	·27			·03	23
24		·05	·11			·10	·20			·52		·22	24
25		·05	·08	·11	·04	·23	·44	·01			·11	·05	25
26				·08		·05	·02			·21	·05	·39	26
27		·22	·11	·18					·20	~~[illegible]~~		·02	27
28		·13.		·21			·09	·06			·01	·07	28
29			·01	·03		·31	·02		·44	·41		·01	29
30					·04	·04			52 ·~~[illegible]~~	·12			30
31										·01		·03	31
Total	1·84	1·44	2·42.	1·01	1·28	3·72	·83	·39	1·85	2·38	2·94	3·73	TOTAL for year 23·83
No. of Rain Days.	17	17	21	10	7	15	8	7	9	20	21	27	179

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Pulham St Mary

in the County of Norfolk

by W. G. Rutter.

Rain Gauge: Pattern Howards
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level - ft.

Time of Observation 9.0. a.m daily

Nearest Railway Station: Name Pulham St Mary.
Distance 1/4 Mile Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28		·07					·12		·17			1
2	·26		·10		·22		·02				·09	·17	2
3	·05	·05		·08	·09					·13	·03	·03	3
4	·04	·02	·10	·13						·02	·12	·04	4
5	·02	·04		·10						·12	·02	·18	5
6	·29		·04	·03						·04		·14	6
7	·04	·03								·02	·15	·28	7
8	·15		·14						·05	·01	·09	·16	8
9	·13		·11	·06							·07	·06	9
10	·04	·03	·09								·09	·40	10
11	·37	·23	·01			·07					·40		11
12	·06		·37			·08			·02	·02	·01		12
13	·03		·27		·40	·06			·27	·26	·04	·11	13
14		·02	·16		·48	·07	·01			·01		·13	14
15		·13	·19							·01	·09	·03	15
16			·04			·35					·22	·08	16
17			·01								·03	·07	17
18	·01	·04	·01			·40					·99	·06	18
19		·18				·68	03		·04	·02	·23	·05	19
20		·05				·10		·08	·04	·02	·05	·43	20
21	·03	·12				·04		·07		·17		·16	21
22	·02	·05	·14					·04		·09	·05	·33	22
23	·02		·26		·01	1·14		·01	·27			·03	23
24		·05	·11			·10	·20			·52		·22	24
25		·05	·08	·11	·04	·23	·44	·01			·11	·05	25
26				·08		·05	·02			·21	·05	·39	26
27		·22	·11	·18					·20	~~[illegible]~~		·02	27
28		·13.		·21			·09	·06			·01	·07	28
29			·01	·03		·31	·02		·44	·41		·01	29
30					·04	·04			52 ~~·[illegible]~~	·12			30
31										·01		·03	31
Total	1·84	1·44	2·42.	1·01	1·28	3·72	·83	·39	1·85	2·38	2·94	3·73	TOTAL for year 23·83
No. of Rain Days.	17	17	21	10	7	15	8	7	9	20	21	27	179.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Pulham St Mary

in the County of Norfolk.

by W. G. Rutter.

Lat. Long.

Time of Observation 9.0 AM. daily

Nearest Railway Station Pulham St Mary

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·06	·02		·11	·48		·08	·03		·29	1
2		·03	·03	·04	·01		·16					·01	2
3	·11	·03	·15		·03	·40	·04	·02	·05	·04		·07	3
4	·10		·48		·04	·10		·10			·17		4
5	·04	·05	·31					·05			·03		5
6	·84	·12			·07		·42	·14	·13			·02	6
7			·02			·25	·01	·05	·08			·03	7
8	·17	·03	·04	·04		·05		·06	·35				8
9			·02	·18	·11		·02		·11			·33	9
10	·02			·04				·20	·15		·23	·05	10
11		·04		·05					·09		·43	·07	11
12	·03	·06	·07		·05	·31					·47		12
13	·04	·23	·10			·15	·05				·32	·05	13
14	·01				·03	·11		·02	·02	·07	·06	·16	14
15		·04	·20		·16	·24		·02			·03	·06	15
16	·05	·01	·03		·22	·07		·08		·13	·06		16
17	·14		·16			·14		·04					17
18	·02		·12				·44	·04		·08	·05	·11	18
19	·04	·06	·16				·59	·06	·02	·05	·03	·01	19
20	·06	·02			·23			·16		·29			20
21	·02		·37				·06	·82		·19	·04		21
22	·21	·12	·02			·01	·47	·10				·10	22
23	·35	·42	·30		·02			·68		·04	·15	·04	23
24	·04	·03	·03			·25	·56	·16	·82			·14	24
25	·03					·21	·02	1·20			·23	·30	25
26	·03	·02				·05	·18	4·77		·28	·24	·28	26
27		·02	·03					·09		·05	·02	·20	27
28		·07					·19	·04	·06	·27	·15	·20	28
29	·04			·03	·04	·10	·03	·11	·59		·16		29
30	·05			·03	·06			·05	·68	·15			30
31			·16		·06		·23	·13		·11		·03	31
Total	2·46	1·35	2·86	·43	1·13	2·55	3·95	9·19	2·43	1·78	2·87	2·55	YEAR'S TOTAL 33·55 inches
Rain Days.	23.	18.	21	8	14	16	17	25	14	14	18	21	209

W. 7,500, XI. 12

FORM B.
BRITISH RAINFALL

2 JAN 1913

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1912.

At Pulham St Mary

In the County of Norfolk

Rain Gauge

Diameter of Funnel 5 in.

Height of Top: *Above Ground* 1 ft. 0 in.

Height of Top: *Above Sea Level* — ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2·46	·84	6	23.
FEB.	1·35	·42	23	18
MAR.	2·86	·48	4	21
APR.	·43	·18	9	8
MAY	1·13	·22	16	14
JUNE	2·55	·40	3	16
JULY	3·95	·59	19	17
AUG.	9·19	4·77	26	25
SEPT.	2·43	·68	30	14
OCT.	1·78	·29	20	14
NOV.	2·87	·43	11	18
DEC.	2·55	·33	9	21
Total	33·55			209.

Signed W. G. Rutter.

[*Please fill in the other side also.*

W. 18,000. XI. 12.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

Howard's 5 inch

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Buildings	30 feet	20 yards	North

In order that the position may be accurately entered on a map please mention

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Pulham St Mary	¼ mile	South
Church	" " "	¼ "	East

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

REMARKS on the weather of the year or on any meteorological occurrences should be made on the special slip FORM E.

6 02

55·55

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Pulham St Mary

in the County of Norfolk

by W. G. Rutter

Lat. .... Long. ....

Time of Observation 9.0 am daily

Nearest Railway Station Pulham St Mary

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·26	·13	·32		·04			·08		·10	·02	1
2	·06	·15	·04	·01	·19		·18		·06	·01	·02	·01	2
3			·24	·04	·31		·02		·05	·16		·06	3
4	·05				·09	·01						·14	4
5	·04				·04				·03	1·62	·06		5
6		·02	·02		·15	·05		·05		·06	·04		6
7		·03			·04		·02			·41		·02	7
8	·02			·03	·16	·03	·03			·09	·05	·01	8
9		·11	·05	·02	·24	·41		·03	·04		·06		9
10				·08			1·14	·01			·09		10
11	·49			·67				·26			·73		11
12	—	·02					—	·02			·18		12
13	·12	·02	·04					·07			·43		13
14	·11	·01	·08	·08			·35		·13	·24	·12		14
15	·17	·01	·14	·10			·25				·04		15
16	·12		·21	·12					·38		·08	·05	16
17	·27	·04	·20	·05			·16			·02			17
18	~~·10~~		·06	·08			·03	·01	·61		·01	·02	18
19	·14	—	·09		·05				·27			·06	19
20	·10		·03			·09	·02			·27			20
21	·04	·01	·23	·03	·02		·23		·14	·39	·22		21
22	·10		·13				·28		·19			·01	22
23	·02		·02				·04	·24	—			·04	23
24	·08		·03	·02		·18							24
25	·01			·09			·02					·03	25
26		·04	·09		·02	·01				·85		·15	26
27		·07	·02		·05	·01				·02	·01		27
28	·18	·02	·11						·02	·10			28
29	·44		·14	·20	·31				·02		·04	·03	29
30	·21			·25	·09					·06	·15	·16	30
31			·08					·33					31
Total	2·84	·81	2·18	2·19	1·76	·83	2·77	1·02	2·02	4·30	2·43	·81	YEAR'S TOTAL 23·96
Rain Days.	21	14	22	17	14	9	14	9	13	14	18	15	180

W.7,000, XI. 13

cndly S. Ang. D.J. 8.III.15 W

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Pulham St Mary
in the County of Norfolk
by W. G. Rutter

Lat. Long.
Time of Observation 9.0 AM. daily
Nearest Railway Station Pulham Mary
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·02					·11			·18	·01	1
2	·03			·07			·13				·06	·01	2
3		·01	·10		·09		·66	·10			·03		3
4	·15		·03	·15	·03	·01		·02		·01	·27	·12	4
5	·01	·02	·20	·16	·05	·03	·07	·70		·01	·02		5
6		·06	·01	·02	·12		·06	·09		·02	·08	·10	6
7		·02	·35	·03	·28	·10		·				·08	7
8	·26	·10	·52	·03	·39	·38	·04	·12	·09	·01	·02	·01	8
9	·41	·01	·52	·01	·06	·51			·01	·07		·81	9
10	·68	·01	·05	·10	·03				·03			·05	10
11		·26	·33	·05	·12	·08			·08		·40	·36	11
12	·05	·02	·02		·04				·34		·02	·30	12
13	·04	·18	·20		·02				·04	·14	·13	·52	13
14	·01	·01	·13		·02		·07				·12	·43	14
15	·09	·02	·23				·86	·12			·22	·32	15
16	·05		·10			·02	·05			·01	·04	·02	16
17	·05	·26					·01		·09		·04	·15	17
18	·02	·15	·06						·03			·36	18
19	·02	·06	·29					·03	·22	·05	·18	·03	19
20	·01	·02	·36					·12	·24	·12	·04	·	20
21	·03	·53	·14			·05				·04	·06	·09	21
22		·01	·01	·08	·21	·01	·17	·09		·17	·01	·03	22
23		·01	·09		·03	·08	·08		·01	·05	·01	·03	23
24		·02	·03	·12	·01	·03	·02	·03		·03	·08	·	24
25	·01	·06			·03					·54	·02		25
26		·01					·03	·10		·03	·09	·29	26
27	·02		·04				·26	·07		·02	·02	·16	27
28	·01	·02					·01			·23	·76	1·15	28
29	·04		·02				·03			·34	·04	·02	29
30		×	·09				·01			·02	·21	·05	30
31		×		×	·09	×	·05		×	·03	×	·05	31
Total	2·00 ✓	1·87	3·94	0·82	1·62	1·30	2·61	1·70	1·18	1·94	3·15	5·55	YEAR'S TOTAL 27·68
Rain Days.	21 ✓	23	25	11	17	11	18	13	11	20	26	26	22~~8~~2

W. 8,000. X. 14.

[illegible] 1.111.16

1534

FORM A.
BRITISH RAINFALL.

7 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pulham St Mary

in the County of Norfolk

by W. G. Rutter.

Lat. ________ Long. ________

Time of Observation 9.0 A.M. daily

Nearest Railway Station Pulham Mary G.E.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·24	·05		·04			·07	·29	·13	·23	·06	1
2	·02	·08	·22	·06		·01		·48	·04		·08	·01	2
3	·28	·01	·14	·12			·01	·23	·07		·04	·14	3
4	·02		·01	[illegible]	·03		·04	·15	·02		·07	·43	4
5	·05	·08	·02	·02				·07		·05	·07	·30	5
6	·12	·16	·24	·26	·05		·21			·21		·11	6
7	·09	·24	·12	·01			·17	·05		·02		·16	7
8	·08	·10	·05	·13			·02	·05	·03	·03			8
9	·09	·06		·04				·21		·04	·25	·47	9
10	·34	·04	·04			·04		·05			·02	·01	10
11	·01				·10		·10				·38	·08	11
12	·05	·01	·01	·36	·13		·03	·27		·03	·62	·04	12
13	·13	·34		·08	1·10			·02	·04		·08	·05	13
14	·01	·42		·03	·03		·71		·02			·30	14
15	·27	·05			·09			·03				·13	15
16	·05	·13					·62	·17		·01	·09		16
17	·40	·15	·04		·04		·12				·20	·13	17
18	·03	·16	·24		·26					·02			18
19	·02	·12	·03		·02		·17			·08	·02		19
20	·24			·04				·03		·03		·38	20
21	·33				·04		·05	·01		·07		·09	21
22	·19	·05	·27	·03			·52					·17	22
23	·03	·11	·02			·11	·16				·06	·07	23
24	·03	·13	·29			·04	·13		·06		·05	·18	24
25	·02	[illegible]	·07	·04		·11	·09			·08	·04	·08	25
26			·02	·02		·04	[illegible]			·04	·12	·19	26
27		·04				·20	·42			·27		·07	27
28		·14	·03			·68	·02	·04	·08	·47			28
29			·04			1·12 ×	·03	·10	·58	·03	·08	·05	29
30	·09	✕				·67	·03	·02	·18		·02		30
31	·03	✕		✕		✕	·01	·05	~~·13~~ ✕	·13	✕	·15	31
Total	3.15	2.86	1.95	1.24	1.93	3.02	3.66	2.04	~~1.41~~ 1.54	~~1.74~~ 1.61	2.52	3.85	YEAR'S TOTAL 29.37 ✓
Rain Days.	27	22	20	14	12	10	21	19	12	19	19	25	218 ✓

W. 8,000. X. 15.

× fell in 2 hours.

1506

cont month W DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Pulham St Mary
in the County of Norfolk
by W.G. Rutter

Lat. Long.
Time of Observation 9.0. a.m.
Nearest Railway Station Pulham Mary G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05				.10	.06					.13		1
2	.53	.02	.03		.07		.10		.14	.04			2
3	.01	.15	.09				.02		.11	.12	.25		3
4	.25	.11	.06			.45			.12	.05	.35	.18	4
5	.03	.03	.22	.04		.19	.01		.04	.06	.18		5
6	.	.11	.22	.27		.08	.08				.25		6
7	.10		.32		.67	.11	.09			.01	.13		7
8			.01		.12	.01						.21	8
9	.01		.05		.26	.17						.19	9
10			.15	.02		.03	.02		.05			.20	10
11	.04	.55	.09	.21	.08	.28						.01	11
12	.07	.02	.08	.09	.22	.33	.05	.03		.05		.17	12
13	.02	.25		.14	.27	.07	.03			.03			13
14		.61	.01		.05	.01		.11	.02	.10		.31	14
15		.33	.26					.15	.07	.12			15
16		.11	.05	.18				.13		.03			16
17	.01			.40			.27	.13	.18	.25			17
18		.18		.15		.03		.46	.10	.18	.98		18
19	.03	.01		.30		.03		.01	.20		.25	.05	19
20	.16		.09	.05				.09	.07		.06	.10	20
21	.02	.05	.17									.36	21
22		.23	.02		.13	.13	.01					.33	22
23		.75				.16	.01	.02			.09	.11	23
24		.18				.65	.01	.03		.38	.02	.28	24
25		.21	.12					.12		.14	.02	.02	25
26		.04				.03		.08		.02	.12		26
27	.01	.11	.74					.04		.08	.02		27
28		.28	.41		.02	.03		.02	.01	.01	.05	.21	28
29		.13	.01			.40		1.16		.27		.02	29
30		✕			.07	.03		.27		.48		.07	30
31	.13	✕		✕		✕		.07	✕	.01	✕	.09	31
Total	1.47 1.47	4.46	3.30	1.85	2.06	2.98	0.70	2.92	0.99	2.43	2.90	2.77	YEAR'S TOTAL 28.83 28.93
Rain Days.	16	22	21	11	12	21	12	17	12	20	15	18	197

W. 8,000, VIII. 16

1441

FORM A.
BRITISH RAINFALL.
8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Pulham St. Mary
in the County of Norfolk
by W. G. Rutter.

Lat. Long.
Time of Observation 9.0 am.
Nearest Railway Station Pulham Mary
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·13				·96	·14		·10	·01	1
2	·10	·01		·22		·01		·32	·17		·01		2
3				·15				·88		·12			3
4		·19	·04					·06		·85			4
5	·10	·16	·04	·13				~~·47~~	·40		·06		5
6	·03			·03		·02			·03		·07		6
7	·38		·07	·10						·61			7
8	·15		·01				1·38	·17		·29	·14	·15	8
9	·09		·05	·06				·02	·04		·16	·33	9
10	·10		·14	·05				·01		·65	·26	·02	10
11	·10		·69	·12					·03	·20	·01		11
12	·12		·16	·05				·07		·34	·01		12
13	·15		·02	·02			·01	·02	·10	·05		·01	13
14	·13		·09	·21			·35	·03				·01	14
15	·06		·04				·01	·09		·03		·04	15
16	·03			·30		·19	·08			·40		·28	16
17	·01	·01	·02	·21	·62		·18		·44	·13		·03	17
18	·03	·02		·03		·17	·22		·35				18
19	·01	·04	·18	·04		·24			·39				19
20	·02	·15	·17			·10	·13	·03			·19		20
21		·14	·07			·16					·06		21
22		·02	·04							·10			22
23					·10			·04				·05	23
24	·01	·01				·14		·14		·11	·09	·03	24
25			·10			·09		·08			·09	·23	25
26			·17			·05			·03		·67	·11	26
27						·22		·16				·01	27
28		·02	·13			·35		·36					28
29	·02					·44	·29	·08		·06		·12	29
30	·07			·01			·30	·06		·65		·02	30
31	·04		·61				·32	·10				·02	31
Total	1·75	0·79	2·84	1·86	·72	2·18	3·22	3·68	2·12	3·39	1·92	1·47	YEAR'S TOTAL 25·94
Rain Days.	21	12	20	17	2	13	11	20	11	15	14	17	173

W. 8,000, IX. 17.

3.07

Recd. E.F.E.

3

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1. 19

Kept at Pulham S. Mary
in the County of Norfolk
by W. G. Rutter.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Pulham Mary
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~·03~~		·05			·02				·03	·20	1
2		·03		·03				·36	·03	·01		·25	2
3		·02	·05		·02			·11	·01		·82		3
4		·02	·13					·04	·22		·19		4
5		·01			·24			·28	·11	·17		·01	5
6		·15		·47					·03	·03		·04	6
7	·15	·07		·06		·01			·02	·10	·03		7
8		·01		·01					·04		·11	·02	8
9	·09	·01		·16		·12	·03		·33	·23		·05	9
10	·06			·01			·34		·04		·04	·18	10
11	·01	·01			·13		·03		·12	·92	·02	·32	11
12		·14			·11		·04		·11	·20		·09	12
13		·02			·13				·10			·08	13
14	·26			·03		·06	·10		·15	·42		·05	14
15	·85			1·50			·04		·14	·12		·01	15
16				·29		·22	·03	·01	·10	·03			16
17	·19			·30		·15	·91	·01				·16	17
18	·48			·14		·13	·08		·20			·45	18
19	·05		·03	·26			·09			·15		·11	19
20	·01	·10		·01		·01	·74		·04	·30			20
21	·04					·05	·15		·14	·16			21
22	·02			·05	·14	·04	·14		·07			·45	22
23	·14			·01	·04		·12	·04	·03			·01	23
24		·18					·02		·11		·11		24
25			·04		·04	·70	·01	·06		·01	·02	·07	25
26			·01				·45	·20			·10	·17	26
27				·34			·18	·21	·04		·02	·15	27
28		·11	·16	·01		·10		·08			·12	·29	28
29									1·30		·06	·07	29
30		X	·22						·20	·08	·07	·05	30
31		X	·01	X		X			X	·01	X	·02	31
Total	2.35 ✓	·88 ✓	·65 ✓	3.73 ✓	·85 ✓	1·59 ✓	3.52 ✓	1·40 ✓	3.68 ✓	2·94 ✓	1·74 ✓	3.24 ✓	YEAR'S TOTAL 26·57 ✓
Rain Days	13 ✓	14 ✓	8 ✓	18 ✓	8 ✓	11 ✓	19 ✓	11 ✓	24 ✓	16 ✓	14 ✓	24 ✓	180 ✓

W, 6,500, VII. 18. W W C

1345

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Ent'd

R JAN 20

Kept at Pulham St Mary
in the County of Norfolk
by W. G. Rutter

Lat. — Long. —
Time of Observation 9.0 am daily
Nearest Railway Station Pulham Mary G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	-	·01	·02	·19	-	·11	-	-	·39	·07	·39	1
2	·09	·01	-	-	·03	-	·09	-	-	·15	·50	·34	2
3	·30	-	·17	-	-	-	·26	-	·04	·02	·13	·05	3
4	·10	-	·19	-	·02	·02	-	·06	-	-	·02	·26	4
5	·43	·13	·06	-	-	-	-	-	·09	·03	-	·10	5
6	·01	-	·16	-	-	-	·03	-	-	-	·07	·18	6
7	-	-	·26	-	-	-	·02	-	-	-	·23	·30	7
8	·10	-	-	·06	-	-	·02	-	-	·04	·12	·19	8
9	·01	-	·02	·05	-	-	-	-	-	·11	·12	-	9
10	·01	-	·10	·03	·01	-	-	-	-	·23	·11	-	10
11	·02	-	·16	·15	·01	-	·50	-	-	-	·11	-	11
12	·06	-	·06	·08	-	·13	·13	-	·01	·20	·02	·11	12
13	·04	-	-	·11	-	·01	·07	-	-	·04	-	·02	13
14	·27	-	-	·22	-	-	·07	-	·04	-	·04	·03	14
15	·18	-	·01	·21	-	-	·08	-	-	·06	·10	·06	15
16	·09	·62	·02	·06	-	-	-	·20	-	·04	·02	·12	16
17	-	·83	·01	·05	·09	-	-	-	-	-	·44	·05	17
18	·02	·17	·01	-	-	-	-	·20	·06	-	·03	·15	18
19	-	·07	·21	-	-	·20	-	·12	·21	·02	·07	·02	19
20	·31	·06	·15	-	-	·50	·46	·25	-	·01	·01	·03	20
21	-	·19	·03	-	-	·10	·47	-	-	·02	-	·17	21
22	-	·32	·02	-	-	·06	·12	-	·27	-	·05	·38	22
23	·01	·02	-	-	-	·06	·10	·02	·02	-	·01	·08	23
24	-	-	-	·05	·01	·05	·06	-	-	-	-	-	24
25	-	-	-	·11	·15	·15	·02	·15	-	-	-	-	25
26	·12	·31	·20	·20	-	·11	-	·36	·13	·26	-	·45	26
27	·01	·02	·04	·20	-	·02	·04	·13	-	·57	·12	-	27
28	-		-	·10	-	·04	·08	·73	·03	·53	·04	·40	28
29	·03		-	·14	-	-	·04	·10		·33	·23	·08	29
30	-		·03	·20	-	·15	·02	-		·12	·10	·20	30
31	·03		·03		-		-	-		·11		·12	31
Total	2·62	2·75	1·95	2·04	·51	1·60	2·79	2·32	·90	3·28	2·76	4·28	Year's Total 27·80
Days with ·01 in. or more	22	12	22	18	8	14	21	11	10	20	24	25	207

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132. A.&E.W.**

Max Daily fall 0·83 in on Feb 17

Exd WNA 1400 1276

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

21140

Kept at Pulham St Mary
in the County of Norfolk
by W. C. Rutter

Lat. — Long. —
Time of Observation 9·0 a.m. daily.
Nearest Railway Station Pulham Mary G.E.R.
Diameter of **Funnel** of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·06	·05	-	·14	·06	·04	·38	-	·03	1
2	-	-	·02	·16	-	-	·02	·14	·05	·03	-	·26	2
3	-	·02	-	·10	-	-	-	-	·04	-	-	·18	3
4	·04	-	-	·19	·09	-	·05	·02	·01	-	-	·24	4
5	·02	-	·09	·11	·15	-	·14	·16	·26	-	-	·20	5
6	-	-	·10	-	·06	-	·50	·08	-	-	-	·03	6
7	·02	-	·09	·11	·05	-	·08	-	-	-	-	·09	7
8	·14	·01	·04	·31	·10	-	-	·07	-	-	-	-	8
9	·30	·07	-	·79	-	-	-	·07	-	-	-	-	9
10	·12	·07	·06	·13	-	-	·04	·06	-	-	·03	·11	10
11	·43	-	·03	·21	-	-	·11	-	-	-	-	·49	11
12	·12	-	·15	·15	·02	·03	·11	-	-	-	-	·14	12
13	·05	·05	-	·15	-	·38	-	-	-	-	·01	·13	13
14	·04	·04	·29	·12	-	·18	·09	-	·11	·02	·27	-	14
15	·02	-	·23	·13	-	-	-	-	·44	·12	·09	·10	15
16	-	-	·02	·15	·37	-	-	-	·37	·04	-	·14	16
17	-	-	-	·05	·32	-	·03	-	·15	-	-	·10	17
18	-	-	-	·04	·03	·02	-	·30	·12	-	-	·07	18
19	·14	-	-	·06	-	-	-	·74	·02	-	-	·05	19
20	·13	·36	-	·31	-	·78	-	-	·24	-	-	-	20
21	·02	-	-	·08	-	-	·57	·06	·14	-	-	·05	21
22	·02	·02	-	·07	-	-	·02	·09	·03	-	-	·01	22
23	·02	·02	·02	-	-	-	·33	-	-	-	-	·25	23
24	-	·02	·06	-	-	-	-	-	·04	-	-	·05	24
25	-	·05	-	·12	·15	-	·16	-	·04	-	-	-	25
26	·04	·01	·04	·17	·23	·11	·08	-	·01	-	-	-	26
27	·09	·17	-	·11	·02	·41	·03	-	-	-	·08	·06	27
28	·47	-	-	-	-	·04	·02	-	-	-	·04	·01	28
29	·02	-	·02	-	·10	-	·17	-	·02	-	·13	·29	29
30	-		-	·04	·14	·06	·10	·01	·04	-	·15	·18	30
31	·09		-		·02		-	·05		·05		·25	31
TOTAL	2·34	·91	1·26	3·92	1·90	2·01	2·79	1·91	2·17	·64	·80	3·51	YEAR'S TOTAL 24·16
Days with ·01 in. or more	21	13	15	25	16	9	20	14	19	6	8	25	191
Days with ·04 in. or more	14	7	10	25	12	7	15	12	14	4	6	21	147

FORM A2. BRITISH RAINFALL 8 - JAN 1912

9 11

RAVENINGHAM HALL

NORFOLK

1911 — 1920

Kept at Raven

in the County of N

by N. H. Bac

op .... in.

above Ground .... ft. .... in.

„ Sea Level .... ft.

n { Name
Distance .... Direction

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following.
No Rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37	—	02	—	—	—	—	06	—	12	—	02	1
2	19	—	07	02	25	13	15	—	—		08	16	2
3	07	03	—	02	11	—	—	—	—	07	05	03	3
4	04	05	08	09	—	—	—	—	03	03	—	04	4
5	02	02	—	18	—	—	—	—	—	12	13	16	5
6	23	01	—	10	—	—	—	—	—	06	—	15	6
7	—	01	13	—	—	—	—	—	—	—	17	30	7
8	17	—	12	—	—	—	—	—	05	—	09	15	8
9	13	—	09	05	—	—	—	—	—	—	—	—	9
10	04	03	05	—	—	—	—	—	—	02	08	50	10
11	39	23	—	—	—	—	—	—	—	—	34	—	11
12	04	02	37	—	—	—	—	—	01	—	—	—	12
13	13	—	03	—	—	04	—	—	24	45	02	09	13
14	—	—	31	—	48	—	—	—		—	—	06	14
15	—	09	20	—	—	—	—	—	02	—	17	04	15
16	—	—	06	—	—	21	—	—	03	—	25	—	16
17	04	—	3	—	—	08	—	—	—	—	06	17	17
18	—	24	01	04	—	04	—	—	—	—	1·23	11	18
19	—	04	—	—	—	45	—	02	03	—	06	—	19
20	—	03	—	—	—	—	—	03	04	—	08	43	20
21	02	16	—	—	—	—	—	13	—	17	—	06	21
22	—	07	13	—	—	—	—	02	16	05	03	42	22
23	01	03	23	—	—	65	—	—	29	—	—	11	23
24	—	05	10	—	—	06	26	—	—	46	—	24	24
25	—	03	05	06	—	12	13	03	—	—	11	04	25
26	—	—	—	03	—	—	01	03	—	21	12	45	26
27	—	17	07	14	—	—	—		22	—	—	02	27
28	—	14	—	15	—	—	08	04	—	04	02	05	28
29	—	—		14	—	27	03	—	52	33	—		29
30	—			—	—	04	—	—	78	13	—	—	30
31	—				—		—	—				02	31
Total	1·89	1·45	2·24	1·02	·84	2·09	·66	·33	2·42	2·26	3·09	3·82	TOTAL for year 22·11
No. of Rain Days	15	19	19	12	3	11	6	7	13	14	18	24	161

9,000, IX. '10.

made

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Raveningham Hall

in the County of Norfolk

by N. H. Bacon Esq.

Rain Gauge { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
No Rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37	–	02	–	–	–	–	06	–	12	–	02	1
2	19	–	07	02	25	13	15	–	–		08	16	2
3	07	03	–	02	11	–	–	–	–	07	05	03	3
4	04	05	08	09	–	–	–	–	03	03	–	04	4
5	02	02	–	18	–	–	–	–	–	12	13	16	5
6	23	01	–	10	–	–	–	–	–	06	–	15	6
7	–	01	13	–	–	–	–	–	–	–	17	30	7
8	17	–	12	–	–	–	–	–	05	–	09	15	8
9	13	–	09	05	–	–	–	–	–	–	–	–	9
10	04	03	05	–	–	–	–	–	–	02	08	50	10
11	39	23	–	–	–	–	–	–	–	–	34	–	11
12	04	02	37	–	–	–	–	–	01	–	–	–	12
13	13	–	13	–	–	04	–	–	24	45	02	09	13
14	–	–	30	–	48	–	–	–		–	–	06	14
15	–	09	20	–	–	–	–	–	02	–	17	04	15
16	–	–	06	–	–	21	–	–	03	–	25	–	16
17	04	–	3	–	–	08	–	–	–	–	06	17	17
18	–	24	01	04	–	04	–	–	–	–	1·23	11	18
19	–	04	–	–	–	45	–	02	03	–	06	–	19
20	–	03	–	–	–	–	–	03	04	–	08	43	20
21	02	16	–	–	–	–	–	13	–	17	–	06	21
22	–	07	13	–	–	–	–	02	16	05	03	42	22
23	01	03	23	–	–	65	–	–	29	–	–	11	23
24	–	05	10	–	–	06	26	–	–	46	–	24	24
25	–	03	05	06	–	12	13	03	–	–	11	04	25
26	–	–	–	03	–	–	01	~~03~~	–	21	12	45	26
27	–	17	07	14	–	–	–		22	–	–	02	27
28	–	14	–	15	–	–	08	04	–	04	02	05	28
29	–	–		14	–	27	03		52	33	–	–	29
30	–			–	–	04	–	–	78	13	–	–	30
31	–				–		–	–				02	31
Total	1·89	1·45	2·24	1·02	·84	2·09	·66	·33	2·42	2·26	3·09	3·82	TOTAL for year 22·11
No. of Rain Days	15	19	19	12	3	11	6	7	13	14	18	24	161

9,000, IX. '10.

[illegible] 17·11·13.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Raveningham Hall

in the County of Norfolk

by N. H Bacon Esq.

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
None

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·14s	·03	·08	–	·09	·47	–	·07	–	–	·29	1
2	–	–	·07	–	–	–	·18	–	–	·08	·10	·07	2
3	·12	·03s	·12	–	–	·31	–	–	·05	·05	–	·06	3
4	·13	–	·41	·06	·07	·23	–	–	–	–	·14	–	4
5	·02	–	·13	–	–	–	–	–	–	–	·01	–	5
6	·73	·19s	–	–	·06	·13	·37	·28	·11	–	–	·01	6
7	–	–	–	–	·02	·23	–	·22	·06	–	–	·04	7
8	·21	·03	·03	–	–	·01	–	·41	·32	–	–	–	8
9	–	–	–	·12	–	–	–	–	·53	–	–	·33	9
10	–	–	–	·04	–	–	–	·19	·21	–	·23	·03	10
11	–	·04	–	·02	–	–	–	·04	·05	–	·49	·13	11
12	–	–	·04	–	·04	·13	–	–	–	–	·58	–	12
13	·04	·08	·03	–	–	·21	–	–	–	–	·41	·03	13
14	–	–	–	–	–	·09	–	–	·02	·05	·05	·14	14
15	–	–	·21	–	·20	·03	–	–	–	–	·01	·03	15
16	–	–	–	–	·07	·21	–	·05	–	·11	·07	–	16
17	·24	–	·35	–	–	·09	–	·06	–	–	–	–	17
18	·03	–	·19	–	–	–	·11	–	–	·09	–	·09	18
19	·01	–	·08	–	–	–	·58	–	–	·03	–	–	19
20	·06	·05	–	–	·13	–	·02	·12	–	·29	–	–	20
21	–	–	·47	–	–	–	–		–	·12	–	–	21
22	·15	·11	·02	–	–	–	·39	·47	–	–	–	·07	22
23	·32	·42	·21	–	·02	–	–	·23	–	–	·16	–	23
24	·05	·02	·02	–	–	·26	·18	·70	–	–	–	–	24
25	–	–	–	–	–	·21	·06	·69	–	–	·25	·44	25
26	–	–	–	–	–	·07	·17	3·45	–	·24	·15	·28	26
27	–	–	–	–	–	–	·09	·76	–	·03	·07	·15	27
28	–	–	–	·05	·02	–	–	·01	–	·22	·21	·11	28
29	–	·02	–	·02	·01	·39	–	·06	·62	–	·19	–	29
30	–		–	–	–	·01	–	·02	·94	·10	–	–	30
31	·08s		·13		·04		·26	·07		·23		–	31
Total	2·19	1·17 1·16	2·54	·39	·68	[illegible] 2·70	2·88	7·24 7·23	3·08 2·98	1·64	3·12	2·30	TOTAL for year 29·81
No. of Rain Days	14	11	17	7	11	17	12	18	11	13	16	17	164

9,000, IX. '10.

2·70

Cor. by sur. [illegible] 7. 6 19.III.14

FORM A.
BRITISH RAINFALL.

6 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ravaningham Hall
in the County of Norfolk
by N. H. Bacon Esq.
per Hy. Church.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·32	·1	·23	·03	·14		-	·16	-	-	-	1
2	·06	·15	·02	-	·03	-	·15	-	·05	-	·14	-	2
3	-	-	·28	-	·16	-	-	-	-	·15	-	·07	3
4	[illegible]	-	-	-	·03	·03	-	-	-	-	-	·13	4
5	·05	-	-	-	·05	-	-	-	-	·66	·03	·05	5
6	·02	-	·05	-	·13	-	·02	-	-	·11	-	-	6
7	-	-	-	-	·02	-	·02	-	-	·44	-	-	7
8	-	-	-	-	·07	·14	-	-	-	·03	·07	-	8
9	-	·11	·02	·07	·30	·30	-	·06	·06	-	·05	-	9
10	-	-	-	·06	-	-	·04	-	-	·04	·12	-	10
11	·79	-	-	·63	-	·03	-	·36	-	-	·59	-	11
12	-	-	-	·03	-	·02	-	-	-	-	·19	-	12
13	·27	-	·01	·02	-	-	-	-	-	-	·31	-	13
14	·16	-	·08	·06	-	-	1·22	-	·31	·27	·09	-	14
15	·17	·03	·14	·12	-	-	·30	-	·22	-	·14	-	15
16	·21	-	·18	·13	-	-	-	-	·31	-	·09	-	16
17	·05	-	·22	·05	-	-	·11	-	·30	-	-	·11	17
18	-	-	·04	·04	-	-	·02	-	·11	-	-	-	18
19	·06	-	·09	-	-	-	-	·09	·10	-	-	·05	19
20	·16	-	·02	-	-	-	-	-	-	·07	-	-	20
21	·03	-	·16	·01	·03	-	·40	-	-	·59	-	-	21
22	·16	-	·03	-	-	-	·39	-	·03	-	·29	-	22
23	-	-	-	-	-	-	-	·29	-	-	-	-	23
24	·11	-	-	-	-	-	-	·15	-	-	-	-	24
25	-	-	-	·09	-	·16	-	-	-	-	-	-	25
26	-	·06	·13	-	-	-	-	-	-	·75	-	·16	26
27	-	·07	·03	-	-	~~·05~~ ·05	-	-	-	·03	·03	-	27
28	·07	-	·10	-	-	·01	-	-	-	·16	-	·02	28
29	·41	-	·15	·15	·47	·02	-	-	-	-	-	·04	29
30	·22	-	-	·48	·10	-	-	·01	-	-	·09	·20	30
31	-	-	·30	-	-	-	-	·32	-	-	-	-	31
Total	3·04	·74	2·06	2·17	1·42	~~1·90~~ ·90	2·67	1·28	1·65	3·30	2·23	·83	YEAR'S TOTAL 22·29
Rain Days.	18	6	20	15	12	10	10	7	10	12	14	9	143

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Raveningham Hall

in the County of Norfolk

by N. H. Bacon Esq.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	-	-	-	-	·05	-	-	·32	-	1
2	-	-	-	·08	-	-	·30	-	-		-	-	2
3	-	-	·09	-	·08	-	·43	-			-	·12	3
4	·18	-	·01	·11	·02	-	-	-	-	02	·23		4
5	-	-	·07	·14	·11	-	·13	·15	-	03		·10	5
6	·11	·10		·03	·11	·06	·18	·04	-	-		-	6
7	-		·20	-	·18	·06	-	-	-		·04	·07	7
8	·13	·05	·43	-	·25	36	-	·05	·17	-		-	8
9	·56	-	·47	-	·02	50	-	-	·01	07		·70	9
10	·85	-	·04	·06			-	-	·03			·35	10
11	-	·17	·26	·14	·25	·11	-	-	·08	-	·33	·22	11
12	·03		-	-	·03	-	·02	-	·29	05		·32	12
13	-	·21	·20	-	·02	-		-	·01		·21	·44	13
14	-	·01	·25	-	-	-	·12	-		17	·43	·30	14
15	·06	-	·19	-	-	-	·83	-	-	-	·06	·18	15
16	·02	-	·12	-	-	-	-	-	-	-		·04	16
17	-	·24	·02	-	-	-	-	-	·12	-	·04	·12	17
18	-	·20	·04	-	-	-	-	-	·02	02		·42	18
19	·02	-	·28	-	-	-	-	-	·17	06	·18		19
20	·02	·02	·27	-	-	·08	-	·06	·07	20	·09	·05	20
21	·05	·52	·13	-	-	-	-			03	·06	·18	21
22	-	-	·10	-	·10	-	·12	-	-	21		·08	22
23	-	-	·05	-	·06	·04	·04	-	-	03	-		23
24	-	-		·15	-	-	-	-		02	·07		24
25	-	-		-	·04	-	·02	-	-	65	-		25
26	-	-		-	-	-	·02	·10	-		·08	·30	26
27	-	-		-	-	-	·36	·02	-	·02		·20	27
28	-	-		-	-	-			-	·05	·85	1·30	28
29	-	-		-	-	-	·02		-	·54	·04	-	29
30	-	-	·07	-	-	-	-		·02	-	·29	·06	30
31		-	-	-	·06	-	-			·02			31
Total	2·03	1·52	3·34	·71	1·33	1·21	2·59	·47	·99	2·19	3·32	5·50	YEAR'S TOTAL 25·20
Rain Days.	11	9	21	7	14	7	13 12	7	11	17	16	20	153 152

W.7,000, XI. 13

To check, LV

1543

FORM A.
BRITISH RAINFALL.
4. 14. 1916

REGISTER OF RAINFALL IN 1915

Kept at Raveningham Hall

in the County of Norfolk

by N. H. Baron Esq.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·28	–	–	·05	–	·13	–	·02	·07	·27	·08	1
2	·18	·09	·32	·09	–	–	–	·02	·11	·01	·08	·08	2
3	·08	–	·12	·06	–	–	–	·10	·05	–	·18	–	3
4	·35	–	–	–	–	–	–	·05	·08	–	·22	·14	4
5	·07	–	–	–	–	–	·10	·17	–	·01	·25	·30	5
6	·08	·26	·25	·22	–	–	–	·05	–	·36	·05	·34	6
7	·10	·22	·05	–	–	–	·31	·01	–	–	–	·09	7
8	–	·13	–	·05	–	–	·28	·05	–	–	–	·14	8
9	·02	–	–	·04	–	–	·01	·01	–	·06	–	–	9
10	·30	–	–	–	–	–	–	·13	–	–	·26	·40	10
11	·03	–	–	–	–	–	–	–	–	–	–	·19	11
12	·14	–	–	·29	·31	–	·09	–	–	·09	·34	·03	12
13	–	44	–	·08	·06	–	·03	·55	–	–	·57	·15	13
14	–	·37	–	–	·03	–	–	·02	·01	–	·22	–	14
15	·30	·10	–	–	·01	–	·90	–	–	–	–	27	15
16	–	·16	–	–	63	–	–	·36	–	–	·22	07	16
17	·32	·21	–	–	·01	–	·67	56	–	–	05	–	17
18	·50	·06	·40	–	·52	–	10	–	–	–	·27	·12	18
19	–	·08	–	–	·30	–	–	–	–	·06	–	–	19
20	·28	–	–	·05	–	–	·14	–	–	–	–	–	20
21	·59	–	–	–	–	–	–	–	–	·02	–	·42	21
22	·13	–	·26	–	–	–	·04	–	–	·17	–	·10	22
23	–	·17	–	–	–	–	·40	–	–	–	–	15	23
24	–	·11	·40	–	–	–	·33	–	–	–	·10	·12	24
25	·06	–	·06	·03	–	–	·20	–	–	–	·05	·08	25
26	·02	·10	–	–	–	·25	·09	–	–	·02	23	·05	26
27	–	·03	·03	–	–	–	–	–	–	–	·09	·22	27
28	–	·09	·07	–	–	–	·79	–	–	05	–	·01	28
29	–	–	–	–	–	1·63	·82	–	·63	·78	–	·04	29
30	–	X	–	–	–	1·99	·10	·17	·08	–	·08	–	30
31	·10	X	–	X	–	X	·01	–	X	–	X	·21	31
Total	3·65	2·90	1·96	·91	1·92	3·87	4·74	2·25	·98	1·70	3·53	3·80	YEAR'S TOTAL 32·21
Rain Days.	19	17	10	9	9	3	20	14	7	12	18	24	162

W. 8,000. X. 15.

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

10 JAN 1917

Kept at Raveningham Hall
in the County of Norfolk
by N. H. Bacon Esq.

Lat. ……… Long. ………
Time of Observation 9 a.m
Nearest Railway Station Beccles
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ……… ft. 10 in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
'02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	'04	'04	–	'03	–	'04	–	1
2	'20	'02	'19	–	'05	–	–	–	–	–	'02	–	2
3	'36	–	–	–	'31	–	'01	–	25	–	'15	–	3
4	–	12	s·11	–	–	–	01	–	28	–	'28	–	4
5	'27	'14	s'05	–	–	'41	'02	–	–	–	'16	–	5
6	'07	–	s'10	–	–	–	'10	–	–	'26	'10	–	6
7	–	13	s'17	'42	–	'09	'05	–	–	–	'30	'03	7
8	'12		s'30	–	'15	'20	'13	–	'03	'09	'09	'02	8
9	'01	–	'07	–	'20	–	01	–	–	–	'21	'38	9
10	'01	–	–	–	'15	'30	–	–	02	–	'40	'25	10
11	'05	–	'16	–	–	–	–	–	–	–	–	'63	11
12	'06	'59	–	'31	'04	50	'11	–	01	–	–	'16	12
13	'02	'14	'13	–	'24	'41	–	–	–	'18	–	'23	13
14	–	'09	–	02	06	–	'03	–	'06	–	–	02	14
15		s'43	'17	'03	'12	'02	'01	–	'11	–	–	'31	15
16	–	'27	'12	–	–	–	–	'35	'04	'20	–	'02	16
17	–	–	'03	'34	–	'01	'03	27	16	27	'01	–	17
18	–	'05	–	'20	–	–	'02	'46	'05	'05	'98	–	18
19	–	'16	–	17	–	–	'01	'45	'04	'15	'45	–	19
20	'06	–	–	–	–	–	–	–	40	–	'01	–	20
21	'16	–	21	–	–	22	–	15	02	–	–	'01	21
22	–	s ~~92~~	~~0~~	–	–	–	'01	–	–	–	03	'95	22
23	–	s'92		–	33	'10	–	–	–	–	'10	'63	23
24	–	s'30	'04	–	–	82	–	–	–	–	'02	'38	24
25	–	s'27	–	–	–	–	–	–	–	'41	'01	'26	25
26	–	–	–	–	–	'01	–	'03	–	'13	'06	'22	26
27	–	–	s·05	–	–	–	–	'11	–	'09	'14	'03	27
28	–	'14	s·78	–	–	'02	–	'06	–	'07	'07	'01	28
29	–	39	s·55	–	–	'09	–	'03	'06	17	–	'12	29
30	–	✕	02	–	–	'16	–	1'20		'13	–	'01	30
31	'11	✕	–	✕	'09	✕	–	'62	✕	'40	✕	–	31
Total	1'50	4'16	3'25	1'49	·04 ~~1'74~~ 1·78	·04 3'40	~~'59~~ 57 ·55	·03 ~~3'73~~ 3·76	~~1'56~~ 1·53	·04 ~~2'60~~ 2·64	~~3'63~~ 3·59	·02 ~~4'67~~ 4·69	YEAR'S TOTAL ~~32·29~~ 32·34
Rain Days.	13 177	16	18	7	12	16	14	12	14	15	20	24	178

W. 7,500, XI. 12

1448

FORM A.
BRITISH RAINFALL.

4 JA

REGISTER OF RAINFALL IN 1917

Kept at Raveningham Hall. W 6/14

in the County of Norfolk

by N. H. Bacon Esq.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·12	—	·33 ·23s	—	—	—	·96	·20	—	·19	—	1
2	·08	·10	—	·32s	—	—	—	·34	·01	—	—	—	2
3	—	·14	—	·09s	—	—	—	·70	—	—	—	—	3
4	·13	·00	—	·08s	—	—	—	—	—	·83	—	—	4
5	·09	·01	—	·00s	—	—	—	—	·21	—	—	—	5
6	·41	·02	—	·04s	—	·04	—	—	·00	—	—	—	6
7	—	·11	—	·02s	—	—	—	—	—	·53	—	—	7
8	·04	·01	·01	—	—	—	1·43	·15	—	·18	—	—	8
9	·16		—	·18	—	—	·04	—	—	—	—	·02	9
10	·12s	·01	·10	·16	—	—	—	·02	—	·10	·11	·10	10
11	·01s	·01	·79	·14s	—	—	—	·02	—	·19	·03	·05	11
12	·09s	·02	—	—	—	—	—	·04	—	·30	—	·02	12
13	·58s	—	·05	·04	—	—	—	·14	·06	·08	—	·01	13
14	·26s	·11	·07	·31	—	—	·76	·17	—	·01	—	·11	14
15	·12s	·01	·04	·08	—	—	—	·05	—	·12	·01	—	15
16	·08s	—	·02	·30	—	—	·11	—	—	·15	—	·09	16
17	·06s	—	—	·10	·51	·04	·13	—	·36	·17	—	·36	17
18	·02	·01	—	—	·01	1·12	·22	—	·53	—	—	—	18
19	—	·02	·47s	·28	—	·10	—	—	·34	—	—	—	19
20	—	·02	·08	—	—	·15	—	—	—	—	·25	—	20
21	—	—	·06	—	—	—	—	—	—	·01	—	—	21
22	—	—	·09	—	·03	—	—	—	—	·06	—	—	22
23	—	—	·11	—	·05	—	—	—	—	—	—	—	23
24	—	—	·08	—	—	·10	—	—	—	—	·02	·45s	24
25	—	—	·02	—	—	·04	—	·03	—	—	·49	·12s	25
26	—	—	·01	—	—	·51	—	·57	—	—	·45	·03s	26
27	·01s	—	—	—	—	·05	—	·47	—	—	—	—	27
28	·01s	—	—	—	—	·49	—	·10	—	—	—	—	28
29	·02s	—	—	—	—	·56	·02	·04	—	·13	—	—	29
30	·14s	×	—	—	—	—	·86	·06	—	—	—	—	30
31	·11	×	·83s	×	—	×	·42	·24	×	—	×	—	31
Total	2·56	·78	2·83	2·53	·60	3·20	3·69	4·04	1·77	2·86	1·55	1·36	YEAR'S TOTAL 27·77
Rain Days.	21	16	16	16	4	11	9	17	8	14	8	11	151

W. 8,000, IX. 17.

Exd M B

10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
4.1.19

Kept at Raveningham Hall
in the County of Norfolk
by N H Bacon Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Beccles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·36

Date.	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·02	-	·02	-	-	-	-	·06	-	·05	·07	1
2	·01 s	-	·01	·06	-	-	-	·95	-	·02	·02	·11	2
3	·28 s	-	·06	-	-	-	-	·07	·07	-	·74	·09	3
4		-	15	·01	·06	-		-	·30	·01	·23	·02	4
5	-	-	·05	·03	·19	-	-	·41	-	·14	-	·01	5
6	-	·01	-	24	-	-	-	-	-	-	-	·07	6
7	13 s	02	-	·04	-	·01	-	-	·10	·05	-	-	7
8	-	-	-	·03	-	-	-	-	-	-	-	·11	8
9	·02 s	-	-	-	-	·10	·01	-	·09	26	-	·14	9
10	·06 s	-	-	-	-	-	·23	-	·42	·01	-	·09	10
11	-	-	-	-	·05	-	·13	-	·07	·85	-	·27	11
12	-	·02	-	-	23	01	-	-	16	18	-	·05	12
13	·05 s	·01	-	·03	·04	·01	-	-	-	-	-	·01	13
14	·61 s	-	-	·02	-	-	·07	-	·21	·10	-	·09	14
15	1·63 s	-	-	1·62	-	-	·05	-	·16	·22	-	·03	15
16	·09	-	+	·53	-	-	·07	-	·10	-	-	·04	16
17	·11	-	-	·08	-	·34	·74	-	-	·08	-	·21	17
18	·52	-	-	23	-	02	-	-	·07	·10	-	·01	18
19	·01	-	-	·09	-	-	·07	-	·10	·14	-	·04	19
20	·06	·10	-	-	-	-	·99	-	·04	·38	-	-	20
21	·03	-	-	-	-	·03	·09	-	·09	·07	-	·19	21
22	·02	·01	-	·03	-	-	·07	-	·11	·10	-	·60	22
23	-	·03	-	-	-	-	·16	-	-	-	-	-	23
24	-	·16	-	-	-	-	·27	-	·12	-	-	·01	24
25	-	-	·02	-	-	·47	·02	-	-	-	·07	·02	25
26	-	-	·01	-	-	·01	·48	·37	-	-	-	·11	26
27	·01	·02	·01	-	-	·01	·23	·20	·02	-	·11	·18	27
28	·01	-	·11	·38	-	·16	-	·02	-	-	·04	·16	28
29	-	-	-	02	-	-	-	-	1·34	-	·17	·17	29
30	-	X	·21	-	-	-	-	-	·30	-	·01	·21	30
31	-	X	·07	X	-	X	-	-	X	·14	X	·02	31
Total	3·65	·40	·70	3·46	·57	1·17	3·68	2·02	3·93	2·85	1·44	3·13	YEAR'S TOTAL 27·–
Rain Days	3·65	4·05	4·75	8·21	8·78	9·95	13·63	15·65	19·58	22·43	23·87	27·–	27·00
	17	10	10	17	5	11	16	6	20	17	9	28	166

W, 6,500 VII. 18. W

Ext. 4806

1355

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

13 JAN 20

Kept at Raveningham Hall
in the County of Norfolk
by N. H. Bacon Esq.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·01	·01	—	·16	—	·09	—	—	·50	·21	·52	1
2	·04	—	—	—	·06	—	·02	—	—	—	·30	·16	2
3	·35	—	—	—	—	—	·15	—	—	—	·02	·02	3
4	·09	—	·37	—	—	—	—	—	—	—	·01	·17	4
5	·62	01	·01	—	—	—	—	—	—	—	·04	·03	5
6	—	·01	·11	—	—	—	·02	—	—	—	·05	·15	6
7	·01	—	·27	—	·29	—	·01	—	—	—	·15	·67	7
8	·20	—	·01	—	—	—	·01	—	—	—	·04	·07	8
9	·01	—	·03	·15	—	—	·01	—	—	·02	08s	·01	9
10	·07	—	·01	·02	—	—	—	—	—	·41	09s	·02	10
11	·09	—	·08	·01	—	—	—	—	—	—	·12s	·01	11
12	·08	—	·16	·16	—	·12	·30	—	—	—	·05s	·14	12
13	·12	—	·02	·05	—	—	·19	—	—	—	·02s	·01	13
14	·36	—	·01	·30	—	—	·25	—	—	—	·01s	·01	14
15	·11	—	·01	·42	—	—	·20	—	—	—	·02s	·01	15
16	·17	·80	·04	—	—	—	—	—	—	—	·03s	·12	16
17	·01	·02	·06	—	—	—	—	—	—	—	·26	·02	17
18	·02	·01	·03	—	·02	—	—	—	—	—	·01	·15	18
19	·02	·46	·08	—	—	—	—	·17	—	—	·01	·01	19
20	·27	·02	·09	—	—	53	·67	·41	·31	—	·02	·02	20
21	·02	—	·02	—	—	·15	·22	·16	—	—	·01	·26	21
22	·01	—	·02s	—	—	—	·01	—	·24	—	—	·04	22
23	·01	·04	·01s	—	—	·16	·16	—	—	—	—	·01	23
24	·01	·52	—	·06	—	·06	·02	—	—	·05	02	·01	24
25	·02	·01	—	·02	—	·03	—	—	—	·90	·09	·02	25
26	·14	·64	·21	04	·27	·03	—	—	—	·21	—	·37	26
27	·01	·01	·03	·26	—	04	—	·40	—	·35	—	·03	27
28	·08	·08	—	·24	—	·10	—	·37	—	·09	06	·29	28
29	·01s	·01	—	15	—	·06	—	·08	—	·25	·27	·05	29
30	·01	✕	—	·18	—	·11	—	—	—	·10	·16	·21	30
31	—	✕	—	✕	—	✕	—	—	✕	14	✕	·17	31
TOTAL	3·22	2·65	1·69	2·06	·80	1·39	2·33	1·59	·55	3·02	2·15	3·78	YEAR'S TOTAL 25·23
Days with ·01 in. or more	29	15	23	14	5	11	16	6	2	11	26	31	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

GB

1281

JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ravningham Hall

in the County of Norfolk

by N. H. Bacon Esq.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·59

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	-	·06	-	·02	-	38		·15	1
2	-	-	-	-	-	·02	-	·11	-	·02		·16	2
3	·02	-	-	·57	10	-	-	·01	-	.		·12	3
4	·03	.	-	·27	09	-	-	·01	-	.		·22	4
5	-	·04	·09	-	03	-	-	·02	-	-		·02	5
6	-	·07	-	-	05	-	·87	·01	02	-		·01	6
7	-	·16	·01	-	07	-	.	·03	07	-		·07	7
8	-	.	·02	-	18	-	-	·06	04	-		·06	8
9	·26	.	-	·74	-	-	·19	·40	01	.		·07	9
10	·15	-	-	·01	-	-	-	·02	07	-		·21	10
11	·33	-	26	·12	-	-	14	-	09	-		s ·74	11
12	·10	-	-	·10	-	-	02	-	08	-		s ·02	12
13	·03	·01	08	·20	-	·54	08	-	-	-		s ·03	13
14	-	-	31	·01	-	15	07	-	-	-	22	s ·11	14
15	-	-	-	-	-	-	-	-	09	.		s ·12	15
16	-	-	-	·08	-	-	.	-	84	-		s ·13	16
17	02	-	-	·04	44	-	-	-	22	-		s ·15	17
18	03	-	-	·09	-	-	-	·57	-	-		·01	18
19	01	-	-	·07	-	-	-	-	-	-		-	19
20	06	·34	-	·12	.	·83	-	·12	52	-		·04	20
21	14	·01	-	·01	.	-	·67	·14	01	-		·07	21
22	-	-	-	·02	-	-	-	·48	02	-		·05	22
23	-	-	-	·04	-	-	·43	-	-	-		·01	23
24	01	-	·10	-	-	-	-	-	-	-		·16	24
25	02	-	·02	·08	-	07	·01	-	08	-		·01	25
26	02	-	-	·15	-	·49	·02	-	-	-		·04	26
27	09	-	-	-	-	-	·01	-	.	-		·08	27
28	53	·16	-	-	-	-	·03	-	-	-	11	·02	28
29	-	·01	-	-	-	-	·01	-	-	-	09	·10	29
30	-	X	-	-	·05	-	·10	-	02	-	12	·16	30
31	-	X	-	X	·09	X	-	-	X	·01	X	·12	31
TOTAL	1·85	·80	·89	2·72	1·10	2·16	2·65	2·00	2·18	·41	·54	3·26	YEAR'S TOTAL 20·56
Days with ·01 in. or more	17 147	8	8	18	9	7	14	14	15	3	4	30	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8	5	5	14	8	6	8	7	10	1	4	22	98

REEPHAM

OLD BREWERY HOUSE

NORFOLK

1912 — 1920

FORM A.
BRITISH RAINFALL.
9 AUG 1913

R… 2

Kept at Old B… …ins. … at 8–9

in the County of …

… in.

by … above Ground … ft. … in.

… Sea Level … ft.

IMPORTANT … the result entered to the previous day. If an… universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … measurement of rain, the selection and pla… British Rainfall Organization are give… application to Dr. H. R. Mill, 62, …

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01 ~~.18~~	.01 ~~.27~~	.04	.01	—	—	.50	—	—	—	.03	.48	1
2	.01 ~~.20~~	.01 ~~.25~~	.06	.03	.08	.02	.30	—	.06	.02	.08	.02	2
3	.21	Snow	.01		—	.23	.10	.04	.06	.05	—	.15	3
4	.98		.55		.05	.12	—	.02	—	.10	.15	—	4
5	.04	.01	.84	—	.02	.02	—	—	—		.03	—	5
6	.82	.62	.01		—	.08	.88	.02	.12			.03	6
7	.04	.10	.01		.04	.25	—	.40	.05			.02	7
8	.46	.16	.08			.02	.23	.02	.35		—	—	8
9	.02	.04	.04	.09		.05		—	.33	—		.30	9
10	.04	.01	.02	—		—		.15	.63		.20	—	10
11	.10	.06	.01	.05	—	—		.06	.16		.55	.32	11
12	.06	.16	.06			.11		—			1.15	—	12
13	.08	.10	.02			—	—	—			.63	—	13
14	.01	.04	.01			.20		.03		.05	.16	.10	14
15	.01	.08	.32		.29	.28		.02		—	.02	.04	15
16	.10	.02	.03		.05	.21		—		.10	.03	—	16
17	~~.05~~	.01	.25			.20		—	—	—	—	—	17
18	.24	.04	.19		—	.05	.42	.36		.05	.10	.25	18
19	.04	.40	(25)				1.25	.11		.02	.04	.02	19
20	.22	.08	—		.13	—	.05	.24		.48	—	—	20
21	.01	.06	.45	—	.02		—	.63		—	.04	—	21
22	.07	.10	.02		1.40	.02	1.03	.03		.08	—	.08	22
23	.45	.36	.23		.02	—	—	1.03		—	.23	.07	23
24	.45	.01	.03			.05	.50	.30	.03	—	—	.15	24
25	.10	.01				.20	.10	—		—	.18	.30	25
26	.01	.06				.05	—	7.25		.43	.25	.35	26
27	.01	.01			—	—	.15	.30	—	.22	.03	.10	27
28	.07	.01	—			—	.62	.12		1.30	.15	.38	28
29	.07	.01				.58	.15	.30	.58	—	.60	—	29
30	.10						.03	.04	1.20	.43	—	—	30
31	~~.21~~				.10		.25	.08		.43		.04	31
Total	3.73	~~2.38~~ 2.58	(353)	~~2.21~~ .18	~~2.11~~ 2.20	~~2.69~~ 2.74	6.56	11.55	~~3.53~~ 3.59	3.76	4.65	3.20	YEAR'S TOTAL
Rain Days.	30	27	22	4	11	19	16	22	11	14	20	19	2 15
W. 7,500, XI. 12	3.73	2.58	(3.53)	.18	2.20	2.74	6.56	11.55	3.59	3.76	4.05	3.20	48.27

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
9 AUG 1913

Kept at Old Brewery House
in the County of Reepham – Norfolk
by

Lat. Long. a.m.
Time of Observation about 8–9
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01 ~~.18~~	.01	.04	.01	—	—	.50	—	—	—	.03	.48	1
2	.01 ~~.20~~	.01	.06	.03	.08	.02	.30	—	.08	.02	.08	.02	2
3	.21	Snow	.01		—	.23	.10	.04	.06	.05	—	.15	3
4	.98		.55		.05	.12	—	.02	—	.10	.15	—	4
5	.04	.01	.84	—	.02	.02	—	—	—		.03	—	5
6	.82	.62	.01		—	.08	.88	.02	.12			.03	6
7	.04	.10	.01		.04	.25	—	.40	.05			.02	7
8	.46	.16	.08			.02	.23	.02	.35		—	—	8
9	.02	.04	.04	.09		.05		—	.33	—		.30	9
10	.04	.01	.02	—		—		.15	.63		.20	—	10
11	.10	.06	.01	.05	—	—		.06	.16		.55	.32	11
12	.06	.16	.06			.11		—			1.15	—	12
13	.08	.10	.02			—	—	—			.63	—	13
14	.01	.04	.01			.20		.03		.05	.16	.10	14
15	.01	.08	.32		.29	.28		.02		—	.02	.04	15
16	.10	.02	.03		.05	.21		—		.10	.03	—	16
17	~~.05~~	.01	.25			.20		—		—	—	—	17
18	.24	.04	.19		—	.05	.42	.36	—	.05	.10	.25	18
19	.04	.40	(25)				1.25	.11		.02	.04	.02	19
20	.22	.08	—	—	.13	—	.05	.24		.48	—	—	20
21	.01	.06	.45		.02		—	.63		—	.04	—	21
22	.07	.10	.02		1.40	.02	1.03	.03		.08	—	.08	22
23	.45	.36	.23		.02	—	—	1.03		—	.23	.07	23
24	.45	.01	.03			.05	.50	.30	.03	—	—	.15	24
25	.10	.01				.20	.10	—		—	.18	.30	25
26	.01	.06				.05	—	7.25		.43	.25	.35	26
27	.01	.01			—	—	.15	.30	—	.22	.03	.10	27
28	.07	.01	—			—	.62	.12		1.30	.15	.38	28
29	.01	.01				.58	.15	.30	.58	—	.60	—	29
30	.10						.03	.04	1.20	.43	—	—	30
31	.21				.10		.25	.08		.43		.04	31
Total	3.73	2.38 2.58	(3.53)	~~2.21~~ .18	~~2.11~~ 2.20	~~2.69~~ 2.74	6.56	11.55	~~3.53~~ 3.59	3.76	4.65	3.20	YEAR'S TOTAL
Rain Days.	30	27	22	4	11	19	16	22	11	14	20	19	2 15
	3.73	2.58	(3.53)	·18	2.20	2.74	6.56	11.55	3.59	3.76	4.05	3.20	48.27

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
22 FEB 1913

Kept at Reepham, Old Brewery House
in the County of Norfolk
by A. W. Preston Samuel Bircham
Bircham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2										·02			2
3								·04		·05			3
4								·02		·10			4
5													5
6								·02					6
7								·40					7
8								·02					8
9													9
10								·15					10
11								·06					11
12													12
13													13
14								·03		·05			14
15								·02					15
16										·10			16
17													17
18								·36		·05			18
19								·11		·02			19
20								·24		·48			20
21								·63					21
22								·03		·08			22
23								1·03					23
24								3·70					24
25													25
26								7·25		·43			26
27								·30		·22			27
28								·12		1·30			28
29								·30					29
30								·04		·43			30
31								·08		·43			31
Total								11·~~7~~55		3·76			YEAR'S TOTAL
Rain Days.								22		14?			

W. 7,500, XI. '12

from Norfolk Cards ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 MAR 1914

Kept at Reepham E4 BR

in the County of Norfolk

by A. W. Preston.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.27	.10	.10	.04				.22		.10		1
2	.10	.25	.05		.20		.12		.21		.08	.02	2
3			.22		.18		.03		.05	.53		.02	3
4	.20				.02	.05	.04				.04	.04	4
5	.04				.04					1.20	.05	.14	5
6			.06		.23	.08				.15		.10	6
7		.10			.05	.06				.38			7
8				.02	.13	.13	.08			.08	.10	.05	8
9		.12	.03		.35	.17		.15	.04		.05		9
10	.04			.10			.03				.10	.03	10
11				.20				.02			.45		11
12		.03		.17		.03					.03		12
13	.15		.02								.40		13
14	.10		.17	.10			.25		.14	.33	.13		14
15	.10	.02	.14	.12			.41				.11		15
16	.12		.35	.28					.19		.12	.04	16
17	.05		.40	.05		.02	.10				.04	.02	17
18			.05	.10			.04		.33		.04		18
19	10		.14			.03	.02	.05				.07	19
20	.15		10			.04			.16	.08			20
21		.03		.02			.35			.50	.20		21
22	.15		.06				.32	.06	.25				22
23			.03			.02	.18	.20	.03	.06	.03		23
24	.15					.20		.19				.04	24
25				.16		.06							25
26		.02	.06			.03				.78		.14	26
27		.10	.03		.09						.03		27
28	.15		.10	.08		.07				.13			28
29	.37		.24	.12							.03		29
30	.60			.25	.17			.02		.05	.18		30
31			.02		.04			.15					31
Total	2.75	.94	2.37	1.87	1.54	.99	1.97	.84	1.62	4.17	2.30	.71	YEAR'S TOTAL 22.07
Rain Days.	17	9	20	15	12	14	13	8	10	12	20	12	162

W. 7,500, XI. ·12

Skipmode

cond by Preston 1.III.15

W LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - JAN 1915

Kept at Old Brewery Ho

in the County of Reepham Norfolk

by Sam Bircham

Lat. Long.

Time of Observation

Nearest Railway Station 1/2 mile

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			—	—	—	—	27	—	—	26	—	1
2	03		—	03	—	—	—	—	—	—	09	08	2
3	13	—	08	—	18	—	23	07	—	—	—	—	3
4	13		10	16	—	—	—	04	—	—	23	11	4
5	—		13	13	02	05	08	66	—	04	—	—	5
6	—	10	—	03	11	—	03	05	—	—	08	08	6
7	—	.06	20	—	15	—	—	—	—	—	—	18	7
8	18	05	36	—	14	50	—	10	—	—	—	—	8
9	42	—	36	03	04	81	—	—	16	05	—	64	9
10	70	—	05	—	—	—	—	—	—	—	—	09	10
11	—	25	23	13	26	14	—	—	25	—	33	48	11
12	60	—	05	—	—	02	—	—	24	—	—	30	12
13	—	20	24	—	05	—	—	—	04	—	27	40	13
14	—	—	40	—	—	—	—	—	—	21	—	54	14
15	10	07	21	—	—	—	45	—	04	—	45	40	15
16	11	—	18	—	—	—	05	—	—	—	04	02	16
17	—	27	—	—	—	—	—	—	16	—	06	22	17
18	—	22	02	—	—	—	—	—	07	—	04	66	18
19	02	05	06	—	—	58	—	—	07	—	19	—	19
20	—	—	62	—	—	—	—	—	15	15	—	—	20
21	06	20	28	—	—	10	—	10	—	—	09	04	21
22		—	03	—	13	—	10	04	—	50	—	20	22
23		—	07	—	11	28	12	—	—	04	11	11	23
24		—	08	11	—	—	04	03	—	07	08	—	24
25		05	—	—	06	03	10	—	—	75	—	—	25
26	—	—	—	—	—	—	04	18	—	10	12	29	26
27		—	08	—	—	—	22	15	—	10	04	34	27
28		04	—	—	—	—	—	—	—	08	20	27	28
29			—	—	—	—	07	—	—	38	~~50~~ 09	~~[illegible]~~	29
30		X	04	—	—	—	—	—	—	—	20	~~14~~ 03	30
31		X	—	X	07	X	10	—	X	—	X	14	31
Total	248	~~248~~ 156	~~156~~ 387	~~387~~ 62	~~62~~ 132	~~132~~ 251	~~251~~ 163	~~163~~ 169	~~169~~ 118	~~118~~ 247	297	662	YEAR'S TOTAL 2892
Rain Days.	11	12	22	7	12	9	13	11	9	12	19	22	159

W. 8,000. X. 14.

Cwd by Preston 1.11.16

1565

FORM A.
BRITISH RAINFALL.

3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Reepham

in the County of Norfolk

by Saml Bircham

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Reepham G E Ry

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	18	19	05	—	14	—	—	—	18	—	09	12	1
2	05	11	32	14	02	—	—	75	06	—	17	—	2
3	24	—	16	11	—	03	—	04	15	—	21	18	3
4	04	—	—	—	—	—	04	03	—	04	12	63	4
5	05	—	—	—	34	01	—	03	—	25	·20	18	5
6	08	24	26	20	0·8	—	44	17	—	←	—	09	6
7	15	39	16	02	—	—	34	18	—	—	—	20	7
8	—	08	04	11	—	—	02	05	—	11	—	—	8
9	07	09	—	—	—	—	—	04	—	·03	26	50	9
10	40	—	—	—	—	04	—	04	—	—	—	04	10
11	—	—	—	—	05	—	07	—	—	—	22	16	11
12	06	—	—	41	11	—	—	46	—	—	157	12	12
13	18	31	—	09	90	—	—	17	07	—	25	—	13
14	—	51	—	—	02	—	25	26	—	—	—	31	14
15	35	20	—	—	04	—	27	1.27	—	—	—	12	15
16	06	15	—	—	—	—	85	12	—	—	14	04	16
17	32	28	07	—	—	—	18	—	—	—	17	—	17
18	12	07	15	—	14	—	—	—	—	—	16	—	18
19	05	18	06	—	—	—	26	—	—	11	04	—	19
20	30	—	—	04	—	—	—	—	—	—	—	36	20
21	19	—	—	—	—	—	08	04	—	07	—	15	21
22	12	04	25	—	—	—	65	—	—	—	—	22	22
23	—	07	05	—	—	—	25	—	08	—	05	05	23
24	03	09	15	—	—	—	20	—	07	05	08	15	24
25	—	—	10	—	—	10	05	—	—	08	15	08	25
26	—	17	04	—	—	06	—	—	—	12	—	22	26
27	—	05	—	—	—	70	32	—	05	34	—	11	27
28	—	21	04	—	—	20	—	05	20	80	—	—	28
29	09		—	—	05	18	30	18	55	—	18	08	29
30	11	✕	06	—	—	—	10	07	50	—	—	—	30
31	04	✕	02	✕	—	✕	—	06	✕	·30	✕	10	31
Total	3,29	3.43	1.98	1.12	1.89	1.32	4.67	4.01	1.91	2.30	4.00	421	YEAR'S TOTAL 34.12
Rain Days.	23	19	17	8	11	8	18	19	10	12	17	23	185

W. 8,000. X. 15.

✓ Exd CFC 15 37.

FORM A.
BRITISH RAINFALL.

13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Reepham Old Brewery House

in the County of Norfolk

by S. Bircham AW Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03	–	04	–	04	05	–	–	–	–	24	–	1
2	49	–	17	–	39	02	26	–	–	03	–	–	2
3	–	06	02	–	–	–	26	–	49	15	22	04	3
4	30	15	06	–	03	21	65	–	44	05	33	35	4
5	12	03	38	05	–	26	–	–	–	12	29	04	5
6	–	20	37	33	02	04	03	–	–	–	27	–	6
7	10	–	37	03	42	14	08	–	–	10	15	04	7
8	–	–	09	–	13	13	–	–	–	–	03	20	8
9	–	–	10	–	22	35	–	–	–	04	–	22	9
10	–	–	15	07	–	07	21	–	03	–	–	19	10
11	09	63	15	23	08	84	–	–	–	–	–	01	11
12	04	–	02	22	47	86	18	12	08	–	–	05	12
13	07	12	09	–	04	05	–	06	32	–	–	–	13
14	–	37	03	–	21	10	–	11	15	09	–	16	14
15	–	30	21	–	03	–	–	32	–	39	–	04	15
16	–	11	06	19	03	–	10	18	–	06	–	10	16
17	03	–	–	33	–	–	16	–	26	22	–	–	17
18	–	18	–	32	–	–	–	16	15	21	85	–	18
19	–	04	–	05	–	03	–	–	14	08	24	08	19
20	21	–	10	–	–	–	–	02	04	–	12	16	20
21	04	10	09	–	–	–	–	–	–	–	–	58	21
22	–	11	04	–	22	02	–	–	–	–	–	42	22
23	–	30	–	–	–	29	04	03	–	–	12	23	23
24	–	21	–	–	–	24	04	05	–	34	–	15	24
25	–	44	19	–	–	–	–	08	–	16	06	04	25
26	–	20	–	–	–	16	–	13	–	03	19	–	26
27	–	13	63	48	–	03	–	05	–	42	04	–	27
28	–	21	66	–	03	–	–	04	04	–	–	10	28
29	–	14	–	–	–	10	–	1·27	–	16	–	16	29
30	–		–	–	–	11	–	27	–	19	–	–	30
31	17		–		04		–	12		04		04	31
Total	1·69 ✓	4·03 ✓	402 ✓	225	2·40 ✓	410 ✓	2·01 ✓	3·01 ✓	2·14 ✓	288 ✓	3·15 ✓	340 ✓	YEAR'S TOTAL 35·08
Rain Days.	12 ✓	20 ✓	22 ✓	11 ✓	16 ✓	21 ✓	11 ✓	16 ✓	11 ✓	19 ✓	14	22	195

W. 8,000, VIII. 16

1470

FORM A.
BRITISH RAINFALL.
5 APR 1918

from C. and for auth

REGISTER OF RAINFALL IN 1917

Kept at Reepham

in the County of Norfolk.

by S. Bircham per A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08				1·06	·32		·04	·01	1
2	·08	·12		·19		·07		·63					2
3		·04	·03	·04				·75					3
4		·27								·66			4
5	·17	·10	·03	·14				·10			·11		5
6						·11			·69		·05		6
7	·34		·03			·08		·01		·42			7
8	·30		·02	·20			·79	·26		·25	·12		8
9	·11		·03	·08			·02	·12			·25	·12	9
10	·14		·22	·12				·04		·13	·17		10
11	·07	·13	·30	·11				–		·25	·04		11
12	·33		·06	·15		·10		·05		·37			12
13	·31		·11	·10		·27	·03	·09	·12			·02	13
14	·26	·04	·03	·12				·33			·01	·01	14
15	·11				·04		·26	·11		·03			15
16	·07	·10		·45			·06			·44		·39	16
17			·15	·20	·40	·12	·18		·31	·33			17
18	·07			·05	·03		·18	·07	·66				18
19	·13	·04	·35	·04	·01	·09	·02		·19		·01		19
20	·04	·32	·11			·02			·05		·35		20
21		·19	·11		·13						·03		21
22			·07		·01					·10			22
23						·05		·10	·01			·04	23
24								·10		·37	·09	·07	24
25			·11			·10					·07	·15	25
26			·06					·27	·08		·70	·03	26
27			·03				·05	·31			·02	·04	27
28		·06	·25			·21		·24				·10	28
29	·03					·23	·06			·15		·05	29
30	·13	X	·03				·19	·09		·03		·01	30
31	·14	X	·52	X		X	·49	·15	X		X		31
Total	2·83 ✓	1·41 ✓	2·65 ✓	2·07 ✓	·62 ✓	1·45 ✓	2·33 ✓	4·88 ✓	2·43 ✓	3·53 ✓	2·06 ✓	1·04 ✓	YEAR'S TOTAL ~~27·29~~ 27·30
Rain Days.	18 ✓	11 ✓	21 ✓	15 ✓	6 ✓	12 ✓	12 ✓	20 ✓	9 ✓	13 ✓	15 ✓	13 ✓	165

W. 8,000, IX. 17.

6 ✓ 33

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

16 APR 1919

Kept at Reepham, Old Brewery House
in the County of Norfolk
by A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·14					·12		·05	·13	1
2	·08	·06		·03				·35	·04	·04		·23	2
3	·06		·05		·07			·21			·97		3
4		·05	·08		·01			·05	·68	·04	·46	·04	4
5		·03	·07		·21			·39	·13	·14		·02	5
6		·21		·15					·02	·05		·06	6
7	·07	·13		·07		·04				·14	·07		7
8	·09	·05	·03	·08					·33		·12	·08	8
9	·16	·09		·03		·06	·13		·45	·22		·06	9
10	·11	·01		·03			·22				·11	·17	10
11	·05	·08			·20		·21		·11	·83	·03	·19	11
12		·15			·15		·13	·11	·04	·19		·09	12
13		·09	·02		·13							·13	13
14	·32	·01					·09		·14	·35		·05	14
15	·23		·06	1·71	·01	·07	·11		·10	·08		·09	15
16	·05			·20		·02			·27	·05		·11	16
17	·21			·05			1·12	·02				·28	17
18	·35			·10		·06	·05		·67			·42	18
19	·17		·04	·39		·06	·03	·02		·13		43	19
20	·05	·06		·06		·04	·90		·10	·13		·03	20
21	·04	·01				·06	·02		·35	·02			21
22	·03			·05		·04	·04		·10	·03		·41	22
23	·12			·01	·38		·03	·04	·09				23
24		·29		·03	·02		·02		·13		·14		24
25						·47	·04	·12		·01		·07	25
26				·01			·74	·12	·01		·13	·12	26
27				·27			·06	·30	·04	·05	·03	·24	27
28		·13	·19	·01			·02	·07			·09	·35	28
29			·02						1·00		·05	·03	29
30		X	·22					·06	·26		·12	·07	30
31		X	·01	X		X			X	·08	X	·13	31
Total	2·19	1·45	·79	3·42	1·18	·92	3·96	1·86	5·18	2·58	2·37	4·03	YEAR'S TOTAL 29·93
Rain Days	17	16	11	19	9	10	18	13	22	18	13	26	192

W, 6,500, VII. 18. w w c

1377

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

16 VI 20

Kept at Reepham

in the County of Norfolk

by Rev A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·06	-	-	·14	-	·17	·03	-	·34	·06	·63	1
2	·13	·03	·06	-	·03	-	·10	-	·04	·01	·55	·73	2
3	·36	-	·11	·	-	-	·13	-	·08	-	·16	·03	3
4	·07	-	·17	-	-	·03	·01	·06	-	·01	·03	·17	4
5	·58	·03	·02	-	·01	·02	-	·	·09	-	-	·08	5
6	-	-	·14	·	·	-	-	-	·	-	·10	·24	6
7	-	-	·26	·	·02	-	·04	·	·	-	·17	·34	7
8	·08	-	·02	·04	-	-	·01	·	·	·04	·04	·07	8
9	-	-	·03	·03	-	-	-	·	·	·12	·05	-	9
10	·03	·	·14	·04	·02	-	·	·	-	·48	·10	-	10
11	·05	·	·21	·04	·03	·	·60	·	·10	·06	·335	·13	11
12	·14	-	·11	·08	-	·16	·13	·	·01	-	·	-	12
13	·06	·	-	·16	·	·01	·10	·	·01	·08	·11	-	13
14	43	·05	·02	·36	-	·	·07	·	·11	-	·06	·02	14
15	·30	-	·03	·34	-	·	·06	·	·01	·30	·09	·08	15
16	·11	·76	·03	·09	-	·	-	·01	-	·18	·03	·10	16
17	-	·75	·04	·04	·15	·	-	·	·	-	·26	·04	17
18	·04	·18	-	·	-	·	-	·16	-	-	·01	·16	18
19	·03	·08	·17	-	-	·16	·05	·11	·52	-	·14	·03	19
20	·22	·04	·18	-	-	·38	·40	·35	·07	-	-	·03	20
21	03	·29	·07	·	-	·01	·44	·01	-	-	-	·16	21
22	-	·15	·11	·	-	·01	·22	-	·35	·	·05	·30	22
23	·01	·01	-	·	-	·02	·21	·13	·04	-	·01	·07	23
24	-	-	·01	·03	·03	·15	·06	-	·01	·03	-	·03	24
25	·04	·	-	·09	·43	·11	·01	·26	-	·01	-	·05	25
26	·15	39	·31	·17	·03	·09	-	·20	·09	·48	-	·40	26
27	-	·16	·06	·10	-	·01	·04	·01	-	·57	·06	·02	27
28	·04	-	-	·09	-	·02	·06	·97	·03	·73	·03	·32	28
29	·03		-	·19	·	·18	·03	·11	-	·17	·24	·15	29
30	·02		·09	·19	·	·25	-	·03	-	·17	·15	·21	30
31	·03		·		·		-	-		·13		·16	31
TOTAL	3·15	2·98	2·39	2·08	·89	1·61	2·94	2·44	1·56	3·91	2·83	4·75	YEAR'S TOTAL 31·53 ✓
Days with ·01 in. or more	24	14	23	17	10	16	21	14	15	18	23	27	222 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E. - W. - 35

1301

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Reepham

in the County of Norfolk

by Rev A.W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·	·	·01	·10	·	·17	·	·08	·59	·01	·02	1
2	·	·	·05	·	·01	·	·07	·22	·05	·	·	·20	2
3	·	·03	·	·20	·02	·02	·06	·01	·04	·02	·	·10	3
4	·	·	·05	·36	·17	·	·07	·05	·	·	·	·25	4
5	·	·	·07	·07	·04	·	·19	·10	·11	·	·	·13	5
6	·	·	·18	·	·02	·01	·66	·17	·03	·	·01	·04	6
7	·04	·	·14	·16	·	·	·14	·01	·	·	·	·10	7
8	·	·01	·02	·37	·06	·	·03	·16	·	·01	·01	·03	8
9	·23	·08	·	·36	·	·	·04	·12	·	·	·	·09	9
10	·18	·06	·08	·09	·	·	·02	·	·	·	·02	·14	10
11	·27	·05	·02	·18	·02	·	·06	·	·	·	·	·20	11
12	·12	·	·09	·17	·	·03	·15	·	·	·	·	·10	12
13	·08	·02	·03	·08	·	·54	·	·	·08	·	·02	·07	13
14	·03	·05	·25	·10	·	·24	·05	·	·12	·02	·24	·04	14
15	·	·	·31	·10	·	·	·02	·	·18	·65	·21	·04	15
16	·	·	·02	·08	·04	·	·	·	·50	·10	·	·12	16
17	·01	·	·03	·04	·16	·	·04	·	·05	·03	·	·20	17
18	·03	·	·	·03	·10	·22	·	·30	·31	·	·02	·09	18
19	·17	·01	·	·19	·01	·	·	·65	·	·	·	·02	19
20	·14	·36	·	·10	·	·48	·	·03	·04	·	·	·01	20
21	·	·02	·	·04	·	·	·42	·18	·19	·	·	·10	21
22	·01	·01	·	·07	·	·	·01	·16	·23	·	·	·02	22
23	·	·	·	·	·	·	·44	·	·01	·	·	·18	23
24	·	·01	·15	·02	·	·	·19	·	·02	·01	·01	·11	24
25	·	·08	·02	·05	·	·15	·23	·	·02	·	·02	·01	25
26	·07	·02	·	·18	·60	·02	·15	·	·	·	·	·	26
27	·17	·11	·	·19	·05	·37	·	·	·	·	·06	·09	27
28	·50	·	·	·28	·13	·02	·04	·	·	·	·12	·05	28
29	·64	·	·03	·01	·92	·	·28	·	·	·	·11	·21	29
30	·	×	·	·13	·09	·02	·17	·04	·08	·	·16	·16	30
31	·12	×	·	×	:	×	·	·07	×	·04	×	·24	31
TOTAL	2·25	·92	1·54	3·58	2·54	2·12	3·70	2·27	2·14	1·47	1·02	3·16	YEAR'S TOTAL 26·71
Days with ·01 in. or more	18	15	17	27	17	12	24	15	18	9	14	30	216
Days with ·04 in. or more	14	7	10	23	12	6	20	12	14	4	6	24	152

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

RIDDLESWORTH HALL GDNS.

NORFOLK

1911 — 1914

RI

FORM A2. BRITISH RAINFALL.
9 - JAN 1912

Kept at Riddleswor
in the County of Nor
by H Simps

wder
in.
Ground 1 ft. — in.
Sea Level — ft.
Name Thetford
Distance 7 miles Direction SW

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the reac ear in the space provided for it at the end of this ment of rain, the selection and placin itish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	—	·06	·05	—	—	—	·17	—	·24	·02	—	1
2	·31	—	—	—	·16	—	·20	—	—	—	·07	·19	2
3	·04	—	—	—	·11	—	—	—	—	·04	·02	—	3
4	·02	—	·10	·15	—	—	—	—	—	—	·06	·11	4
5	·03	—	—	·07	—	—	—	—	—	·11	—	·14	5
6	·20	—	·02	·05	—	—	—	—	—	—	—	·11	6
7	—	—	—	—	—	—	—	—	·05	—	·35	·24	7
8	·18	·02	·18	—	—	—	—	—	—	—	·09	—	8
9	·15	—	·11	—	—	—	—	—	—	—	·08	·10	9
10	—	·10	—	—	—	—	—	—	—	—	·01	·29	10
11	·28	·34	·08	—	—	—	—	—	—	—	·37	—	11
12	·01	—	·41	—	—	—	—	—	·05	—	—	—	12
13	·03	—	·43	—	·25	·14	—	—	·21	·60	—	·09	13
14	—	—	·23	—	·38	—	—	—	—	—	—	·18	14
15	—	·02	·31	—	—	—	—	—	—	·02	·14	—	15
16	—	—	—	—	—	·44	—	—	—	—	·21	·04	16
17	—	·20	—	—	—	—	—	—	—	—	·06	·10	17
18	—	—	—	—	—	·37	—	—	—	—	1·15	·04	18
19	—	—	—	—	—	·47	—	—	—	—	·71	·02	19
20	—	—	—	—	—	·05	—	·09	·08	—	·08	·41	20
21	—	·16	—	—	—	·03	—	·16	—	·15	·02	·18	21
22	—	—	·15	—	—	—	—	·10	—	·12	·03	·31	22
23	—	·10	·09	—	·04	1·10	—	—	·35	—	—	·09	23
24	—	·06	·07	—	—	·13	·11	—	—	·54	—	·17	24
25	—	—	—	·11	—	—	·14	—	—	—	·06	·03	25
26	—	—	—	·13	—	—	·06	—	—	·19	—	·34	26
27	—	·28	·13	·16	—	—	—	—	·16	—	—	·01	27
28	—	·17	—	—	—	—	—	—	—	—	—	·11	28
29	—		—	·36	—	·30	—	—	·47	·48	—	—	29
30	—		—	—	—	·03	—	·11	·41	·08	—	—	30
31	—		—		—		—	—		—		·03	31
Total	1·39	1·45	2·37	1·08	·94	3·06	·51	·63	1·78	2·57	3·53	3·33	TOTAL for year 22·64 ✓
No. of Rain Days.	11	10	14	8	5	10	4	5	8	11	18	23	127

W. 8,000, X. '11.

REGISTER OF RAINFA

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Riddlesworth Hall Gardens

in the County of Norfolk 4

by H Simpson

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level — ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Thetford
Distance 7 miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	—	·06	·05	—	—	—	·17	—	·24	·02	—	1
2	·31	—	—	—	·16	—	·20	—	—	—	·07	·19	2
3	·04	—	—	—	·11	—	—	—	—	·04	·02	—	3
4	·02	—	·10	·15	—	—	—	—	—	—	·06	·11	4
5	·03	—	—	·07	—	—	—	—	—	·11	—	·14	5
6	·20	—	·02	·05	—	—	—	—	—	—	—	·11	6
7	—	—	—	—	—	—	—	—	·05	—	·35	·24	7
8	·18	·02	·18	—	—	—	—	—	—	—	·09	—	8
9	·15	—	·11	—	—	—	—	—	—	—	·08	·10	9
10	—	·10	—	—	—	—	—	—	—	—	·01	·29	10
11	·28	·34	·08	—	—	—	—	—	—	—	·37	—	11
12	·01	—	·41	—	—	—	—	—	·05	—	—	—	12
13	·03	—	·43	—	·25	·14	—	—	·21	·60	—	·09	13
14	—	—	·23	—	·38	—	—	—	—	—	—	·18	14
15	—	·02	·31	—	—	—	—	—	—	·02	·14	—	15
16	—	—	—	—	—	·44	—	—	—	—	·21	·04	16
17	—	·20	—	—	—	—	—	—	—	—	·06	·10	17
18	—	—	—	—	—	·37	—	—	—	—	1·15	·04	18
19	—	—	—	—	—	·47	—	—	—	—	·71	·02	19
20	—	—	—	—	—	·05	—	·09	·08	—	·08	·41	20
21	—	·16	—	—	—	·03	—	·16	—	·15	·02	·18	21
22	—	—	·15	—	—	—	—	·10	—	·12	·03	·31	22
23	—	·10	·09	—	·04	1·10	—	—	·35	—	—	·09	23
24	—	·06	·07	—	—	·13	·11	—	—	·54	—	·17	24
25	—	—	—	·11	—	—	·14	—	—	—	·06	·03	25
26	—	—	—	·13	—	—	·06	—	—	·19	—	·34	26
27	—	·28	·13	·16	—	—	—	—	·16	—	—	·01	27
28	—	·17	—	—	—	—	—	—	—	—	—	·11	28
29	—		—	·36	—	·30	—	—	·47	·48	—	—	29
30	—		—	—	—	·03	—	·11	·41	·08	—	—	30
31	—		—		—		—	—		—		·03	31
Total	1·39	1·45	2·37	1·08	·94	3·06	·51	·63	1·78	2·57	3·53	3·33	TOTAL for year 22·64 ✓
No. of Rain Days.	11	10	14	8	5	10	4	5	8	11	18	23	127 ✓

W. 8,000, X. '11.

[illegible] Ex. Hb

FORM A2.
BRITISH RAINFALL.

10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Riddlesworth Hall Gardens

in the County of Norfolk 4

by H Simpson

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Harling Road
Distance 6 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	·03	—	·09	·14	—	·15	—	—	·27	1
2	—	·04	—	—	·04	—	·34	—	—	—	—	·01	2
3	·18	·04	·03	—	·10	·23	—	·06	·03	—	—	·08	3
4	·08	—	·51	—	—	·24	—	·12	—	—	·21	—	4
5	—	—	·15	—	—	—	—	·06	—	—	·02	—	5
6	·83	·15	—	—	·03	·38	·39	·10	·20	—	—	·01	6
7	·07	—	—	—	·03	·12	·09	·04	·10	—	—	—	7
8	·20	·13	·03	·06	—	·12	—	·09	·22	—	—	—	8
9	—	—	—	·19	·06	·20	—	—	—	—	—	·30	9
10	—	—	—	—	—	—	—	·10	·24	—	·24	—	10
11	—	·05	—	—	—	—	—	—	·09	—	·14	·16	11
12	·10	·03	·11	—	·05	·14	—	—	—	—	·59	—	12
13	—	·11	·07	—	—	·06	—	—	—	—	·35	·01	13
14	—	—	—	—	·03	·07	—	·05	—	—	·07	·14	14
15	—	·02	·20	—	·26	·19	—	—	—	·02	—	·06	15
16	—	—	—	—	·24	·05	—	·09	—	·12	—	—	16
17	·28	—	·04	—	—	·25	—	·06	—	·04	·02	—	17
18	·01	·03	·19	—	—	—	—	·02	—	—	—	·17	18
19	—	—	·06	—	—	—	·71	·13	—	·02	—	—	19
20	·09	·04	·21	—	·14	—	—	·06	—	·38	—	—	20
21	—	—	·03	—	—	—	·14	·41	—	·15	·03	—	21
22	·26	·10	·21	—	·32	—	·65	·11	—	—	—	·07	22
23	·45	·45	—	—	—	—	—	·57	·04	—	·28	·01	23
24	·16	·03	·23	—	—	·02	·04	·02	—	—	·21	—	24
25	—	—	—	—	—	·10	·16	1·05	—	—	·23	·42	25
26	—	—	—	—	—	·12	~~[illegible]~~	3·58	—	·33	·13	·23	26
27	—	—	—	—	—	—	·02	·02	—	·04	·25	·25	27
28	—	·03	—	—	—	—	·02	·32	—	·28	—	·22	28
29	—	—	—	—	·10	·06	·17	·22	·72	·04	—	—	29
30	—		—	—	—	—	—	—	·73	·12	—	—	30
31	—		·14		·02		·06	·18		·05		·07	31
Total	2·71	1·25	2·31	·28	1·42	2·44	2·93	7·96	2·52	1·59	2·77	2·48	TOTAL for year 30·66 ✓
No. of Rain Days.	12	14	16	3	13	17	13	23	10	12	14	17	164 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Riddlesworth Hall Gardens
in the County of Norfolk 4
by H. Simpson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Thetford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·19	·12	·15	—	—	—	—	·24	—	—	—	1
2	·08	·15	—	—	·08	—	·13	—	·01	—	—	—	2
3	·06	—	·25	—	·59	—	—	—	—	·09	·09	—	3
4	—	—	—	—	·06	—	—	—	—	·25	—	·15	4
5	·05	—	—	—	—	—	·01	—	—	·72	—	—	5
6	—	·02	·05	—	·23	—	—	—	—	·04	·02	—	6
7	—	—	—	—		·10	—	—	—	·44	—	—	7
8	—	—	—	—	·24	·18	—	—	—	—	·07	—	8
9	—	·18	·03	—	·20	·25	—	—	—	—	·03	—	9
10	—	—		·09	—	—	—	—	—	—	—	—	10
11	·50	—		·54	—	—	—	·72	—	—	·47	—	11
12	—	—		—	—	—	—	—	—	—	·09	—	12
13	—	—		—	—	—	—	·04	—	—	·82	—	13
14	—	—	·05	·04	—	—	·19	—	—	·23	·05	—	14
15	·17	—	·21	·07	—	—	·30	—	·09	—	·02	—	15
16	·08	—	·25	·12	—	—	—	—	·34	—	·06	·03	16
17	—	—	·19	—	—	·88	·11	—	—	—	—	·04	17
18	·10	—	·02	·05	—	—	·05	—	—	—	—	—	18
19	·04	—	·09	—	—	—	—	—	—	—	—	·06	19
20	·18	—	·03	—	—	·03	—	—	·93	·24	—	—	20
21	·07	—	·09	—	—	—	·14	—	—	·30	·22	—	21
22	·18	—	—	—	—	—	·14	—	—	—	—	—	22
23	—	—	—	—	—	—	·02	·19	—	—	—	—	23
24	·05	—	—	—	—	·21	—	·02	—	—	—	—	24
25	—	—	—	·14	—	·03	—	—	—	—	—	—	25
26	—	·05	·04	—	—	—	—	—	—	·71	—	·13	26
27	—	·06	—	—	·27	—	—	—	—	—	—	—	27
28	·17	—	·08	·07	—	·01	—	—	—	·13	—	—	28
29	·29	—	·13	·24	·12		—	·03	—	—	—	·05	29
30	·19	—	—	·21	—	—	—	·02	—	—	·17	·07	30
31	—		—		—		—	·22		·05		—	31
Total	2·31	·65	1·63	1·72	1·79	1·69	1·09	1·24	1·61	3·20	2·11	·53	YEAR'S TOTAL 19·57
Rain Days.	16	6	15	11	8	8	9	7	5	11	12	7	115

W. 7,500, XI. ·12

[illegible] 17.V.15 ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - APR 1915

Kept at Riddlesworth Hall Gdns
in the County of Norfolk 4
by D Simpson

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Harling Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 78 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·15	—	—	·12	—	1
2	—	—	—	·04	—	—	—	·03	—	—	·08	—	2
3	—	—	·10	—	·08	—	·41	—	—	—	—	—	3
4	·17	—	·01	·15	—	—	—	—	—	—	·22	·10	4
5	—	—	·18	·08	—	—	·10	·08	—	—	—	—	5
6	—	—	—	—	·12	—	—	—	—	—	—	·06	6
7	—	·06	·36	—	·18	·19	—	—	—	—	—	·13	7
8	·36	·10	·33	·03	·23	·54	—	·15	·06	—	—	—	8
9	·36	—	·48	—	·04	·50	—	—	—	—	—	·83	9
10	·39	·04	·03	·12	·01	—	—	—	—	—	—	—	10
11	—	·35	·36	—	·06	·09	—	—	·05	—	·36	·29	11
12	·01	—	·06	—	—	—	—	—	·30	—	—	·40	12
13	·01	·19	·20	—	—	—	—	—	—	—	·14	·29	13
14	—	—	·15	—	—	—	—	—	—	·63	—	·33	14
15	·06	—	·26	—	—	—	·60	—	—	—	·24	·36	15
16	·04	—	·08	—	—	—	·27	—	—	—	—	—	16
17	—	·32	—	—	—	—	—	—	·08	—	—	·13	17
18	—	·19	·01	—	—	—	—	—	—	—	·02	·46	18
19	—	·11	·11	—	—	1·73	—	—	·01	—	·25	—	19
20	—	—	·38	—	—	—	—	·09	·39	—	—	—	20
21	—	·18	·25	—	—	·10	—	·09	—	—	—	·07	21
22	—	—	·01	·11	·13	·06	·37	—	—	·48	—	—	22
23	—	—	·06	—	—	—	—	—	—	·05	—	—	23
24	—	—	—	·10	—	—	—	—	—	·07	·10	—	24
25	—	·09	—	—	—	—	—	—	—	·63	—	—	25
26	—	—	—	—	—	—	—	—	—	·02	—	·16	26
27	—	—	—	—	—	—	—	—	—	—	—	·30	27
28	—	·01	—	—	—	—	—	—	—	·13	·58	1·32	28
29	—	—	—	—	—	—	—	—	—	·33	·12	—	29
30	—	X	·09	—	—	—	—	—	—	—	·15	·05	30
31	—	X	—	X	·09	X	·25	—	X	—	X	·06	31
Total	1·40	1·64	3·51	0·63	0·94	3·21 3·21	2·00	0·59	0·89	2·34	2·38	5·34	YEAR'S TOTAL 24·87
Rain Days.	8	11	20	7	9	7	6	6	6	8	12	17	24·8 ~~117~~

W. 8,000. X. 14.

WD

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

ROCKLAND ST. MARY

NORFOLK

1911 — 1912

Kept at Rockl

in the County of N

by the Res J. K

in.

Ground 41 ft. — in.

Sea Level 35 ft. ??

M

Name Trowse

Distance 4½ Direction NW

IMPORTANT NO the result entered to the previous day. If an O rsal rule, he is earnestly requested to add the re ar in the space provided for it at the end of th ent of rain, the selection and plac British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61									·53	·02	[illegible]	1
2	·25		·08				-	·12		·10		·03	2
3		·01		·10	·10	·14	·12			·02	·06	·18	3
4	·10	·01	·11	·15	·20		-			·18	·03	·02	4
5		·01	·08	·25			-		·04	·03	·14	·03	5
6	·27			·15			-			·17		·26	6
7		·01					-			·04	·03	·20	7
8	·18	·02	·18				-				·15	·38	8
9							-		·03		·05	·12	9
10	·10	·02	·08	·06			-				·03		10
11	·06	·07					-	·03			·06	·55	11
12	·41	·50	·42				-				·40		12
13	·02		·12		·04	·08	-				·01		13
14			·29		·90		-		·20	·38	·01	·12	14
15	·02	·02	·31				-		·01				15
16		·10	·08				·01		·04	·02	·20	·10	16
17			·13			·31	-		·04		·29	·11	17
18		·27				·05	-				·03	·11	18
19		·08		·10		·70	-				1·10	·09	19
20							-	·02	·03		·25	·10 ~~·46~~	20
21		·12		·15			-	·09	·07	·03	·06	·46 ~~·08~~	21
22		·10				·16	-	·11		·14		·08 ~~·43~~	22
23			·50			·83	-	·01	·02	·12		~~·43~~	23
24		·08	·10		·03	·34	-		·33			·10	24
25			·10			·04	·21			1·02		·18	25
26				·65			·36				·20	·68	26
27		·23		·05 ~~·10~~			-			·25	·05	·40	27
28		·15					·02		·31			·02	28
29							·04	·08		·03		·05	29
30			·08		·12		·03		·45	·37			30
31							-			·11			31
Total	~~2·02~~ 1·41	1·80	2·66	1·66	1·39	2·65	·79	·46	·53 ~~1·57~~ 2·10	·02 ~~3·54~~ 3·03	~~3·17~~ 3·15	4·20	TOTAL for year 25·30
No. of Rain Days.	~~10~~ 9	17	15	9	6	9	7	~~8~~ 7	~~12~~ 13	17 ✓	~~20~~ 19	24	152

W. 8,000, X. '11.

WD and [illegible]

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
5 - JAN 1912

Kept at Rockland St Mary

in the County of Norfolk

by the Rev J. K. Swinburne

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground ~~4~~ 1 ft. — in.
" " " Sea Level 35 ft. ??

Time of Observation 9 AM

Nearest Railway Station Name Trowse
Distance 4½ Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61									·53	·02	[illegible]	1
2	·25		·08				–	·12		·10		·03	2
3		·01		·10	·10	·14	·12			·02	·06	·18	3
4	·10	·01	·11	·15	·20		–			·18	·03	·02	4
5		·01	·08	·25			–		·04	·03	·14	·03	5
6	·27			·15			–			·17		·26	6
7		·01					–			·04	·03	·20	7
8	·18	·02	·18				–				·15	·38	8
9							–		·03		·05	·12	9
10	·10	·02	·08	·06			–				·03		10
11	·06	·07					–	·03			·06	·55	11
12	·41	·50	·42				–				·40		12
13	·02		·12		·04	·08	–				·01		13
14			·29		·90		–		·20	·38	·01	·12	14
15	·02	·02	·31				–		·01				15
16		·10	·08				·01		·04	·02	·20	·10	16
17			·13			·31	–		·04		·29	·11	17
18		·27				·05	–				·03	·11	18
19		·08		·10		·70	–				1·10	·09	19
20							–	·02	·03		·25	·10 ~~·46~~	20
21		·12		·15			–	·09	·07	·03	·06	·46 ~~·08~~	21
22		·10				·16	–	·11		·14		·08 ~~·43~~	22
23			·50			·83	–	·01	·02	·12		·43	23
24		·08	·10		·03	·34	–		·33			·10	24
25			·10			·04	·21			1·02		·18	25
26				·65			·36				·20	·68	26
27		·23		~~·10~~ ·05			–			·25	·05	·40	27
28		·15					·02		·31			·02	28
29							·04	·08		·03		·05	29
30			·08		·12		·03		·45	·37			30
31							–			·11			31
Total	~~2·02~~ 1·41	1·80	2·66	1·66	1·39	2·65	·79	·46	·53 ~~1·57~~ 2·10	~~·02~~ ~~3·54~~ 3·03	~~3·17~~ 3·15	4·20	TOTAL for year 25·30
No. of Rain Days.	~~10~~ 9	17	15	9	6	9	7	~~8~~ 7	~~12~~ 13	17	~~20~~ 19	24	152

W. 8,000, X. '11.

[illegible] 24.12.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

15 APR 1913

Kept at Rockland St Mary Rectory
in the County of Norfolk
by Rev J. K. [illegible]

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·15		·07	·06			·75		·25	1
2		·16	·66	·03		·11	·48			·02	·10	·02	2
3		·10	·04	·04	·01	·02	·30		·06	·05	·01	·07	3
4	·17	·09			·04	·36	·01	·03		·01	·12		4
5	·15		·65 ~~·04~~	·04	·04	·14	·08				·01	·02	5
6	·01	·10	·20			·10							6
7	·80	·01			·05	·73	·26	·40				·02	7
8		·01			·03	·25	·	·19					8
9	·20		·62			·03	·05	·20	·50			·	9
10		·10	[illegible]	·17	·02	·05			·27		·13	·31	10
11			[illegible]	·01					·07		·58	·03	11
12			·06	·04					·05		·57	·13	12
13			·05		·07	·33					·35	·03	13
14	·05	·07				·05	·15		·03		·09	·15	14
15		·01	·16			·06				·07	·02	·02	15
16		·02	·03		·30	·15					·01		16
17			·25		·05	·10				·10	·02		17
18	·05		·15			·11			·05		·05	·15	18
19	·20		·12				·80			·10	·02		19
20	·04	·05	·03				·27			·05		—	20
21	·04	·02	·17		·11					·33	·01		21
22	·06		·06				·06	1·05		·13		·04	22
23	·04	·10	·23		·01		·70	·30			·18	·01	23
24	·41	·41	·05				·01	·37	·02	·01		·12	24
25	·04					·18	·25				·22	·27	25
26	·02					·21	·06	7·35		·22	·12	·21	26
27	·02	·02				·04	·18	·27		·12	·06	·16	27
28							·02	·08		·32	·20	·23	28
29			~~·35~~	·05	·03		·10	·17		·06	·10	—	29
30						·08	·06	·07	·39	·18	·03	—	30
31	·11						·05	·08		·18		·05	31
Total	2·41	1·28	2·53	·53	·76	3·17	3·95	10·56	1·44	2·70	3·00	2·29	TOTAL for year 34·22 34·42
No. of Rain Days	17	16	17	8	12	20	20	14	9	17	22	20	192

7,000. X. '09.

Section A **for th** ation No.

METFORM 1090 (*Rev. Feb. 1965*) 11

Kept at Sand

in the County of

Diameter of funnel of gaug

Height of top of gauge abo

Height of ground above se

THE MORNING MEASU AY

An observer who does not c *of the following*

year in the space on the righ erleaf

PY.

Jan. 1, following

SANDRINGHAM

ROYAL GDNS

NORFOLK

1911 — 1920

Date	Jan.	Feb.	Ma								Nov.	Dec.		*Date*
	in.	in.	in								in.	in.	†	
1	·07	—	·0			—	·02	—	—	·27	—	·02		1
2	·45	—	·08	—	·15	·05	—	·02	·01	·03	·10	·14		2
3	·04	·05	—	·06	·11	·36	—	·03	—	·26	·02	·08		3
4	·06	·05	·20	·09	—	—	—	—	·15	·11	·19	·11		4
5	·03	·02	—	·06	—	—	—	·19	—	·27	·02	·31		5
6	·39	—	·02	·02	—	—	—	·02	—	·26	·03	·12		6
7	·05	·03	—	·01	—	—	—	—	—	—	·15	·40		7
8	·24	·02	·13	—	—	—	—	—	·05	·04	·10	·07		8
9	·08	—	·16	·02	—	—	—	—	—	·06	·01	·02		9
10	·02	·06	·19	—	—	—	—	·07	—	·01	·04	·29		10
11	·47	·45	—	—	—	—	—	·02	—	—	·30	—		11
12	·07	·01	·68	—	·05	—	—	—	—	—	·06	·03		12
13	·08	—	·42	—	—	·25	—	—	·03	·05	·03	·11		13
14	—	·12	·24	—	·78	—	—	—	·27	—	·01	·19		14
15	—	·17	·30	—	—	—	—	—	·06	·02	·14	·16		15
16	—	·02	·05	—	—	·22	—	—	·32	·01	·39	·12		16
17	·03	—	·01	—	—	·05	—	—	·03	·01	·11	·13		17
18	—	·15	—	—	—	·13	—	—	—	·02	1·15	·03		18
19	—	·02	—	—	·02	·53	·03	—	·11	·01	·56	·01		19
20	·02	—	—	—	—	—	—	·06	·30	·02	·17	·30		20
21	—	·20	—	·03	—	·07	—	·39	·10	·03	·06	·09		21
22	·03	·14	—	·01	—	·01	—	·12	—	·25	·03	·28		22
23	·02	·02	·60	—	—	1·78	·01	·05	·43	—	·01	·13		23
24	—	·11	·03	·01	—	·36	—	·01	—	·61	—	·04		24
25	—	·18	·04	·22	·01	·18	—	·05	—	·02	·12	·10		25
26	—	—	—	·10	—	—	·02	·02	—	·31	·32	·38		26
27	—	·16	·13	·22	—	—	—	·03	·44	·16	·08	·05		27
28	—	·24	—	·31	—	·13	—	·25	—	·03	·03	·11		28
29	—	X	—	·17	—	·13	·20	—	·47	·49	·01	·03		29
30	—	X	·02	·03	·23	·02	—	—	·45	·29	—	·01		30
31	—	X	·02	X	—	X	—	—	X	·09	X	·07		31
TOTAL	2·15	2·22	3·35	1·36	1·35	4·27	·28	1·33	3·22	3·73	4·24	3·93	Year's Total 31·43	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section A **for th** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1911

Kept at Sandringha Gdns.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	·03	—	—	—	·02	—	—	·27	—	·02		1
2	·45	—	·08	—	·15	·05	—	·02	·01	·03	·10	·14		2
3	·04	·05	—	·06	·11	·36	—	·03	—	·26	·02	·08		3
4	·06	·05	·20	·09	—	—	—	—	·15	·11	·19	·11		4
5	·03	·02	—	·06	—	—	—	·19	—	·27	·02	·31		5
6	·39	—	·02	·02	—	—	—	·02	—	·26	·03	·12		6
7	·05	·03	—	·01	—	—	—	—	—	—	·15	·40		7
8	·24	·02	·13	—	—	—	—	—	·05	·04	·10	·07		8
9	·08	—	·16	·02	—	—	—	—	—	·06	·01	·02		9
10	·02	·06	·19	—	—	—	—	·07	—	·01	·04	·29		10
11	·47	·45	—	—	—	—	—	·02	—	—	·30	—		11
12	·07	·01	·68	—	·05	—	—	—	—	—	·06	·03		12
13	·08	—	·42	—	—	·25	—	—	·03	·05	·03	·11		13
14	—	·12	·24	—	·78	—	—	—	·27	—	·01	·19		14
15	—	·17	·30	—	—	—	—	—	·06	·02	·14	·16		15
16	—	·02	·05	—	—	·22	—	—	·32	·01	·39	·12		16
17	·03	—	·01	—	—	·05	—	—	·03	·01	·11	·13		17
18	—	·15	—	—	—	·13	—	—	—	·02	1·15	·03		18
19	—	·02	—	—	·02	·53	·03	—	·11	·01	·56	·01		19
20	·02	—	—	—	—	—	—	·06	·30	·02	·17	·30		20
21	—	·20	—	·03	—	·07	—	·39	·10	·03	·06	·09		21
22	·03	·14	—	·01	—	·01	—	·12	—	·25	·03	·28		22
23	·02	·02	·60	—	—	1·78	·01	·05	·43	—	·01	·13		23
24	—	·11	·03	·01	—	·36	—	·01	—	·61	—	·04		24
25	—	·18	·04	·22	·01	·18	—	·05	—	·02	·12	·10		25
26	—	—	—	·10	—	—	·02	·02	—	·31	·32	·38		26
27	—	·16	·13	·22	—	—	—	·03	·44	·16	·08	·05		27
28	—	·24	—	·31	—	·13	—	·25	—	·03	·03	·11		28
29	—	X	—	·17	—	·13	·20	—	·47	·49	·01	·03		29
30	—	x	·02	·03	·23	·02	—	—	·45	·29	—	·01		30
31	—	x	·02	x	—	x	—	—	x	·09	x	·07		31
TOTAL	2·15	2·22	3·35	1·36	1·35	4·27	·28	1·33	3·22	3·73	4·24	3·93	Year's Total 31·43	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Cor. for wrong day. 25.1.12 Esc. F. C.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

23 APR 1912

Kept at Royal Gdns Sandringham

in the County of Norfolk 3

by J. H. Cook

RAIN GAUGE Pattern

Diameter of top in.

Height of top above Ground ft. in.

" " " Sea Level 121 ft. 1443

Time of Observation

Nearest Railway Station Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·24	·12	·03	—	·02	—	—	·45	·09	—	1
2	·04	—	·03	—	—	—	·02	—	—	·24	—	·02	2
3	·45	—	·08	—	·15	·05	—	·02	·01	·03	·10	·14	3
4	·04	·05	—	·06	·11	·36	—	·03	—	·26	·02	·08	4
5	·06	·05	·20	·09	—	—	—	—	·15	·11	·19	·11	5
6	·03	·02	—	·06	—	—	—	·19	—	·24	·02	·31	6
7	·39	—	·02	·02	—	—	—	·02	—	·26	·03	·12	7
8	·05	·03	—	·01	—	—	—	—	—	—	·15	·40	8
9	·24	·02	·13	—	—	—	—	—	·05	·04	·10	·04	9
10	·08	—	·16	·02	—	—	—	—	—	·06	·01	·02	10
11	·02	·06	·19	—	—	—	—	·04	—	·01	·04	·29	11
12	·44	·45	—	—	—	—	—	·02	—	—	·30	—	12
13	·04	·01	·68	—	·05	—	—	—	[illegible]	—	·06	·03	13
14	·08	—	·42	—	—	·25	—	—	·03	·05	·03	·11	14
15	—	·12	·24	—	·48	—	—	—	·24	—	·01	·19	15
16	—	·14	·30	—	—	—	—	—	·06	·02	·14	·16	16
17	—	·12	·05	—	—	·22	—	—	·32	·01	·39	·12	17
18	·03	—	·01	—	—	·05	—	—	·03	·01	·11	·13	18
19	—	·15	—	—	—	·13	—	—	—	·02	1·15	·03	19
20	—	·02	—	—	·02	·53	·03	—	·11	·01	·56	·01	20
21	·02	—	—	—	—	—	—	·06	·30	·02	·14	·30	21
22	—	·20	—	·03	—	·04	—	·39	·10	·03	·06	·09	22
23	·13	·14	—	·01	—	·01	—	·12	—	·25	·03	·28	23
24	·12	·02	·60	—	—	1·48	·01	·05	·43	—	·01	·13	24
25	—	·11	·03	·01	—	·36	—	·01	—	·61	—	·04	25
26	—	·18	·04	·22	·01	·18	—	·05	—	·02	·12	·10	26
27	—	—	—	·10	—	—	·02	·02	—	·31	·32	·38	27
28	—	·16	·13	·22	—	—	—	·03	·44	·16	·08	·03	28
29	—	X	—	·31	—	·13	—	·25	—	·03	·03	·11	29
30	—	X	—	·14	—	·13	·20	—	·47	·49	·01	·03	30
31	—		·02	X	·23	X	—	—	X	·29	X	·01	31
Total	— ~~2·14~~	·24 ~~1·98~~	·02 ~~3·54~~	·03 ~~1·35~~	— 1·38	·02 ~~4·25~~	— ·30	1·33	·45 2·44	·09 4·09	— ~~4·33~~	·07 ~~3·86~~	TOTAL for year
No. of Rain Days.	~~18~~ 17	~~19~~ 20	19	15	~~8~~ 7	~~14~~ 15	~~6~~ 5	15	~~14~~ 15	26	~~28~~ 27	~~29~~ 30	38 [illegible]
W. 8,000, X.	2·15	2·22	3·35	1·36	1·35	4·27	·28	1·33	3·22	3·73	4·55	3·93	31·48

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 12

Kept at Sandringham Gdns.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·02	–	·15	·20	–	·15	·01	–	·33		1
2	·01	·05	–	·05	·02	·01	·67	·01	–	·08	–	·03		2
3	·21	·01	·11	–	·03	·68	·15	·08	·08	·07	–	·12		3
4	·04	·07	·63	–	·04	·12	–	·04	–	–	·40	·01		4
5	·02	·09	·49	–	·02	·02	–	·07	·03	–	·04	–		5
6	·66	·03	·01	–	–	·30	·54	·13	·46	–	–	·03		6
7	·10	·04	·03	–	–	·52	·01	–	·06	–	–	–		7
8	·20	·06	·13	·04	–	·11	·14	·01	·36	–	–	·01		8
9	·01	–	·01	·11	–	–	–	·03	·01	·01	–	·32		9
10	·02	–	–	·05	–	–	·02	·02	·30	·01	·16	·01		10
11	·10	·02	–	·02	–	·23	–	–	·12	·01	·03	·19		11
12	–	·11	·15	–	·15	–	·16	–	–	–	·71	–		12
13	·10	·10	·10	–	–	–	·13	·19	–	·02	·52	·01		13
14	–	–	–	–	·01	·13	–	·01	·03	·05	·13	·07		14
15	·01	·02	·22	–	·26	·31	–	·06	–	–	·02	·04		15
16	·02	–	·13	–	·01	·21	–	·12	–	·21	·01	–		16
17	·21	–	·62	–	–	·40	–	·10	–	–	·01	·11		17
18	·16	–	·13	–	–	–	·02	·29	–	·09	·01	·05		18
19	·15	·21	·02	–	–	–	·25	·63	·01	·06	·05	·02		19
20	·10	·03	–	–	–	–	·06	·79	–	·28	·01	–		20
Rl 21	–	–	·25	–	·27	–	·22	·33	–	·01	·02	–		21
22	·01	·12	·03	–	·90	·03	·63	·07	·01	–	–	·06		22
23	·11	·28	·22	–	·11	–	·01	1·06	·01	–	·19	·20		23
24	·50	–	·03	–	·01	·16	·04	·40	–	–	·18	·24		24
25	·03	·01	–	–	–	·12	·05	·23	–	–	·20	·24		25
26	·03	·04	·02	–	–	·02	–	2·91	–	·42	·02	·24		26
27	–	–	–	–	·01	–	–	·06	–	·25	–	·08		27
28	–	–	–	·03	–	–	·07	·46	–	·39	·15	·41		28
29	–	–	–	–	·01	·14	·20	·08	·65	·02	·29	–		29
30	·03	X	–	·01	·08	·03	·01	–	·54	·15	–	–		30
31	–	X	·38	X	·07	X	·25	·18	X	·05	X	–		31
TOTAL	2·83	1·29	3·71	·33	2·00	3·69	3·83	8·36	2·82	2·19	3·25	2·82	Year's Total 37·12	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sandringham

in the County of Norfolk 3

by F. A. Cook

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft. 1443

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.38	.01	.04	.03	.25	.18	.54	.05		1
2				.02		.15	.20		.15	.01		.33	2
3	.01	.05		.05	.02	.01	.64	.01		.08		.03	3
4	.21	.01	.11		.03	.68	.15	.08	.08	.04		.12	4
5	.04	.04	.63		.04	.12		.04			.40	.01	5
6	.02	.09	.49		.02	.02		.04	.03		.04		6
7	.66	.03	.01			.30	.54	.13	.46			.03	7
8	.10	.04	.03			.52	.01		.06				8
9	.20	.06	.13	.04		.11	.14	.01	.36			.01	9
10	.01		.01	.11				.03	.01	.01		.32	10
11	.02			.05			.02	.02	.30	.01	.16	.01	11
12	.10	.02		.02		.23			.12	.01	.03	.19	12
13		.11	.15		.15		.16				.41		13
14	.10	.10	.10				.13	.19		.02	.52	.01	14
15					.01	.13		.01	.03	.05	.13	.04	15
16	.01	.02	.22		.26	.31		.06			.02	.04	16
17	.02		.13		.01	.21		.12		.21	.01		17
18	.21		.62			.40		.10			.01	.11	18
19	.16		.13				.02	.29		.09	.01	.05	19
20	.15	.21	.02				.25	.63	.01	.06	.05	.02	20
21	.10	.03					.06	.49		.28	.01		21
22			.25		.24		.22	.33		.01	.12		22
23	.01	.12	.03		.90	.03	.63	.04	.01			.06	23
24	.11	.28	.22		.11		.01	1.06	.01		.19	.20	24
25	.50		.03		.01	.16	.04	.40			.18	.24	25
26	.03	.01				.12	.05	.23			.20	.24	26
27	.03	.04	.02			.02		2.91		.42	.02	.24	27
28					.01			.06		.25		.08	28
29				.03			.04	.46		.39	.15	.41	29
30					.01	.14	.20	.08	.65	.02	.29		30
31	.03				.08		.01			.15			31
Total	– ~~2·90~~ 2·83	– ~~1·29~~ 1·29	.38 ~~3·33~~ 3·71	.01 ~~0·40~~ .33	.07 ~~1·92~~ 2·00	.03 ~~3·43~~ 3·69	.25 ~~3·61~~ 3·83	.18 ~~8·43~~ 8·36	.54 ~~2·46~~ 2·82	.65 ~~2·68~~ 2·19	– ~~3·30~~ 3·25	– ~~2·82~~ 2·82	TOTAL for year 37·12 ~~34·19~~
No. of Rain Days.	~~21~~ 23	14 17	~~19~~ 20	8	16	19	21	26	15	19	~~21~~ 20	~~22~~ 21	227

W. 8,000, X. '11.

Section A **for the entry of Daily Observations** **Station No.**..................

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~13

Kept at Sandringham Gdns.

in the County of..................

COPY

Diameter of funnel of gauge..................in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03	·11	·20	—	—	—	—	·17	—	·06	—		1
2	—	·10	·05	—	—	—	·11	—	·09	—	·06	—		2
3	—	—	·15	—	·45	—	—	—	·02	—	—	—		3
4	·21	—	·02	—	·04	—	·01	—	—	·04	·02	·03		4
5	·03	·01	—	—	—	—	·02	·04	·01	1·62	·07	·06		5
6	—	·02	·01	·01	·24	·42	—	—	—	·36	·01	—		6
7	·01	·06	—	—	·04	·09	—	—	·01	·29	·01	—		7
8	—	—	·01	·03	·41	·42	·02	—	—	·11	·13	—		8
9	—	·20	·02	·03	·29	·03	—	·10	·01	—	·01	·01		9
10	—	—	·01	·08	·01	—	—	—	—	—	·19	—		10
11	·33	—	—	·54	—	—	—	·02	·01	—	·06	—		11
12	—	·01	—	·01	—	·03	—	·01	—	—	·16	—		12
13	·02	·01	·03	—	—	—	—	·05	—	—	·43	—		13
14	·27	·02	·23	·05	—	—	·03	—	·04	·23	·10	·01		14
15	·10	—	·14	·13	—	—	·07	—	·30	—	·10	—		15
16	·05	—	·63	·22	—	—	—	—	·29	—	·04	·03		16
17	—	·03	·27	·16	—	·12	·05	—	·01	—	·03	·02		17
18	·16	—	·14	·14	·01	—	·04	—	—	—	—	·01		18
19	·20	—	·10	—	·01	—	—	·02	·01	—	—	·04		19
20	·06	—	·06	—	—	·07	—	—	1·05	·19	—	—		20
21	·09	—	·08	—	·02	—	·25	—	—	·28	·18	—		21
22	·02	—	·09	—	·01	—	·22	·02	·07	—	—	·01		22
23	·12	—	—	—	—	—	·01	·08	·05	·01	·01	—		23
24	—	—	—	·01	—	·14	—	·02	—	—	—	—		24
25	—	—	—	·19	—	·03	—	—	—	—	—	·02		25
26	—	·09	·04	·01	—	·04	—	—	—	·46	·02	·15		26
27	—	·09	·02	·02	—	·25	—	—	—	—	·04	—		27
28	·23	·02	·10	·03	—	·03	—	·08	—	·10	·01	—		28
29	·38	X	·14	·35	·05	—	—	·03	·03	—	—	·07		29
30	·23	X	—	·10	—	—	—	—	—	·15	·02	·08		30
31	—	X	—	X	·07	X	—	·77	X	—	X	—		31
TOTAL	2·53	·69	2·45	2·31	1·65	1·67	·83	1·24	2·17	3·84	1·76	·54	Year's Total 21·68	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)...(P.T.O.)

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914
1443

Kept at Sandringham Gdns
in the County of Norfolk 3
by L. A. Cook

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			02		10	04			44			02	1
2	02	03	11	20					17		06		2
3		10	05				11		09		06		3
4			15		45				02				4
5	21		02		04		01			04	02	03	5
6	63	01					02	04	01	1·62	07	06	6
7		02	01	01	24	42				36	01		7
8	01	06			04	09			01	29	01		8
9			01	03	41	42	02			11	13		9
10		20	02	03	29	03		10	01		01	01	10
11			01	08	01						19		11
12	33			34				02	01		06		12
13		01		01		03		01			16		13
14	02	01	03					05			43		14
15	24	02	23	05			03		04	23	10	01	15
16	10		14	13			04		30		10		16
17	05		63	22					29		04	03	17
18		03	24	16		12	05		01		03	02	18
19	16		14	14	01		04					01	19
20	20		10		01			02	01			04	20
21	06		06			07			1·05	19			21
22	09		08		02		25			28	18		22
23	02		09		01		22	02	07			01	23
24	12						01	08	05	01	01		24
25				01		14		02					25
26				19		03						02	26
27		09	04	01		04				46	02	15	27
28		09	02	02		25					04		28
29	23		10	03		03		08		10	01		29
30	38		14	35	05			03	03			04	30
31	23									15		08	31
	-	·02	-	·10	·07	-	-	·77	-	-	·02	-	YEAR'S TOTAL
Total	~~2·53~~ 2·53	~~0·64~~ ·69	~~2·47~~ 2·45	~~2·21~~ 2·31	~~1·68~~ 1·65	~~1·74~~ 1·67	~~0·83~~ ·83	~~0·47~~ 1·24	~~2·94~~ 2·17	~~3·84~~ 3·84	~~1·74~~ 1·76	~~0·56~~ ·54	~~21·68~~ 21·68
Rain Days.	18	~~12~~ 13	~~23~~ 22	~~18~~ 19	13	~~13~~ 12	11	~~11~~ 12	~~14~~ 16	12	~~21~~ 22	~~14~~ 13	183

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 14

Kept at Sandringham Gdns.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·03	—	—	1·39	·40	—	·03	·01	·03		1
2	·01	—	—	·03	—	—	·15	·33	—	—	·21	·04		2
3	·01	—	·08	—	·15	—	·12	·61	—	—	·03	—		3
4	·11	—	·06	·17	—	—	—	·11	—	—	·20	·11		4
5	—	—	·10	·05	·41	·03	·12	·18	·01	·01	·02	—		5
6	—	·12	—	·03	·07	—	·05	·03	·01	·02	·20	·04		6
7	—	·06	·34	·03	·07	·08	—	—	—	—	·01	·04		7
8	·23	·03	·04	·01	·17	·75	—	·14	—	—	—	·02		8
9	·34	—	·24	·20	·01	·73	—	—	·18	·01	—	·18		9
10	·62	·03	·01	·02	·01	—	—	—	—	·01	·01	·02		10
11	—	·20	·30	·10	·17	·10	—	—	·18	—	·35	·11		11
12	·04	—	·02	—	—	—	·03	—	·23	—	·01	·15		12
13	·03	·12	·19	—	·01	—	—	·01	·04	·02	·10	·28		13
14	—	—	·15	—	—	—	·07	·01	—	·33	·04	·38		14
15	·04	·04	·17	—	—	—	·06	·01	—	—	·21	·58		15
16	—	—	·05	—	—	—	·16	·01	·01	—	·20	·01		16
17	·02	·32	—	—	—	—	·04	—	·12	·02	·09	·16		17
18	—	·07	·02	—	—	—	·05	—	·01	·03	·02	·37		18
19	—	·04	·19	—	—	·17	—	—	·09	·02	·26	·01		19
20	·03	·05	·41	—	—	·55	—	—	·17	·02	—	·02		20
21	·01	·10	·25	—	—	—	—	·50	—	·03	·02	·07		21
22	—	—	·01	·06	·17	—	·06	·02	—	·24	—	·13		22
23	—	—	·08	—	·07	·20	·11	·01	—	·02	·05	—		23
24	·03	·10	—	·10	·01	·02	·02	·02	—	·03	·16	—		24
25	—	·01	—	—	·05	—	·07	—	—	·65	·01	—		25
26	—	—	—	—	·01	—	·05	·18	—	·04	·09	·25		26
27	·02	—	—	—	—	—	·08	·01	—	·01	·03	·41		27
28	·02	·04	—	—	—	—	·02	·01	—	·03	·18	1·32		28
29	·03	X	·04	—	—	—	·02	—	—	·30	·06	—		29
30	—	X	·02	—	—	—	—	—	—	·03	·10	·18		30
31	—	X	—	X	·05	X	·08	—	X	·05	X	·19		31
TOTAL	1·59	1·33	2·77	·83	1·43	2·63	2·75	2·59	1·05	1·95	2·67	5·10	Year's Total 26·69	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Cwd fw WD 1.III.15 Ex LMcC.

FORM A. BRITISH RAINFALL. 2 - JAN 1915 1443

REGISTER OF RAINFALL IN 1914

Kept at Royal Gardens, Sandringham

in the County of Norfolk 3

by J H Cook

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Wolferton

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·19

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	—	—	·05	—	·08	—	—	·05	·10	1
2	—	—	—	·03	—	—	1·39	·40	—	·03	·01	·03	2
3	·01	—	—	·03	—	—	·15	·33	—	—	·21	·04	3
4	·01	—	·08	—	·15	—	·12	·61	—	—	·03	—	4
5	·11	—	·06	·17	—	—	—	·11	—	—	·20	11	5
6	—	—	·10	·05	·41	·03	·12	·18	·01	·01	·02	—	6
7	—	·12	—	·03	·07	—	·05	·03	·01	·02	·20	·04	7
8	—	·06	·34	·03	·07	·08	—	—	—	—	·01	·04	8
9	·23	·03	·04	·01	·17	·75	—	·14	—	—	—	·02	9
10	·34	—	·24	·20	·01	·73	—	—	·18	·01	—	·18	10
11	·62	·03	·01	·02	·01	—	—	—	—	·01	·01	·02	11
12	—	·20	·30	·10	·17	·10	—	—	·18	—	·35	-11	12
13	·04	—	·02	—	—	—	·03	—	·23	—	·01	·15	13
14	·03	·12	·19	—	·01	—	—	·01	·04	·02	·10	·28	14
15	—	—	·15	—	—	—	·07	·01	—	·33	·04	·38	15
16	·04	·04	·17	—	—	—	·06	·01	—	—	·21	·58	16
17	—	—	·05	—	—	—	·16	·01	·01	—	·20	·01	17
18	·02	·32	—	—	—	—	·04	—	·12	·02	·09	·16	18
19	—	·07	·02	—	—	—	·05	—	·01	·03	·02	·37	19
20	—	·04	·19	—	—	·17	—	—	·09	·02	·26	·01	20
21	·03	·05	·41	—	—	·55	—	—	·17	·02	—	·02	21
22	·01	·10	·25	—	—	—	—	·50	—	·03	·02	·07	22
23	—	—	·01	·06	·17	—	·06	·02	—	·24	—	·13	23
24	—	—	·08	—	·07	·20	·11	·01	—	·02	·05	—	24
25	·03	·10	—	·10	·01	·02	·02	·02	—	·03	·16	—	25
26	—	·01	—	—	·05	—	·07	—	—	·65	·01	—	26
27	—	—	—	—	·01	—	·05	·18	—	·04	·09	·25	27
28	·02	—	—	—	—	—	·08	·01	—	·01	·03	·41	28
29	·02	X	—	—	—	—	·02	·01	—	·03	·18	1·32	29
30	·03	X	·04	—	—	—	·02	—	—	·30	·06	—	30
31	—	X	·02	X	—	X	—	—	X	·03	X	·18	31
	—	·04	—	—	·05	—	·08	—	—	·05	·10	·19	YEAR'S TOTAL
Total	~~1·59~~ 1·59	~~1·29~~ 1·33	~~2·81~~ 2·77	~~0·83~~ ·83	~~1·38~~ 1·43	~~2·68~~ 2·63	~~2·67~~ 2·75	~~2·64~~ 2·59	~~1·05~~ 1·05	~~1·90~~ 1·95	~~2·62~~ 2·67	~~5·01~~ 5·10	~~26·50~~ 26·69
Rain Days.	16	~~14~~ 15	~~22~~ 21	12	~~14~~ 15	~~10~~ 9	~~19~~ 20	~~19~~ 18	11	~~21~~ 22	26	25	~~209~~ 210

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at Sandringham Gdns.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·26	·02	—	·30	—	—	—	·46	—	·17	·14		1
2	·02	·09	·29	·08	—	·01	—	·16	·08	—	·09	·01		2
3	·20	·01	·10	·08	—	—	·08	·04	·05	—	·17	·17		3
4	·01	—	·01	—	—	—	·13	·03	—	—	·18	·46		4
5	·05	—	—	—	·16	—	·63	·02	—	·06	·07	·22		5
6	·06	·11	·22	·18	—	—	·89	·46	—	·06	—	·08		6
7	·21	·35	·13	—	—	—	·21	·05	—	—	—	·19		7
8	·01	·03	·01	·04	—	—	—	·01	—	—	·01	—		8
9	·10	·14	—	—	—	·05	—	·02	—	—	·23	·36		9
10	·30	—	·03	—	—	·04	—	·11	—	—	—	·01		10
11	—	—	·07	—	·22	—	·08	—	—	—	·23	·08		11
12	·05	—	·01	·34	·10	—	—	·34	—	·01	1·93	—		12
13	·08	·28	—	—	·84	—	—	·03	·03	—	·02	—		13
14	·01	·23	—	·01	—	—	·03	·05	·01	—	—	·26		14
15	·23	·23	—	—	·02	—	·06	·30	—	—	·30	·08		15
16	·01	·20	—	—	—	—	·83	·34	—	·03	·04	·01		16
17	·22	·18	·01	—	—	—	·19	—	—	—	·01	—		17
18	·10	·03	·20	—	—	—	—	—	—	—	·13	·01		18
19	·02	·02	—	—	—	—	·06	—	—	·04	·01	—		19
20	·27	—	·01	—	—	—	—	—	—	·02	—	·40		20
21	·13	·06	—	—	—	—	·08	—	—	—	—	·03		21
22	·33	·05	·22	—	—	—	·37	—	·02	—	—	·28		22
23	·04	·12	·02	—	—	—	—	—	·20	·01	·16	·02		23
24	·02	·03	·15	—	—	·01	·91	—	·04	·14	·03	·44		24
25	·03	—	·11	—	—	·25	·01	—	·01	·09	·06	·24		25
26	—	·15	·04	—	—	—	·01	—	—	·03	·02	·22		26
27	—	·04	·01	—	—	·20	·36	—	—	·28	—	·11		27
28	·02	·12	—	—	—	·17	—	·26	·10	·51	—	—		28
29	—	X	—	—	·11	·03	·06	·12	·01	·01	·12	·16		29
30	·09	X	—	—	—	·01	—	·08	·01	—	·01	·01		30
31	·08	X	·01	X	—	X	—	·14	X	·07	X	·08		31
TOTAL	3·07	2·73	1·67	·73	1·75	·77	4·99	2·56	1·02	1·36	3·99	4·07	Year's Total 28·71	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

cnd for W.D. 2.III.16

1588

FORM A.
BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Royal Gdns Sandringham
in the County of Norfolk
by Thomas H. Cook

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	·08	·12	·01	–	–	·01	–	·14	·01	·07	·01	1
2	·38	·26	·02	–	·30	–	–	–	·46	–	·14	·14	2
3	·02	·09	·29	·08	–	·01	–	·16	·08	–	·09	·01	3
4	·20	·01	·10	·08	–	–	·08	·04	·05	–	·17	·17	4
5	·01	–	·01	–	–	–	·13	·03	–	–	·18	·46	5
6	·05	–	–	–	·16	–	·63	·02	–	·06	·07	·22	6
7	·06	·11	·22	·18	–	–	·89	·46	–	·06	–	·08	7
8	·21	·35	·13	–	–	–	·21	·05	–	–	–	·19	8
9	·01	·03	·01	·04	–	–	–	·01	–	–	·01	–	9
10	·10	·14	–	–	–	·05	–	·02	–	–	·23	·36	10
11	·30	–	·03	–	–	·04	–	·11	–	–	–	·01	11
12	–	–	·07	–	·24	–	·08	–	–	–	·23	·08	12
13	·05	–	·01	·34	·10	–	–	·34	–	·01	1·93	–	13
14	·08	·28	–	–	·84	–	–	·03	·03	–	·02	–	14
15	·01	·23	–	·01	–	–	·03	·05	·01	–	–	·26	15
16	·23	·23	–	–	·02	–	·06	·30	–	–	·30	·08	16
17	·01	·20	–	–	–	–	·83	·34	–	·03	·04	·01	17
18	·22	·18	·01	–	–	–	·19	–	–	–	·01	–	18
19	·10	·03	·20	–	–	–	–	–	–	–	·13	·01	19
20	·02	·02	–	–	–	–	·06	–	–	·04	·01	–	20
21	·27	–	·01	–	–	–	–	–	–	·02	–	·40	21
22	·13	·06	–	–	–	–	·08	–	–	–	–	·03	22
23	·33	·05	·22	–	–	–	·37	–	·02	–	–	·28	23
24	·04	·12	·02	–	–	–	–	–	·20	·01	·16	·02	24
25	·02	·03	·15	–	–	·01	·91	–	·04	·14	·03	·44	25
26	·03	–	·11	–	–	·25	·01	–	·01	·09	·06	·24	26
27	–	·15	·04	–	–	–	·01	–	–	·03	·02	·22	27
28	–	·04	·01	–	–	·20	·36	–	–	·28	–	·11	28
29	·02	✕	–	–	–	·17	–	·26	·10	·51	–	–	29
30	–	✕	–	–	·11	·03	·06	·12	·01	·01	·12	·16	30
31	·09	✕	–	✕	–	✕	–	·08	✕	–	✕	·01	31
Total	·08 ~~3·18~~	·12 ~~2·69~~	·01 ~~1·78~~	– ~~0·74~~	– ~~1·75~~	·01 ~~0·76~~	– ~~5·00~~	·14 ~~2·42~~	·01 ~~1·15~~	·07 ~~1·30~~	·01 ~~4·05~~	·08 ~~4·00~~	YEAR'S TOTAL ~~28·83~~
Rain Days.	3·07 27	2·73 21	1·67 20	·73 ~~7~~ 6	1·75 7	·77 ~~8~~ 9	4·99 ~~19~~ 18	2·56 ~~17~~ 18	1·02 12	1·36 14	3·99 21	4·07 25	28·71 198

W. 8,000. X. 15.

Section A **for the entry of Daily Observations** **Station No.** 1443

METEOROLOGICAL OFFICE—AIR MINISTRY

1443

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~16

Kept at The Royal Gardens Sandringham

in the County of Norfolk.

Diameter of funnel of gauge 4 in.

Height of top of gauge above ground 1 ft. 6 in.

Height of ground above sea level 121 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·04	—	—	·10	·23	—	—	—	·43	—		1
2	·32	·03	·09	—	·39	—	·06	—	·02	—	·05	—		2
3	—	·11	·01	—	—	—	·15	—	·41	·23	·12	—		3
4	·32	·09	·07	·02	·03	·16	·06	—	·17	·12	·34	·16		4
5	·06	·03	·07	·03	·01	·17	·01	—	·01	·23	·18	·06		5
6	—	·16	·28	18	·08	·01	·08	·01	—	·03	·27	·01		6
7	·08	—	·31	·03	·30	·01	·33	—	—	·03	·15	·09		7
8	—	—	·05	—	·06	·04	—	—	—	·01	·02	·09		8
9	·01	—	·02	—	·30	·07	—	—	—	·02	·01	·24		9
10	—	·02	·08	·05	—	·09	·06	—	—	·02	—	·08		10
11	·12	·46	·12	·22	·02	·70	—	—	·05	—	·01	·01		11
12	·01	·02	·01	·43	·75	·59	·12	·06	·01	—	·01	—		12
13	—	·11	·11	·06	·09	·01	·03	·04	—	·02	·01	·01		13
14	—	·43	·01	·01	·16	·04	·24	·08	—	·02	—	·01		14
15	—	·21	·26	—	·01	—	—	·25	—	·20	—	·04		15
16	—	·11	·09	·23	·02	—	·14	·04	—	—	—	·07		16
17	·03	—	·01	·24	—	—	·18	1·29	·22	·18	—	—		17
18	·01	·14	·02	·19	—	—	—	·65	·07	·20	·33	·01		18
19	·16	·03	—	·04	—	·03	—	·05	·28	—	·41	·07		19
20	·13	—	·07	·11	—	—	—	·01	·11	—	·13	·14		20
21	·01	—	·21	—	—	—	·15	—	—	—	·01	·87		21
22	·01	·21	·03	—	·23	—	—	—	—	·02	·01	·37		22
23	·02	·32	—	—	—	·13	·03	·08	—	·01	·10	·32		23
24	—	·58	—	—	—	·15	·02	·03	—	·37	·01	·12		24
25	—	·13	·12	—	—	·01	·01	·09	—	·07	·08	·03		25
26	—	·11	—	—	—	·08	—	·04	—	·02	·11	—		26
27	·01	·12	·69	—	—	·08	—	—	—	·09	·03	—		27
28	—	·18	·77	—	·06	·08	—	—	—	—	·01	·23		28
29	·01	·09	·01	—	—	·24	—	·91	—	·09	—	·11		29
30	·01	X	—	—	—	·14	—	·38	—	·29	—	—		30
31	·04	X	—	X	·02	X	—	·10	X	·01	X	·01		31
TOTAL 99	1·39	3·69	3·55	1·84	2·53	2·93	1·90	4·11	1·35	2·28	2·83	3·15	Year's total 31·55	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)……………………………………(P.T.O.)

cnd. fr WD

Encd. [illegible]

156

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 FEB 1917
1443

Kept at The Royal Gardens

in the County of Sandringham Norfolk

by Thomas [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·04	·09	—	—	·02	·14	—	·10	—	·01	—	1
2	·03	—	·04	—	—	·10	·23	—	—	—	·43	—	2
3	·32	·03	·09	—	·39	—	·06	—	·02	—	·05	—	3
4	—	·11	·01	—	—	—	·15	—	·41	·23	·12	—	4
5	·32	·09	·07	·02	·03	·16	·06	—	·17	·12	·34	·16	5
6	·06	·03	·07	·03	·01	·17	·01	—	·01	·23	·18	·06	6
7	—	·16	·28	·18	·08	·01	·08	·01	—	·03	·27	·01	7
8	·08	—	·31	·03	·30	·01	·33	—	—	·03	·15	·09	8
9	—	—	·05	—	·06	·04	—	—	—	·01	·02	·09	9
10	·01	—	·02	—	·30	·07	—	—	—	·02	·01	·24	10
11	—	·02	·08	·05	—	·09	·06	—	—	·02	—	·08	11
12	·12	·46	·12	·22	·02	·70	—	—	·05	—	·01	·01	12
13	·01	·02	·01	·43	·75	·59	·12	·06	·01	—	·01	—	13
14	—	·11	·11	·06	·09	·01	·03	·04	—	·02	·01	·01	14
15	—	·43	·01	·01	·16	·04	·24	·08	—	·02	—	·01	15
16	—	·21	·26	—	·01	—	—	·25	—	·20	—	·04	16
17	—	·11	·09	·23	·02	—	·14	·04	—	—	—	·07	17
18	·03	—	·01	·24	—	—	·18	1·29	·22	·18	—	—	18
19	·01	·14	·02	·19	—	—	—	·65	·07	·20	·33	·01	19
20	·16	·03	—	·04	—	·03	—	·05	·28	—	·41	·07	20
21	·13	—	·07	·11	—	—	—	~~·01~~	·11	—	·13	·14	21
22	·01	—	·21	—	—	—	·15	—	—	—	·01	·87	22
23	·01	·21	·03	—	·23	—	—	—	—	·02	·01	·37	23
24	·02	·32	—	—	—	·13	·03	·08	—	·01	·10	·32	24
25	—	·58	—	—	—	·15	·02	·03	—	·37	·01	·12	25
26	—	·13	·12	—	—	·01	·01	·09	—	·07	·08	·03	26
27	—	·11	—	—	—	·08	—	·04	—	·02	·11	—	27
28	·01	·12	·69	—	—	·08	—	—	—	·09	·03	—	28
29	—	·18	·77	—	·06	·08	—	—	—	—	·01	·23	29
30	·01	X	·01	—	—	·24	—	·91	—	·09	—	·11	30
31	·01	X	—	X	—	X	—	·38	X	·29	X	—	31
	·04	·09	—	—	·02	·14	—	·10	—	·01	—	·01	YEAR'S TOTAL
Total	1·43	3·64	3·64	1·84	2·51	2·81	2·04	4·01	1·45	2·27	2·84	3·14	31·62
	1·39	3·69	3·55	1·84	2·53	2·93	1·90	4·11	1·35	2·28	2·83	3·15	31·55
Rain Days.	19	22	26	14	15	21	18	16	10	21	24	22	229

W. 8,000, VIII. 16

1493

FORM A. 1443
BRITISH RAINFALL.

18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Sandringham
in the County of Norfolk
by Thos H Cook

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·13	–	–	–	1·85	·17	–	·05	·06	1
2	·06	–	–	·15	–	·17	–	·36	–	–	·03	–	2
3	–	·05	–	·01	–	·01	–	·86	–	·17	–	–	3
4	–	·05	·04	·01	–	–	–	·02	–	·69	–	–	4
5	·20	·01	·02	·27	–	–	–	·02	–	–	·30	–	5
6	–	–	–	–	–	·01	–	–	·24	–	·06	·01	6
7	·46	–	·02	–	–	·08	–	–	–	·43	–	·02	7
8	·17	–	·01	·13	–	–	·36	·55	–	·30	·11	–	8
9	·07	–	·02	·04	–	–	·01	·20	–	–	·10	–	9
10	·02	–	·25	·10	–	–	–	·08	–	·04	·03	–	10
11	·27	·05	·14	·21	–	–	–	·02	·01	·22	·01	–	11
12	·10	·01	–	·22	·04	–	–	·02	–	·09	·01	–	12
13	·20	–	·16	·03	–	–	·03	·22	·12	·43	–	–	13
14	·28	–	·11	·09	–	–	·30	·04	–	–	–	·03	14
15	·20	–	–	–	·01	–	·16	·05	–	·04	·02	·05	15
16	·12	·12	–	·40	–	·02	–	–	–	·44	–	·31	16
17	·03	·01	·03	·18	·37	·09	·08	–	·17	·34	–	·06	17
18	·05	–	–	·09	–	·03	·21	·01	·65	·01	–	–	18
19	·02	·02	·26	·02	–	·02	–	–	·15	–	–	–	19
20	·01	–	·16	·01	–	–	–	·06	–	–	·15	–	20
21	–	·03	·17	·01	·01	–	–	·02	–	–	·06	·01	21
22	–	–	·23	–	–	–	–	·03	–	·13	–	–	22
23	–	·02	·01	–	·16	–	–	·06	·03	·02	–	·03	23
24	–	·02	–	–	–	·99	–	·04	–	·23	·03	·03	24
25	–	·05	·01	–	–	–	·02	–	–	–	·07	·29	25
26	–	·01	·12	–	–	–	–	·34	–	–	·85	·10	26
27	–	–	·04	–	–	–	·03	·52	·07	–	–	·05	27
28	–	·04	·14	–	–	·63	–	·11	–	·02	–	·09	28
29	–	✕	·01	–	·01	·19	·28	–	–	·16	–	·02	29
30	–	✕	–	–	–	–	·09	·16	–	·10	–	–	30
31	·28	✕	·11	✕	–	✕	·17	·11	✕	·01	✕	·10	31
99 Total	2·54	·50	2·06	2·10	·60	2·24	1·74	5·75	1·61	3·87	1·88	1·26	YEAR'S TOTAL 26·15.
Rain Days.	17	15	21	18	6	11	12	24	9	19	15	16	183.

3·61

W. 8,000, IX. 17.

W 9nX cm pr an. 12 52

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1443 7. 1. 19

Kept at The Royal Gdns Sandringham
in the County of Norfolk
by T. H. Cook

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·02	·15	–	–	–	–	·12	–	·10	·11	1
2	·14	·03	–	·10	–	–	–	·44	–	·03	·01	·31	2
3	·02	·02	·04	–	·17	–	–	·48	–	–	·75	–	3
4	–	·04	·03	–	–	–	·01	·07	·80	–	·30	·04	4
5	–	·02	·05	·01	·08	–	–	·28	·60	·06	–	·02	5
6	–	·14	–	·16	·01	–	–	·02	–	–	–	·05	6
7	·31	·14	–	–	–	·09	–	·01	–	·12	·06	·02	7
8	–	·02	–	·01	–	–	·03	·01	·10	–	·12	·05	8
9	·10	·20	–	·07	–	·07	·02	–	·21	·25	·01	·07	9
10	·17	·01	–	·01	–	–	·29	–	·02	·04	·02	·19	10
11	·04	·04	–	·08	·33	–	·20	–	·14	·55	·02	·16	11
12	·02	·23	·03	·01	·21	–	·17	–	·03	·10	–	·06	12
13	–	·03	–	·01	·22	·02	–	–	·01	–	–	·03	13
14	·36	·01	–	·07	–	·01	·13	–	·18	·25	–	·06	14
15	·74	–	·01	1·58	–	·02	·22	–	·16	–	–	·21	15
16	·07	–	–	·28	–	·02	–	–	1·21	·03	–	·05	16
17	·25	–	–	·09	·22	·13	·77	–	·13	–	–	·27	17
18	·33	–	–	·41	–	·02	·29	–	·36	–	–	·19	18
19	·15	·03	·07	·04	–	–	–	–	·02	·10	–	·45	19
20	·05	·06	–	·01	–	·02	·11	–	·09	·09	–	–	20
21	·02	–	–		–	·02	–	–	·15	·15	–	–	21
22	·04	–	–	·07	–	·05	·02	–	·08	–	–	·43	22
23	·17	–	–	·01	1·01	–	·05	–	·01	–	·02	–	23
24	·01	·33	–	·01	·51	–	·02	–	·05	–	·12	–	24
25	–	·01	·13	–	–	·18	·05	·26	–	–	·02	·08	25
26	–	–	·01	–	–	–	·19	·29	·05	–	·13	·12	26
27	·01	–	·02	·04	–	·04	–	·27	·10	–	·03	·13	27
28	·01	·16	·10	·01	–	–	–	·07	·02	–	·13	·39	28
29	–	×	·01	–	–	–	–	–	·85	–	·03	·02	29
30	–	×	·19	–	–	–	–	·03	·60	–	·12	·10	30
31	·01	×	·03	×	–	×	–	·01	×	·10	×	·17	31
99 Total	3·03	1·52	0·74	3·23	2·76	0·69	2·57	2·24	6·09	1·87	1·99	3·78	YEAR'S TOTAL 30·51 ~~30·31~~
Rain Days.	22	18	14	22	9	13	16	13	25	13	17	26	208.

W, 6,500, VII. 18. W W C

Ex 1486

1398

1443

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Sandringham

in the County of Norfolk

by J. H. Cook

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Wolferton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft 9 in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·04	-	-	·06	-	·05	-	-	·32	·17	·43	1
2	·11	-	·02	-	·03	-	·15	·02	·10	·10	·48	·64	2
3	·27	·04	·09	-	-	-	·16	-	·23	-	·14	-	3
4	·06	-	·24	-	-	·04	·12	·04	-	-	·02	·15	4
5	·29	·01	-	-	-	-	-	·06	·59	-	-	·06	5
6	·01	-	·13	-	-	-	·04	-	-	-	·03	·17	6
7	-	-	·30	-	·07	-	·07	-	-	-	·09	·16	7
8	·11	-	·01	·08	-	-	-	-	-	·03	·17	·08	8
9	·04	-	-	·02	-	·02	-	-	-	·05	·01	-	9
10	-	-	·18	·02	-	-	-	-	-	·06	·08	-	10
11	·01	-	·16	·04	·05	-	·57	-	-	·10	·10	·10	11
12	·18	-	·20	·04	-	·13	·22	-	-	·02	-	-	12
13	·03	-	-	·13	-	-	·07	-	-	·05	·03	-	13
14	·55	-	·01	·30	-	-	·07	-	·07	·04	·04	-	14
15	·17	·02	·02	·19	-	-	·02	-	-	·02	·03	·11	15
16	·08	·63	·02	·08	-	-	-	-	-	-	·04	-	16
17	-	·38	-	·03	·02	-	-	-	-	-	·30	·03	17
18	-	·01	-	-	-	-	·01	·21	-	-	-	·17	18
19	-	·13	·22	-	-	·08	·32	·17	·12	-	·08	·02	19
20	·17	·04	·08	-	-	·31	·46	·60	-	-	-	·09	20
21	·12	·43	·15	-	-	·07	·64	-	-	-	-	·21	21
22	-	·25	·03	-	-	-	·23	-	·28	-	·09	·35	22
23	-	·02	-	·02	-	·07	·28	·05	·08	-	-	·10	23
24	-	-	-	·03	·02	·23	·04	-	-	-	-	-	24
25	·08	·01	-	·08	·26	·06	-	·26	-	-	-	·10	25
26	·18	·32	·24	·21	-	·07	-	·13	·07	·02	-	·35	26
27	-	·18	-	·20	-	-	·07	-	·10	·50	-	-	27
28	-	-	-	·10	-	·01	·07	·74	-	·55	-	·33	28
29	·05		-	·07	-	·04	·02	·21	-	·32	·18	·42	29
30	-		·02	·27	-	·45	-	-	-	·07	·15	·20	30
31	-		-		-		·03	-		·14		·11	31
99 TOTAL	2·69	2·51	2·12	1·85	·45	1·45	3·53	2·49	1·58	2·39	2·23	4·38	YEAR'S TOTAL 27·67
Days with ·01 in. or more	19	15	18	18	7	13	22	11	9	16	19	22	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1443 1323 1443

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sandringham

in the County of Norfolk

by T. Alcock

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

20

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·	·22	·	·18	·	·	·07	·01	·01	1
2	·	·	·03	·09	·	·	·11	·51	·08	·06	·	·14	2
3	·	·02	·	·18	·	·07	·06	·	·07	·01	·	·03	3
4	·04	·	·05	·16	·03	·01	·05	·14	·01	·	·	·10	4
5	·	·	·06	·06	·33	·	·33	·19	·13	·	·	·05	5
6	·	·	·06	·	·06	·	·70	·05	·01	·	·	·06	6
7	·	·02	·15	·11	·	·	·18	·01	·	·01	·01	·04	7
8	·	·01	·	·46	·05	·	·01	·	·	·01	·01	·01	8
9	·18	·02	·	·48	·	·	·	·36	·	·01	·01	·02	9
10	·16	·29	·17	·01	·	·	·02	·02	·	·	·05	·07	10
11	·23	·02	·02	·12	·08	·	·02	·	·	·02	·01	·30	11
12	·09	·	·14	·16	·03	·01	·	·01	·	·01	·01	·15	12
13	·03	·	·03	·11	·	·29	·	·	·29	·01	·05	·11	13
14	·	·01	·33	·12	·	·10	·05	·	·20	·01	·18	·	14
15	·	·	·42	·04	·	·01	·01	·	·32	·18	·15	·17	15
16	·	·02	·01	·06	·	·	·	·	·31	·01	·01	·08	16
17	·	·	·	·	·12	·	·08	·	·03	·	·01	·12	17
18	·05	·	·	·01	·11	1·06	·	·43	·52	··	·01	·11	18
19	·24	·02	·	·04	·	·	·	·37	·	·	·01	·01	19
20	·15	·40	·	·16	·	·51	·	·	·04	·	·	·01	20
21	·	·	·	·07	·	·	·12	·07	·09	·	·	·11	21
22	·	·	·	·08	·	·	·01	·05	·27	·02	·	·01	22
23	·	·	·	·	·	·	·22	·01	·01	·01	·04	·20	23
24	·	·	·26	·03	·	·	·04	·01	·02	·02	·01	·09	24
25	·02	·10	·03	·11	·	·08	·35	·	·04	·02	·	·	25
26	·10	·	·06	·11	·37	·01	·03	·	·01	·02	·01	·	26
27	·13	·03	·	·14	·01	·58	·	·	·01	·02	·06	·07	27
28	·35	·05	·	·13	·20	·	·03	·	·01	·02	·12	·02	28
29	·06	·	·05	·	·25	·	·17	·	·01	·01	·08	·25	29
30	·		·01	·11	·02	·02	·08	·02	·17	·	·17	·02	30
31	·15		·		·01		·	·		·03		·35	31
99 TOTAL	1·98	1·01	1·88	3·15	1·89	2·75	2·85	2·25	2·65	·58	1·02	2·71	YEAR'S TOTAL 24·72
Days with ·01 in. or more	15	13	17	25	15	12	22	15	22	21	21	28	226
Days with ·04 in. or more	13	4	11	22	10	7	15	9	13	3	9	19	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

SANTON DOWNHAM

NORFOLK

1911 — 1914

24 FEB 1912

FORM A2.
BRITISH RAINFALL.

Kept at Santon

in the County of Nor

by A. W. Presc

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the
previous day. If an Ob ersal rule, he is earnestly
requested to add the rea ear in the space provided
for it at the end of this ment of rain,
the selection and placin ritish Rainfall
Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·05							·08	·02		1
2	·37		·05		·13		04				·13	·10	2
3	·01	·04		·05	·15			·07		·16	·05	·02	3
4	·05	·03	·12	·10					·01	·04	·20	·22	4
5	·01	·05		·11						·05	·04	·30	5
6	·32			·03				·03				·20	6
7	·05	·01									·16	·25	7
8	·30		·26						·14		·11	·03	8
9	·14		·26	·05							·01		9
10	·05	·10	·14								·10	·25	10
11	·35	·40									·40		11
12	·02	·01	·46		·08	·01					·20	·01	12
13	·07		·55		·05				·25	·15	·01	·15	13
14	·01	·05	·20		·30	·06			·01	·01		·23	14
15		·17	·36						·02	·03	·17	·01	15
16		·01	·03			·70			·03		·30	·10	16
17	·01					·01					·06	·10	17
18		·09				·10					1·33	·05	18
19	·01					·46			·11		·38	·03	19
20		·01		·01			·03	·08	·16		·07	·46	20
21	·02	·21				·02		·49	·01	·35	·03	·17	21
22	·01		·12			·03		·15		·17	·03	·38	22
23		·03	·13		·04	1·28		·01	·42		·01	·17	23
24		·06	·04			·19				·48		·20	24
25		·03	·10	·20		·20					·05	·03	25
26		·34		·20						·16	·05	·46	26
27				·12			·20		·23			·04	27
28		·15	·01	·25				·05		·02	·07	·11	28
29				·18		·61			·42	·50	·01	·02	29
30					·06	·03	·25		·60	·13			30
31												·04	31
Total	1·87	1·79	2·88	1·30	·81	3·70	·52	·88	2·41	2·33	3·99	4·13	TOTAL for year 26·61
No. of Rain Days.	18	18	16	11	7	13	4	7	13	14	25	27	173

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

REGISTER OF RAINFALL

Kept at Santon Downham

in the County of Norfolk 4

by A. W. Preston, A. Gathercole

RAIN GAUGE	Pattern
	Diameter of top ______ in.
	Height of top above Ground ______ ft. ______ in.
	,, ,, ,, Sea Level ______ ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·05							·08	·02		1
2	·37		·05		·13		·04				·13	·10	2
3	·01	·04		·05	·15			·07		·16	·05	·02	3
4	·05	·03	·12	·10					·01	·04	·20	·22	4
5	·01	·05		·11						·05	·04	·30	5
6	·32			·03				·03				·20	6
7	·05	·01									·16	·25	7
8	·30		·26						·14		·11	·03	8
9	·14		·26	·05							·01		9
10	·05	·10	·14								·10	·25	10
11	·35	·40									·40		11
12	·02	·01	·46		·08	·01					·20	·01	12
13	·07		·55		·05				·25	·15	·01	·15	13
14	·01	·05	·20		·30	·06			·01	·01		·23	14
15		·17	·36						·02	·03	·17	·01	15
16		·01	·03			·70			·03		·30	·10	16
17	·01					·01					·06	·10	17
18		·09				·10					1·33	·05	18
19	·01					·46			·11		·38	·03	19
20		·01		·01			·03	·08	·16		·07	·46	20
21	·02	·21				·02		·49	·01	·35	·03	·17	21
22	·01		·12			·03		·15		·17	·03	·38	22
23		·03	·13		·04	1·28		·01	·42		·01	·17	23
24		·06	·04			·19				·48		·20	24
25		·03	·10	·20		·20					·05	·03	25
26		·34		·20						·16	·05	·46	26
27				·12			·20		·23			·04	27
28		·15	·01	·25				·05		·02	·07	·11	28
29				·18		·61			·42	·50	·01	·02	29
30					·06	·03	·25		·60	·13			30
31												·04	31
Total	1·87	1·79	2·88	1·30	·81	3·70	·52	·88	2·41	2·33	3·99	4·13	TOTAL for year 26·61
No. of Rain Days.	18	18	16	11	7	13	4	7	13	14	25	27	173

W. 8,000, X. '11.

Jl. made ✓

Ex DH

FORM A.
BRITISH RAINFALL.

22 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Santon, Brandon

in the County of Norfolk 4

by A. W. Preston. A. Gathercole

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·03	·01		·06	·43		·13			·25	1
2		·08	·03	·01	·02		·38	·75		·06		·02	2
3	·21	·04			·05	·33		·06	·03	·01		·13	3
4	·09		·38	·02	·06	·06		·02			·30		4
5	·02	·15	·30		·01	·30		·04			·03		5
6	·81	·12			·01	·32	·46	·03	·15			·04	6
7	·04				·03	·20	·02	·04	·06			·02	7
8	·21	·11	·06			·05	·10	·20	·22			·03	8
9	·01	·01	·01	·20	·09	·10						·36	9
10	·01			·02				·10	·33		·25	·02	10
11	·09	·04		·02					·11		·04	·17	11
12	·11	·06	·24		·02	·04					·50		12
13	·01	·01	·01			·02					·40	·03	13
14			·02		·04	·08		·01	·01	·01	·08	·13	14
15		·03	·23		·28	·26		·05			·02	·05	15
16	·07		·06		·18	·04		·05		·08	·02		16
17	·33		·20			·31		·10				·08	17
18	·02		·10					·20		·06		·09	18
19	·05	·30	·18				·40	·23		·04	·06	·01	19
20	·08	·01	·07		·06		·01	·15		·28			20
21		·01	·45		·28			·94		·08	·07		21
22	·21	·13	·01		·38		1·81	·23		·01		·07	22
23	·43	·67	·23		·01			·82			·31	·03	23
24	·34	·01	·01			·12		·15				·09	24
25	·01					·18		1·39			·16	·27	25
26		·01				·15	×	3·27		·40	·12	·22	26
27			·03					·13		·15		·38	27
28		·01					×	·09		·54	·11	·54	28
29				·01	·02	·06	×	·39	·68	·36	·24		29
30	·04				·18		×	·01	·50	·22			30
31			·10		·05		× ·75	·20		·06		·08	31
Total	3·19	1·80	2·75	·29	1·77	2·68	4·36	9·65	2·22	2·36	2·71	3·11	YEAR'S TOTAL 36·89
Rain Days.	21	18	21	7	18	18	13	26	10	15	16	23	206

for Norfolk Cards

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Santon Downham Ey Rl

in the County of Norfolk 4

by A Gathercole A.W. Preston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.12	.13	.12	.08				.06		.05	.01	1
2	.07	.16	.03		.01		.10		.06		.05		2
3	.01	.01	.25		.88				.02			.03	3
4	.09		.02		.03		.02			.23	.07	.12	4
5	.04						.01		.02	.33	.04		5
6		.01	.02		.25	.12				.02	.02	.01	6
7		.05			.07					.30			7
8			.03		.35	.40				.17	.13		8
9		.24	.05	.04	.14	.19		.08			.07	.01	9
10			.01	.04			.08	.06			.16		10
11	.72			.57	.04			.60			.27		11
12								.06			.06		12
13	.08	.01	.03	.02							.55		13
14	.06	.02	.10	.10			.08			.30	.01		14
15	.07		.26	.18			.19		.11		.01		15
16	.11		.45	.15					.16		.08	.03	16
17	.15	.01	.20	.02		1.02	.11				.01	.02	17
18	.02		.05	.06			.06						18
19	.05		.07									.05	19
20	.05		.06	.01		.03	.02		.28	.30			20
21	.10		.01	.01			.12	.03		.31	.20		21
22	.23		.16				.11		.05				22
23	.01		.02			.03	.03	.20	.04		.01		23
24	.04			.02		.10					.02		24
25	.05			.09		.07					.01		25
26		.04	.06			.01				.46	.02	.07	26
27	.02	.06		.01		.04				.03	.01		27
28	.23		.04	.10				.02		.13			28
29	.31		.15	.50	36			.01				.04	29
30	.23			.11				.02		.03	.12		30
31	.01							.61		.07			31
Total	2.83	.73	2.20	2.15	2.21	2.01	93	1.69	80	2.68	1.97	.39	YEAR'S TOTAL 20.59
Rain Days.	24	11	22	18	10	10	12	10	9	13	22	10	171

W.7,000, XI. 13

written 2.iii.15

Copied from C

Ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - MAR 1915

Kept at Santon (Brandon)

in the County of Norfolk .4.

by A. Gathercole A W Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	-	-	-	·23	-	-	·10		1
2	-	-	-	-	-	-	-	·01	-	-	·07		2
3	·01	-	·12	-	·13	-	·38	·03	-	-	-		3
4	·18	-	·02	·20	-	-	-	·04	-	-	·26		4
5	-	-	·12	·08	·07	·01	·20	·50	-	-	-		5
6	-	·05	-	-	·08	·02	·01	-	-	-	·05		6
7	-	·02	·39	·01	·08	·15	-	-	-	-	-		7
8	·41	·05	·35	·01	·12	·77	·12	·20	·01	-	-		8
9	·49	-	·46	·14	·03	·66	-	-	-	-	-		9
10	·40	·04	·03	·06	·02	-	-	-	·03	-	-		10
11	·01	·32	·42	·03	·14	·06	-	-	·05	-	·36		11
12	·03	·01	·03	-	-	-	-	-	·25	-	·02		12
13	-	·15	·25	-	-	-	-	-	·05	·10	·08		13
14	-	·01	·18	-	-	-	·05	-	-	·28	·17		14
15	·06	-	·20	-	-	-	·42	·01	·08	-	·05		15
16	·06	-	·08	-	-	-	·07	-	·04	-	·05		16
17	-	·37	-	-	-	-	-	-	·06	-	-		17
18	-	·10	-	-	-	-	·05	-	-	-	-		18
19	·01	·11	·08	-	-	·30	-	-	·02	-	-		19
20	·01	·01	·48	-	-	·05	-	-	·12	·01	·01		20
21	·01	·15	·38	-	-	-	-	·01	-	·06	·07		21
22	-	-	-	-	·30	-	·05	·07	-	·50	-		22
23	-	-	·10	·30	·01	-	-	-	-	·07	-		23
24	·01	-	·01	-	-	-	·01	·01	-	·10	-		24
25	-	-	-	·10	-	-	·01	-	-	·68	·03		25
26	-	-	-	-	-	-	-	·10	-	·01	·06		26
27	·02	-	-	-	-	-	-	·01	-	-	·02		27
28	·01	-	-	-	-	-	-	-	-	·08	·46		28
29	-		·03	-	-	-	-	-	-	·21	·08		29
30	·01	✕	·06	-	-	-	-	-	-	·02	·16		30
31	-	✕	-	✕	·07	✕	·06	-	✕	·01	✕		31
Total	1·73	1·39	3·80	·93	1·05	2·02	1·43	1·22	·71	2·13	2·10		YEAR'S TOTAL
Rain Days.	16	13	21	9	11	8	12	12	10	13	18		

W. 8,000. X. 14.

—

SAXLINGHAM NETHERGATE

NORFOLK.

1911 —— 1918

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

911

Kept at Saxlin

in the County of

by Mrs Pitt

op 5 in.
bove Ground 1 ft. 15 in.
„ Sea Level ft.
9. am.
Name Flordon
Distance 3 miles Direction W.

IMPORTANT N… and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the… year in the space provided for it at the end o… …rement of rain, the selection and p… British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44		.04							17			1
2	.26		.08		18	06	11	13			06	17	2
3	.06	.03		.06	12					.13	03	05	3
4	.04	.01	.10	.13					02		12	03	4
5		.05		.15						.12	02	20	5
6	.27		.04	.03						03	01	10	6
7	.02	.02	.01							01	19	31	7
8	.13		.13						02			11	8
9	.13		.04	.05							08		9
10	.04	.03	.06								04	54	10
11	.38	.26									40	01	11
12	.03	.02	.41										12
13	.09		.22		02	14			11	57	03	09	13
14			.24		62				05			.16	14
15		.09	.23						01	01	20	02	15
16	.01		.13			45				–	26	11	16
17		.28	.05			01				–	02	07	17
18			.02			03					97	07	18
19		.02			01	57		01	.03		18	03	19
20		.07						05	04	02	08	41	20
21	.01	.20						06		17		06	21
22	.01	.06	.09					05		08	05	39	22
23	.01		.27		02	1.01		01	25			12	23
24		.10	.07			03	22			74	03	16	24
25		.01	.07		01	14	37				12	04	25
26			.01	.09			01			21	05	38	26
27		.19	.07	.13	12		–		32		–	01	27
28		.17		.31			07	09		01	01	09	28
29			.01	.12		32			49	37			29
30						04			35	13	01	01	30
31										01		02	31
Total	1.93	1.61	2.39	1.07	1.10	2.80	.78	.40	1.69	2.78	2.96	3.70	TOTAL for year 23.21
No. of Rain Days	16	17	22	9	8	11	5	7.	11	16	22	27	171

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Saxlingham Nethergate
in the County of Norfolk
by Mrs Pitt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 15 in.
" " " Sea Level ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Flordon
Distance 3 miles Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44		.04							17			1
2	.26		.08		18	06	11	13			06	17	2
3	.06	.03		.06	12					.13	03	05	3
4	.04	.01	.10	.13					02		12	03	4
5		.05		.15						.12	02	20	5
6	.27		.04	.03						03	01	10	6
7	.02	.02	.01							01	19	31	7
8	.13		.13						02			11	8
9	.13		.04	.05							08		9
10	.04	.03	.06								04	54	10
11	.38	.26									40	01	11
12	.03	.02	.41										12
13	.09		.22		02	14			11	57	03	09	13
14			.24		62				05			.16	14
15		.09	.23						01	01	20	02	15
16	.01		.13			45				–	26	11	16
17		.28	.05			01				–	02	07	17
18			.02			03					97	07	18
19		.02			01	57		01	.03		18	03	19
20		.07						05	04	02	08	41	20
21	.01	.20						06		17		06	21
22	.01	.06	.09					05		08	05	39	22
23	.01		.27		02	1.01		01	25			12	23
24		.10	.07			03	22			74	03	16	24
25		.01	.07		01	14	37				12	04	25
26			.01	.09			01			21	05	38	26
27		.19	.07	.13	12		–		32		–	01	27
28		.17		.31			07	09		01	01	09	28
29			.01	.12		32			49	37			29
30						04			35	13	01	01	30
31										01		02	31
Total	1.93	1.61	2.39	1.07	1.10	2.80	.78	.40	1.69	2.78	2.96	3.70	TOTAL for year 23.21
No. of Rain Days	16	17	22	9	8	11	5	7.	11	16	22	27	171

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
18 JAN 1913

Kept at Saxlingham Nethergate

in the County of Norfolk

by Mrs Pitt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 15 in.
" " " Sea Level ft.

Time of Observation 9 a m

Nearest Railway Station
Name Flordon
Distance 3 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	01	02	03	01	08	03	01	11	02		30	1
2		02	02	02		–	17					04	2
3	11	02	–		.01	29		02	.04	05		06	3
4	11		53		03	29		03		~~[illegible]~~	14	.04	4
5	04	04	35			06		01		~~[illegible]~~	02		5
6	78	12			05	58	04	09	11			.01	6
7	04				01	25	01	31	07			02	7
8	16	01	02			03	01	03	30			–	8
9			01	15	03				23			31	9
10		02		02			01	03	23		18	02	10
11		04		05				05	05		40	13	11
12	03	05	04		05	28					58		12
13	05	08	03			07		02			38	03	13
14	01	-	–		03	07			01	04	05	12	14
15		01	21		20	17		.05			02	.06	15
16	05	01	03		06	10			–	10	02	01	16
17	06 S		17			13		11			01		17
18	.02		13				45	.03	01	07		07	18
19	03	05	22			01	48	07	01	03	12		19
20	09	01			09		01	04		30		01	20
21	–		19				22	64		13	02		21
22	15	09	03				63	15		–		05	22
23	.31	54	20		.04		–	46	03	02	.13.	12	23
24	07	03	06			20	21	23	01		.01	18	24
25	03					15	.02	1.20			28	32	25
26		01			02	06	24	5.45		30	11	21	26
27	01							.10		05	04	19	27
28		01		04			04	.04	05	33	14	21	28
29	06		01	.02		04	15	24	51	02	16		29
30	08	–			02			02	80	19	02		30
31	01	–	11		06		18	11		13		06	31
Total	2.31	1.17	2.38	.33	.71	2.86	2.90	9.54	2.57	1.78	2.83	2.44	TOTAL for year 31.82
No. of Rain Days.	23	19	19	7	15	18	17	26	16	15	20	23	218

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Saxlingham Nethergate
in the County of Norfolk
by Mrs. R. W. Pitt

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Flordon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05	30	14	25	02	01		—	13		'02	'01	1
2	03	12	02	01	15		'16	—	29		'04		2
3			31	—	23	04	~~16~~	—	01	01		02	3
4	06		01		02			—	—			16	4
5	04				06			01	03	84	02	01	5
6					13	01		—		20			6
7		02			02			—		36			7
8				04		27	.01	—		03	05		8
9		10	01	03	17	22		'20	07			01	9
10				07			1.99	02			32		10
11	24	01		52 s				13			.62		11
12	01			01				01			.10		12
13	09	01	03	02				—			26		13
14	11		04	06			1.14	—	11	26	05		14
15	13	01	17	13			.26	—			06	01	15
16	10		20	20				—	53		09	01	16
17	08		21	03		20	13	—			01	03	17
18			08	05			02	01	86				18
19	11		05		01			—	23			06	19
20	10		03					—		19			20
21	03		14				.30	—		41	24		21
22	09		08				.35	—	17				22
23			01			01		16			01	01	23
24	08					31		03					24
25	01			11				—				01	25
26		02	.11			0		—		77	01		26
27		05				01		—		03		11	27
28	13		10			01		—		05			28
29	.35		13	13	23			—				02	29
30	.23		01	30	07			—		03	16	10	30
31			08		01			~~16~~					31
Total	2.07	.64	1.96	1.96	1.12	1.09	4.36	.73	2.43	3.18	2.06 2.~~06~~	.57	YEAR'S TOTAL 22.17
Rain Days.	20	9	21	16	12	10	9	9	10	12	16	14	158

W. 7,500, XI. ·12

17

cwd by Preston – [illegible] } 1.III.15

+1 DB

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at Saxlingham Nethergate

in the County of Norfolk

by Mrs Pitt

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Flordon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				03				13	–	01	17		1
2				03			01	01	–		04		2
3	01		08	–	08		56	04	–		01		3
4	16		03	16		02	–	–	–		26	08	4
5			09	14	34		06	33	–	01	01	–	5
6	01	04		01	10		05	02	–		06	08	6
7		02	33	03	10	14	–	–	–			12	7
8	17	09	31	02	18	45		08	11				8
9	44		46		02	53		–	01	05		77	9
10	52	01	12	10	01			–	01			05	10
11	–	26	36	07	27	07		–	17		27	36	11
12	04	01	01		02			–	31		06	30	12
13	–	21	20					–	01	03	12	60	13
14	03		16					–		30	04	45	14
15	05		22				1.01	02	~~02~~		37	30	15
16	04		10				33	–	02		07	–	16
17	02	36	01				–	–	17		03	15	17
18		20	04				–	–	02	01	02	43	18
19	01	03	23				–	–	44	04	15	02	19
20	02		31			09	–	03	25	11	05	02	20
21	06	53	13				–	–	–	10	06	05	21
22			14		21	01	11	02	–	20		02	22
23			04	01	01	03	04	–	–	03	01	02	23
24			04	06		01	02	03		03	06	–	24
25						–		–		69	01	–	25
26							04	10		02	09	18	26
27	01		06				20	01		–	01	24	27
28			–					–	01	13	58	1.30	28
29	02		01				04	–		40	05	–	29
30			09				–	–			28	04	30
31			–		05		04	–		03		04	31
Total	1.61	1.76	3.57	.66	1.39	1.35	2.51	.82	1.53	2.19	2.88	5.62 5.62	YEAR'S TOTAL 25.98 25.89
Rain Days.	16	11	24	11	12	9	13	12	12	17	25	22	184

W.7,000, XI. 13

Form C

1544

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 17 MAR 1916

Kept at Saxlingham Nethergate
in the County of Norfolk
by A Preston Mrs Pitt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	.32			.06				.10		.29	.02	1
2	.02	.04	.27	.06				.57	.01	.01	.06	.02	2
3	.27	.01	.10	.06				.49	.08	.03	.11	.10	3
4	.03		.01				.03	.03		.42	.17	.46	4
5	.03	.03			.03			.05			.09	.30	5
6	.10	.13	.19	.18	.73		.16	.02				.05	6
7	.06	.25	.12	.02			.08	.04				.17	7
8	.05	.03	02	.08			.09	.03	.01	.03			8
9	.03	.06						.05			.22	.42	9
10	.40							.04			.01	.11	10
11	01		02		.10		.09			.02	.36	.05	11
12	.05			.35	.11		.05	.96			.65	.06	12
13	.13	.34		.05	.93				07		.18		13
14		.60					69	.30				.32	14
15	.29	.18		.01	.10		.03	.01					15
16	.04	.22					.74	05		01	.12	.13	16
17	.43	.23	.05		03		.09				.02	.13	17
18	.08	.09	.30		.31						.15		18
19	.02	.03	.01				.14			.10			19
20	.17			.01								.32	20
21	44				.06		.03					.10	21
22	.04	.06	.32		.01		.49		.02			.15	22
23	.04	.07				.05	.11				.05	.10	23
24	.01	.05	.41				.11		.06	.01	.07	.10	24
25	.04		.04			.22	.25			.07		.05	25
26	.01	.16	.02			.12				.05	.05	.24	26
27	.01	.04				.09	.58		.17	.33		.02	27
28		13				.81	.07	.02	.47	.45			28
29	.03		04			.22	.31	.11	.35	.01	.08	.06	29
30	.09	X				.10	.02	.03	17		.02		30
31	.02	X		X		X		.04	X	.18	X	.12	31
Total	3.09	3.07	1.92	.82	2.47	1.61	4.16	2.84	1.51	1.72	2.70	3.60	YEAR'S TOTAL 29.51
Rain Days.	29	21	15	9	11	7	20	17	11	14	18	24	196

W. 8,000. X. 15.

5 made

Exd ESE

1515

FORM A. BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Saxlingham Nethergate

in the County of Norfolk

by Mrs C. H. Pitt

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Flordon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	11				04	05			06		11		1
2		02	05		10		11		24	03	01		2
3	05	08	03			02	03		15	16	25		3
4	24	12	04			30	02		23	06	25	25	4
5	05	09	24s	02		26	.04		04	10		01	5
6	04	14	20s	40		05	04			02	24		6
7	05		19		53	08	16			06	18		7
8	01				12	03					01	18	8
9	01		03		28	09						18	9
10			18	05	-	04	10		09			22	10
11	03	[illegible]	08	22	03	45						04	11
12	05	[illegible]	01	01	52	38		12	01	12		17	12
13	05	18	21	10	07	12		09	02	13		01	13
14	01	43s	01	03	09	02		35	02	01		27	14
15		29	26	–		–		07	03	25		03	15
16		06	02	30		–	06	09		02		10	16
17	01	-	01	31		-	.28	13	23	26			17
18		18	03	12		-		06	04	15	62		18
19	16	01		30		03		20	18	01	25	04	19
20	17	-	10	08				-	01			10	20
21	03	08	07	10				–		02		41	21
22		13	01		22	11	01	-		0		36	22
23		33s	–			10	01	03			10	08	23
24		28s	01			26				35	01	23	24
25		09s	12			–		16		16	04	06	25
26		02s	–			12		08		04			26
27		14	44			01		–		06	.03	01	27
28		20	38		86	01		02	04	02		16	28
29		14				03		1 17		27		02	29
30		X				06		32		41			30
31	18	X		X		X			X		X	01	31
Total	1·25	3·65	2·72	204	2.86	2.62	- .86	2.89	1·39	2·71	2·10	2·94	YEAR'S TOTAL 28·03
Rain Days.	17	22	23	13	11	22	11	14	15	22	13	22	205

W. 8,000. X. 15.

10

$ made ✓

Ex 81

1449

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

25 FEB 1918

Kept at Saxlingham

in the County of Norfolk

by C. H. Pitt per A W Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.17				1.09	.16		.05	.01	1
2	.08	.03	.01	.15		.03		1.04					2
3			.01	.06				.51		.06			3
4		.29						.02		.91			4
5	.12	.04		.11					.36		.11		5
6	.02		.03						.18		.05		6
7	.37			.01		.02				.64		.01	7
8	.16			.09			1.46	.13			.12	.03	8
9	.03		.04	.10				.11			.19	.29	9
10	.11		.19	.07							.20	.01	10
11	.08		.81	.11						.32			11
12	.23	.02	.09	.07						.34	.01	.01	12
13	.23		.07				.01	.05	.06	.04			13
14	.08		.03	.19			.80	.38				.01	14
15	.07		.02				.01	.05		.03		.02	15
16	.04	.06		.43		.42	.02			.48		.27	16
17	.01	.01	.03	.20	.42	.06	.20		.46	.18	.01	.03	17
18		.01		.03	.01	.02	.35		.46				18
19	.01	.03	.25	.02		.03		.13	.34				19
20	.02	.27	.10			.10		.02	.02		.24		20
21	.01	.16	.08				.01				.02		21
22		.02	.03					.03					22
23		.01			.08			.11		.07		.03	23
24		.01				.10		.23		.15		.03	24
25			.09			.11					.23	.20	25
26		.01	.12					.24			.53	.03	26
27			.01			.13		.40				.03	27
28		.03	.19			.40		.08				.04	28
29	.02					.28	.12	.01		.05		.03	29
30	.09	X	.02				.22	.12		.01			30
31	.05	X	.53	X		X	.41	.17	X		X	.03	31
Total	1.83	1.00	2.76	1.81	.51	1.70	3.61	4.92	2.04	3.28	1.76	1.11	YEAR'S TOTAL 26.33
Rain Days.	20	15	22	15	3	12	11	20	8	13	12	18	169

W. 8,000, VIII. 16

3.39

6 Esc 87 11

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

16 APR 1919

Kept at Saxlingham Nethergate
in the County of Norfolk
by A. W. Preston

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01								·08				1
2	·07	·01		·04				·33	·01				2
3	·01		·03		·06			·52	·02				3
4		·03	·11					·01	·45				4
5		·02	·09		·15				·04				5
6		·01		·28	·01			·23	·02				6
7	·12	·15		·03					·01				7
8	·04	·03	·01	·01									8
9	·07	·04		·02		·07			·55				9
10	·15						·22		·05				10
11		·03		·01	·14		·04		·09				11
12		·13			·05		·16		·05				12
13		·03			·15				·06				13
14	·35	·01				·02	·09		·15				14
15	·86		·03	1·50		·07	·03		·29				15
16	·03			·26		·06	·86		·07				16
17	·11			·25		1·00	·02		·14				17
18	·54			·10		·11	·06						18
19	·08			·22		·02	·08						19
20		·11		·08		·01	·83		·04				20
21	·04						·11		·17				21
22	·02			·04		·08	·11		·02				22
23	·08				·15		·04	·04					23
24		·17		·02			·39		·14				24
25			·03			·60	·04	·12					25
26						·01	·47	·06					26
27				·46		·05	·10	·21					27
28		·11	·20			·25	·02	·03					28
29	·01		·04						1·61				29
30		×	·25						·31				30
31		×		×		×			×		×		31
Total	2·59	·88	·79	3·32	·71	2·35	3·67	1·55	4·37				YEAR'S TOTAL
Rain Days.	17	14	9	15	7	13	18	9	22				

W. 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

7 APR 1914

8.IV.14. 1913

1449.

SHERINGHAM HALL

NORFOLK

1913 – ~~30~~)

Kept at She

in the County of

by E.

Long.

9. A.M.

Station Sheringham –

Gauge in.

Gauge above Ground ft. in.

„ Sea Level ft.

IMPORTA … m. and the result entered to the previous day. … ost universal rule, he is earnestly requested to add the … ing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·16	·08	·07					·70		·09		1
2		·14					·04		·30				2
3	·07		·20		·05		·02		·02			}	3
4	·11					·03½	·06	·02	·01		·02	·27 }	4
5	·01½			00½			·01			52	·05		5
6					·20					·69	·01		6
7		·07	·06				·02½			·38	·08		7
8		·09½		·03	}		·07			·06	·08		8
9			·02		·38 }	24			08½				9
10				11		·09		·13			·10	04	10
11	64			s. 54	5	·01½	·01½	·18			·40		11
12				·04		·02		·03			·08		12
13	·05		·03	·03							·53		13
14	·04		·20	·04			·27		·39	·32	·63		14
15	·09½		·13				·37		·07		·05		15
16	·05	·04	·66	·20					·25		·13		16
17	·04		·46	·13		·03	·08	·01	·		·03		17
18			·20	·19	·19		·03	02	·05			·04	18
19	·09		·10					02	·07				19
20	·13		·14						·05	·20			20
21	·04½		·08	·01			·22	·01		·33	·22		21
22	·11½		·10				·26	·01	·11				22
23	·01		·01½			·03½		·23					23
24			·03					·05				·03	24
25	·12			·11		·06.							25
26		·04				·12				68		·18	26
27		·06	·02	·03	·60	05				·09	·03½		27
28		·02.	·06	·12		·04							28
29	·50		·25	29	·08								29
30	·40				·02					·13	01		30
31								·30					31
Total	2.55	·56½	2·83½	1·94½	1.57	·73½	1·47	1·01	2.65½	~~3.27~~ 3·40	~~1·98½~~ 1·945	·56	YEAR'S TOTAL 20·64½
Rain Days.	18	8	19	16	9	11	13	12	12	10	17	6	151

20.64

W. 7,500, XI. 12

Simole

13

Kept at Sheringham Hall

in the County of Norfolk.

by E. Upcher (Miss.)

Long.

Time of Observation 9. A.M.

Nearest Railway Station Sheringham.

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

FORM A.
BRITISH RAINFALL.

7 APR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.16	.08	.07					.70		.09		1
2		.14					.04		.30				2
3	.07		.20		.05		.02		.02				3
4	.11					.03½	.06	.02	.01		.02	.27	4
5	.01½			00½			.01			52	.05		5
6					.20					.69	.01		6
7		.07	.06				.02½			.38	.08		7
8		.09½		.03			.07			.06	.08		8
9			.02		.38	24			03½				9
10				11		.09		.13			.10	04	10
11	.64			s. 54	5	.01½	.01½	.18			.40		11
12				.04		.02		.03			.08		12
13	.05		.03	.03							.53		13
14	.04		.20	.04			.27		.39	.32	.63		14
15	.09½		.13				.37		.07		.05		15
16	.05	.04	.66	.20					.25		.13		16
17	.04		.46	.13		.03	.08	.01	.		.03		17
18			.20	.19	.19		.03	02	.05			.04	18
19	.09		.10					02	.07				19
20	.13		.14						.05	.20			20
21	.04½		.08	.01			.22	.01		.33	.22		21
22	.11½		.10				.26	.01	.11				22
23	.01		.01½			.03½		.23					23
24			.03					.05				.03	24
25	.12			.11		.06							25
26		.04				.12				68		.18	26
27		.06	.02	.03	.60	05				.09	.03½		27
28		.02.	.06	.12		.04							28
29	.50		.25	29	.08								29
30	.40				.02					.13	01		30
31								.30					31
Total	2.55	.56½	2.83½	1.94½	1.57	.73½	1.47	1.01	2.65½	~~3.37~~ 3.40	~~1.98½~~ 1.945	.56	YEAR'S TOTAL 20.64½
Rain Days.	18	8	19	16	9	11	13	12	12	10	17	6	151

20.64

W. 7,500, XI. 12

SNETTISHAM

WISTARIA HOUSE

NORFOLK

1914 — 1915

FORM A.
BRITISH RAINFALL.

JAN 1915

R

Kept at Snet

in the County of N

by O.S.

g. 52 ½° N

9 a.m.

n Snettisham

5" in.

above Ground ft. 8" in.

" Sea Level just on the 50ft-contour ft.

IMPORTANT … nd the result entered to the previous day. If a… niversal rule, he is earnestly requested to add the … year in the space provided for it at the end of… rement of rain, the selection and pla… British Rainfall Organization are give… n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	✓			✓	·51	·33	✓	✓	·18	·04	1
2	✓	✓	·69			02	·13	·02	(·02) ✓	✓	·05	·06	2
3	✓	✓	·01			✓	·04	·24	✓	✓	✓	✓	3
4	✓	✓	✓			✓	✓	·19	✓	✓	·26	·10	4
5	✓	✓	✓			✓	·07	·15	✓	✓	✓	✓	5
6	·12	✓	✓			✓	·02	·02	✓	✓	·38	02	6
7	✓	✓	·04			02	·03	✓	✓	✓	✓	✓	7
8	✓	·49	·30			✓	✓	·12	✓	✓	✓	·02	8
9	✓	✓	✓			·09	✓	✓	·56	✓	✓	·21	9
10	·15	·01	·22			·81	✓	✓	✓	✓	✓	✓	10
11	·38	✓	✓			·90	✓	✓	·17	✓	·31	·13	11
12	·50	·09	·30			✓	✓	✓	·17	✓	✓	·15	12
13	✓	·11	✓			·12	✓	✓	✓	✓	·07	·20	13
14	✓	✓	·18	None		✓	·06	✓	✓	·25	✓	·51	14
15	✓	✓	·15			✓	·02	✓	✓	✓	·28	·45	15
16	✓	✓	·13			✓	·02	✓	✓	✓	·18	✓	16
17	✓	✓	✓			✓	✓	✓	·26	·08	·08	·20	17
18	✓	✓	✓			✓	·06	✓	✓	✓	✓	·40	18
19	✓	·33	✓			·11	✓	✓	·07	✓	·25	✓	19
20	✓	✓	·11			·40	✓	✓	·01	08	✓	✓	20
21	✓	·02	·36			✓	✓	·10	✓	✓	✓	·04	21
22	✓	✓	✓			✓	✓	✓	✓	13	✓	·09	22
23	✓	✓	✓			·20	·06	✓	✓	✓	·04	✓	23
24	✓	✓	·03				·09	✓	✓	·05	·15	✓	24
25	✓	✓	✓		·03		·07	✓	✓	·64	✓	✓	25
26	✓	✓	✓		✓		·04	·12	✓	✓	·11	·52	26
27	✓	✓	✓		·01		·11	✓	✓	✓	✓	·26	27
28	✓	✓	✓				✓	✓	✓	·10	·12	1·51	!! 28
29	✓	✓	✓				02	✓	✓	·39	·05	✓	29
30	✓	✗	✓				✓	✓	✓	✓	·09	·32	30
31	·15	✗	✓	✗		✗	·07	✓	✗	·05	✗	·11	31
Total	1·30	1·05	2·52	~~—~~	~~·04~~	2·67	1·47	1·29	1·24	1·77	2·60	5·34	YEAR'S TOTAL ~~21·29~~ ✓
Rain Days.	5	6	12	~~none~~	~~2~~	9	17	9	6	9	16	20	~~111~~ ✓

W. 8,000. X. 14.

mp.

R

14

FORM A.
BRITISH RAINFALL.

[illegible] JAN 15

Kept at Snettisham Wistaria House

in the County of Norfolk

by O. S. Ruddock

Lat. 30s W Long. 52½ N

Time of Observation 9 am.

Nearest Railway Station Snettisham

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 8" in.

" " " " Sea Level Just on the 50ft-contour ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	✓			✓	·51	·33	✓	✓	·18	·04	1
2	✓	✓	·69			02	·13	·02	(02)✓	✓	·05	·06	2
3	✓	✓	·01			✓	·04	·24	✓	✓	✓	✓	3
4	✓	✓	✓			✓	✓	·19	✓	✓	·26	·10	4
5	✓	✓	✓			✓	·07	·15	✓	✓	✓	✓	5
6	·12	✓	✓			✓	·02	·02	✓	✓	·38	02	6
7	✓	✓	·04			02	·03	✓	✓	✓	✓	✓	7
8	✓	·49	·30			✓	✓	·12	✓	✓	✓	·02	8
9	✓	✓	✓			·09	✓	✓	·56	✓	✓	·21	9
10	·15	·01	·22			·81	✓	✓	✓	✓	✓	✓	10
11	·38	✓	✓			·90	✓	✓	·17	✓	·31	·13	11
12	·50	·09	·30			✓	✓	✓	·17	✓	✓	·15	12
13	✓	·11	✓	None		·12	✓	✓	✓	✓	·07	·20	13
14	✓	✓	·18			✓	·06	✓	✓	·25	✓	·51	14
15	✓	✓	·15			✓	·02	✓	✓	✓	·28	·45	15
16	✓	✓	·13			✓	·02	✓	✓	✓	·18	✓	16
17	✓	✓	✓			✓	✓	✓	·26	·08	·08	·20	17
18	✓	✓	✓			✓	·06	✓	✓	✓	✓	·40	18
19	✓	·33	✓			·11	✓	✓	·07	✓	·25	✓	19
20	✓	✓	·11			·40	✓	✓	·01	08	✓	✓	20
21	✓	·02	·36			✓	✓	·10	✓	✓	✓	·04	21
22	✓	✓	✓			✓	✓	✓	✓	13	✓	·09	22
23	✓	✓	✓			·20	·06	✓	✓	-	·04	✓	23
24	✓	✓	·03				·09	✓	✓	·05	·15	✓	24
25	✓	✓	✓		·03		·07	✓	✓	·64	✓	✓	25
26	✓	✓	✓		✓		·04	·12	✓	✓	·11	·52	26
27	✓	✓	✓		·01		·11	✓	✓	✓	✓	·26	27
28	✓	✓	✓				✓	-	✓	·10	·12	1·51	!! 28
29	✓	✓	✓				02	✓	✓	·39	·05	✓	29
30	✓	X	✓				✓	✓	✓	✓	·09	·32	30
31	·15	X	✓	X		X	·07	✓	X	·05	X	·11	31
Total	1·30	1·05	2·52		~~·04~~	2·67	1·47	1·29	1·24	1·77	2·60	5·34	YEAR'S TOTAL ~~21·29~~ ✓
Rain Days.	5	6	12	~~none~~	~~2~~	9	17	9	6	9	16	20	~~111~~ ✓

W. 8,000. X. 14.

mp.



Last house in Snettisham
N
Smiths Shop
Lane
meadow
To Hunstanton
wall - wall 8'0" high
Glass house
15.6
27.6
Guage
Garden
Wistaria House
Road
to Lynn

The guage is close to the 50 ft contour line

Sketch map

Exd LN

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Snettisham

in the County of Norfolk

by O G Ruddock

Lat. ~~[illegible]~~ 52½ N Long. 30½ W

Time of Observation 9 am

Nearest Railway Station Snettisham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 50 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·24	✓		·29	✓	✓	·08	·72	✓	·06	·08	1
2	✓	·11	·29	·07	✓	✓	✓	·16	·43	✓	·11	✓	2
3	·21	✓	·05	✓	✓	✓	·07	✓	✓	✓	·19	·17	3
4	✓	✓	✓	✓	✓	✓	Th ·13	05	✓	✓	·12	·48	4
5	04	✓	✓	✓	Th 28	04	✓	✓	✓	·17	·04	·17	5
6	·07	·11	·17	16	✓	✓	Th 1·24	·17	✓	·62	✓	·11	6
7	·20	·28	·10	✓	✓	✓	Th ·09	✓	✓	✓	✓	·19	7
8	✓	·03	✓	✓	✓	✓	✓	·06	✓	✓	·06	✓	8
9	·11	·12	✓	✓	✓	04	✓	✓	✓	✓	·19	·33	9
10	·26	✓	·05	✓	✓	✓	✓	✓	✓	✓	✓	✓	10
11	✓	✓	·03	·01	·30	✓	·05	Th ·37	✓	✓	·23	·04	11
12	·09	✓	✓	·32	·13	✓	·	Th ·45	✓	✓	″ 2·11	✓	12
13	·02	·26	✓	✓	·76	✓	·02	Th ·59	·02	✓	✓	·04	13
14	✓	·19	✓	✓	✓	✓	✓	Th ·26	✓	✓	✓	·27	14
15	·22	·18	✓	✓	·05	✓	·11	✓	✓	✓	S ·31	·04	15
16	✓	·29	✓	✓	✓	✓	·65	Th 04	✓	✓	·05	✓	16
17	SS. 31	·16	✓	✓	✓	✓	·11	✓	✓	✓	✓	✓	17
18	✓	·02	S ·30	✓	✓	✓	✓	✓	✓	✓	·13	✓	18
19	·02	H Th ·14	✓	✓	✓	✓	09	✓	✓	·02	✓	✓	19
20	·24	✓	✓	·01	✓	✓	✓	✓	✓	✓	✓	·42	20
21	·11	·03	✓	✓	✓	✓	·09	✓	✓	✓	✓	·03	21
22	·31	✓	17	✓	✓	✓	·57	✓	Sprinkling	✓	✓	·22	22
23	·	SS 16	✓	✓	✓	✓	·07	✓	·13	✓	·14	·19	23
24	03	SS ·04	·17	✓	✓	✓	·44	✓	·02	·17	·03	·17	24
25	✓	✓	·06	✓	✓	·24	✓	✓	✓	·04	·06	·14	25
26	✓	·15	S ·02	✓	✓	✓	✓	✓	✓	✓	✓	·35	26
27	✓	02	✓	✓	✓	Th 27	Th ·30	✓	✓	·40	✓	✓	27
28	02	S ·09	S ·02	✓	✓	·06	·03	·18	10	·38	✓	✓	28
29	SS 01	✓	✓	✓	·14	·06	✓	·15	✓	✓	·11	·15	29
30	·11	✕	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	30
31	04	✕	✓	✕	✓	✕	✓	·11	✕	06	✕	·10	31
Total	2·82	2·61	1.43	0·57	1·95	0·71	4·06	2.67	1·42	1·26	3.94	3.69	YEAR'S TOTAL 27·13
Rain Days.	20	19	12	5	7	6	16	13	6	8	16	20	148

W. 8,000. X. 15. SS. Snow & Sleet H, Hail Th, thunder S snow

SOUTHERY

NORFOLK

1911 — 1915

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

911

Kept at

in the County of

by

p 5 in.

bove Ground 1 ft. 3 in.

„ Sea Le 13 ft.

8-45

m Name Ryston
Distance 4 m Direction WW

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·00	·00	·00	·00	·00	·00	·02	·00	·02	·01	·00	1
2	·31	·00	·00	·00	·06	·00	·00	·01	·00	·00	·02	·08	2
3	·00	·00	·00	·1	·1	·00	·00	·00	·00	·14	·00	·02	3
4	·02	·1	·12	·1	·01	·00	·00	·00	·00	·01	·17	·19	4
5	·01	·04	·00	·00	·00	·00	·00	·07	·00	·01	·00	·13	5
6	·30	·00	·01	·01	·00	·00	·00	·00	·00	·00	·00	·48	6
7	·00	·02	·00	·00	·00	·00	·00	·00	·00	·04	·13	·03	7
8	·16	·00	·15	·02	·00	·00	·00	·00	·23	·00	·08	·02	8
9	·15	·00	·02	·04	·00	·00	·00	·00	·00	·00	·02	·00	9
10	·03	·05	·00	·00	·00	·00	·00	·00	·00	·00	·00	·11	10
11	·25	·06	·12	·00	·00	·01	·00	·00	·00	·00	·17	·00	11
12	·15	·00	·4	·00	·04	·02	·00	·00	·02	·00	·26	·02	12
13	·00	·01	·39	·02	·7	·18	·00	·00	·20	·00	·01	·20	13
14	·00	·1	·14	·00	·29	·00	·00	·00	·01	·00	·00	·34	14
15	·01	·11	·43	·00	·00	·00	·00	·00	·18	·00	·09	·00	15
16	·01	·00	·04	·00	·00	·2	·00	·00	·00	·00	·28	·07	16
17	·04	·00	·00	·00	·00	·08	·00	·00	·00	·00	·08	·06	17
18	·00	·05	·00	·00	·00	·06	·00	·00	·00	·00	·32	·02	18
19	·01	·01	·01	·00	·00	·35	·03	·00	·21	·01	1·02	·01	19
20	·00	·00	·00	·00	·00	·00	·00	·01	·06	·00	·01	·42	20
21	·00	·13	·00	·00	·00	·00	·00	·65	·00	·07	·02	·00	21
22	·02	·07	·11	·00	·00	·00	·00	·14	·00	·15	·01	·11	22
23	·01	·03	·12	·00	·00	·91	·01	·00	·29	·00	·00	·12	23
24	·00	·05	·00	·00	·00	·2	·00	·00	·00	·15	·00	·12	24
25	·00	·00	·07	·13	·00	·09	·08	·03	·00	·00	·04	·04	25
26	·00	·02	·00	·15	·00	·42	·07	·02	·00	·17	·05	·03	26
27	·00	·26	·10	·16	·00	·00	·01	·00	·18	·00	·00	·20	27
28	·00	·16	·00	·12	·00	·00	·00	·14	·00	·00	·09	·10	28
29	·00		·01	·04	·00	·00	·01	·00	·35	·39	·01	·02	29
30	·00		·01	·01	·05	·00	·00	·00	·05	·08	·00	·03	30
31	·01		·00		·00		·00	·00		·08		(·03)	31
Total	1·57	1·29	2·25	·91	1·25	2·52	·21	1·09	1·88	1·27	2·89	2·00	TOTAL for year 20·13
No. of Rain Days.	17	17	17	12	7	11	6	9	11	12	21	26	167

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Southery
in the County of Norfolk. 4
by J Stanley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 13 ft.
Time of Observation 8-45
Nearest Railway Station
Name Ryston
Distance 4m Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·00	·00	·00	·00	·00	·00	·02	·00	·02	·01	·00	1
2	·31	·00	·00	·00	·06	·00	·00	·01	·00	·00	·02	·08	2
3	·00	·00	·00	·1	·1	·00	·00	·00	·00	·14	·00	·02	3
4	·02	·1	·12	·1	·01	·00	·00	·00	·00	·01	·17	·19	4
5	·01	·04	·00	·00	·00	·00	·00	·07	·00	·01	·00	·13	5
6	·30	·00	·01	·01	·00	·00	·00	·00	·00	·00	·00	·48	6
7	·00	·02	·00	·00	·00	·00	·00	·00	·00	·04	·13	·03	7
8	·16	·00	·15	·02	·00	·00	·00	·00	·23	·00	·08	·02	8
9	·15	·00	·02	·04	·00	·00	·00	·00	·00	·00	·02	·00	9
10	·03	·05	·00	·00	·00	·00	·00	·00	·00	·00	·00	·11	10
11	·25	·06	·12	·00	·00	·01	·00	·00	·00	·00	·17	·00	11
12	·15	·00	·4	·00	·04	·02	·00	·00	·02	·00	·26	·02	12
13	·00	·01	·39	·02	·7	·18	·00	·00	·20	·00	·01	·20	13
14	·00	·1	·14	·00	·29	·00	·00	·00	·01	·00	·00	·34	14
15	·01	·11	·43	·00	·00	·00	·00	·00	·18	·00	·09	·00	15
16	·01	·00	·04	·00	·00	·2	·00	·00	·00	·00	·28	·07	16
17	·04	·00	·00	·00	·00	·08	·00	·00	·00	·00	·08	·06	17
18	·00	·05	·00	·00	·00	·06	·00	·00	·00	·00	·32	·02	18
19	·01	·01	·01	·00	·00	·35	·03	·00	·21	·01	1·02	·01	19
20	·00	·00	·00	·00	·00	·00	·00	·01	·06	·00	·01	·42	20
21	·00	·13	·00	·00	·00	·00	·00	·65	·00	·07	·02	·00	21
22	·02	·07	·11	·00	·00	·00	·00	·14	·00	·15	·01	·11	22
23	·01	·05	·12	·00	·00	·91	·01	·00	·39	·00	·00	·12	23
24	·00	·05	·00	·00	·00	·2	·00	·00	·00	·15	·00	·12	24
25	·00	·00	·07	·13	·00	·07	·08	·03	·00	·00	·04	·04	25
26	·00	·02	·00	·15	·00	·42	·07	·02	·00	·17	·05	·03	26
27	·00	·26	·10	·16	·00	·00	·01	·00	·18	·00	·00	·20	27
28	·00	·16	·00	·12	·00	·00	·00	·14	·00	·00	·09	·10	28
29	·00		·01	·04	·00	·00	·01	·00	·35	·39	·01	·02	29
30	·00		·01	·01	·05	·00	·00	·00	·05	·08	·00	·03	30
31	·01		·00		·00		·00	·00		·03		(·03)	31
Total	1·57	1·29	2·25	·91	1·25	2·52	·21	1·09	1·88	1·27	2·89	2·00	TOTAL for year 20·13
No. of Rain Days.	17	17	17	12	7	11	6	9	11	13	21	26	167

W. 8,000, X. '11.

Aug 26 1.00 in added for overflow
Obr agrees

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Southery.

in the County of Norfolk. 4

by J Stanley.

Lat. Long.

Time of Observation 8 - 45 a m

Nearest Railway Station Littleport

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·00	·00	·01	·00	·00	·03	·00	·14	·00	·00	·06	1
2	·00	·00	·01	·01	·00	·00	·42	·00	·02	·06	·00	·01	2
3	·17	·00	·00	·00	·05	·40	·00	·00	·05	·04	·00	·00	3
4	·08	·00	·00	·00	·02	·07	·00	·17	·00	·00	·34	·01	4
5	·00	·09	·39	·00	·01	·03	·00	·07	·00	·00	·02	·00	5
6	·15	·17	·32	·00	·03	·02	·75	·14	·00	·00	·00	·00	6
7	·44	·00	·00	·00	·01	·25	·02	·15	·05	·00	·00	·00	7
8	·02	·11	·09	·14	·00	·05	·09	·04	·06	·01	·00	·03	8
9	·17	·00	·00	·00	·17	·00	·00	·00	·00	·02	·00	·22	9
10	·01	·00	·02	·00	·00	·05	·00	·31	·06	·02	·10	·01	10
11	·00	·02	·00	·00	·00	·00	·09	·04	·10	·00	·00	·17	11
12	·11	·06	·17	·00	·00	·04	·00	·00	·01	·01	·60	·00	12
13	·01	·02	·00	·00	·00	·00	·00	·03	·00	·00	·55	·03	13
14	·00	·00	·00	·00	·01	·03	·00	·05	·00	·03	·07	·00	14
15	·00	·00	·23	·00	·22	·20	·00	·01	·00	·00	·00	·09	15
16	·07	·00	·11	·00	·24	·29	·00	·12	·00	·07	·00	·00	16
17	·20	·00	·23	·00	·00	·23	·00	·21	·00	·00	·03	·15	17
18	·00	·00	·07	·00	·00	·00	·01	·26	·00	·08	·02	·05	18
19	·12	·14	·10	·00	·00	·04	·20	·19	·00	·33	·03	·00	19
20	·04	·00	·04	·00	·04	·00	·08	·24	·00	·02	·01	·00	20
21	·01	·00	·39	·00	·42	·00	·08	·66	·00	·10	·14	·00	21
22	·17	·07	·02	·00	·42	·01	·95	·19	·00	·05	·00	·03	22
23	·38	·30	·22	·00	·12	·00	·00	·79	·00	·00	·17	·11	23
24	·33	·01	·00	·00	·00	·07	·09	·76	·00	·01	·00	·07	24
25	·01	·00	·00	·00	·00	·15	·02	·49	·00	·00	·14	·21	25
26	·00	·00	·00	·00	·00	·14	·05	(3·51)	·00	·30	·31	·25	26
27	·00	·01	·00	·00	·03	·00	·01	·06	·00	·22	·00	·26	27
28	·00	·00	·00	·12	·00	·00	·04	·20	·01	·31	·10	·21	28
29	·00	·01	·00	·00	·60	·11	·21	·12	·72	·12	·28	·0	29
30	·02		·00	·00	·00	·00	·00	·02	·57	·06	·00	·0	30
31	·00		·08		·14		·13	·20		·17		·04	31
Total	2·52	1·01	2·49	·28	2·53	2·18	3·27	(9·03)	1·79	2·03	2·91	2·01	YEAR'S TOTAL (32·05)
Rain Days.	20	12	16	4	16	18	18	26	11	20	16	19	196

W. 7,500, XI. ·12

Cord by [illegible] - 11·III·14 ~~WS~~ DL

FORM A.
BRITISH RAINFALL

8- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Southery
in the County of Norfolk
by J Stanley

4

Lat. 52° 32′ N Long. 0° 25′ E
Time of Observation 8-50 am
Nearest Railway Station Ryston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·00	·06	·10	·00	·01	·10	·00	·17	·00	·02	·00	1
2	·04	·08	·03	·00	·11	·00	·01	·00	·06	·01	·01	·00	2
3	·00	·08	·24	·00	·81	·00	·03	·00	·01	·09	·01	·01	3
4	·16	·00	·00	·00	·00	·01	·06	·00	·01	·14	·06	·00	4
5	·03	·00	·00	·00	·00	·00	·02	·05	·00	·40	·02	·02	5
6	·00	·04	·01	·01	·02	·15	·07	·01	·00	·08	·01	·17	6
7	·00	·09	·00	·01	·38	·00	·01	·01	·00	·50	·01	·01	7
8	·00	·00	·03	·03	·01	·12	·04	·00	·00	·01	·11	·01	8
9	·00	·26	·04	·12	·14	·15	·02	·09	·01	·00	·03	·02	9
10	·01	·00	·00	·01	·02	·00	·00	·19	·00	·00	·33	·01	10
11	·81	·00	·00	·42	·00	·01	·01	·14	·00	·01	·13	·01	11
12	·00	·02	·00	·00	·00	·0	·01	·00	·00	·01	·11	·01	12
13	·04	·01	·10	·01	·00	·00	·00	·07	·03	·00	·42	·01	13
14	·00	·04	·12	·06	·00	·00	·03	·00	·00	28	·01	·01	14
15	·22	·01	·14	·12	·00	·00	·12	·00	·11	·01	·01	·00	15
16	·12	·00	·54	·12	·00	·00	·01	·00	·21	·01	·08	·02	16
17	·04	·00	·25	·01	·00	·11	·01	·00	·01	·01	·0	·01	17
18	·01	·00	·06	·01	·01	·05	·18	·01	·01	·01	·01	·00	18
19	·04	·00	·00	·00	·00	·09	·00	·00	·07	·01	·01	·04	19
20	·08	·00	·10	·01	·00	·35	·00	·00	·48	·37	·01	·01	20
21	·05	·00	·10	·01	·05	·02	·15	·00	·01	·14	·01	·01	21
22	·20	·00	·11	·00	·00	·01	·00	·07	·22	·00	·28	·00	22
23	·00	·00	·01	·01	·00	·02	·05	·02	·09	·01	·01	·02	23
24	·05	·00	·01	·01	·00	·01	·00	·04	·09	·00	·01	·00	24
25	·00	·00	·00	·10	·00	·06	·01	·00	·01	·01	·04	·05	25
26	·00	·06	·09	·01	·00	·01	·01	·01	·00	·50	·01	·05	26
27	·01	·05	·00	·01	·00	·10	·00	·00	·01	·02	·00	·03	27
28	·09	·00	·09	·06	·00	·02	·00	·15	·03	·12	·01	·02	28
29	·24		·09	·27	·15	·00	·01	·05	·01	·03	·15	·04	29
30	·20		·00	·03	·00	·15	·00	·03	·01	·02	·00	·04	30
31	·00		·00		·08		·00	·50		·02		·00	31
Total	2·47	·74	2·22	1·55	1·78	1·46	·96	1·44	1·67	2·82	1·92	·63	YEAR'S TOTAL 19·67
Rain Days.	20	11	20	23	11	20	21	16	22	25	28	23	240

W. 7,500, XI. ·12

[illegible] 2.III.15 [illegible] 1.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Southery
in the County of Norfolk 4
by J. Stanley

Lat. Long.
Time of Observation 8-50 am
Nearest Railway Station Ryston G E R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·01	·01	·01	·00	·24	·22	·00	·01	·04	·01	1
2	·00	·01	·01	·01	·01	·00	·37	·39	·01	·00	·04	·01	2
3	·00	·04	·09	·01	·11	·00	·34	·01	·00	·00	·02	·01	3
4	·12	·03	·01	·19	·06	·00	·00	·04	·02	·00	·02	·08	4
5	·01	·03	·06	·04	·04	·00	·15	·10	·01	·00	·02	·01	5
6	·00	·10	·01	·00	·07	·00	·08	·03	·01	·00	·06	·05	6
7	·01	·04	·33	·01	·19	·12	·01	·02	·00	·01	·01	·06	7
8	·34	·03	·20	·01	·01	·48	·03	·07	·00	·01	·01	·01	8
9	·49	·02	·23	·01	·02	·57	·01	·01	·00	·02	·01	·30	9
10	·29	·06	·05	·00	·01	·01	·00	·00	·00	·01	·01	·00	10
11	·00	·15	·22	·04	·03	·02	·01	·01	·01	·01	·31	·10	11
12	·01	·02	·02	·01	·02	·00	·46	·11	·25	·01	·01	·02	12
13	·01	·15	·12	·01	·08	·00	·03	·01	·02	·01	·03	·15	13
14	·01	·01	·10	·01	·01	·00	·17	·01	·01	·42	·00	·44	14
15	·04	·01	·13	·01	·01	·00	·09	·05	·04	·01	·12	·35	15
16	·04	·01	·04	·01	·00	·00	·05	·00	·08	·02	·06	·05	16
17	·00	·30	·01	·00	·00	·00	·01	·00	·04	·02	·04	·05	17
18	·02	·05	·03	·00	·01	·00	·01	·00	·02	·00	·09	·05	18
19	·01	·05	·13	·00	·01	·02	·02	·00	·09	·01	·23	·20	19
20	·01	·04	·40	·00	·01	·04	·01	·06	·03	·01	·00	·10	20
21	·03	·11	·18	·00	·06	·12	·00	·00	·01	·01	·05	·07	21
22	·01	·03	·01	·06	·10	·02	·02	·00	·01	·05	·00	·02	22
23	·01	·02	·04	·03	·02	·00	·03	·01	·01	·05	·05	·04	23
24	·02	·01	·01	·05	·04	·00	·01	·02	·00	·20	·11	·04	24
25	·01	·03	·01	·02	·04	·00	·03	·00	·00	·37	·01	·16	25
26	·01	·02	·01	·01	·01	·00	·02	·00	·00	·03	·04	·16	26
27	·01	·00	·01	·01	·00	·00	·04	·35	·00	·01	·01	·10	27
28	·01	·02	·00	·01	·00	·00	·01	·00	·00	·08	·03	·40	28
29	·01	·09	·03	·01	·00	·00	·01	·00	·00	·09	·08	·45	29
30	·02	✕	·03	·01	·00	·00	·00	·00	·00	·02	·01	·15	30
31	·01	✕	·00	✕	·08	✕	·06	·00	✕	·04	✕	·04	31
Total	1·56	1·49	2·53	~~·69~~ ·59	·95	1·40	2·32	1·46	·67	1·53	1·52	37·1	YEAR'S TOTAL 19·73 19·73
Rain Days.	25	26 29	29	23	24	9	27	17	17	25	27	30	~~282~~ 281

W. 8,000. X. 14.

1602

FORM A.
BRITISH RAINFALL.
6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Southery

in the County of Norfolk

by J Stanley

Lat. 52° 32' Long. 0° 25'

Time of Observation 8·50

Nearest Railway Station Ryston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·26	·02	·05	·25	·00	·00	·05	·02	·00	·07	·11	1
2	·15	·05	·20	·00	·01	·00	·00	·20	·03	·00	·04	·00	2
3	·11	·01	·15	·05	·00	·00	·00	·01	·02	·00	·03	·19	3
4	·12	·00	·01	·00	·00	·00	·77	·20	·00	·04	·02	·33	4
5	·02	·10	·02	·00	·01	·00	·41	·02	·00	·09	·00	·21	5
6	·09	·15	·10	·10	·01	·00	·00	·01	·00	·01	·00	·01	6
7	·08	·05	S ·10	·10	·00	·00	·10	·15	·00	·00	·00	·11	7
8	·02	·10	S ·05	·00	·00	·00	·03	·02	·00	·00	·02	·00	8
9	·04	·15	·00	·05	·00	·03	·00	·01	·00	·00	·13	·31	9
10	·25	·00	·05	·05	·00	·00	·00	·10	·00	·00	·08	·02	10
11	·20	·02	·01	·00	·07	·00	·20	·25	·00	·00	·30	·08	11
12	·10	·01	·00	·00	·25	·00	·03	·01	·00	·02	1·39	·00	12
13	·05	·12	·00	·00	·65	·00	·00	·10	·00	·00	·00	·00	13
14	·02	·22	·01	·00	·00	·00	·20	·54	·02	·00	·00	·25	14
15	·10	·01	·00	·00	·00	·05	·00	·22	·00	·00	snow ·24	·09	15
16	·12	·12	·00	·00	·00	·00	·55	·00	·00	·00	·00	·00	16
17	·12	·22	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	17
18	·14	·01	S ·25	·00	·00	·00	·15	·00	·00	·00	·08	·00	18
19	·01	·02	·00	·00	·00	·00	·49	·00	·00	·00	·00	·00	19
20	·24	·01	·00	·03	·00	·00	·00	·00	·00	·00	·00	·30	20
21	·12	·07	·01	·00	·00	·00	·08	·00	·00	·00	·00	·05	21
22	·35	·07	·15	·00	·00	·00	·53	·00	·04	·00	·00	·07	22
23	·04	S·08	·03	·00	·00	·00	·23	·00	·25	·00	·00	·34	23
24	·00	S·04	·05	·07	·00	·05	·03	·00	·00	·05	·00	·09	24
25	·00	·00	·03	·00	·02	·16	·08	·00	·00	·06	·00	·00	25
26	·00	·01	·03	·00	·00	·00	·01	·06	·00	·00	·00	·12	26
27	·00	·10	·00	·00	·00	·08	·12	·00	·05	·95	·00	·01	27
28	·01	·07	·00	·00	·00	·04	·14	·00	·23	·00	·12	·01	28
29	·10		·01	·00	·00	·10	·01	·12	·00	·05	·00	·15	29
30	·05	X	·01	·00	·00	·26	·08	·06	·08	·00	·00	·01	30
31	·00	X	·01	X	·00	X	·02	·13	X	·00	X	·10	31
Total	2·85	2·02 2·02	1·30	·45	1·29	·77	4·23	2·20	·66	1·27	3·07	3·05	YEAR'S TOTA 23·16
Rain Days.	26	25	21	8	9	8	21	18	8	8	12	23	187

W. 8,000. X. 15.

NORWICH

SOUTHWELL LODGE.

NORFOLK.

1911 — 1920

FORM A2.
BRITISH RAINFALL.

JAN 1912

9 11

Kept at Southwell

in the County of

by

th: Zambra's Snowdon Gauge

op 5 in.

above Ground 1 ft.

„ Sea Level 110 ft.

9 a.m.

on { Name Victoria Norwich
Distance ½ mile Direction N.E.

IMPORTANT … and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the… year in the space provided for it at the end o… surement of rain, the selection and … British Rainfall Organization are giv… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·54		·03				·05	·15		·20	·01	·01	1
2	·33		·11		·20	·13	·06				·06	·27	2
3	·08	·03		·07	·14					·10	·03	·06	3
4	·07		·09	·15					·06	·04	·24	·05	4
5	·01	·05		·12						·21	·01	·22	5
6	·24		·05	·03						·05	·02	·13	6
7	·03	·03	·01								·11	·31	7
8	·17		·10						·02		·08	·10	8
9	·11		·06	·04						·01	·02	·01	9
10	·05	·05	·09			·01					·11	·48	10
11	·39	·39	·01								·34		11
12	·02	·03	·39								·01	·02	12
13	·07		·20		·50	·11			·15	·58	·01	·09	13
14		·05	·23		·47				·01	·01		·08	14
15		·07	·21						·02		·20	·02	15
16		·02	·04			·43					·26	·11	16
17	·02		·28								·02	·09	17
18		·20	·02	·01		·02					·06	·08	18
19		·05				·72		·01	·01	~~·04~~	·20	·03	19
20	·01	·03				·06		·02	·20	·04 ~~·17~~	·06	·37	20
21	·01	·18	·01	·01				·04		·17 ~~[illegible]~~	·01	·05	21
22	·01	·10	·09			·01		·13		·19	·03	·45	22
23	·01	·04	·40		·03	·87		·09	·31	·01 ~~·65~~	·01	·15	23
24		·06	·04			·06	·20			·65 ~~·01~~		·15	24
25	·01	·04	·06	·10		·09	·37	·06		·01 ~~·17~~	·14	·08	25
26			·01	·11		·01	·15			·17 ~~·01~~	·05	·38	26
27		·21	·11	·25					·32	·01	·01	·02	27
28		·17	·01	·31			·05	·05		~~·35~~	·06	·05	28
29	·01			·28		·43	·03		·42	·35 ~~·20~~	·01	·02	29
30					·19	·03			·48	·20			30
31										·03		·02	31
Total	2·19	1·80	2·65	1·48	1·53	2·98	·41	·55	2·00	3·03	3·07	3·90	TOTAL for year 26·09
No. of Rain Days.	20	19	24	12	6	14	7	8	11	19	27	29	196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
JAN 2 1912

Kept at Southwell Lodge, Ipswich Rd Norwich

in the County of Norfolk.

by John H. Willis.

RAIN GAUGE
Pattern Negretti & Zambra's Snowdon Gauge
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Victoria Norwich
Distance ½ mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·54		·03				·05	·15		·20	·01	·01	1
2	·33		·11		·20	·13	·06				·06	·27	2
3	·08	·03		·07	·14					·10	·03	·06	3
4	·07		·09	·15					·06	·04	·24	·05	4
5	·01	·05		·12						·21	·01	·22	5
6	·24		·05	·03						·05	·02	·13	6
7	·03	·03	·01								·11	·31	7
8	·17		·10						·02		·08	·10	8
9	·11		·06	·04						·01	·02	·01	9
10	·05	·05	·09			·01					·11	·48	10
11	·39	·39	·01								·34		11
12	·02	·03	·39								·01	·02	12
13	·07		·20		·50	·11			·15	·58	·01	·09	13
14		·05	·23		·47				·01	·01		·08	14
15		·07	·21						·02		·20	·02	15
16		·02	·04			·43					·26	·11	16
17	·02		·28								·02	·09	17
18		·20	·02	·01		·02					·06	·08	18
19		·05				·72		·01	·01	~~·04~~	·20	·03	19
20	·01	·03				·06		·02	·20	·04 ~~·17~~	·06	·37	20
21	·01	·18	·01	·01				·04		·17 ~~·19~~	·01	·05	21
22	·01	·10	·09			·01		·13		·19	·03	·45	22
23	·01	·04	·40		·03	·87		·09	·31	·01 ~~·65~~	·01	·15	23
24		·06	·04			·06	·20			·65 ~~·01~~		·15	24
25	·01	·04	·06	·10		·09	·37	·06		·01 ~~·17~~	·14	·08	25
26			·01	·11		·01	·15			·17 ~~·01~~	·05	·38	26
27		·21	·11	·25					·32	·01	·01	·02	27
28		·17	·01	·31			·05	·05		~~·35~~	·06	·05	28
29	·01			·28		·43	·03		·42	·35 ~~·20~~	·01	·02	29
30					·19	·03			·48	·20			30
31										·03		·02	31
Total	2·19	1·80	2·65	1·48	1·53	2·98	·91	·55	2·00	3·03	3·07	3·90	TOTAL for year 26·09
No. of Rain Days.	20	19	24	12	6	14	7	8	11	19	27	29	196

W. 8,000, X. '11.

REGISTER OF Ex RAINFALL IN 19 12

FORM A. BRITISH RAINFALL.

22 APR 1913

Kept at Southwell Lodge, Ipswich Rd. Norwich

in the County of Norfolk

by Wm H. Willis

Lat. 52° 42' N Long. 1° 20' E

Time of Observation 9 a.m.

Nearest Railway Station Victoria. Norwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	·01	·03		·06	·08		·12	·01	·01	·27	1
2	·01	·06	·05	·03	·03		·31	·01		·01	·10	·03	2
3	·14	·19	·03		·01	·21	·02	·01	·05	·04	·01	·07	3
4	·13		·46	·03	·02	·16		·04			·13	·01	4
5	·01	·08	·23			·04					·02		5
6	·71	·11	·01		·04	·32	·28	·06	·12			·02	6
7	·08	·01			·02	·24	·03	·45	·09			·02	7
8	·20	·01	·05	·03		·04	·17	·05	·30			·02	8
9	·01	·01	·01	·13	·03		·01		·26	·02		·28	9
10		·01		·02				·12	·29		·14	·02	10
11		·04		·04				·20	·06		·38	·16	11
12	·02	·09	·06		·08	·21				·01	·54		12
13	·05	·04	·04			·09		·01			·40	·04	13
14	·01	·01			·02	·09		·04		·05	·11	·14	14
15		·02	·17		·25	·13		·02			·03	·04	15
16	·07	·01	·03		·05	·11		·05		·15	·01		16
17	·23		·18			·14		·11			·01	·04	17
18	·04		·17				·63	·01		·08	·06	·12	18
19	·03	·09	·18			·02	·83	·14		·04	·02	·01	19
20	·10	·01	·08		·09		·03	·04		·30			20
21	·01		·18		·02		·06	·63		·09	·02		21
22	·09	·07	·03		·01		·58	·16				·04	22
23	·35	·46	·22		·02			·54	·09	·02	·23	·02	23
24	·09	·02	·06			·07	·26	·20			·01	·10	24
25	·03	·01	·01			·12	·04	·87		·07	·26	·26	25
26	·02	·01			·02	·07	·25	6·49		·23	·25	·25	26
27		·01			·01			·16		·08	·06	·13	27
28				·06	·01			·11	·03	·33	·13	·37	28
29	·06		·01	·02		·13	·26	·27	·43	·02	·24	·01	29
30	·09			·01	·01	·01		·33	·85	·25			30
31	·02		·11		·10		·16	·10		·19		·09	31
Total	2·62	1·40	2·38	·40	·84	2·26	4·00	11·22	2·69	1·93	3·17	2·56	YEAR'S TOTAL 35·47 ✓
Rain Days.	26	23	23	10	19	19	17	27	12	19	23	25	243 ✓

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 APR 1914

27. 3466

Kept at Southwell Lodge, Ipswich Rd. Norwich.

in the County of Norfolk.

by John H. Willis.

Lat. 52° 42' N Long. 1° 20' E

Time of Observation 9 am

Nearest Railway Station Victoria Norwich.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 00 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·29	·12	·20		·01			·09		·05		1
2	·04	·20	·01		·05		·16		·05		·02		2
3	·01	·01	·23		·23		·01		·05	1·37		·07	3
4	·10		·02		·01	·05						·17	4
5	·06				·04		·02		·06	·75	·03	·01	5
6	·01				·15	·02			·02	·04			6
7		·03			·04					·36		·01	7
8				·05	·12	·09	·01			·03	·09		8
9		·10	·02	·03	·24	·17		·15	·12		·06		9
10				·05				·02			·10		10
11	·78			·60				·46			·72		11
12		·01		·01		·01					·09		12
13	·07	·01	·03	·05							·37		13
14	·08	·01	·09	·05			1·28		·13	·28	·05		14
15	·19	·02	·22	·16			·29				·10		15
16	·13		·28	·25					·59		·10	·02	16
17	·03	·01	·32			·07	·11		·50			·02	17
18			·08	·05					·95			·01	18
19	·09		·09	·03		·02	·02		·40			·10	19
20	·13		·07							·22			20
21	·05	·01	·12				·33		·01	·39	·25		21
22	·09		·08				·39		·11				22
23	·01					·03		·12					23
24	·08			·01		·22		·25				·08	24
25	·01			·13							·07		25
26		·05	·11							·81	·01	·11	26
27	·01	·06	·03							·03			27
28	·16	·01	·10							·06			28
29	·31		·16	·20	·18							·06	29
30	·33			·27	·08					·03	·17	·15	30
31	·01		·08					·34					31
Total	2·88	·82	2·26	2·14	1·14	·69	2·62	1·34	3·08	4·37	2·22	·81	YEAR'S TOTAL 24·37
Rain Days.	24	14	20	16	10	10	10	6	13	12	16	12	163

W.7,000, XI. 13

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Southwell Lodge, Ipswich Rd. Norwich

in the County of Norfolk

by John H Willis

Lat. 52° 42' N Long. 1° 20' E.

Time of Observation 9 am

Nearest Railway Station Victoria, Norwich

Diameter of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. 00 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·15			·25		1
2	·01										·03	·02	2
3	·01		·08		·11		·91	·04					3
4	·14		·02	·17							·22	·07	4
5	·01		·08	·23	·11	·06	·08	·15		·03			5
6		·05			·11		·03	·03			·10	·17	6
7		·04	·30	·08	·02	·07						·30	7
8	·14	·03	·46	·03	·13	·34		·09	·08	·02			8
9	·56		·52		·01	·70				·02		·76	9
10	·93	·01	·09	·07								·07	10
11		·27	·35	·08	·20	·18			·14		·31	·44	11
12	·04		·01		·02		·05		·28			·36	12
13		·20	·23						·03	·02	·23	·65	13
14			·23							·25	·05	·49	14
15	·08		·18				1·04				·38	·32	15
16	·04		·12				·15		·07		·08	·01	16
17		·37							·19			·18	17
18		·29	·03						·04			·54	18
19	·02	·02	·20			·05			·29	·03	·20		19
20	·06		·39			·11			·19	·14	·07	·02	20
21	·05	·45	·16					·01		·09	·13	·10	21
22					·15	·03	·21			·42		·06	22
23			·04		·01	·04	·06			·03	·02	·02	23
24			·02	·11	·02	·02		·01		·07	·07		24
25					·03		·05			·65			25
26								·11		·02	·10	·25	26
27			·02				·24			·01	·01	·33	27
28	·02	·03								·12	·43	1·40	28
29	·04		·01				·02			·49	·05		29
30		X	·05								·18	·04	30
31		X		X	·05	X	·05		X	·01	X	·08	31
Total	2·15	1·76	3·59	·77	·97	1·60	2·89	·59	1·31	2·42	2·91	6·68	YEAR'S TOTAL 27·64
Rain Days.	15	11	22	7	13	10	12	8	9	17	19	23	166

W. 8,000. X. 14.

1558

FORM A.
BRITISH RAINFALL.

17 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept Southwell Lodge, Ipswich Rd Norwich

in the County of Norfolk

by John H. Willis

Lat. 52° 42′ N Long. 1° 20′ E.

Time of Observation 9 am.

Nearest Railway Station (Victoria) Norwich

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·22			·15				·24	·03	·16	·05	1
2	·02	·04	·30	·05				·41	·05		·09		2
3	·30		·13	·07				·17	·04		·22	·19	3
4	·04				·05			·04		·10	·29	·50	4
5	·05	·02			·03			·04		·25	·04	·27	5
6	·07	·26	·24	·16	·61		·21					·04	6
7	·13	·37	·09				·17	·10				·16	7
8	·03	·08	·02	·05				·03		·08			8
9	·03	·08		·03		·02		·05		·05	·21	·45	9
10	·40					·03		·02				·07	10
11	·02				·08		·26			·01	·24	·09	11
12	·07			·30	·23		·08	·46			·81	·06	12
13	·12	·32		·07	1·00						·26		13
14	-	·55			·01		·60	·17				·30	14
15	·33	·19			·08		·03	·16				·16	15
16	·04	·29			·02		·65	·07		·07	·12	·02	16
17	·35	·28	·05		·01		·07				·04	·17	17
18	·12	·08	·31		·23					·01	·12	·05	18
19	·02	·05					·13			·14			19
20	·19			·02								·38	20
21	·42				·10		·03					·10	21
22	·04	·04	·32				·38					·18	22
23	·02	·08				·02	·07				·05	·08	23
24		·08	·36				·37		·05	·03	·07	·10	24
25	·06		·07			·24	·04			·08	·10	·04	25
26	·02	·20	·04			·12				·05	·08	·25	26
27		·05	·01			·06	·36		·09	·30		·06	27
28		·11				·29	·02	·03	·45	·53			28
29	·07		·01		·02	·06	·06	·12	·39		·10	·04	29
30	·10	X				·10		·02	·23		·01		30
31	·03	X		X		X		·06	X	·23	X	·14	31
Total	3·26	3·39	1·45	·75	2·62	·94	3·53	1·45	1·54	1·46	3·01	3·45	YEAR'S TOTAL 28·85
Rain Days.	27	20	13	8	14	9	17	16	8	15	18	25	190

W. 8,000. X. 15.

Ex D 1528

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

17. JAN 1917

Kept at Southwick Lodge, Ipswich Rd. Norwich

in the County of Norfolk

by John H. Willis

Lat. 52° 42' N Long. 1° 20' E

Time of Observation 9 am

Nearest Railway Station (Victoria) Norwich

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 00 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01		·03	·02					·09		1
2	·53		·05		·29		·05		·13	·02			2
3		·08	·06			·08	·04		·20	·23	·30		3
4	·29	·11	·08			·37	·10		·22	·07	·23	·29	4
5	·09	·09	·34	·02		·16			·04	·08	·22	·02	5
6		·09	·24	·38	·02	·01	·03		·01	·02	·27		6
7	·09		·30	·01	·51	·17	·12			·07	·08	·04	7
8			·09		·10	·06						·16	8
9			·03		·24	·07						·25	9
10			·15	·07		·02	·16		·01	·09		·21	10
11	·07	·61	·11	·22	·08	·64							11
12	·05			·24	·34	·53	·10	·15		·15		·02	12
13	·05	·13	·20	·06	·06	·11		·02	·13	·03			13
14	·01	·50	·01	·04	·14	·04		·30	·05	·09		·18	14
15		·37	·25					·07	·07	·21		·14	15
16		·07	·03	·22			·10	·09		·05		·09	16
17	·01		·01	·25			·13	·28	·27	·23			17
18		·22	·03	·21				·46	·08	·15	·82		18
19	·06			·10		·01			·23	·01	·25	·03	19
20	·17		·08	·02				·16	·01		·10	·12	20
21	·05	·07	·10	·03							·01	·48	21
22		·24	·01		·36	·11	·01					·42	22
23		·68				·11	·01	·03			·09	·15	23
24		·35				·04	·02	·03		·30		·20	24
25		·20	·14					·07		·17	·04	·07	25
26		·03				·16		·20		·02	·19		26
27		·08	·70			·01		·03		·08			27
28		·27	·46		·23				·02	·01	·01	·15	28
29		·17				·05		1·13		·20		·05	29
30						·18		·35		·37			30
31	·20				·01			·06		·02		·02	31
Total	1·70	4·36	3·48	1·87	2·41	2·95	·87	3·43	1·47	2·67	2·70	3·09	YEAR'S TOTAL 31·00
Rain Days.	14	19	23	14	13	21	12	16	14	23	14	20	203

W. 8,000, VIII. 16

1461

FORM A.
BRITISH RAINFALL.

18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Southwell Lodge, Ipswich Rd, Norwich

in the County of Norfolk

by John H. Willis

Lat. 52° 36′ 57″ N. Long. 1° 17′ 16″ E.

Time of Observation 9 am.

Nearest Railway Station Norwich (Victoria)

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·32				1·15	·25		·05	·04	1
2	·07			·15		·05		·43					2
3			·02	·04				·94		·04			3
4		·37						·03		·77			4
5	·13	·04	·03	·14					·34		·10		5
6	·02			·03		·03			·08		·03		6
7	·37		·03			·01				·48		·02	7
8	·21			·13			1·17	·12		·20	·09	·01	8
9	·03		·03	·11				·18			·24	·20	9
10	·11		·23	·13			·01	·01		·04	·32		10
11	·06	·04	·69	·17						·31			11
12	·33	·01	·06	·09				·02		·33	·01	·01	12
13	·25		·05				·03	·24	·06	·05			13
14	·04		·02	·23			·47	·12				·04	14
15	·16		·01		·01			·05		·04		·01	15
16	·05	·08		·47		·03	·05			·44	·01	·35	16
17	·03	·02	·04	·19	·56	·17	·17		·57	·25		·03	17
18	·03			·02		·02	·14	·01	·36				18
19	·01	·02	·33	·01		·04			·24				19
20	·04	·27	·12			·09			·09		·27	·01	20
21		·17	·06			·02		·02		·01	·02	·01	21
22		·01	·15		·01			·03		·08			22
23		·01			·09			·07				·03	23
24						·12	·01	·17		·22	·11	·04	24
25			·07			·16					·18	·23	25
26			·10					·18	·03		·61	·04	26
27			·01			·10		·42		·01		·08	27
28		·03	·16			·37		·07				·07	28
29	·01				·01	·42	·07			·07		·02	29
30	·11	X	·01				·18	·08		·03			30
31	·09	X	·81	X		X	·46	·15	X		X	·01	31
Total	2·15	1·08	3·03	2·23	·68	1·63	2·76	4·49	2·22	3·37	2·04	1·25	YEAR'S TOTAL 26·93
Rain Days.	20	13	21	15	5	14	11	21	9	17	13	19	178

W. 8,000, IX. 17.

Ex ML

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

16. 1. 19

Kept at Southwick Lodge, Ipswich Rd. Norwich

in the County of Norfolk

by John H. Willis

Lat. 52·36′57″N Long. 1·17′16″E

Time of Observation 9 am.

Nearest Railway Station Norwich (Victoria)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				~~·04~~									
1		·01		·04					·10		·03	·13	1
2	·07	·01		·03				·40	·01	·02		·22	2
3			·03		·07			·09	·02		·83		3
4		·02	·10					·01	·42	·04	·25		4
5		·05	·04		·14			·26	·05	·15			5
6		·12		·18					·01			·08	6
7	·11	·16		·18					·03	·03	·04		7
8		·03	·01	·01			·02		·07		·11	·02	8
9	·08	·06	·02			·09			·59	·24		·06	9
10	·09						·26				·09	·19	10
11	·02	·08		·01	·15		·03		·18	1·00	·01	·30	11
12		·13			·01		·18	·01	·46	·23		·06	12
13		·10			·13				·06			·01	13
14	·35			·02			·09		·22	·38		·02	14
15	·95		·03	1·66			·02		·27	·10		·05	15
16				·34					·04	·01			16
17	·16			·02		·13	·81					·30	17
18	·53			·07		·08	·01		·15	·01		·60	18
19	·14	·01	·01	·26			·03			·16		·15	19
20	·01	·06		·12		·01	·76		·07	·17		·05	20
21	·03					·04	·06		·45	·14	·01	·01	21
22	·02			·07		·06	·06		·01	·01		·44	22
23	·06			·07	·25		·05	·07			·02		23
24		·19					·02		·13		·10		24
25			·02			·59	·33	·19			·01	·07	25
26			·01				·44	·16	·02		·08	·16	26
27		·02		·38			·02	·23	·06		·03	·21	27
28	·02	·07	·24			·10		·03		·01	·10	·46	28
29			·02						1·18		·06	·02	29
30	·01	X	·26						·28	·03	·09	·03	30
31	·01	X		X		X			X	·02	X	·10	31
Total	2·66	1·12	·79	3·40	·75	1·10	3·19	1·45	4·88	2·75	1·86	3·74	YEAR'S TOTAL 27·69
Rain Days.	17	16	12	16	6	8	17	10	24	18	16	24	184

W, 6,500, VII. 18. W W C

Excd GP

1368

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 FEB 20

Kept at Norwich (Southwell Lodge)
in the County of Norfolk
by John H. Willis

Lat. 52, 36' 57" N Long. 1, 17' 16" E
Time of Observation 9 am
Nearest Railway Station Victoria Norwich
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40				·18		·27			·39	·03	·53	1
2	·15	·01	·01		·01		·03			·01	·44	·64	2
3	·24		·07				·12				·08	·02	3
4	·10		·24		·01	·01		·01			·01	·23	4
5	·56	·06	·01						·08			·05	5
6			·18								·09	·29	6
7			·28		·06		·01				·22	·28	7
8	·09			·12			·01			·02	·01	·11	8
9			·03	·02						·16	·07		9
10	·02		·12	·01	·06					·33	·15		10
11	·02		·23	·05	·01		·53			·04	·11	·12	11
12	·11		·05	·03		·14	·10			·01	·03		12
13	·05			·22			·13			·03	·03		13
14	·39	·01		·40			·12		·04	·01	·03	·01	14
15	·15			·13			·01			·27	·06	·06	15
16	·02	·82	·02	·05				·07		·17		·11	16
17		1·17	·06	·04	·06						·31	·03	17
18	·02	·18						·14	·02		·02	·15	18
19		·07	·18			·06	·03	·25	·30		·07		19
20	·25	·06	·12			·35	·41	·26	·01		·01	·01	20
21	·01	·25	·03			·09	·41					·18	21
22		·26	·01				·12		·23		·02	·30	22
23						·07	·10	·06	·01			·05	23
24				·02	·07	·09	·04						24
25	·01			·05	·23	·05		·45				·04	25
26	·10	·30	·32	·12		·07		·24	·10	·33		·42	26
27		·01	·03	·04			·02	·06		·48	·42	·03	27
28	·02	·01		·05			·04	·57	·01	·71	·03	·32	28
29	·03			·08		·05	·02	·03		·19	·28	·25	29
30			·08	·18		·12		·01		·22	·16	·20	30
31	·01						·05			·10		·10	31
Total	2·75	3·21	2·07	1·61	·69	1·10	2·57	2·15	·80	3·47	2·68	4·53	YEAR'S TOTAL 27·63
Days with ·01 in. or more	21	13	19	17	9	11	20	12	9	17	23	25	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1292

1 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Southwick Lodge, Ipswich Rd. Norwich
in the County of Norfolk
by John H. Willis

Lat. 52·36′57″ N Long 1·17′16″ E.
Time of Observation 9 a.m.
Nearest Railway Station Norwich (Victoria)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·05		·20		·01	·39		·02	1
2			03					·13	·04			·12	2
3		·01		·05					·02			·12	3
4	·02		·03	·27	·10		·04	·02				·19	4
5			·07	·09	·11		·11	·14	·13			·25	5
6			·11		·04		·40	·02				·02	6
7	·01		·10	·11			·18					·07	7
8			·01	·55	·08		·01	·14					8
9	·19	·05		·52				·16				·02	9
10	·18	·07	·04	·16			·03	·03			·01	·13	10
11	·46	·01		·13	·01		·10					·22	11
12	·10		·09	·17		·06	·03					·10	12
13	·08	·02	·02	·10		·55			·04			·07	13
14	·01	·03	·24	·10		·18	·07		·06		·21		14
15		·01	·20	·07			·01		·24	·36	·12	·12	15
16				·12					·39	·01		·26	16
17			·01	·02	·18				·09			·12	17
18				·01	·03			·24	·27		·01	·08	18
19	·16			·01				·32	·02			·01	19
20	·09	·28		·17		·62		·02	·12				20
21				·01			·44	·10	·16			·06	21
22				·05				·18	·17		·01	·01	22
23							·49					·19	23
24			·12				·05		·03	·01	·02	·07	24
25		·05	·01	·03		·10	·25		·03		·01		25
26	·05		·03	·16	·54		·16						26
27	·14	·10		·19		·47				·01	·04	·10	27
28	·52			·06	·02	·05	·02				·07	·05	28
29	·01				·07		·13				·08	·21	29
30		X		·02	·21	·03	·14	·01	·04	·01	·13	·18	30
31	·06	X		X		X		·28	X	·03	X	·20	31
TOTAL	2·08	·63	1·11	3·18	1·44	2·06	2·86	1·79	1·86	·82	·71	2·99	YEAR'S TOTAL 21·53 ✓
Days with ·01 in. or more	15	10	15	25	12	8	19	14	17	7	11	26	179 ✓
Days with ·04 in. or more	11	5	8	18	9	7	14	9	12	2	6	21	122 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

SPORLE

NORFOLK.

1911. 12. 14 – 1920

Kept at Sporle
in the County of N
by A.W. Preston

8 in.
ve Ground 4 ft. in.
Sea Level 230 ft.

Name
Distance Direction

IMPORTANT NOT … d the result entered to the previous day. If an C … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of th … nent of rain, the selection and placi … British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.06				.04	.19		.15	.02		1
2	.42	.01	.05	.01	.11	.07	.01	.02		.03	.13	.18	2
3	.03	.04		.08	.17	.10		.01		.29	.03		3
4	.06		.20	.15					.12	.06	.23	.25	4
5		.04		.03				.05		.12	.01	.21	5
6	.31			.01						.06	.02	.24	6
7	.03	.05	.02							.01	.22	.27	7
8	.28	.01	.22	.02					.01	.02	.06	.02	8
9	.10		.16	.05		.01				.01	.03	.02	9
10	.06	.03	.16					.12			.03	.30	10
11	.33	.32	.01						.01		.39		11
12	.17		.45						.24		.11	.02	12
13	.02		.46		.67	09				.05	.02	.10	13
14		.09	23		.81					.01	.01	.15	14
15		.20	.21						.11	.03	.32	.01	15
16			.03			.63			.12		.35	.10	16
17											.04	.13	17
18		.07	.01			.06					1.43	.06	18
19	.02	.02				.56	.01	.01	.13	.01	.64	.04	19
20	.01	.05				.02			.05	.04	.07	.28	20
21		.25	.01	.04		.01		.17		.18	.09	.11	21
22	.02	.11	.04	.01		.01		.07		.07	.05	.37	22
23		.04	.42		.03	2.19			.55			.16	23
24		.06	.03	.01		.20	.01			.31		.11	24
25		.03	.02	.19		.13	.02	.03		.03	.19	.06	25
26				.11			.16			.24	.08	.38	26
27		.23	.11	.10					.37	.04	.03	.03	27
28	.01	.27		.29		.02		.11		.12	.05	.11	28
29			.01	.09		.37	.11		.45	.49	.02	.01	29
30			.02	.03	.02	.02			.72	.14		.03	30
31			.01									.05	31
Total	1.99	1.92	2.94	1.22	1.81	4.49	.36	.78	2.88	2.51	4.67	3.80	TOTAL for year 29.37
No. of Rain Days	16	19	23	16	6	16	7	10	12	23	27	28	203

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

24 FEB 1912

Kept at Sporle

in the County of Norfolk 4

by A W Preston F.S. Matthews

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 230 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.06				.04	.19		.15	.02		1
2	.42	.01	.05	.01	.11	.07	.01	.02		.03	.13	.18	2
3	.03	.04		.08	.17	.10		.01		.29	.03		3
4	.06		.20	.15					.12	.06	.23	.25	4
5		.04		.03				.05		.12	.01	.21	5
6	.31			.01						.06	.02	.24	6
7	.03	.05	.02							.01	.22	.27	7
8	.28	.01	.22	.02					.01	.02	.06	.02	8
9	.10		.16	.05		.01				.01	.03	.02	9
10	.06	.03	.16					.12			.03	.30	10
11	.33	.32	.01						.01		.39		11
12	.17		.45						.24		.11	.02	12
13	.02		.46		.67	09				.05	.02	.10	13
14		.09	.23		.81					.01	.01	.15	14
15		.20	.21						.11	.03	.32	.01	15
16			.03			.63			.12		.35	.10	16
17											.04	.13	17
18		.07	.01			.06					1.43	.06	18
19	.02	.02				.56	.01	.01	.13	.01	.64	.04	19
20	.01	.05				.02			.05	.04	.07	.28	20
21		.25	.01	.04		.01		.17		.18	.09	.11	21
22	.02	.11	.04	.01		.01		.07		.07	.05	.37	22
23		.04	.42		.03	2.19			.55			.16	23
24		.06	.03	.01		.20	.01			.31		.11	24
25		.03	.02	.19		.13	.02	.03		.03	.19	.06	25
26				.11			.16			.24	.08	.38	26
27		.23	.11	.10					.37	.04	.03	.03	27
28	.01	.27		.29		.02		.11		.12	.05	.11	28
29			.01	.09		.37	.11		.45	.49	.02	.01	29
30			.02	.03	.02	.02			.72	.14		.03	30
31			.01									.05	31
Total	1.99	1.92	2.94	1.22	1.81	4.49	.36	.78	2.88	2.51	4.67	3.80	TOTAL for year 29.37
No. of Rain Days	16	19	23	16	6	16	7	10	12	23	27	28	203

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

8 MAR 1913

Ex DL

REGISTER OF RAINFALL IN 1912

Kept at Sporle

in the County of Norfolk 4

by A. W. Preston T. S. Matthews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·02		·16	·09	·03	·07			·36	1
2		·11	·01	·03	·07	·03	·37			·11		·03	2
3	·16	·03				·37	·03	·09	·05	·07		·12	3
4	·06		·52	·01	·02	·13		·07			·26		4
5	·03	·18	·76			·03		·03			·04		5
6	·67	·10	·01		·03		·28	·16	·31			·03	6
7	·06		·03			·24	·01	·09	·09			·02	7
8	·18	·16	·09	·05		·07	·19	·01	·30	·02		·01	8
9		·02	·02	·17	·09	·05		·01	·02	·02		·34	9
10			·01	·05		·07		·10	·19	·02	·21	·01	10
11	·20	·04		·04				·01	·07		·15	·18	11
12	·10	·09	·19		·02	·09					·63		12
13	·01	·03	·09			·06		·06			·57	·02	13
14			·03		·01	·08		·03	·03	·05	·04	·05	14
15		·02	·24		·20	·18		·03			·03	·09	15
16	·02		·09		·01	·10		·06		·14	·02		16
17	·23		·28			·31		·11		·01	·01	·16	17
18	·04		·12				·08	·38		·08	·03	·10	18
19	·09	·08	·13	·04		·01	·28	·76		·04	·04		19
20	·11	·10			·14		·04	·31		·40			20
21	·02		·48		·18		·01	·50		·02	·05	·01	21
22	·04	·14	·07		1·55	·01	·98	·16				·12	22
23	·35	·35	·21		·02			1·09	·02		·23	·08	23
24	·32		·06			·14	·03	·15		·02		·22	24
25	·03					·21	·05	·70		·01	·19	·28	25
26	·01	·02	·01			·05	·32	2·02		·33	·30	·21	26
27	·01				·01			·03		·21	·03	·21	27
28		·01		·02		·01	·08	·23		·56	·15	·35	28
29			·02	·02		·82	·15	·10	·72	·15	·23		29
30	·06			·01	·28	·03	·02	·04	·65	·42			30
31			·16		·12		·21	·14		·06		·05	31
Total	2·81	1·48	3·63	·46	2·75	3·25	3·22	7·50	2·52	2·74	3·21	3·05	YEAR'S TOTAL 36·62
Rain Days.	23	16	23	11	15	23	18	29	12	20	19	23	232

W. 7,500, XI. ·12

Copied from C ✓

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Sporle

in the County of Norfolk .4.

by T. S. Matthews ~~A.W. Preston~~

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	-	-	·10	·37	-	·01	·17	·01	1
2	·01	-	-	-	-	-	-	·20	-	-	·09	·05	2
3	·02	-	·14	-	·19	-	·15	·05	-	-	·03	-	3
4	·15	-	·03	·19	-	·01	-	·03	-	-	·28	·10	4
5	·02	·01	·15	·11	·04	·03	·07	·10	-	·01	·02	-	5
6	-	·08	-	-	·11	-	·01	·07	-	-	·20	·07	6
7	-	·04	·33	-	·09	·02	-	-	-	-	·02	·12	7
8	·37	·07	·45	·06	·16	·63	-	·16	·02	-	-	-	8
9	·44	-	·28	·04	·03	·73	-	-	-	·01	-	·45	9
10	·53	·03	·12	·05	·01	-	-	-	·04	·01	-	·07	10
11	-	·17	·37	·07	·03	·05	-	-	·19	-	·34	·24	11
12	·03	·02	·02	-	·01	·01	-	-	·29	-	·02	·18	12
13	·01	·17	·21	-	·01	-	-	-	·04	-	·05	·26	13
14	-	·01	·15	-	-	-	·02	-	-	·48	·14	·47	14
15	·11	·05	·18	-	-	·01	·43	·04	·04	·02	·17	·50	15
16	·03	-	·09	-	-	-	·06	-	·03	·02	·19	-	16
17	-	·39	·02	-	-	-	-	-	·27	·03	·08	·25	17
18	-	·07	·02	-	-	-	·08	-	·03	·02	·02	·44	18
19	·01	·07	·04	-	-	·01	-	-	·06	·03	·16	·02	19
20	·02	·01	·55	-	-	·05	-	-	·16	·46	·02	-	20
21	·03	·14	·41	-	-	·09	-	·14	-	·04	·04	·10	21
22	-	-	·01	·02	·35	-	·06	·02	-	·07	-	·18	22
23	-	·07	·09	·04	·04	·22	·09	-	·01	·78	·07	·10	23
24	·01	·01	·01	·11	·01	·01	·01	·07	-	·06	·10	-	24
25	-	-	·01	-	-	-	-	-	-	-	-	·03	25
26	-	·01	·01	-	-	-	·01	·10	-	·15	·10	·38	26
27	·02	·01	·01	-	-	-	·15	-	-	·21	·04	·25	27
28	·02	·04	-	-	-	-	·01	-	-	·03	·14	1·16	28
29	·05		·02	-	-	-	·02	-	-	·03	·09	-	29
30	-	X	·05	-	-	-	-	-	-	-	·11	·16	30
31	-	X	-	X	·03	X	·08	-	X	-	X	·12	31
Total	1·88	1·47	3·78	·69	1·11	1·87	1·35	1·35	1·18	2·47	2·69	5·71	YEAR'S TOTAL 25·55 ✓
Rain Days.	18	20	27	9	14	13	16	12	12	19	25	24	209 ✓

W. 8,000. X. 14.

Preston's Cards

1613

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
27 [illegible] 1916

Kept at Sporle

in the County of Norfolk

by A W Preston F S Matthews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.35	.01		.22		.01	.02	.21		.06	.17	1
2	.06	.11	.33	.10		.02		.18	.34		.08	.01	2
3	.22		.19	.08			.01	.04	.08		.06	.15	3
4			.01				.20	.01		.02	.15	.61	4
5	.05	.03			.19			.03		.20	.03	.27	5
6	.12	.22	.22	.20			.49	.02					6
7	.07	.38	.06	.01		.02	.10	.05				.22	7
8	.02	.11	.02	.06				.02			.01		8
9	.06	.13		.03		.07		.01		.01	.21	.46	9
10	.40		.02			.01		.41				.03	10
11	.01	.01	.01		.06		.35			.01	.27	.11	11
12	.16		.01	.41	.19		.01	.20			1.57		12
13	.08	.29		.06	.85			.06		01	.03		13
14		.27			.01		.24					.34	14
15	25	.08		.01	.03			.16			.22	.07	15
16	.03	.26					.79	.34			.15	.01	16
17	.06	.15	.01		.01		.16				.10	03	17
18	.01	.18	.17		.02						.13		18
19	.02	.16	.03				.37			.05			19
20	.38		.01	.02								.42	20
21	.16				.01		.06					.08	21
22	.26	.02	23		.05		.57		.05			.30	22
23	.03	.09	.02			.06	.19		.30		.16	.13	23
24	.02	.03	.19				.09		.05	.05	.03	.16	24
25	.03		.04			.31	.06		.01	.03	.04	.11	25
26	.01	.19	.06	.01		.01	.02			.06	.03	.31	26
27		.04	.01			.06	.15		.01	.37		.03	27
28		15	02			.19		.10	.16	.58			28
29	04				05		.02	.12	.11	.01	.07	.17	29
30	.14	X		01		.09	.05	.02	.04	.01	.01		30
31	04	X		X		X		.12	X	.11	X	.12	31
Total	3.00	3.25	1.67	1.00	1.69	.84	3.94	1.91	1.36	1.52	3.41	4.31	YEAR'S TOTAL 2790
Rain Days.	27	21	21	12	12	10	20	18	11	14	20	23	209

W. 8,000. X. 15.

from Preston Cards

588

FORM A.
BRITISH RAINFALL.
13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Sporle Swaffham

in the County of Norfolk

by C W Preston T. S. Matthews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.04		.03	.05	.02				.22		1
2	59	.01	.05		.34		.07		.09	.02	.02		2
3		.05	.03	.01			.06		.39	.26	.29	.03	3
4	.39	.22	.04		.02	.36	.01		.25	.06	.32	.14	4
5	.06	.04	.15	.04	.01	.50	.02			.22	.25	.03	5
6		.15	.27	.25	.06		.11			.03	.32		6
7	.09		.30	.02	.31	.11	.22			.10	.09	.10	7
8			.04		.11	.19						.21	8
9	.01		.03		.19	.20				.05		.15	9
10		.04	.11	.07		.36	.17		.01			.10	10
11	.10	.55	.08	.24	.20	.53			.04		.01	.01	11
12	.02		.01	.04	.55	.65	.13	.08	.01	.11	.01	.01	12
13	.01	.17	.06	.15	.02	.05	.02			.01			13
14		.38	.03	.01	.18	03	.04	.02	.01	.03		.20	14
15	.01	.30	.35		.02		.03	.04	.03	.21		.02	15
16		.06	.12	.21	.02			.02		.05			16
17	.02		.02	.49		.01	.21	.19	.29	.26			17
18		.32	.01	.21				.35	.09	.22	.42	.02	18
19	.11	.02	.01	.09		.04		.17	32		.37	.09	19
20	.17		.13	.05				.01	04		.14	.18	20
21	01	.08	.17				.04	.01			.01	.65	21
22	.01	.21	.03		.18	.04	.01	.01		.02	.01	.56	22
23	01	.48				.11	.02	.01		.01	.16	21	23
24		.32				05	.01	.05		.41	.01	.14	24
25		49	.23				.01	.10		.08	.10	.03	25
26		.04	.01			.08	.01	02		.02	.14		26
27	.01	.25	.51	.06		.06		.11		.22			27
28		.20	.47		.11	.04			.01		.02	.35	28
29	.01	.12				.06		1.75		.21		.08	29
30	.01	×				.16		.32		.17		.01	30
31	.07	×		×	.05	×		.13	×	.04	×	.02	31
Total	1.74	4.50	3.30	1.94	2.40	3.68	1.21	3.39	1.58	2.81	2.91	3.34	YEAR'S TOTAL 32.80
Rain Days.	20	22	26	15	17	21	19	18	13	23	19	23	236

W. 8,000, VIII. 16

Gd J.76 from Cards

1514

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Sporle

in the County of Norfolk

by
Per A. W. Preston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·01	·05	-	-	-	1·26	·33	-	·06	·02	1
2	·11	·04	-	·06	-	·24	-	·36	-	·02	-	-	2
3	-	-	·02	·09	-	-	-	·62	-	·12	-	-	3
4	-	·26	·06	-	-	-	-	·01	-	·70	-	-	4
5	·22	·08	·02	·12	-	-	-	-	25	-	·26	-	5
6	-	-	-	-	-	-	-	-	-	-	-	·01	6
7	·53	-	·05	-	-	·04	-	-	-	·47	-	·03	7
8	·21	-	-	·20	-	-	·73	·27	-	·27	·18	-	8
9	·10	-	·02	·11	-	-	-	·10	-	-	·18	16	9
10	·16	-	·22	·03	-	-	-	·05	-	·10	·16	-	10
11	·09	·08	·36	·28	-	-	-	-	-	·23	-	-	11
12	·25	·02	·05	·06	-	-	-	·04	-	·41	·02	·01	12
13	·32	-	·08	·08	-	-	·05	·02	·13	03	·01	-	13
14	·28	-	·01	·07	-	-	-	·01		-	·01	·04	14
15	-	-	-	-	-	-	·23	·27		06	·01	·01	15
16	·07	·07	-	·33	-	·12	·01	-		·62	-	·24	16
17	·05	·02	·04	·20	·40	·15	·22	-	·33	·20	-		17
18	·03	·02	-	·06	-	·01	·16	·09	·89	-	-		18
19	·02	-	·17	·01	-	·02	-	-	·15	-	·25		19
20	·02	·04	·16	-	-	-	-	·02	·13	-	·11		20
21	-	·20	·15	-	·01	·01	-	-	-	·01	-		21
22	-	·06	·02	-	·01	-	-	·05	-	·12	-		22
23	-	-	-	-	·10	-	-	·04	·02	-	·13	·04	23
24	-	·01	-	-	-	·13	-	·07	-	20	·07	·06	24
25	-	20	·03	-	-	-	·02	-	-	-	·80	·27	25
26	-	+	·08	-	-	-	-	47	·07		-	·10	26
27	-	+	-	-	-	·02	·07	45	-		-	·02	27
28	-	·04	·13	-	-	×36	-	15	-	·01	-	·06	28
29	·01	-	-	-	-	·26	·12	·03	-	·20	-	·02	29
30	·09	X	-	-	-	-	·20	·22	-	-	-	·01	30
31	·13	X	·19	X	-	X	·25	14	X	-	X	·02	31
Total	2·69	0·95	1·87	1·75	0·52	1·34	2·06	4·74	2·30	3·77	2·13	1·12	YEAR'S TOTAL 25·24
Rain Days.	18	14	20	15	4	11	11	22	9	17	14	17	172

e

Esx 82

77

REGISTER OF RAINFALL IN 1918

16 APR 1919

FORM A.
BRITISH RAINFALL.

Kept at Sporle
in the County of Norfolk
by A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.04	.09					.12		.04	.14	1
2	.09	.02		.03				.29		.02		.29	2
3	.06		.04		.06			.30	.03		.81	.01	3
4		.05	.10					.04	.49	.04	.30	.02	4
5		.03	.14		.08			.35	.17	.15		.01	5
6	.02	.11		.15					.12	.01		.06	6
7	.11	.10				.08			.03	.13	.10	.01	7
8		.04	.01	.01			.02	.02	.11		.11	.04	8
9	.07	.16	.01	.07		.04	.01		.41	.28		.07	9
10	.08	.07		.01			.40		.03		.12	.17	10
11	.03	.05		.01	.25		.17		.10	.64		.28	11
12		.20	.02		.05		.02		.05	.07	.02	.07	12
13		.03		.01	.21				.05			.01	13
14	.36			.04	.01	.02	.12		.17	.32		.03	14
15	.57		.02	1.30		.03	.28		.26	.04		.08	15
16				.28		.01			.52	.06			16
17	.29			.02	1.01	.18	1.05		.02			.27	17
18	.45			.32		.04	.10		.61			.40	18
19	.18	.03	.05	.02		.11				.10		.46	19
20	.05	.03		.21		.02	.28		.13	.11			20
21	.01					.05	.02		.36	.06	.01		21
22	.02			.04		.02	.06		.02	.01		.38	22
23	.15				.84		.04	.03	.06		.01	.01	23
24		.32		.01	.28		.44		.10		.09		24
25			.01			.20	.05	.13			.01	.06	25
26							.48	.43	.01		.15	.15	26
27				.08		.01		.33	.08		.06	.09	27
28	.01	.07	.20			.11		.04			.10	.57	28
29	.02								1.01		.03	.01	29
30		✕	.21					.01	.36		.12	.10	30
31	.01	✕	.01	✕		✕			✕	.08	✕	.07	31
Total	2.58	1.32	.86	2.70	2.79	.92	3.54	1.97	5.42	2.12	2.08	3.86	YEAR'S TOTAL 30.16
Rain Days.	19	16	13	18	9	14	16	11	26	16	16	27	201

W. 6,500, VII. 18. W W C

Eeth

1420

[illegible] MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sporle

in the County of Norfolk

by per Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·04			·11		·01			·21	·05	·75	1
2	·15		·06		·01		·08		·15	·06	·32	·69	2
3	·24		·16		·01		·05		·03		·14		3
4	·03		·18			·04		·09			·01	·18	4
5	·23	·05	·03			·01		·04	·08			·06	5
6			·25				·01				·06	·17	6
7	·01		·34				·02				·14	·08	7
8	·06		·01	·01						·01	·15	·11	8
9			·04	·07						·15	·01		9
10	·01		·13	·03						·14	·09	·02	10
11	·16		·21	·08	·07		·69			·05	·08	·13	11
12	·02		·09	·05		·19	·15			·06			12
13	·13		·01	·16			·01			·08	·01		13
14	·55	·01		·24			·01		·10	·01	·04	·01	14
15	·25	·01	·05	·26			·03			·06	·09	·15	15
16	·07	·70	·03	·08						·02	·02	·05	16
17	·01	·62	·01	·01							·53	·02	17
18	·03	·06					·03	·25			·06	·16	18
19	·07	·10	·28	·01		·18	·48	·18	·09		·07	·01	19
20	·24	·03	·12			·30	·31	·43	·03			·04	20
21	·04	·42	·03			·12	·53				·01	·19	21
22		·22	·03				·14		·35		·10	·46	22
23		·03				·03	·24	·03	·02			·04	23
24			·02	·05	·02	·30	·02			·01			24
25	·03			·04	·33	·10	·01	·20				·03	25
26	·20	·48	·29	·13		·07		·12	·10	·19	·01	·48	26
27	·07	·08		·18			·11	·02		·49		·01	27
28	·01			·36			·02	·95		·54	·05	·34	28
29	·02			·03		·14	·03	·16		·10	·20	·19	29
30	·01		·05	·24		·29				·17	·18	·16	30
31	·02						·05			·03		·21	31
TOTAL	3·01	2·85	2·42	2·03	·55	1·77	3·03	2·47	·95	2·38	2·42	4·74	YEAR'S TOTAL 28·62
Days with ·01 in. or more	26	14	22	18	6	12	22	11	9	18	23	26	207

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

RHS

1343

26 FEB 1921

COPY [illegible]

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Sporle

in the County of Norfolk

by Rev A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·	·	·	·17	·	·35	·	·01	·15	·	·02	1
2	·	·	·04	·06	·	·	·	·16	·06	·24	·	·15	2
3	·	·01	·	·15	·	·03	·	·	·10	·01	·	·14	3
4	·01	·01	·02	·27	·01	·	·27	·08	·02	·	·	·28	4
5	·	·	·06	·17	·22	·	·37	·21	·23	·	·	·11	5
6	·	·	·06	·	·04	·	·48	·03	·	·	·	·01	6
7	·02	·	·16	·14	·	·	·15	·	·	·	·01	·04	7
8	·	·02	·	·37	·11	·	·01	·04	·	·	·01	·	8
9	·27	·02	·	·41	·	·	·	·13	·	·	·	·08	9
10	·16	·05	·12	·07	·	·	·05	·03	·	·	·01	·03	10
11	·26	·	·07	·02	·03	·	·02	·	·	·	·	·19	11
12	·10	·	·07	·16	·	·	·02	·	·	·	·	·07	12
13	·01	·03	·04	·09	·	·35	·	·	·20	·	·	·10	13
14	·01	·03	·28	·18	·	·07	·07	·	·15	·06	·21	·	14
15	·01	·03	·43	·03	·	·	·01	·	·25	·26	·18	·09	15
16	·	·	·01	·02	·10	·	·	·	·45	·	·	·07	16
17	·01	·	·	·	·10	·	·03	·	·17	·02	·	·12	17
18	·05	·	·	·01	·05	·12	·	·40	·34	·	·01	·06	18
19	·17	·	·	·09	·	·	·	·30	·	·	·01	·01	19
20	·14	·32	·	·17	·	·60	·	·	·05	·	·	·01	20
21	·	·	·	·09	·	·	·30	·13	·17	·	·	·09	21
22	·01	·01	·	·14	·	·	·01	·05	·12	·	·01	·01	22
23	·	·01	·	·	·	·	·35	·	·	·	·	·23	23
24	·	·	·19	·02	·	·	·01	·	·02	·	·	·10	24
25	·	·12	·05	·14	·	·09	·33	·	·01	·	·	·	25
26	·10	·	·	·17	·64	·01	·42	·	·	·	·	·01	26
27	·14	·21	·	·18	·	·37	·	·	·	·	·06	·10	27
28	·42	·	·02	·01	·14	·	·07	·	·	·	·05	·04	28
29	·02	·	·	·	·57	·	·22	·	·01	·	·08	·23	29
30	·	✕	·	·08	·03	·	·11	·03	·08	·	·16	·21	30
31	·47	✕	·	✕	·	✕	·	·	✕	·05	✕	·23	31
TOTAL	2·09	·87	1·62	3·24	2·21	1·64	3·65	1·59	2·44	0·79	0·80	2·83	YEAR'S TOTAL 23.77
Days with ·01 in. or more	20	13	15	25	13	8	21	12	18	7	12	28	192
Days with ·04 in. or more	11	4	12	19	10	6	14	9	13	5	6	21	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A1.
BRITISH RAINFALL
11 JAN 1912

REGI

Kept at Sprowston C
wdon
in.
in the County of Nor
und 1 ft. in
Level 100 ft.
by Schola
Thorpe
nce 1 4/5 mi Direction S.

SPROWSTON
COUNCIL SCH.
NORFOLK
1911 — 12, 14, 15

IMPORTANT NOTE.—I
previous day. If an Observe
requested to add the reading
for it at the end of this par
the selection and placing of
Organization are given in "Ru
Dr. H. R. Mill, 62, Camden S

result entered to the
l rule, he is earnestly
n the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	—	·01	—	—	—	·03	·11	—	·03	·01	—	1
2	—	—	·09	·01	·18	—	·02	—	—	·01	·06	·21	2
3	·22	·01	—	·05	·11	—	—	—	—	·06	—	—	3
4	—	·03	·1	·03	—	—	—	—	·08	·02	·31	·03	4
5	·01	·05	—	·02	—	—	—	—	—	·38	·04	·28	5
6	·11	→	·04	·03	—	—	—	—	—	·12	·02	·12	6
7	·15	—	—	—	—	—	—	—	—	—	·18	·3	7
8	·19	—	·09	—	—	—	—	—	—	·01	·08	—	8
9	·21	·04	·07	·05	—	—	—	— ~~·07~~	·02	—	·01	·15	9
10	·03	·39	·07	—	—	·08	—	·07	—	—	·04	·48	10
11	·19	·07	·02	—	—	—	—	—	—	·01	·31	—	11
12	·01	—	·49	—	—	—	—	—	—	—	—	·02	12
13	·05	·02	·17	—	·68	·1	—	—	·17	—	—	·08	13
14	·03	—	·23	—	·37	—	—	—	·02	·6	—	·08	14
15	—	·08	·21	—	—	—	—	—	·01	—	·21	·03	15
16	—	—	·03	—	—	·58	—	—	·02	—	·25	·11	16
17	·01	—	·29	—	—	—	—	—	—	·01	·05	·09	17
18	·01	·16	·01	·02	—	·06	—	—	·01	·01	·96	·07	18
19	—	·02	—	—	—	·85	—	·03	·01	·01	·25	·25	19
20	—	·06	—	—	—	—	—	·02	·14	·17	·07	·12	20
21	—	·16	·03	·01	—	—	—	·04	—	—	—	—	21
22	—	·07	·08	—	—	—	—	·10	—	—	·03	·08	22
23	·02	·04	·43	—	·02	—	—	·11	·02	—	—	·38	23
24	·02	·08	·05	—	—	·7	·10	—	·28	·7	—	·17	24
25	—	·03	·03	·09	—	·05	·13	·07	—	—	·13	·09	25
26	—	—	—	·08	—	·06	·40	—	—	·17	·06	·34	26
27	—	·2	·1	·29	—	—	—	—	·24	—	—	·46	27
28	—	—	—	·31	—	—	·04	·06	—	·02	·06	·01	28
29	—		—	·25	—	—	·01	—	—	·38	—	·02	29
30	—		—	—	·15	·4	—	—	·66	·24	—	·01	30
31	—		—		—		—	—		·04		—	31
99 Total	1·44	1·51	2·64	1·24	1·51	2·88	·73	·61	1·68	2·99	3·13	3·98	TOTAL for year 24·34 ✓
No. of Rain Days	16	17	21	13	6	9	7	9	13	19	20	25	175 ✓

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGI

FORM AT BRITISH RAINFALL
11 JAN 1912

Kept at Sprowston Council School

in the County of Norfolk

by Scholars

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. ~~in.~~
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Thorpe
Distance 1⅘ mi Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	—	·01	—	—	—	·03	·11	—	·03	·01	—	1
2	—	—	·09	·01	·18	—	·02	—	—	·01	·06	·21	2
3	·22	·01	—	·05	·11	—	—	—	—	·06	—	—	3
4	—	·03	·1	·03	—	—	—	—	·08	·02	·31	·03	4
5	·01	·05	—	·02	—	—	—	—	—	·38	·04	·28	5
6	·11	—	·04	·03	—	—	—	—	—	·12	·02	·12	6
7	·15	—	—	—	—	—	—	—	—	—	·18	·3	7
8	·19	—	·09	—	—	—	—	—	—	·01	·08	—	8
9	·21	·04	·07	·05	—	—	—	~~·04~~ —	·02	—	·01	·15	9
10	·03	·39	·07	—	—	·08	—	·07	—	—	·04	·48	10
11	·19	·07	·02	—	—	—	—	—	—	·01	·31	—	11
12	·01	—	·49	—	—	—	—	—	—	—	—	·02	12
13	·05	·02	·17	—	·68	·1	—	—	·17	—	—	·08	13
14	·03	—	·23	—	·37	—	—	—	·02	·6	—	·08	14
15	—	·08	·21	—	—	—	—	—	·01	—	·21	·03	15
16	—	—	·03	—	—	·58	—	—	·02	—	·25	·11	16
17	·01	—	·29	—	—	—	—	—	—	·01	·05	·09	17
18	·01	·16	·01	·02	—	·06	—	—	·01	·01	·96	·07	18
19	—	·02	—	—	—	·85	—	·03	·01	·01	·25	·25	19
20	—	·06	—	—	—	—	—	·02	·14	·17	·07	·12	20
21	—	·16	·03	·01	—	—	—	·04	—	—	—	—	21
22	—	·07	·08	—	—	—	—	·10	—	—	·03	·08	22
23	·02	·04	·43	—	·02	—	—	·11	·02	—	—	·38	23
24	·02	·08	·05	—	—	·7	·10	—	·28	·7	—	·17	24
25	—	·03	·03	·09	—	·05	·13	·07	—	—	·13	·09	25
26	—	—	—	·08	—	·06	·40	—	—	·17	·06	·34	26
27	—	·2	·1	·29	—	—	—	—	·24	—	—	·46	27
28	—	—	—	·31	—	—	·04	·06	—	·02	·06	·01	28
29	—		—	·25	—	—	·01	—	—	·38	—	·02	29
30	—		—	—	·15	·4	—	—	·66	·24	—	·01	30
31	—		—		—		—	—		·04		—	31
99 Total	1·44	1·51	2·64	1·24	1·51	2·88	·73	·61	1·68	2·99	3·13	3·98	TOTAL for year 24·34 ✓
No. of Rain Days	16	17	21	13	6	9	7	9	13	19	20	25	175 ✓

1,000, X. '09.

Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C.

Price 2d.

FORM A2.
BRITISH RAINFALL.

12 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Sprowston Council School

in the County of Norfolk 2

by Scholars B.G. Hadingham pp. T. Delves

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Thorpe
Distance 1 4/5 mi. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June. ins	July.	Aug. ins	Sept.	Oct.	Nov.	Dec.	Date.
12 1	·01	·07	·02	—	—	·08	·05	—	·08	·95	—	·26	1
2	—	·02	·05	·01	·16	—	·3	·20	·01	·02	·06	·05	2
3	·13	—	·04	—	·02	·19	·01	—	·03	·02	·01	·04	3
4	·10	—	·44	·03	—	·18	—	·01	—	—	·15	·03	4
5	—	·03	·30	—	—	·05	·65	—	—	·01	·04	·01	5
6	·68	·13	—	—	·02	·20	·02	·08	·08	—	—	—	6
7	·15	·01	—	—	·02	·35	·08	·37	·12	—	·02	·02	7
8	·17	·03	·04	·06	—	·02	—	·08	·3	—	—	·01	8
9	—	—	—	·14	·02	—	—	—	·32	—	·01	·26	9
10	—	—	—	·02	—	—	—	·07	·41	—	·16	·01	10
11	—	·04	—	·01	·01	—	—	·61	1·8	·02	·42	·15	11
12	·01	·09	·04	—	·06	·18	—	—	—	·07	·48	—	12
13	·03	·04	·05	—	—	·05	—	—	—	—	·09	—	13
14	·02	—	—	—	·01	·06	—	·03	—	·03	·04	·02	14
15	—	·02	·18	—	·23	·17	—	·01	—	—	·05	·15	15
16	·07	—	·02	—	·07	·20	—	·04	—	·14	·03	—	16
17	·03	—	·17	—	—	·13	—	·10	—	·02	·06	·06	17
18	·01	—	·18	—	—	—	·38	·03	—	·11	·03	—	18
19	—	·11	·23	—	—	—	·9	·13	—	·03	—	—	19
20	·02	·01	·08	—	·14	—	·01	·14	—	·34	·02	·01	20
21	·10	—	·27	—	—	—	·17	·62	—	·06	·01	·02	21
22	—	·07	—	—	—	—	·98	·13	—	—	·17	—	22
23	·06	·32	·21	—	·02	—	—	·60	·10	·02	—	·09	23
24	·36	—	·05	—	—	·12	·23	·15	—	·01	·17	·02	24
25	·06	—	—	—	—	·15	·14	1·05	—	·01	·16	·10	25
26	·01	—	—	—	—	·02	·05	7·20	—	·21	·06	·24	26
27	·01	—	—	—	—	—	·17	·02	—	·07	·18	·30	27
28	—	—	—	·06	—	—	·03	·15	·05	·30	·29	·12	28
29	—	—	·01	·02	—	·24	—	·29	·45	—	—	·28	29
30	·07		—	—	·03	—	·25	—	—	·23	·03	—	30
31	—		·06		·07		—	·12		·24		—	31
99 Total	2·10	·99	2·44	·35	·88	2·39	4·42	12·23	4·05	2·85	2·74	2·25	TOTAL for year
No. of Rain Days.	20	14	19	8	14	14	17	24	12	21	24	22	32·69 212

W. 8,000, X, '11.

X Mistake made in entering reading for [illegible] for 9
6-8-2' B.G.H.

Gx A 813

REGISTER OF RAINFALL IN 1914

Kept at Sprowston Council School

in the County of Norfolk

by G. A. Martin & boys of Ex VII Standard

Lat. 52° 39' Long. 1° 19'

Time of Observation 9 a.m.

Nearest Railway Station Norwich Thorpe, G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 115 ft.

FORM A. BRITISH RAINFALL. 14 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	·01	—	—	—	—	·11	—	—	·27	—	1
2	·01	—	—	—	—	—	·02	—	—	—	·03	·04	2
3	·02	—	·06	—	·11	—	·96	—	—	—	·01	—	3
4	·20	—	·03	—	—	·01	—	·01	—	—	·20	·05	4
5	—	—	·11	·16	·13	·06	·08	·40	—	·02	·09	—	5
6	·02	—	—	·01	·13	·01	·03	·04	—	—	·01	·15	6
7	—	·01	(·40)	·01	·02	·01	—	—	—	—	—	·40	7
8	·20	—	·44	·01	·12	·29	—	·09	·14	·01	·01	—	8
9	·60	—	·28	—	·04	—	—	·01	—	·03	—	·45	9
10	·80	·38	·08	·06	—	·62	—	—	—	—	—	·08	10
11	—	—	·30	·11	·04	—	—	—	·16	—	·36	·43	11
12	·02	—	·01	—	·12	—	·03	—	·29	—	—	·33	12
13	—	—	·23	—	·01	—	—	—	—	—	·29	·54	13
14	·01	—	·28	—	—	—	—	—	—	·17	·25	·50	14
15	—	·17	·16	—	—	—	·81	—	—	—	·18	·29	15
16	·02	(·30)	·14	—	—	—	·21	—	·03	—	·09	·01	16
17	—	·26	—	—	—	—	—	—	·11	—	·01	·15	17
18	—	·02	·04	—	—	—	—	—	·05	—	·01	·47	18
19	·02	—	·13	—	—	—	—	—	·27	—	·18	·02	19
20	—	—	·43	—	—	·12	—	—	·15	·26	·08	·01	20
21	—	·01	·16	—	—	·03	—	—	—	·02	·12	·11	21
22	—	·42	—	—	·14	—	·18	—	—	·40	·01	·05	22
23	—	·01	·03	—	·02	·20	·09	—	—	·05	·03	·02	23
24	—	—	·01	·11	—	·19	—	—	—	·06	·07	—	24
25	—	·02	—	—	·02	·02	—	·01	—	·57	—	·01	25
26	—	—	—	—	—	—	·01	—	—	·01	·10	·29	26
27	—	—	—	—	—	—	—	·01	—	·02	·03	·27	27
28	—	—	—	—	—	—	·01	—	—	·11	·48	1·28	28
29	·01	✗	—	—	—	—	·04	—	—	·40	·05	·01	✗ 29
30	—	✗	·06	—	—	—	·04	—	—	·01	·19	·02	30
31	—	✗	—	✗	·01	✗	·11	—	✗	·02	✗	·07	31
99 Total	1·93	1·60	3·39	·47	·91	1·56	2·42	·68	1·20	2·16	3·15	6·38	YEAR'S TOTAL 25·85
Rain Days.	12	~~9~~ 10	20	7	13	11	14	8	8	16	25	26	~~16~~

W. 8,000. X. 14.

Exc DL

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

14. JAN. 1915

Kept at Sprowston School
in the County of Norfolk.
by Boys of Class I.

Lat. 52° 39′ Long. 1° 19′ E.
Time of Observation 9 a.m.
Nearest Railway Station Norwich Thorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9½" in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	·16	·21	·02	~~·00~~	·09	~~·00~~	~~·00~~	·08	·41	·10	·19	·09	1
2	·11	·04	·35	·12	·14	~~·00~~	~~·00~~	~~·00~~	·09	~~·00~~	·11	·02	2
3	·23	~~·00~~	·13	·10	~~·00~~	~~·00~~	~~·00~~	·01	·04	~~·00~~	·23	·25	3
4	·01	~~·00~~	~~·00~~	~~·00~~	·02	~~·00~~	~~·00~~	~~·00~~	·09	·09	·09	·35	4
5	·07	·04	~~·00~~	~~·00~~	·03	~~·00~~	~~·00~~	·08	~~·00~~	·35	·24	·30	5
6	·06	·08	·25	·02	·04	~~·00~~	·21	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·05	6
7	·16	~~·00~~	·09	~~·00~~	~~·00~~	~~·00~~	·25	~~·00~~	~~·00~~	·01	·01	·14	7
8	·02	·32	·04	·07	~~·00~~	~~·00~~	·10	~~·00~~	~~·00~~	·11	·01	~~·00~~	8
9	·03	·11	~~·00~~	·02	~~·00~~	~~·00~~	~~·00~~	·14	~~·00~~	·09	·20	·46	9
10	·32	·01	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·20	~~·00~~	~~·00~~	·01	·09	10
11	·02	·28	~~·00~~	·32	·07	~~·00~~	·24	~~·00~~	~~·00~~	·02	·20	·14	11
12	·07	~~·00~~	~~·00~~	·08	·20	~~·00~~	·18	~~·00~~	~~·00~~	·00	·35	·35	12
13	·10	·27	~~·00~~	~~·00~~	·10	~~·00~~	~~·00~~	·90	~~·00~~	·01	·45	·20	13
14	~~·00~~	·47	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·66	~~·00~~	~~·00~~	~~·00~~	·02	·20	14
15	·27	·17	~~·00~~	~~·00~~	·06	~~·00~~	·16	~~·00~~	~~·00~~	~~·00~~	·01	~~·00~~	15
16	·08	·31	~~·00~~	~~·00~~	·02	~~·00~~	·66	·20	~~·00~~	·08	·24	~~·00~~	16
17	·39	·27	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·18	~~·00~~	~~·00~~	·01	·04	·10	17
18	·34	·09	·35	~~·00~~	·22	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01	·15	·14	18
19	·01	·04	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·15	~~·00~~	~~·00~~	·18	·01	~~·00~~	19
20	·28	~~·00~~	~~·00~~	·01	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·33	20
21	·34	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·13	21
22	·05	·02	·26	·01	~~·00~~	~~·00~~	·40	·08	~~·00~~	~~·00~~	~~·00~~	·13	22
23	~~·00~~	·11	~~·00~~	·01	~~·00~~	~~·00~~	·08	~~·00~~	~~·00~~	~~·00~~	·09	·08	23
24	·02	·05	·45	·01	~~·00~~	~~·00~~	·33	~~·00~~	·04	·06	·08	·13	24
25	·01	~~·00~~	·06	~~·00~~	~~·00~~	~~·00~~	·02	~~·00~~	~~·00~~	·14	·16	·03	25
26	·01	·14	~~·00~~	~~·00~~	~~·00~~	·02	~~·00~~	~~·00~~	~~·00~~	·06	·03	·29	26
27	~~·00~~	·10	~~·00~~	~~·00~~	~~·00~~	·20	·13	~~·00~~	·03	·30	~~·00~~	·02	27
28	~~·00~~	·08	·02	~~·00~~	~~·00~~	·44	~~·00~~	~~·00~~	·42	·56	~~·00~~	·03	28
29	·07	X	~~·00~~	~~·00~~	·02	·05	·30	·30	·33	·02	·19	·05	29
30	·06	X	~~·00~~	~~·00~~	~~·00~~	·07	·15	·08	·19	·03	·05	·01	30
31	·09	X	~~·00~~	X	~~·00~~	X	~~·00~~	·09	X	·20	X	·13	31
99 Total	3·38"	3·2[illegible]" 3 2 1	2·02"	·77"	1·01"	·78"	4·20"	2·16"	1·64"	2·43"	3·16"	4·24"	YEAR'S TOTAL 29·06"
Rain Days.	27	21.	11	11	12	5.	17	11	9	20	24	27.	195

W. 8,000. X. 15.

SPRA~~WS~~TON
HALL

NORFOLK

1911 – 1920
1915 [illegible]

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGI

Kept at Sprowston Hal
in the County of Norfolk
by Sir Eustace Gurne

den
in.
und 1 ft. " in.
Level 90 ft.
m.
Salhouse
nce Direction

IMPORTANT NOTE.—E … result entered to the previous day. If an Observe … l rule, he is earnestly requested to add the reading a … the space provided for it at the end of this par … of rain, the selection and placing of … Rainfall Organization are given in "*Rul* … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34		.01					.14		.17		.02	1
2	.33		.04	.02	.21	.15				.03	.06	.16	2
3	.03	.04		.08	.13					.15	.02	.07	3
4	.08		.11	.10					.08	.03	.28	.04	4
5		.07		.06						.40	.02	.22	5
6	.24	.02	.07	.02						.08	.03	.12	6
7	.01										.11	.30	7
8	.20		.11						.03		.07	.08	8
9	.10		.07	.04							.02		9
10	.03	.03	.08					.17			.04	.48	10
11	.29	.37	.01								.33	.01	11
12		.05	.41										12
13	.09	.01	.11		1.00	.09			.17	.36		.07	13
14		.04	.27		.42				.01			.07	14
15		.08	.21						.02	.02	.22	.04	15
16			.04			.50			.01		.26	.11	16
17	.02		.19						.01		.01	.09	17
18		.17	.01			.12					1.07	.05	18
19		.02				.86		.01	.01	.01	.27	.02	19
20		.25						.01	.19	.03	.07	.37	20
21	.01	.16						.04		.17		.06	21
22	.01	.06	.08					.10		.16	.06	.47	22
23		.04	.41		101	.78		.27	.32			.15	23
24		.05	.05			.06	.19			.53		.11	24
25		.03	.03	.09		.08	.42	.07			.14	.11	25
26	.02			.10			.22			.17	.08	.43	26
27		.20	.10	.27					.25			.03	27
28		.16		.26			.04	.05		.07	.05	.02	28
29				.24		.45	.04		.50	.36			29
30					.18	.04			.61	.22			30
31										.02		.02	31
Total	1.80	1.85	2.41	1.28	1.95	3.13	.91	.86	2.20	2.98	3.21	3.72	TOTAL for year 26.30
No. of Rain Days	15.	19	20	11	6	10	5	9	13	18	20	27	173

9,000, IX. '10.

REGI

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Sprowston Hall

in the County of Norfolk 2

by Sir Eustace Gurney's Gardener.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 90 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Salhouse
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·01					·14		·17		·02	1
2	·33		·04	·02	·21	·15				·03	·06	·16	2
3	·03	·04		·08	·13					·15	·02	·07	3
4	·08		·11	·10					·08	·03	·28	·04	4
5		·07		·06						·40	·02	·22	5
6	·24	·02	·07	·02						·08	·03	·12	6
7	·01										·11	·30	7
8	·20		·11						·03		·07	·08	8
9	·10		·07	·04							·02		9
10	·03	·03	·08					·17			·04	·48	10
11	·29	·37	·01								·33	·01	11
12		·05	·41										12
13	·09	·01	·11		1·00	·09			·17	·36		·07	13
14		·04	·27		·42				·01			·07	14
15		·08	·21						·02	·02	·22	·04	15
16			·04			·50			·01		·26	·11	16
17	·02		·19						·01		·01	·09	17
18		·17	·01			·12					1·07	·05	18
19		·02				·86		·01	·01	·01	·27	·02	19
20		·25						·01	·19	·03	·07	·37	20
21	·01	·16						·04		·17		·06	21
22	·01	·06	·08					·10		·16	·06	·47	22
23		·04	·41		1·01	·78		·27	·32			·15	23
24		·05	·05			·06	·19			·53		·11	24
25		·03	·03	·09		·08	·42	·07			·14	·11	25
26	·02			·10			·22			·17	·08	·43	26
27		·20	·10	·27					·25			·03	27
28		·16		·26			·04	·05		·07	·05	·02	28
29				·24		·45	·04		·50	·36			29
30					·18	·04			·61	·22			30
31										·02		·02	31
Total	1·80	1·85	2·41	1·28	1·95	3·13	·91	·86	2·20	2·98	3·21	3·72	TOTAL for year 26·30
No. of Rain Days	15	19	20	11	6	10	5	9	13	18	20	27	173

9,000, IX. '10.

Cord month 18-11-13 W 7 C.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
1 JAN 1913

Kept at Sprowston Hall
in the County of Norfolk 2
by Sir Eustace Gurney

Lat. .... Long. ....
Nearest Railway Station Salhouse
Time of Observation 9 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
" " " Sea Level 90 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·11	·08		·08			·29	1
2		·29	·06	·03	·08		·31			·07	·09	·01	2
3	·15	·02				·21		·01	·04	·04	·01	·05	3
4	·10		·45	·03	·04	·49					·14		4
5	·01	·06	·34			·06				·01	·01		5
6	·69	·14	·01		·01	·16	·82	·04	·19			·02	6
7	·04				·01	·32	·02	·55	·10		·		7
8	·21		·05	·02		·01	·04	·05	·34	·01		·01	8
9		·01		·11	·02	·01			·40	·01		·30	9
10				·05				·09	·36	·01	·16	·01	10
11	·02			·01				·23	·04		·47	·14	11
12	·01	·05	·03		·05	·24				·01	·42		12
13	·05	·09	·04			·03	·04	·02			·41	·02	13
14		·03			·01	·08		·01	·01	·03	·09	·12	14
15		·01	·16		·20	·16		·01		·01	·04	·05	15
16	·06	·01	·02		·02	·20		·04		·14	·02		16
17	·12		·16			·14		·11			·01	·03	17
18	·07		·19			·04	·26	·01		·11	·09	·08	18
19	·02	·12	·22				·72	·02	·61	·02	·02		19
20	·09	·01	·03		·13			·12		·35		·01	20
21			·25				·43	·70		·09	·01		21
22	·08	·06	·08				·66	·13				·02	22
23	·40	·63	·25		·02			·66	·12	·01	·21	·02	23
24	·09		·02			·16	·27	·20				·10	24
25	·01					·15	·05	·79		·01	·19	·25	25
26	·02	·02				·02	·20	6·40		·24	·27	·28	26
27							·01	·01		·08	·06	·12	27
28				·03				·10	·02	·33	·08	·29	28
29	·10			·02		·24	·30	·30	·51		·27		29
30	·08					·02		·06	·82	·24	·01		30
31	·02		·09		·05		·16	·08		·27		·08	31
Total	2·4~~5~~4 2·44	1·55	2·45	·30	·64	2·55	4·37	10·74	3·04	2·09	3·08	2·30	TOTAL for year 35·55
No. of Rain Days	22	15	18	8	12	20	16	25	14	21	22	22	215

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
2 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Sprowston Hall
in the County of Norfolk 2
by Sir Eustace Gurney per W. Batchelor (Gardener)

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Salhouse G.E.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
13 1	·11	·27	·14	·20	·01	—	—	—	·17	—	·04	—	1
2	·03	·19	·01	·01	·06	—	·14	—	—	—	·01	—	2
3	—	—	·25	—	·19	—	·01	—	·05	·34	—	·02	3
4	·09	—	—	—	·02	·04	·02	—	—	—	·02	·15	4
5	·04	—	—	—	·04	·01	·02	—	·02	·58	—	·03	5
6	—	—	—	·01	·18	·01	—	—	—	·15	·04	—	6
7	—	·03	—	—	·02	—	·07	—	—	·38	—	—	7
8	—	—	—	·06	·14	·06	·03	—	—	·02	·12	—	8
9	·01	·11	—	·03	·25	·14	—	·16	·12	—	·06	·03	9
10	—	—	·02	·05	—	—	·01	·42	—	—	·06	—	10
11	·43	—	—	·66	·01	—	—	·24	—	—	·70	—	11
12	—	·02	—	·01	—	·02	—	—	—	—	·12	—	12
13	·07	·01	·03	·06	—	—	—	—	—	—	·43	—	13
14	·08	—	·06	·04	—	—	1·31	—	·30	·29	·05	—	14
15	·14	·02	·16	·16	—	—	·28	—	—	—	·12	—	15
16	·10	—	·32	·24	—	—	—	—	·20	—	·12	·01	16
17	·01	—	·31	·01	—	·16	·08	—	·42	·01	·01	·02	17
18	·01	—	·10	·13	—	—	·01	·01	·63	—	—	—	18
19	·08	—	·08	·04	—	·07	·01	—	·25	—	—	·19	19
20	·13	—	·05	—	—	—	—	—	·02	·22	—	—	20
21	·04	—	·08	·01	—	—	·29	—	—	·43	·22	—	21
22	·08	—	·13	—	—	—	·46	·01	·14	—	—	—	22
23	·01	—	·01	—	—	·03	·01	·14	—	·02	—	—	23
24	·08	—	—	·01	—	·20	—	·11	—	—	·02	·14	24
25	—	—	·03	·08	—	—	—	—	—	—	—	—	25
26	·01	·03	·14	—	—	·01	—	—	—	·80	·01	·10	26
27	·01	·05	·03	—	—	—	—	—	—	·02	—	—	27
28	·17	—	·10	—	—	·05	—	—	—	·05	—	·03	28
29	·31		·21	·09	·19	—	—	—	—	—	—	·04	29
30	·37		·02	·38	·08	—	—	—	—	·05	·13	·22	30
31	—		·08		—		—	·55		—		—	31
99 Total	2·41	·73	2·36	2·28	1·19	·80	2·75	1·64	2·32	3·36	2·28	·98	YEAR'S TOTAL 23·10
Rain Days.	23	9	22	20	12	12	15	8	11	14	18	12	176

W. 7,500, XI, ·12

cmd fr auth 8.III.15

W LMcC.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Sprowston Hall

in the County of Norfolk 2

by Gardener to Sir Eustace Gurney

Lat. Long.

Nearest Railway Station Salhouse.

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 90 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·19		·01	·35		1
2	·01						·06				·02	·03	2
3	·02		·08	·04	·11		·83	·05			·02		3
4	·18		·02	·15		·01					·20	·04	4
5			·13	·15	·13	·04	·10	·26					5
6	·02	·07			·13		·03	·03		·04	·10	·16	6
7		·02	·39	·01	·02	·01						·42	7
8	·18	·01	·36	·02	·12	·33		·08	·18	·01			8
9	·59		·43	·01	·02	·71			·01	·02		·75	9
10	·84	·01	·08						·02			·06	10
11		·23	·27	·16	·16	·20			·17		·42	·39	11
12	·02		·01		·02	·01	·03		·28			·28	12
13		·18	·24		·01				·02	·02	·26	·58	13
14	·02	·01	·26							·15	·05	·53	14
15			·19				1·04				·35	·25	15
16	·02		·17			·01	·11		·03		·09	·02	16
17		·30	·01						·10		·02	·14	17
18		·27	·02						·05			·52	18
19	·02	·02	·18			·11			·36		·20		19
20			·45			·06			·26	·30	·03	·02	20
21	·04	·44	·13					·34		·03	·16	110	21
22	·03				·15	·12	·15			·41		·04	22
23		·01	·04		·03	·30	·09			·02		·04	23
24			·02	·15	·02	·02		·02		·05	·05		24
25		·02			·09		·01			·61			25
26							·01	·13		·01	·08	·25	26
27	·02						·23			·01		·26	27
28		·02								·13	·42	1·26	28
29							·03		·02	·45	·03		29
30			·06							·01	·20	·03	30
31					·03		·03			·01		·05	31
Total	2,01	1·61	3·54 3·54	·69	1·04	1·93	2·75	1·10	1·50	2·29	3·05	6·22	TOTAL for year 27·63
No. of Rain Days	14	14	21	8	14	13	14	8	12	18	19	23	178

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd Lit

1570

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Sprowston Hall

in the County of Norfolk 2

by Sir Eustace Gurney

Lat. 52·40 N Long. 1·20 E.

Time of Observation 9 a.m

Nearest Railway Station Norwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·22	·01		·15			·01	·44	·02	·19	·04	1
2	·01	·01	·36	·05				·32	·07		·13	·01	2
3	·31		·13	·11					·02		·25	·17	3
4	·01				·03			·01	·01	·09	·28	·54	4
5	·05							·04		·33	·05	·25	5
6	·06	·25	·32	·14	·03		·16	·02				·02	6
7	·11	·33	·08				·17	·14				·15	7
8	·02	·07	·01	·06				·02		·11			8
9	·04	·08		·04				·02		·02	·19	·48	9
10	·29					·03		·01				·06	10
11	·07				·05		·21			·02	·21	·10	11
12	·07			·32	·20		·14	·76			·71	·07	12
13	·07	·27		·06	1·00			·02			·29		13
14		·43		·02			·63					·27	14
15	·31	·18			·08		·22	·12				·14	15
16	·68	·28					·63	·11		·05	·19	·01	16
17	·30	·24	·10				·16					·17	17
18	·31	·07	·34		·24				·01	·01	·19	·02	18
19	·03	·04					·14			·14			19
20	·19			·02				·02		·01		·36	20
21	·36				·04		·02					·15	21
22	·03	·03	·33	·01	·01		·35					·17	22
23	·01	·12				·01	·09				·06	·05	23
24	·01	·10	·39				·42		·07	·03	·07	·13	24
25	·03		·04			·23				·11	·15	·02	25
26	·01	·18	·01			·09				·04	·05	·23	26
27		·02	·02			·14	·57		·02	·34		·05	27
28	·	·11				·74		·03	·45	·47			28
29	·03		·01		·02	·03	·30	·14	·21	·01	·07	·02	29
30	·15	✕				·08		·03	·15				30
31	·02	✕		✕		✕		·06	✕	·27	✕	·13	31
Total	3·11	3·03	2·15	·83	1·85	1·35	4·21	1·88	1·45	2·07	3·08	3·81	YEAR'S TOTAL 28·82
Rain Days.	28	19	14	10	11	8	15	18	10	17	16	26	192

W. 8,000. X. 14.

3·15

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Sprowston Hall

in the County of Norfolk

by Sir Eustace Gurney, per W. Batchelor

Lat. 52·40 N Long. 1·20 E
Time of Observation 9 a.m.
Nearest Railway Station Salhouse G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04					·03					·08		1
2	·57		·06		·28		·08		·16	·01	·01		2
3		·08	·01			·01	·03		·15	·23	·27	·03	3
4	·36	·12	·07			·32	·05		·40	·07	·20	·30	4
5	·10	·05	·23	·02		·08			·02	·06	·23	·02	5
6		·05	·16	·40	·03	·02	·03			·02	·27		6
7	·11		·18		·37	·23	·14			·12	·11	·02	7
8	·03		·11		·14	·17						·15	8
9			·01		·23	·17				·01		·24	9
10			·13	·09		·05	·27		·01			·30	10
11	·11	·65	·15	·19	·06	·67						·03	11
12	·04			·49	·22	·57	·08	·15		·16		·07	12
13		·13	·11		·07	·06	·03	·01	·28	·03		·01	13
14		·38	·01		·19	·06		·14	·03	·03		·17	14
15		·39	·23					·05	·09	·28		·03	15
16		·06	·01	·22			·13	·12		·03		·20	16
17	·04		·01	·38			·14	·15	·24	·23			17
18		·16		·22		·02		·20	·11	·13	·88		18
19	·04			·05		·01			·18		·27	·04	19
20	·19		·08	·02					·01		·11	·05	20
21	·05	·04	·11	·02								·48	21
22		·17	·01		·40	·09	·01			·01		·40	22
23		·49				·15	·03	·04			·08	·16	23
24		·27				·13	·02	·05		·31		·18	24
25		·23	·13					·07		·19	·05	·07	25
26		·03				·30		·03			·31	·01	26
27		·12	·58			·02		·01	·02	·13	·05		27
28		·25	·37		·23		·02		·04	·01		·13	28
29		·16	·01			·04		1·85		·23		·06	29
30						·10		·33		·31			30
31	·21				·02			·07		·01		·02	31
Total	1·89	3·83	2·77	2·10	2·24	3·30	1·06	3·27	1·74	2·61	2·92	3·17	YEAR'S TOTAL 30·90
Rain Days.	13	19	22	11	12	22	14	15	14	22	14	24	202

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1476

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Sprowston Hall
in the County of Norfolk
by Sir Eustace Gurney
per W. Batchelor

Lat. 52·40N · Long. 1·20 E
Time of Observation 9 a. m
Nearest Railway Station Norwich
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level c. 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·33				1·10	·26		·03	·01	1
2	·05			·20		·02		·46				·01	2
3			·02	·04				·90		·04			3
4		·45						·02		·69			4
5	·15	·03	·03	·13					·04		·12		5
6									·14		·02		6
7	·38		·02							·47			7
8	·17		·03	·16		·01	1·18	·26		·21	~~·11~~	·03	8
9	·03		·02	·01				·15			·31	·21	9
10	·13		·26	·12						·08	·17		10
11	·08	·03	·62	·21					·01	·24	·01		11
12	·33		·07	·13						·35	·01	·01	12
13	·15		·05	·04			·02	·27	·06	·08			13
14	·09	·01	·02	·18			·36	·33				·03	14
15	·02				·01			·04		·03		·02	15
16	·05	·07		·31						·40	·01	·27	16
17	·02	·01	·05	·19	·40	·24	·30		·50	·30		·02	17
18	·03			·02	·03	·02	·15	·01	·52				18
19	·01	·01	·35	·01		·04			·27				19
20	·04	·33	·17			·09			·02		·26		20
21		·16	·12			·03		·06			·01		21
22			·03					·03		·06	·01		22
23					·07			·04	·01			·02	23
24						·10		·10		·14	·08	·05	24
25			·05			·14					·21	·45	25
26			·06					·28	·04		·49	·02	26
27			·01			·06	·01	·38				·05	27
28		·04	·17			·32		·10		·04		·06	28
29	·02				·01	·51	·17			·06		·02	29
30	·14	X	·03				·21	·12		·03			30
31	·04	X	·80	X		X	·51	·15	X		X	·01	31
Total	1·93	1·15	2·98	2·08	·52	1·58	2·91	4·74	1·87	3·22	1·85	1·29	YEAR'S TOTAL 26·12
Rain Days.	19	11	21	15	5	12	9	19	11	16	15	17	170

W. 8,000, VIII. 16

Ex^d M.O.S.

39

FORM A. BRITISH RAINFALL.

4 I. 19

REGISTER OF RAINFALL IN 1918

Kept at Sprowston Hall

in the County of Norfolk

by Sir Eustace Gurney

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Salhouse G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·08					·11		·04	·14	1
2	·10			·03				·49	·01	·02		·20	2
3			·02		·04			·03	·01		·92		3
4		·01	·10					·01	·57	·06	·29		4
5		·03	·07		·12			·25	·07	·14			5
6		·13		·16								·08	6
7	·10	·14		·14					·01	·08	·03		7
8		·02	·02	·01					·08		·11	·02	8
9	·14	·08	·01			·10			·50	·28		·06	9
10		·04					·20				·06	·15	10
11	·08	·11		·01	·17		·04		·10	·70	·01	·31	11
12		·13			·03		·24	·02	·25	·25		·08	12
13		·06			·20				·05			·01	13
14	·37			·03			·10		·27	·36		·02	14
15	·85		·03	1·71			·01		·24	·11		·04	15
16			·01	·35		·91			·03	·02		·05	16
17	·17			·01		·01	·69					·30	17
18	·41			·14		·06			·12	·02	·01	·55	18
19	·12		·01	·10			·03			·21		·14	19
20		·05		·01		·02	·61		·06	·17		·04	20
21	·04					·02	·02		·40	·16		·01	21
22				·10		·02	·04					·40	22
23	·07				·15		·11	·06	·02		·02		23
24		·23					·03		·14		·07		24
25			·03			·78	·11	·15		·02	·02	·08	25
26							·66	·39	·01		·12	·10	26
27	·01	·01		·44		·01	·04	·21	·06		·02	·19	27
28	·01	·09	·21	·02		·05		·04			·07	·40	28
29	·01		·01						1·30		·04	·01	29
30			·29					·01	·37	·03	·08	·03	30
31	·01									·01		·13	31
Total	2·49	1·14	·81	3·34	·71	1·08	2·93	1·66	4·68	2·64	1·91	3·54	YEAR'S TOTAL 26·93
Rain Days.	15	15	12	16	6	10	15	11	23	17	16	25	181

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1919

BRITISH RAINFALL. FORM A.

Kept at Sprowston Hall

in the County of Norfolk

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Salhouse

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·31				·15		·48			·48	·05	·52	1
2	·15	·02					·05			·01	·50	·68	2
3	·24		·11				·15				·07		3
4	·07		·30			·03						·20	4
5	·54	·03						·07	·09			·04	5
6			·15								·12	·28	6
7	·		·21		·17		·01				·20	·45	7
8	·11			·10			·02			·04		·03	8
9			·01	·01						·15	·08		9
10	·01		·11	·02	·01		·			·64	·11		10
11	·01		·24	·04			·55			·13	·10	·11	11
12	·12		·04	·03		·12	·11			·02			12
13	·02			~~·04~~			·18			·07			13
14	·36	·02		·24			·19		·04	·02	·02	·01	14
15	·11		~~·05~~ ·01	·45			·01			·33		·05	15
16	·04	·89	·03	·15						·15	·05	·12	16
17		·87	·03	·06	·02						·26	·03	17
18	·08	·23	·02	·02				·18				·13	18
19		·08	·16			·09	·02	·20	·41		·08	·91	19
20	·31	·02	·11			·34	1·09	·23	·02	·02		·01	20
21		·22	·02			·10	·38					·19	21
22		·16	·02				·10		·15		·02	·28	22
23						·14	·06	·09	·01			·06	23
24				·03	·23	·18	·04						24
25	·02			·08	·21	·09		·25		·03		·06	25
26	·08	·34	·24	·19		·01		·19	·07	·29		·37	26
27	·04	·03	·03	·02			·02	·06		·37	·30		27
28	·03			·06			·05	·64	·02	·73	·02	·29	28
29				·10		·14	·03	·04		·11	·22	·25	29
30			·07	·16		·23				·20	·27	·23	30
31	·03		·01				·05			·17		·11	31
Total	2·68	2·91	1·92	1·76	·79	1·47	3·59	1·95	·81	3·96	2·47	4·51	YEAR'S TOTAL 28·82 ✓
Rain Days.	20	12	20	17	6	11	20	10	8 ~~7~~	19	17	24	~~183~~ 184

W. 7,500, XI. 12

Edward

1307

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

3 JAN 1921

Kept at Sprowston Hall
in the County of Norfolk
by Sir Eustace Gurney

Lat. 52·40 N. Long. 1·20 E
Time of Observation 9. a. m
Nearest Railway Station Salhouse
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 90. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·04		·20		·03	·45		·01	1
2			·03					·14	·04			·14	2
3		·01		·03		·03			·06			·10	3
4	·02		·03	·27	·04		·01	·02				·22	4
5			·06	·06	·10		·17	·17	·10			·29	5
6			·13		·01		·40	·07				·02	6
7			·14	·06			·06					·08	7
8	·03			·52	·06		·02	·11					8
9	·20	·06		·53				·25				·01	9
10	·22	·07	·03	·20			·02					·06	10
11	·34	·02		·06	·01		·10						11
12	·10·		·12	·15		·01	·05						12
13	·08	·03		·14		·61			·06			·35	13
14	·02		·23	·09		·23	·06		·09		·22		14
15	·01		·20	·05					·13	·25	·23		15
16				·08	·01				·54	·03		·34	16
17			·01	·04	·14			·	·08	·02		·15	17
18	·02			·01	·03			·26	·36			·08	18
19	·06	·01		·03				·41	·10				19
20	·12	·31		·13		·63			·07				20
21				·07				·15	·18			·06	21
22				·06			·59	·13	·39			·08	22
23												·17	23
24	·02		·12				·47		·03			·08	24
25		·05		·05		·12	·06		·04				25
26	·04	·01	·04	·16	·47		·26						26
27	·15	·12		·15		·45	·09				·07	·10	27
28	·54			·16		·04					·08	·09	28
29	·01			·01	·20		·02				·08	·18	29
30		X		·07	·11	·02	·16	·01	·05		·12	·17	30
31	·09	X		X		X	·14	·08	X		X	·18	31
Total	2·17	·69	1·14	3·18	1·22	2·14	2·88	1·80	2·35	·75	·80	2·89	YEAR'S TOTAL 22·01
Rain Days.	18. 11	10 5	12 8	25 21	12 8	9 6	18 14	12 10	17 15	4 2	6 6	22 18	165 124

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL
14 JUL 1921

REGI

SPROWSTON

OAK LODGE.

NORFOLK

1912. —— 1920

Kept at Oak Lodge, Sp a.n.

in the County of Norf Norwich. 3¼ miles

5 in.

by A. Cozens-Har Ground 1 ft. — in.

Sea Level 100 ft.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. MILL, 62, Can

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	.17	—	.01	—	.08	.11	—	.07	—	—	.26	1
2	—	.03	.05	—	.10	—	.32	—	—	.05	.07	—	2
3	.14	.04	.01	.02	—	.20	.01	.01	.03	—	.01	.05	3
4	.10	—	.35	—	.05	.17	—	—	—	.03	.18	—	4
5	.03	.08	.31	.02	—	.10	—	—	—	—	.01	.01	5
6	.63	.09	—	—	—	.15	.77	.04	.17	.02	—	—	6
7	.07	—	—	—	.02	.38	.01	.28	.09	—	—	—	7
8	.17	.02	.04	.02	—	.02	.06	—	.30	—	—	.01	8
9	—	—	—	.10	—	—	—	.02	.38	—	—	.26	9
10	—	—	—	.02	—	—	—	.07	.31	—	.15	.01	10
11	—	.06	—	—	—	—	—	.21	.05	—	.45	.13	11
12	.07	.07	.03	—	.04	.25	—	—	—	—	.42	—	12
13	—	.03	—	—	—	.04	.03	.02	—	—	.44	.02	13
14	—	—	.03	—	.01	.06	—	.02	—	—	.11	.10	14
15	—	.02	.14	—	—	.16	—	.01	—	—	.04	.04	15
16	.06	—	.02	—	.21	.20	—	.04	—	.16	.05	.13	16
17	.21	—	.13	—	.03	.13	—	.09	—	—	.01	—	17
18	.02	—	.19	—	—	.01	.27	.02	—	.11	.09	.09	18
19	.03	.11	.18	—	—	—	.80	.11	.02	.03	.01	.01	19
20	.09	.01	.04	—	—	—	.01	.11	—	.34	—	—	20
21	—	—	.32	—	.20	—	.34	.62	—	.07	.01	—	21
22	.08	.06	.05	—	—	—	.81	.13	—	—	—	—	22
23	.39	.65	.20	—	.01	—	—	.61	.08	.01	.19	.03	23
24	.09	—	—	—	—	.14	.25	.14	—	—	.01	.09	24
25	.02	—	—	—	—	.11	.05	.60	—	.03	.16	.25	25
26	.01	.02	—	—	—	.03	.20	6.90	—	.19	.19	.30	26
27	—	.01	—	—	—	—	—	.07	—	.07	—	.10	27
28	—	—	—	.04	—	—	—	.13	.02	.29	.15	.28	28
29	.07	—	—	.01	—	.29	.25	.28	.45	.01	.30	—	29
30	—		—	—	.05	—	—	.09	.75	.20	.01	—	30
31	—		.08		—		.19	.09		.27		.08	31
Total	2.28	1.47	2.17	.24	.72	2.52	4.48	10.71	2.72	1.88	3.06	2.25	YEAR'S TOTAL 34.50
Rain Days.	18	16	17	8	10	18	17	25	13	16	22	20	200

W. 7,500, XI. 12

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.
14 JUL 19

Kept at Oak Lodge. Sprowston. Norwich
in the County of Norfolk 2
by A. Cozens. Hardy

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Norwich. 3¼ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	.17	—	.01	—	.08	.11	—	.07	—	—	.26	1
2	—	.03	.05	—	.10	—	.32	—	—	.05	.07	—	2
3	.14	.04	.01	.02	—	.20	.01	.01	.03	—	.01	.05	3
4	.10	—	.35	—	.05	.17	—	—	—	.03	.18	—	4
5	.03	.08	.31	.02	—	.10	—	—	—	—	.01	.01	5
6	.63	.09	—	—	—	.15	.77	.04	.17	.02	—	—	6
7	.07	—	—	—	.02	.38	.01	.28	.09	—	—	—	7
8	.17	.02	.04	.02	—	.02	.06	—	.30	—	—	.01	8
9	—	—	—	.10	—	—	—	.02	.38	—	—	.26	9
10	—	—	—	.02	—	—	—	.07	.31	—	.15	.01	10
11	—	.06	—	—	—	—	—	.21	.05	—	.45	.13	11
12	.07	.07	.03	—	.04	.25	—	—	—	—	.42	—	12
13	—	.03	—	—	—	.04	.03	.02	—	—	.44	.02	13
14	—	—	.03	—	.01	.06	—	.02	—	—	.11	.10	14
15	—	.02	.14	—	—	.16	—	.01	—	—	.04	.04	15
16	.06	—	.02	—	.21	.20	—	.04	—	.16	.05	.13	16
17	.21	—	.13	—	.03	.13	—	.09	—	—	.01	—	17
18	.02	—	.19	—	—	.01	.27	.02	—	.11	.09	.09	18
19	.03	.11	.18	—	—	—	.80	.11	.02	.03	.01	.01	19
20	.09	.01	.04	—	—	—	.01	.11	—	.34	—	—	20
21	—	—	.32	—	.20	—	.34	.62	—	.07	.01	—	21
22	.08	.06	.05	—	—	—	.81	.13	—	—	—	—	22
23	.39	.65	.20	—	.01	—	—	.61	.08	.01	.19	.03	23
24	.09	—	—	—	—	.14	.25	.14	—	—	.01	.09	24
25	.02	—	—	—	—	.11	.05	.60	—	.03	.16	.25	25
26	.01	.02	—	—	—	.03	.20	6.00	—	.19	.19	.30	26
27	—	.01	—	—	—	—	—	.07	—	.07	—	.10	27
28	—	—	—	.04	—	—	—	.13	.02	.29	.15	.28	28
29	.07	—	—	.01	—	.29	.25	.28	.45	.01	.30	—	29
30	—		—	—	.05	—	—	.09	.75	.20	.01	—	30
31	—		.08		—		.19	.09		.27		.08	31
Total	2.28	1.47	2.17	.24	.72	2.52	4.48	10.71	2.72	1.88	3.06	2.25	YEAR'S TOTAL 34.50
Rain Days.	18	16	17	8	10	18	17	25	13	16	22	20	200

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
28 MAR 1916

Kept at Sprowston, Oaklodge,

in the County of Norfolk.

by A Cozens-Hardy per A W Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·19	·01		·14			·01	·50	·03	·16	·04	1
2	·03	·02	·39	·05				·26	·05		·14	·02	2
3	·32		·12	·10			·01	·02	·03		·19	·14	3
4	·02				·03			·03		·10	·21	·58	4
5	·04	·01	·01		·06			·06		·36	·07	·22	5
6	·07	·26	·25	·11	·02		·19	·02			·01	·03	6
7	·08	·25	·09				·20	·13				·16	7
8	·03	·07	·01	·07			·01	·03		·12		–	8
9	·04	·05		·03		·02		·02		·01	·16	·49	9
10	·33					·01		·01			·01	·06	10
11	·08				·04		·21				·21	·09	11
12	·05			·36	·19		·18	1·08			·75	·07	12
13	·06	·26		·06	1·00			03			·27		13
14	·01	·44					·74					·18	14
15	·30	·18			·07		·19	·10				·12	15
16	·06	·20	·07		·01		·63	·09		·02	·23	·02	16
17	·39	·17	·33				·14	·01	·01		·02	·12	17
18	·31	·07	·01		·23						·15	·02	18
19	·03	·03					·15			·15			19
20	·17			·01				·03		·01		·36	20
21	·35		·33		·03		·02					·12	21
22	·03	·03	·01	·02			·35					·15	22
23	·01	·12	·49			·01	·09				·04	·06	23
24	·01	·05	·06				·42		·03	·02	·08	·10	24
25	·02		·05			·18	·01			·09	·16	·03	25
26	·02	·16	·03			·12				·04	·03	·25	26
27	·01	·02	·01			·13	·25	[illegible]	·02	·32		·06	27
28		·08				·89		·04	·41	·49			28
29	·04	X			·02	·11	·27	·14	·27		·09	·03	29
30	·09	X				·01		·05	·17	·01	·02	·01	30
31	·03	X		X		X		·06	X	·25	X	·12	31
Total	3·13	2·66	2·27	·81	1·84	1·48	4·06	2·22	1.49	2·02	3·00	3·65	YEAR'S TOTAL 28·63
Rain Days.	30	20	17	9	12	9	18	20	9	15	20	27	206

W. 8,000. X. 15.

from Preston C. Exd

R.P.d. 7 4 5 1543

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3. MAR 191

Kept at Sprowston Oak Lodge

in the County of Norfolk

by A W Preston. A Cazens-Hardy

Lat. .... Long. ....

Time of Observation [illegible]

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	–	01	–	–	03	–	–	01	–	08	–	1
2	55	–	05	–	41	–	11	–	14	02	01	–	2
3	–	02	02	–	01	03	·05	–	21	24	29	–	3
4	35	15	08	–	–	27	·06	–	40	02	32	32	4
5	10	05	16	02	–	10	–	–	03	06	17	02	5
6	01	06	30	40	–	02	04	–	01	01	25	–	6
7	10	–	31	01	47	17	13	–	–	09	09	02	7
8	03	–	01	–	12	41	–	–	–	01	01	20	8
9	–	–	11	–	29	23	–	–	–	01	–	15	9
10	01	–	16	08	01	03	23	–	01	–	–	28	10
11	08	64	15	19	07	65	–	–	–	–	–	03	11
12	07	01	01	52	29	60	10	14	–	18	–	04	12
13	03	11	12	01	07	09	–	01	20	01	–	–	13
14	–	23	04	01	14	06	–	18	07	–	–	16	14
15	–	38	21	–	–	–	–	08	08	28	01	04	15
16	01	06	03	17	–	–	·09	09	–	03	–	22	16
17	–	–	–	36	–	–	14	50	20	26	–	01	17
18	–	11	04	22	–	02	–	20	10	13	76	–	18
19	03	01	–	06	–	–	–	01	21	01	35	04	19
20	15	–	08	01	–	–	–	03	02	01	09	13	20
21	08	09	12	01	–	–	–	01	01	–	01	39	21
22	–	22	02	–	39	08	01	–	–	–	–	44	22
23	–	72	–	–	–	13	01	–	–	–	08	16	23
24	–	42	–	–	–	13	02	05	–	32	01	21	24
25	–	18	10	–	–	–	–	09	–	17	04	05	25
26	–	24	–	–	–	11	–	01	–	03	24	–	26
27	–	12	61	–	–	02	–	01	02	08	06	–	27
28	–	27	53	–	13	–	–	–	04	01	–	13	28
29	–	17	02	–	–	05	–	2·00	01	22	–	07	29
30	–		–	–	–	07	–	34	–	25	–	01	30
31	20		–		02		–	05		02		02	31
	[illegible]	4·26	3·29	2·07	2·42	3·30	·99	3·80	1·77	2·47	2·84	3·14	YEAR'S TOTAL 32·26
	[illegible]	[illegible]	[illegible]	14	13	21	12	14	18	24	18	23	221

[illegible] from cards

REGISTER OF RAINFALL IN 190

1475

FORM A.
BRITISH RAINFALL.

Kept at Sprowston OAK LODGE
in the County of Norfolk
~~by~~
Per A. W. Preston.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·39	-	-	-	1·06	·22	—	·03	-	1
2	·08	-	-	·08	-	·02	.	·48	·01	·01	-	-	2
3	-	-	·03	.05	-	-	.	·89	-	·05	-	·01	3
4	-	·32s	-	-	-	-	.	·05	-	·67	-	-	4
5	·15	·13s	·03	·12	-	-	.	·01	·14	-	·07	-	5
6	-	-	-	·01	-	·08	.	-	·14	-	·03	-	6
7	·32	-	·01	-	-	·04	-	-	·01	·55	-	-	7
8	·21	-	·02	14	-	-	1·13	·17	-	·20	08	·05	8
9	·03	-	·02	·01	-	-	·01	14	-	-	·24	·20	9
10	·10	·01	·24	·06	-	-	.	-	-	·08	·31	-	10
11	·08	·04	·65	·19	-	-	.	·01	-	·24	·01	·01	11
12	·38	·01	·05	·10	-	-	.	-	-	·36	·01	·01	12
13	·07	-	·05	·06	-	03	-	·20	06	·08	-	-	13
14	·12	-	·01	·17	-	-	·33	·08	-	-	-	·03	14
15	·01	-	-	-	·01	-	·01	·04	-	03	-	·01	15
16	·09	·09	-	·32	-	-	-	01	-	34	-	·32	16
17	·04	·02	·05	·15	39	·26	·19	-	·49	27	-	·04	17
18	·03	·01	-	06	·04	-	·11	01	·55	-	.	·01	18
19	01	·02	·32	01	-	·03	-	-	25	-	.	-	19
20	05	·31	·17	-	-	·07	·01	·01	·07	-	·27	01	20
21	-	·17	·08	-	·01	·02	-	·18	-	·02	·02	-	21
22	.	·01	·13	-	-	-	-	·03	-	05	-	-	22
23	.	-	·02	-	·07	-	-	·02	·01	-	-	·02	23
24	.	-	·01	-	-	·11	·03	·12	-	14	·08	·03	24
25	.	.	·06	-	-	·17	-	-	-	-	·17	·28 s	25
26	.	.	·09	-	-	-	-	29	·04	-	34	·09 s	26
27	.	.	·01	-	-	11	-	41	-	-	01	·10	27
28	.	·03	·15	-	-	·54	·01	06	·01	-	-	·08	28
29	·01		-	-	-	33	·19	-	-	·10	-	03	29
30	·15		·02	-	·01	01	·19	11	-	·03	-	01	30
31	·01		·90s		-		·47	13		-		02	31
99 Total	1·94	1·18	3·12	1·92	·53	1·82	2·62	4·51	2·00	3·22	1·67	1·36	YEAR'S TOTAL 25·80
Rain Days.	19	14	23	16	~~5~~ 6	14	12	23	13	17	14	20	190 191

W. 8,000, IX. 17.

38

FORM A. BRITISH RAINFALL.

16 APR 1919

REGISTER OF RAINFALL IN 1918

Kept at Sprowston, Oak Lodge
in the County of Norfolk
by A. W. Preston A. Cozens-Hardy.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 18	Jan. –	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·01	·08	–	–	–	–	·10	·01	·03	·03	1
2	·09	·01	–	·02	–	–	–	·44	–	·02	–	·14	2
3	·01	·01	·03	–	·04	–	–	·09	·01	–	·83	·01	3
4	–	·01	·11	–	–	–	–	·03	·55	·06	·25	–	4
5	–	·03	·08	–	·11	–	–	·25	·08	·09	–	–	5
6	–	·10	·01	·12	·01	–	–	–	·01	–	·04	·08	6
7	·10	·16	·02	·16	–	–	–	–	·02	·07	–	·01	7
8	·03	·02	–	·02	–	·08	·01	–	·12	–	·08	·01	8
9	·02	·07	–	·01	–	–	–	–	·48	·21	–	·05	9
10	·07	·03	–	·01	–	–	·22	–	·01	·01	·05	·17	10
11	·01	·09	–	–	·15	–	·05	–	·10	·93	·02	·27	11
12	–	·11	–	–	·04	–	·40	·01	·23	·25	–	·07	12
13	–	·06	–	–	·10	–	–	–	·04	·01	–	·01	13
14	·31	–	–	·11	–	–	·09	–	·27	·33	–	·02	14
15	·79	–	·03	1·57	–	–	·02	–	·19	·10	–	·03	15
16	·01	–	–	·36	–	·02	–	–	·03	·02	–	·06	16
17	·15	–	–	·01	–	·02	·77	–	–	–	–	·27	17
18	·38	–	–	·12	–	·06	–	–	·13	·01	–	60	18
19	·13	–	·01	·09	–	·01	·03	–	–	·21	–	·16	19
20	·02	·04	–	·03	–	·02	·63	–	·06	·16	–	·05	20
21	·03	–	–	–	–	·02	·04	–	·38	·16	–	·01	21
22	·03	–	–	·07	–	·01	·04	–	·02	·01	–	·40	22
23	·06	–	–	·01	·15	–	·17	·07	·02	–	·02	–	23
24	–	·18	–	–	–	–	·01	–	·11	–	·09	–	24
25	–	·01	·03	–	–	·77	·14	·14	·01	·01	·01	·10	25
26	–	–	–	–	–		·62	·34	·01	–	·10	·08	26
27	–	·01	–	·37	–	·01	·05	·21	·06	–	·04	·18	27
28	–	·10	·18	·02	–	·03	·01	·03	–	–	·06	·39	28
29	·01	×	·01	–	–	–	–	–	1·21	–	·05	·02	29
30	·01	×	·28	–	–	–	–	·01	·30	·02	·17	·05	30
31	·01	×	·01	×	–	×	–	–	×	·02	×	·08	31
99 Total	2·29	1·04	·81	3·18	·60	1·05	3·30	1·62	4·55	2·71	1·84	3·35	YEAR'S TOTAL 26·34
Rain Days.	21	17	13	18	7	11	17	11	26	21	15	27	204

W. 6,500, VII. 18. W W C

1382

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sprowston

in the County of Norfolk

by A. Cozens Hardy
per. A. W. Preston.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	-	·	-	·14	-	·80	-	-	·42	·07	·50	1
2	·16	·01	·01	-	·01	-	·04	·01	-	·02	·53	·61	2
3	·28	-	·08	-	-	-	·10	-	-	-	·10	·02	3
4	·08	-	·28	-	-	·02	-	·02	-	·01	·01	·18	4
5	·54	·05	·02	-	-	·01	·	·01	·08	-	·	·18	5
6	-	-	·15	-	-	·	·	-	-	-	·10	·29	6
7	-	·	·20	-	·14	-	·01	·	-	-	·24	·44	7
8	·06	-	·01	·07	-	-	·02	-	-	·03	·01	·14	8
9	-	·	·01	·02	-	·	-	·	-	·17	·10	·02	9
10	·02	-	·11	·02	·01	-	-	·	-	·51	·13	·06	10
11	·01	·	·20	·03	-	-	·58	·	-	·07	·12	·09	11
12	·13	-	·05	·02	·	·08	·15	·	·01	-	-	·01	12
13	·04	·	·01	·22	-	·	·14	·	-	·07	·03	-	13
14	·26	·01	-	·39	·	·	·15	-	·04	·03	-	-	14
15	·10	·01	·01	·15	-	-	·02	-	-	·38	·11	·09	15
16	·04	·90	·01	·09	-	·	-	·	-	·13	·02	·11	16
17	·01	1·12	·03	·03	-	·	-	·	-	·01	·25	·04	17
18	·05	·13	-	-	-	·	-	·22	-	-	·01	·11	18
19	·01	·15	·12	-	·	·05	·02	·23	·40	·	·04	·01	19
20	·27	·03	·13	-	·	·37	·49	·18	·01	-	-	·01	20
21	·01	·22	·03	·01	-	·11	·37	-	-	·	·01	·18	21
22	-	·17	·02	-	-	-	·13	-	·13	-	·01	·29	22
23	·01	·01	·01	·01	·	·12	·08	·07	·01	-	·	·06	23
24	-	-	-	·03	·07	·15	·05	-	-	·	-	·01	24
25	·01	-	-	·08	·22	·08	-	·22	-	·02	-	·04	25
26	·11	·38	·22	·21	-	·03	·01	·19	·07	·31	-	·38	26
27	·03	·03	·04	·04	-	-	·01	·47	-	·38	·35	·01	27
28	·04	·01	·01	·06	-	-	·05	·22	·01	·71	·07	·28	28
29	·03		-	·12	-	·13	·02	·05	-	·64	·27	·20	29
30	·01		·07	·15	-	·20	-	-	-	·21	·14	·18	30
31	·01		-		-		·04	-		·13		·09	31
99 Total	2·60	3·23	1·83	1·75	·59	1·35	3·28	1·89	·76	4·25	2·72	4·58	Year's Total 28·83
Days with ·01 in. or more	26	15	24	19	6	12	21	12	9	19	22	29	214

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1306

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1 MAR 1921

Copy to B.R.O.

Kept at Sprowston, Norwich
in the County of Norfolk
by Rev A.W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·13	·	·04	·	·21	·	·03	·44	·	·02	1
2	–	–	·03	·	·	·	·	·13	·03	·	·	·10	2
3	–	·01	·	·	·	·01	·	·	·06	·	·	·07	3
4	·02	–	·06	·27	·04	·	·03	·02	·01	·	·	·17	4
5	–	–	·06	·05	·14	·	·12	·20	·10	·	·	·32	5
6	–	–	·13	·	·02	·	·44	·09	·	·	·	·04	6
7	–	–	·13	·06	·	·	·09	·	·	·	·	·09	7
8	·02	·01	·01	·50	·06	·	·04	·18	·	·	·	·	8
9	·18	·04	·	·53	·	·	·	·34	·	·	·	·05	9
10	·16	·06	·03	·13	·	·	·02	·01	·	·	·03	·14	10
11	·31	–	–	·09	·02	·	·10	·	·	·	·	·11	11
12	·09	·01	·09	·15	·	·02	·14	·	·	·	·01	·08	12
13	·08	–	·02	·10	·	·59	·	·	·06	·	·	·04	13
14	·01	·02	·22	·09	·	·23	·05	·	·09	·	·15	·01	14
15	–	·01	·14	·08	·	·	·	·	·13	·23	·21	·12	15
16	·01	–	·01	·07	·04	·	·	·	·50	·	·	·29	16
17	–	–	·01	·02	·09	·	·	·	·10	·07	·01	·14	17
18	·02	–	–	·01	·05	·	·	·24	·42	·	·	·09	18
19	·14	–	–	·03	·	·	·	·27	·11	·	·	·01	19
20	·11	·27	–	·10	·	·57	·	·01	·09	·	·	·	20
21	·01	–	–	·06	·	·	·53	·16	·18	·	·	·04	21
22	–	–	–	·06	·	·	·	·15	·39	·	·	·	22
23	–	–	–	·	·	·	·44	·	·	·	·	18	23
24	·01	–	·10	·	·	·	·07	·	·09	·	·	·06	24
25	–	·05	–	·03	·	·13	·28	·	·01	·	·02	·01	25
26	·04	–	·04	·14	·33	·	·09	·01	·	·	·	·	26
27	·09	·01	–	·13	·	·39	·	·	·	·	·08	·09	27
28	·45	–	–	·15	·	·04	·02	·	·	·	·05	·05	28
29	·01	–	·02	·01	·23	·	·15	·	·	·	·09	·15	29
30	–	✕	–	·11	·08	·05	·14	·	·05	·	·12	·15	30
31	·07	✕	–	✕	·01	✕	·	·14	✕	·05	✕	·13	31
	99												YEAR'S TOTAL
TOTAL	1·84	·49	1·23	2·97	1·15	2·03	2·96	1·95	2·43	·79	·77	2·75	21·36
Days with ·01 in. or more	20	10	17	24	13	9	18	14	18	4	10	27	184
Days with ·04 in. or more	11	4	10	19	10	7	15	10	14	4	6	23	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Written H. Total 14·5·14 ✓

STRADSETT

NORFOLK

1913 — 1918

R 13

FORM A.
BRITISH RAINFALL.

2- JAN 1914

Kept at Stradset

in the County of

by James C

ong. 0

9 am

tion 5 Miles, Down

uge 5 in.

uge above Ground 1 ft. 0 in.

Sea Level 55 ft.

IMPORTANT m. and the result entered to the previous day. If st universal rule, he is earnestly requested to add t ing year in the space provided for it at the end easurement of rain, the selection and the British Rainfall Organization are free on application to Dr. H. R. Mill, 62, Camden Sq

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·08	·01	·19	—	—	—	—	·08	—	·03	—	1
2	·01	·12	·02	—	·24	—	·12	—	·02	—	·03	—	2
3	—	—	·21	—	1·00	—	—	—	·01	·67	—	·05	3
4	·22	—	—	—	·01	—	·03	—	—	·07	·02	·10	4
5	·03	—	—	—	—	—	·01	—	·01	·97	·07	—	5
6	—	—	·01	—	·27	·16	·08	—	—	·17	—	·01	6
7	—	·05	—	—	·02	·07	—	—	—	·43	—	—	7
8	—	—	·02	—	·56	·09	·01	—	—	—	·15	—	8
9	—	·23	·34	·04	·11	·11	—	·08	—	—	·03	—	9
10	—	—	—	·08	—	—	—	·13	—	—	·31	—	10
11	·88	—	—	Snow ·52	—	—	—	·03	—	—	·11	—	11
12	—	·01	—	—	—	—	—	—	—	—	·13	—	12
13	—	—	·34	—	—	—	—	·06	—	—	·57	—	13
14	·08	·01	·15	—	—	—	·06	—	·03	·25	·04	—	14
15	·09	—	—	·18	—	—	·10	—	·26	—	·01	—	15
16	—	—	·75	·16	—	—	—	—	·50	—	·06	·03	16
17		·04	·20	·23	—	·22	·10	—	—	—	·01	·07	17
18	·30	—	·08	·12	—	—	·10	—	—	—	·02	·01	18
19		—	·06	—	—	—	·02	—	·06	—	—	·02	19
20	·05	—	·09	·02	—	·02	—	—	·26	·32	—	—	20
21	·06	—	·07	—	·03	—	·18	—	—	·12	·18	—	21
22	·18	—	·08	—	·01	—	·25	·03	·10	—	—	—	22
23	—	—	·02	—	—	—	·02	·10	·04	—	·01	—	23
24	·05	—	—	—	—	·13	—	—	—	—	—	—	24
25	—	—	—	·16	—	—	·01	—	—	—	—	—	25
26	—	·05	·08	·02	—	—	—	—	—	·41		·11	26
27	—	·08	·01		—	—	—	—	—	·01		—	27
28	·23	—	·13	·03	—	·01	—	·07	—	·15	·06	—	28
29	·37	~~·04~~	·14	·27	·13	—	—	·05	—	·01		·05	29
30	·25		—	·09	—	—	—	·02	—	·04	·10	·05	30
31	—		—		·03		—	·48		·02		—	31
Total	2·87	·67	2·31	2·11	2·41	·81	1·09	1·05	1·37	3·64	1·94	·50	YEAR'S TOTAL 20·77
Rain Days.	15	9	20	14	11	8	14	10	11	14	20	10	156

W. 7,500, XI. ·12

see over

20·77

Written H. Total 14.5.14 ✓

13

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Strasst. Downham.

in the County of Norfolk

by James C. Cottam

Lat. 53 h Long. 0

Time of Observation 9 am.

Nearest Railway Station 5 miles. Downham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·08	·01	·19	—	—	—	—	·08	—	·03	—	1
2	·01	·12	·02	—	·24	—	·12	—	·02	—	·13	—	2
3	—	—	·21	—	1·00	—	—	—	·01	·67	—	·05	3
4	·22	—	—	—	·01	—	·03	—	—	·07	·02	·10	4
5	·03	—	—	—	—	—	·01	—	·01	·97	·07	—	5
6	—	—	·01	—	·27	·16	·08	—	—	·17	—	·01	6
7	—	·05	—	—	·02	·07	—	—	—	·43	—	—	7
8	—	—	·02	—	·56	·09	·01	—	—	—	·15	—	8
9	—	·23	·34	·04	·11	·11	—	·08	—	—	·03	—	9
10	—	—	—	·08	—	—	—	·13	—	—	·31	—	10
11	·88	—	—	Snow ·52	—	—	—	·03	—	—	·11	—	11
2	—	·01	—	—	—	—	—	—	—	—	·13	—	12
13	—	—	·34	—	—	—	—	·06	—	—	·57	—	13
14	·08	·01	·15	—	—	—	·06	—	·03	·25	·04	—	14
15	·09	—	—	·18	—	—	·10	—	·26	—	·01	—	15
16	—	—	·75	·16	—	—	—	—	·50	—	·06	·03	16
17	}	·04	·20	·23	—	·22	·10	—	—	—	·01	·07	17
18	·30 }	—	·08	·12	—	—	·10	—	—	—	·02	·01	18
19	}	—	·06	—	—	—	·02	—	·06	—	—	·02	19
20	·05	—	·09	·02	—	·02	—	—	·26	·32	—	—	20
21	·06	—	·07	—	·03	—	·18	—	—	·12	·18	—	21
22	·18	—	·08	—	·01	—	·25	·03	·10	—	—	—	22
23	—	—	·02	—	—	—	·02	·10	·04	—	·01	—	23
24	·05	—	—	—	—	·13	—	—	—	—	—	—	24
25	—	—	—	·16	—	—	·01	—	—	—	—	—	25
26	—	·05	·08	·02	—	—	—	—	—	·41	}	·11	26
27	—	·08	·01		—	—	—	—	—	·01	}	—	27
28	·23	—	·13	·03	—	·01	—	·07	—	·15	·06 }	—	28
29	·37	~~·01~~	·14	·27	·13	—	—	·05	—	·01	}	·05	29
30	·25		—	·09	—	—	—	·02	—	·04	·10	·05	30
31	—		—		·03		—	·48		·02		—	31
Total	2·87	·67	2·31	2·11	2·41	·81	1·09	1·05	1·37	3·64	1·94	·50	YEAR'S TOTAL 20·77
Rain Days.	15	9	20	14	11	8	14	10	11	14	20	10	156

W. 7,500, XI. ·12

see over

20·77

Card compared 2/3/15

Ex D L

FORM A.
BRITISH RAINFALL.

4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Stradsett, Downham

in the County of Norfolk 4

by J.C. Cottam

Lat. 53 N. Long. 0

Time of Observation 9 a.m

Nearest Railway Station Downham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	·49	·50	—	—	·09	—	1
2	—	—	—	—	—	—	·40	·24	—	—	·06	·06	2
3	·01	—	·12	—	·15	—	·18	·01	—	—	—	—	3
4	·10	—	—	—	—	—	—	—	—	—	·21	·42	4
5	·01	—	·12	·06	·04	·02	·17	·30	—	—	—	—	5
6	—	·09	—	—	·12	—	·10	·05	—	—	·22	—	6
7	—	·04	·35	—	·03	·09	—	—	—	—	—	·13	7
8	·30	·03	·26	·04	·13	·49	—	·18	—	—	—	·01	8
9	·47	—	·31	·04	·02	·77	—	—	—	—	—	·26	9
10	·45	·06	·13	·04	·04	—	—	—	·11	—	—	—	10
11	—	·15	·40	·07	·04	—	—	—	·07	—	·35	·19	11
12	—	—	·02	—	·01	—	·73	—	·27	—	·02	·28	12
13	—	—	·20	—	·01	—	—	—	·02	·06	·06	·30	13
14	·01	·15	·12	—	—	—	·18	—	—	·37	·18	·62	14
15	·06	·06	·19	—	—	—	·04	·11	·01	—	·12	·47	15
16	·03	—	·02	—	—	—	·12	—	·05	—	·08	—	16
17	—	·37	—	—	—	—	—	—	·05	—	·05	·11	17
18	—	·05	·01	—	—	—	·06	—	—	—	·05	·50	18
19	—	·05	·22	—	—	—	·01	—	·14	—	·23	·01	19
20	—	·02	·46	—	—	·06	—	—	·20	—	·03	—	20
21	—	·12	·30	—	—	·09	—	·38	—	·05	—	·08	21
22	—	—	—	·04	·15	·09	—	·05	—	·26	—	·07	22
23	—	·02	·07	·03	·07	·06	·03	—	—	·03	—	—	23
24	·01	—	—	·09	—	·02	·01	—	—	·05	—	—	24
25	—	—	—	—	·01	—	—	—	—	·60	—	·15	25
26	—	—	—	—	—	—	·01	·12	—	·03		·29	26
27	—	—	—	—	—	—	·03	·03	—	—	·36		27
28	—	·03	—	—	—	—	—	—	—	·05		·86	28
29	—		·07	—	—	—	—	—	—	·15	·09	—	29
30	—		·02	—	—	—	—	—	—	·02	·13	·15	30
31	—		—		·05		·08			·02		·12	31
Total	1·45	1·24	3·39	·41	·87	1·69	2·64	1·97	·92	1·69	2·33	5·78	YEAR'S TOTAL 24·38
Rain Days.	10	14	19	8	14	9	16	11	9	12	19	22	163

W.7,000, XI. 13

1607

FORM A.
BRITISH RAINFALL.
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Paradise Manor, Stradsett

in the County of Norfolk

by James Charnley Cottam

Lat. 52 45 N Long. 0 25 E

Time of Observation 9 a.m.

Nearest Railway Station Downham 5 miles

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—
none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	·37	—	—	·17	—	·11	—	·09	—	·11	·14	1
2	·06	·10	·33	·05	—	·03	—	·58	·10	—	—	—	2
3	·18	—	·13	—	—	—	—	·03	·02	—	·10	·20	3
4	·02	—	—	—	—	—	·09	·47	—	·09	·09	·64	4
5	×	·02	—	—	—	—	—	·04	—	—	—	·25	5
6	×	·07	·13	·27	—	—	·91	·11	[illegible]	·03	—	—	6
7	×	·33	·05	—	—	—	·21	·10	—	—		·21	7
8	·26	·12	·08	·08	—	—	—	·01	—	—	—	—	8
9	·10	·16	—	—	—	·04	—	—	—	—	·20	·44	9
10	·33	—	·07	—	—	—	—	·72	—	—	—	·02	10
11	—	—	·06	—	·05	—	·17	—	—	—	·30	·10	11
12	·17	—	·01	·27	·22	—	·01	·15	—	—	1·59	—	12
13	·05	·24	—	—	·81	—	—	·03	·06	—	—	·35	13
14	—	·13	—	—	—	—	·06	—	—	—	—	—	14
15	·22	·08	—	—	·07	—	—	·09	—	—	·35	·09	15
16	—	·26	—	—	—	—	·80	1·16	—	—	·03	—	16
17	·20	·09	~~·24~~	—	—	—	·17	—	—	—	·05	—	17
18	·61	× —	·24	—	—	—	—	—	—	—	—	—	18
19	·02	× ·12	·08	—	—	—	·36	—	—	—	—	—	19
20	·33	—	—	·02	—	—	—	—	—	—	—	·41	20
21	·19	·03	—	—	—	—	·05	—	—	—	—	·03	21
22	·38	—	·18	—	—	—	·58	—	·09	—	—	·30	22
23	·02	·10	·01	—	—	—	·16	—	·30	·05	·09	·28	23
24	—	·02	·08	—	—	—	·40	—	·04	—	—	·11	24
25	—	—	—	—	—	·33	·06	—	—	—	·03	·12	25
26	—	·55	—	—	—	—	·02	—	·02	—	—	·24	26
27	—	·06	·01	—	—	·08	·20	—	—	·52	—	—	27
28	—	·11	—	—	—	·22	—	·22	·14	·64	—	—	28
29	—	—	—	—	—	·04	—	—	—	—	·44	·21	29
30	·13	╳	—	—	—	—	·05	·08	—	—	—	—	30
31	·05	╳	—	╳	—	╳	—	·17	╳	·05	╳	·08	31
Total	3·08	2·56	1·46	·69	1·32	·74	4·41	3·96	·86	1·38	3·08	4·22	YEAR'S TOTAL 27·76
Rain Days.	~~19~~ 21	~~19~~ 20	14	5	5	6	18.	15	9	6	12	19	150

W. 8,000. X. 14.

Exd FW

1581

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Stradsett
in the County of Norfolk
by James Clottam

Lat. 52·45 Long. 0·25 E
Time of Observation 9·a·m
Nearest Railway Station Downham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 55 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	·06	—	—	—	·14	—	1
2	·65	·02	·03	—	·27	—	—	—	—	—	·19	—	2
3	—	·39	·04	—		—	—	·02	·49	·08	·07	—	3
4	·37	·15	·05	—		·21	—	—	·23	—	·06	·21	4
5	—	·05	·06	·03		·20	—	—	·02	·46	—	·05	5
6	·04	—	·18	·20	·67	—	·22	—	—	—	—	—	6
7	·09	·09	·15	·08		—	·19	—	—	·12	—	·10	7
8	—	—	·05	—		·25	—	—	—	—	—	·20	8
9	—	—	—	—		—	·25	—	—	—	—	·10	9
10	—	—	·09	—	—	·03	—	·08	—	—	—	·06	10
11	·13	·43	·04	·26	·14	·51	—	—	·02	—	—	—	11
12	·02	—	—	—	·73	·57	·16	·06	·01	·34	—	·13	12
13	—	·19	·05	·10	·07	·02	—	—	—		—	·06	13
14	—	·39	·04	—	·09	—	·14	·02	—		—	·02	14
15	—	·23	·33	·05	—	—	—	—	·10	·36	—	—	15
16	—	—	—	·11	—	—	·22	·20	—		—	·01	16
17	·03	—	—	·28	—	—	·05	—	·22		—	·02	17
18	—	·11	—	·12	—	—	—	·23	·30	·18	·35	—	18
19	·11	—	—	·34	—	·06	·03	·11	·12	—	·58	·07	19
20	·11	—	·20	·07	—	—	—	·17	·04	—	—	·23	20
21	—	·04	·21	—	—	—	—	—	—	—	—	·68	21
22	—	·25	·01	—	·17	·01	—	—	—	—	—	·47	22
23	—	·23	—	—	—	·11	—	·02	—	—	·13	·20	23
24	—	·12	—	—	—	—	—	·06	—	·33	·01	—	24
25	—	·09	·22	—	—	—	—	·07	—	—	—	—	25
26	·02	·07	—	—	—	—	—	·09	—	·05	·19	—	26
27	—	·08	·73	·07	—	—	—	—	—	·45	—	·05	27
28	—	·14	·52	—	—	—	—	—	·03	·16	—	·30	28
29	—	·05	—	—	—	·19	—	1·40	—	·55	—	—	29
30	—	X	—	—	—	·14	—	·33	—	·21	—	—	30
31	—	X	—	X		X	—	·07	X		X	—	31
Total	1·57	2·82	3·00	1·78	2·14	2·30	1·32	2·93	1·58	3·29	1·72	2·96	YEAR'S TOTAL 27·34
Rain Days.	10	19	18	12	7	12	9	15	11	12	9	18	152

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Stradsett, Downham

in the County of Norfolk

by James C Cottam.

Lat. 52·45 Long. 0·25 E

Time of Observation 9 a.m

Nearest Railway Station Downham Market

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 55 ft.

1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·18	–	–	–		·67	–	·04	–	1
2	·15	–	–	·07	–	·24	–		–	·02	–	–	2
3	–	–	–	–	–	–	–		–	·09	–	–	3
4	–	–	·17	·09	–	–	–	Holiday	–	·71	–	–	4
5	·22	–	–	–	–	–	–		·39	–	·26	·01	5
6	–	–	–	–	–	·06	–		–	·04	–	·02	6
7	·47	–	–	–	–	·17	–	2·35	–	–	–	–	7
8	·28	–	·04	·24	–	–	·55		–	·85	–	–	8
9	·07	·02	·02	·04	–	–	–		–	·20	·22	·04	9
10	·25	–	·23	·09	–	–	–		–	–	·04	–	10
11	·16	·09	·30	·30	–	–	–		·02	·27	–	–	11
12	·12	–	·04	·09	·14	–	–		–	·45	–	·01	12
13	·31	–	·09	·06	–	–	–		·07	·09	–	~~·01~~	13
14	·21	–	–	·03	–	–	·06	·06	–		–	·04	14
15	–	–	·02	–	–	–	·04	·27	–	·04	–	·07	15
16	·08	–	–	·18	–		·23	–	–	·68	–	–	16
17	·02	–	·04	·27	·38		·19	–	·30	·19	–	–	17
18	–	–	–	·11	–		–	·12	1·05	–	–	–	18
19	–	·15	·15	·05	–	·57	–	–	·16	–	–	–	19
20	·02	·25	·04	–	·22		–	–	·06	–	·22	–	20
21	–	·04	·09	–	–		·03	–	–	–	·02	–	21
22	–	–	·12	–	–		–	·04	–	·08	·04	–	22
23	–	·02	–	–	·18		–	–	–	·15	–	·04	23
24	–	·04	–	–	–			–	–	~~·05~~	·10	–	24
25	–	–	·08	–	–	–		·06	·02	·07	·63	·51	25
26	–	–	·12	–	–	–	1·76	·45	·06	–	–	·08	26
27	–	–	·03	–	–	–		·40	–	–	·01	·03	27
28	–	–	·07	–	·05	·04	Holiday	·09	–	–	–	–	28
29	–	–	·04	–	–	·53		·01	–	·16	–	·03	29
30	–	X	~~·09~~	–	–	·17		·20	–	–	–		30
31	–	X	·09	X	–	X		·16	X	·01	X		31
Total	2·36	·59	1·78	1·78	·97	1·72	2·86 2·86	4·19	2·80	4·10	1·58 1·58	·90	25·63 YEAR'S TOTAL 25·63
Rain Days.	13	8	19	14	5	(9)	(11) about	(20) about	10	17	10	11	~~(147)~~ 158

W. 8,000, VIII, 16

Yarmouth

70

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
30 5 19

Kept at Stradsett
in the County of Norfolk
by James Charnley Cottam

Lat. 52·45 Long. 0·25 E.
Time of Observation 9·am.
Nearest Railway Station Downham, Norfolk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 55 to 60. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·37

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04	·02	—	·11	—	—	—	—	·12	Holiday	·18	·15	1
2	—	—	·04	·18	—	—	—	·65	—		—	·30	2
3	—	·03	·04	—	·27	—	—	·40	·05		·85	—	3
4	·11	·04	—	—	—	—	—	·03	·56		—	·01	4
5	—	·02	·08	·02	·17	—	—	·40	·76	·76	—	·04	5
6	—	·09	—	·17	—	—	—	—	·04		—	·05	6
7	·21	·17	—	—	—	·08	—	—	·05		·49	—	7
8	·08	—	—	·10	—	—	—	—	·21		·02	·04	8
9	·02	·14	—	—	—	—	·15	—	·43	·32	—	·03	9
10	·03	—	—	—	—	—	·28	—	—	·15	—	·13	10
11	·03	—	—	—	·23	—	·13	—	·22	·33	·02	·28	11
12	—	·24	—	·02	·18	—	·25	—	·12	·08	·05	·05	12
13	—	—	·01	—	·35	·06	·18	—	·12	—	—	·03	13
14	·31	—	—	·05	—	—	·37	—	·18	·30	—	·62	14
15	·63	—	—	·91	—	—	·26	—	·21	·01	—	·08	15
16	—	—	·03	·26	—	—	—	—	1·25	·02	—	—	16
17	·32	—	·02	·05	·15	·05	·84	—	—	·01	·01	·20	17
18	·41	—	—	—	—	·03	·17	—	·98	—	—	·50	18
19	—	·07	·03	·01	—	·19	·17	—	—	·08	—	·17	19
20	·04	·03	—	—	—	—	·03	—	·11	·06	—	—	20
21	·03	—	—	—	—	·09	·01	—	·45	·08	·02	·20	21
22	·04	—	—	—	·09	—	·08	—	·03	—	—	·15	22
23	·11	—	—	—	·95	—	·15	·04	·11	—	—	·02	23
24	—	·32	—	—	·44	—	·20	—	·05	—	·19	—	24
25	—	—	·09	—	—	·33	·07	·17	·03	—	·04	·02	25
26	—	—	—	—	—	—	—	·14	—	—	·11	·19	26
27	—	—	—	—	—	—	—	—	·09	—	·15	—	27
28	·01	·14	·18	—	—	—	—	—	·18	—	·23	·27	28
29	—	X	·01	—	—	—	—	—	·31	—	—	·09	29
30	—	X	·24	—	—	·01	—	—	·15	—	·12	—	30
31	~~·02~~	X	—	X	—	X	—	—	X	—	X	·02	31
Total	2·42	1·31	·77	1·88	2·83	·84	3·34	1·83	6·76	2·20	2·54	3·04	YEAR'S TOTAL 29·76
Rain Days.	16	12	11	11	9	8	16	7	25	15	14	24	168

W. 8 000, IX. 17.

~~made~~ ✓

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

BATCHSLIP
STD JOB: MET-ARCH
BATCH : METZ003A
ENTRY 31 VERIFY X

911.

Kept at Sei… …ICE

…op 8 in.
…above Ground 1 ft. 6 in. 1470
Sea Level ft.

in the County of … " 9 A.M.

by Al…

…ation
Name Magdalen Road
Distance 4 M. Direction S.

(10)

IMPORTA… …, and the result entered to the previous day. If … …t universal rule, he is earnestly requested to add … …wing year in the space provided for it at the en… …easurement of rain, the selection an… … the British Rainfall Organization are given in "Rules fo… …free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08							.03		.04	.02		1
2	.30				.10	.02	.06	.02	.06		.09	.10	2
3	.02	.03		.12	.08			.01		.10		.08	3
4	.03		.22	.14						.07	.22	.14	4
5				.03				.27				.18	5
6	.43		.02	.02						.04		.25	6
7	.04										.14	.27	7
8	.29	.05	.15	.05					.05		.09	.09	8
9	.08		.19								.08		9
10	.05	.11	.11								.06	.15	10
11	.26										.29		11
12	.09	.33	.42		.35				.05		.09		12
13	.03		.30			.25			.26	.03		.23	13
14		.07	.35		1.12				.04			.32	14
15		.12	.52						.07		.08	.	15
16			.07			.15					.38	.07	16
17											.02	.10	17
18		.06				.20					1.03	.02	18
19		.06				.32		.03	.11	.02	.33	.02	19
20				.02				.08	.27	.03	.05	.27	20
21		.31						.69		.09	.03	.09	21
22	.02	.06	.05	.02		.05		.11		.18	.02	.27	22
23		.02	.19			1.11		.73	.38			.10	23
24		.04	.08			.25				.46		.13	24
25		.04		.12	.02	.11	.02	.03			.10	.03	25
26				.11		.02	.01			.21	.13	.35	26
27		.16	.07	.14					.27	.04	.03	.04	27
28		.15		.19				.21		.02	.04	.10	28
29		X		.05		.14	.08		.36	.36			29
30		X			.26				.25	.06			30
31		X		X		X			X		X	.04	31
Total	1.72	1.61	2.74	1.01	1.93	2.62	.17	2.21	2.17	1.75	3.32	3.44	TOTAL for year 24.69
No. of Rain Days.	~~13~~	~~15~~	~~14~~	~~12~~	~~6~~	~~11~~	~~4~~	~~11~~	~~12~~	~~15~~	~~21~~	~~24~~	~~158~~

W. 8,000, X. '11.

made

1470

ST. GERMANS SLUICE

NORFOLK

1911 — 1920 (10)

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

911.

Kept at Sain

in the County of

by Alf

op 8 in.

above Ground 1 ft. 6 in. 1470

" Sea Level ft.

9 AM.

ation { Name Magdalen Road
Distance 4 M. Direction S.

IMPORTANT ., and the result entered to the previous day. If t universal rule, he is earnestly requested to add ving year in the space provided for it at the en neasurement of rain, the selection and the British Rainfall Organization are given in "Rules for ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08							.03		.04	.02		1
2	.30				.10	.02	.06	.02	.06		.09	.10	2
3	.02	.03		.12	.08			.01		.10		.08	3
4	.03		.22	.14						.07	.22	.14	4
5				.03				.27				.18	5
6	.43		.02	.02						.04		.25	6
7	.04										.14	.27	7
8	.29	.05	.15	.05					.05		.09	.09	8
9	.08		.19								.08		9
10	.05	.11	.11								.06	.15	10
11	.26										.29		11
12	.09	.33	.42		.35				.05		.09		12
13	.03		.30			.25			.26	.03		.23	13
14		.07	.35		1.12				.04			.32	14
15		.12	.52						.07		.08	.	15
16			.07			.15					.38	.07	16
17											.02	.10	17
18		.06				.20					1.03	.02	18
19		.06				.32		.03	.11	.02	.33	.02	19
20				.02				.08	.27	.03	.05	.27	20
21		.31						.69		.09	.03	.09	21
22	.02	.06	.05	.02		.05		.11		.18	.02	.27	22
23		.02	.19			1.11		.73	.38			.10	23
24		.04	.08			.25				.46		.13	24
25		.04		.12	.02	.11	.02	.03			.10	.03	25
26				.11		.02	.01			.21	.13	.35	26
27		.16	.07	.14					.27	.04	.03	.04	27
28		.15		.19				.21		.02	.04	.10	28
29		X		.05		.14	.08		.36	.36			29
30		X			.26				.25	.06			30
31		X		X		X			X		X	.04	31
Total	1.72	1.61	2.74	1.01	1.93	2.62	.17	2.21	2.17	1.75	3.32	3.44	TOTAL for year 24.69
No. of Rain Days.	13	15	14	12	6	11	4	11	12	15	21	24	158

W. 8,000, X. '11.

made

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

REGISTER OF RAINFA 911.

Kept at Saint Germans

in the County of Norfolk 4

by Alfred Lann

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in. 1470
" " " Sea Level ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Magdalen Road
Distance 4 M. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08							·03		·04	·02		1
2	·30				·10	·02	·06	·02	·06		·09	·10	2
3	·02	·03		·12	·08			·01		·10		·08	3
4	·03		·22	·14						·07	·22	·14	4
5				·03				·27				·18	5
6	·43		·02	·02						·04		·25	6
7	·04										·14	·27	7
8	·29	·05	·15	·05					·06		·09	·09	8
9	·08		·19								·08		9
10	·05	·11	·11								·06	·15	10
11	·26										·29		11
12	·09	·33	·42		·35				·05		·09		12
13	·03		·30			·25			·26	·03		·23	13
14		·07	·35		1·12				·04			·32	14
15		·12	·52						·07		·08		15
16			·07			·15					·38	·07	16
17											·02	·10	17
18		·06				·20					1·03	·02	18
19		·06				·32		·03	·11	·02	·33	·02	19
20				·02				·08	·27	·03	·05	·27	20
21		·31						·69		·09	·03	·09	21
22	·02	·06	·05	·02		·05		·11		·18	·02	·27	22
23		·02	·19			1·11		·73	38			·10	23
24		·04	·08			·25				·46		·13	24
25		·04		·12	·02	·11	·02	·03			·10	·03	25
26				·11		·02	·01			·21	·13	·35	26
27		·16	·07	·14					·27	·04	·03	·04	27
28		·15		·19				·21		·02	·04	·10	28
29		X		·05		·14	·08		·36	·36			29
30		X			·26				·25	·06			30
31		X		X		X			X		X	·04	31
Total	1·72	1·61	2·74	1·01	1·93	2·62	·17	2·21	2·17	1·75	3·32	3·44	TOTAL for year 24·69
No. of Rain Days.	~~13~~	~~15~~	~~14~~	~~12~~	~~6~~	~~11~~	~~4~~	~~11~~	~~12~~	~~15~~	~~21~~	~~24~~	~~159~~

W. 8,000, X. '11.

Smart 20 R

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.

Kept at Saint Germans

in the County of Norfolk 4

by Alfred Lunn

Lat. .... Long. ....

Time of Observation 9. A.M.

Nearest Railway Station Magdalen Road. 1470

Diameter of Rain Gauge 8· in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04		·02	·04	·02	·08	·04		·28	1
2		·03			·05		·45		·03	·09			2
3	·12	·02	·02			·39		·16	·04			·10	3
4		·02	·44		·02	·14					·34		4
5	·07	·04	·28			·03		·12			·03		5
6	·57	·07				·16	·63	·18	·18			·02	6
7	·03					·59	·05		·08				7
8	·16	·05	·10	·02		·17	·09	·02	·20				8
9		·06		·15	·06	·06						·16	9
10				·07		·06		·05	·14		·11		10
11	·08	·06							·07			·15	11
12	·07	·07	·16		·07	·03					·68		12
13		·06	·03			·03					·69		13
14	·02					·09		·02		·05			14
15			·12		·29	·17		·03				·08	15
16	·07		·09		·15	·07		·13		·13	·04		16
17	·12		·22			·20		·11			·02	·07	17
18	·06		·09				·10			·06		·05	18
19	·11	·13	·02				·16	·52		·02	·04		19
20	·05						·06	·26		·31			20
21			·14		·28			·40		·02	·11		21
22	·03	·11	·04		·27		·73	·16				·05	22
23	·27	·23	·20		·04			·83	·02		·12	·29	23
24	·30					·23		·22				·08	24
25	·03					·11	·08	·64			·30	·26	25
26		·04	·02			·10	·05	2·97		·45	·24	·14	26
27								·23		·26	·04	·17	27
28				·05			·02	·37		·28	·19	·50	28
29						·19	·16	·04	·60	·15	·21		29
30		X			·23				·42	·21			30
31		X	·18	X	·07	X	·19	·22	X	·03	X		31
Total	2·16	·99	2·15	·33	1·53	2·84	2·81	7·70	1·86	2·10	3·16	2·40	YEAR'S TOTAL 30·03
Rain Days.	17	14	16	5	11	19	14	22	11	14	15	15	173

W. 7,500, XI. ·12

Insp ✓

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 6 - JAN 1914

Kept at Saint Germans Ex Pd

in the County of Norfolk 4

by Alfred Lann

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Magdalen Road

Diameter of Rain Gauge 8. in. 1410

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.06	.10	.11					.11		.07		1
2	.02	.12	.03				22		.06				2
3	—		.19		.76					.19			3
4	.19				.02					.04	.03	.08	4
5	.03							.04	.06	1.52			5
6			.02		.34	.44	.18			.21			6
7	—	.04			.05	.08				.45			7
8			.05	.03	.39	.14				.17	.08		8
9		.21	.04		.10	.04		.11			.03		9
10				.10			.03				.16		10
11	.52			.40				.16			.04		11
12											.10		12
13			.02					.06			.49		13
14	.05		.19	.04			.07		.05	.19			14
15	.32		.17	.14					.15		.04		15
16	.09		.60	.27					.21		.06		16
17	.06	.03	.33	.10		.23	.11				.05	.02	17
18			.07	.09			.05	.10			.02		18
19	.08		.03				.04	.02	.06		—	.02	19
20	.11		.12						.40	.46			20
21	.06		.07		.03		.18			.06	.24		21
22	.14		.11				.34		.16				22
23			.03			.03	.02	.05	.06				23
24	.06					.11		.18					24
25				.18		.17							25
26		.03	.09			.02				.57	.05	.12	26
27		.05	.02	.02	.22	.05				.02			27
28	.15		.05	.04				.19		.12			28
29	.23	×	.12	.26				.04				.07	Snow 29
30	.25	×		.08	.06					.10	.14	.05	Snow 30
31		×		×		×		.53	×	.02	×		31
Total	2.46	.54	2.45	1.86	1.97	1.31	1.24	1.48	1.32	4.12	1.60	.36	YEAR'S TOTAL 20.71
Rain Days.	17	7	21	14	9	10	10	11	10	14	15	6	144

W.7,000, XI. 13

1470

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - APR 1915

Kept at St Germans.

in the County of Norfolk 4

by Alfd: Lunn.

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station —

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02			.21	.34		.02	.10	.03	1
2							.18	.06			.07	.05	2
3			.10		.16		.20	.31			.04		3
4	.17			.20							.23	.11	4
5			.09	.05	.05		.15	.08					5
6					.10		.10	.04			.56	.03	6
7		.02	.35			.35						.04	7
8	.29		.09	.05	.19	.45		.15	.18			.06	8
9	.35		.21	.04	.02	.82			.11			.13	9
10	.34	.08	.15		.03	.05			.06				10
11		.09	30	.09	.10				.10		.56	.20	11
12							.59		.24			.32	12
13		.13	.18							.06	.09	.32	13
14		.02	.19				.07			.23	.16	.54	14
15		.02	.12				.06	.07	.02		.04	.48	15
16			.06				.29				.05		16
17		.35							.02			.09	17
18		.02							.06	.06	.04	.57	18
19		.08	.11			.43	.07				.25	.02	19
20		.06	.40			.03				.02			20
21	.03	.13	.24			.08		.08		.03	.02	.15	21
22				.02	.18	.14	.05	.04		.13			22
23		.03	.06		.08	.15				.03	.02	.03	23
24				.04						.02			24
25					.04					.48	.13	.02	25
26								.09		.04	.14	.35	26
27							.02				.04	.19	27
28		.04								.06	.08	1.48	28
29	.03	X	.04							.15	.05		29
30		X	.02							.03	.19	.20	30
31		X		X	.02	X	07		X	.03	X	.09	31
Total	1.21	1.07	2.41	.54	1.00	2.53	2.06	1.26	.82	1.39	2.89	5.50	YEAR'S TOTAL 22.98
Rain Days.	6	13	14	8	11	9	13	10	8	15	20	23	153.

W. 8,000. X. 14.

1615/276A
1470

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at St: Germans
in the County of Norfolk Ex Dt
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·25			·18				·25		·12	·05	1
2	·04	·10	·22	·08				·32	·09		·10		2
3	·17		·12	·07			·07	·02	·04		·13	·14	3
4	·06	–	·02				·17	·44			·04	·53	4
5	·05	·03			·33		·14	·02		·07	·02	·22	5
6	·09		·07	·12			·84	·05		·04		·05	6
7	·14	·29	·09				·21	·03				·22	7
8	·03	·04		·02			·02	·02					8
9	·05	·10				·03					·15	·38	9
10	·29		·12					·48					10
11					·12		·32				·27	·08	11
12	·14			·23	·16			·20			1·80	·03	12
13	·05	·34			·70			·12					13
14		·13			·04		·02	·28			·44	·29	14
15	·20	·03			·07			·02				·08	15
16		·17					·66	·76				·06	16
17	·13	·09					·09						17
18			·14								·12		18
19		·04	·05				·10						19
20	·24			·03								·36	20
21	·13	·08					·05					·05	21
22	·39		·16									·27	22
23	·02	·11	·02				·06		·20		·05	·27	23
24	·02	·03	·05				·27		·08	·04		·16	24
25			·03			·36	·04			·05	·02	·15	25
26		·12	·02							·06		·24	26
27		·04				·04	·32		·05	·43		·03	27
28	·02	·15				·70		·14	·08	·41			28
29		X				·54		·18			·12	·21	29
30	·08	X						·14		·02			30
31	·04	X		X		X		·10	X	·05	X	·11	31
Total	2·68	2·14	1·11	·55	1·60	1·67	3·38	3·32	·79	1·17	3·38	3·98	YEAR'S TOTAL 25·77
Rain Days.	22	18	13	6	7	5	16	17	7	9	13	22	155

W. 8,000. X. 14.

81 Exe Dk

1590
2115
1470

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at St. Germans Sluice
in the County of Norfolk
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.02			.06	.31				.42		1
2	.37	.02	.03		.36		.37		.02	.06	.02		2
3		.07					.19		.40	.22	.11		3
4	.36	.16	.05		.03	.15	.14		.24	.03	.18	.03	4
5	.03	.02	.04	.08		.11	.03			.25	.19	.07	5
6		.14	.20	.25	.09		.11				.27		6
7	.04		.18		.23		.15			.03	.07	.07	7
8			.03		.05	.07						.18	8
9					.22	.03				.04		.08	9
10		.02	.06	.06		.02	.05	.05				.04	10
11	.10	.48	.06	.22	.05	.50			.02			.02	11
12	.02				.48	.48	.11	.06		.06			12
13		.17	.04	.04	.07		.04						13
14		.42	.05		.08	.04	.10	.16		.04		.04	14
15		.16	.25	.02				.06	.07	.08		.07	15
16		.05	.08	.13			.12	.02				.02	16
17				.21			.03	1.45	.20	.22			17
18	.02	.21	.02	.12				.73	.08	.19	.31		18
19	.08		.02	.18		.02		.19	.16		.45	.07	19
20	.10		.19	.04							.12	.14	20
21		.04	.12	.04								.71	21
22		.18			.13		.02			.02		.45	22
23	.02	.12	.02			.30	.03	.05			.11	.23	23
24		.27		.02		.08		.03		.21		.17	24
25		.08	.06					.11		.05	.06		25
26		.05				.09		.39		.03	.04		26
27		.10	.68					.03		.04			27
28		.13	.52						.03		.02	.19	28
29		.05				.19		1.98		.17		.03	29
30		✕				.20		.27		.20			30
31	.02	✕		✕		✕		.08	✕	.02	✕		31
Total	1.18	2.94	2.72	1.41	1.79	2.34	1.80	5.66	1.22	1.96	2.37	2.61	YEAR'S TOTAL 28.00
Rain Days.	~~12~~	~~21~~	~~21~~	~~13~~	~~11~~	~~15~~	~~15~~	~~16~~	~~9~~	~~19~~	~~14~~	~~18~~	~~184~~

W. 8,000. X. 15.

8L

See 8L

196
~~228~~
470

BRITISH RAINFALL FORM A.
1918

REGISTER OF RAINFALL IN 1917

Kept at St. Germans Sluice

in the County of Norfolk

by C. P. Burling

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06				2·02	·25				1
2	·08			·23		·08		·34		·03	·03		2
3				·02				·50		·15			3
4		·10	·02							·64			4
5	·22			·19					·41		·21		5
6													6
7	·44		·02			·63				·41			7
8	·19			·14			·37	·21		·20	·09		8
9	·11			·02				·07			·09		9
10	·13		·17	·06				·12		·03	·02		10
11	·07	·04	·21	·30				·03		·20			11
12	10		·02	·03						·35			12
13	·23		·12				·06	·17	·06	·04			13
14	·34		·03	·04			·08					·07	14
15							·31	·18		·03		·03	15
16	·08	·09		·26		·05				·51		·20	16
17	·02		·05	·22	·43	·10	·09		·20	·40			17
18				·04		·05	·15	·03	·88				18
19		·05	·13			·02			·07				19
20		·20	·08		·08						·21		20
21	·02	·05	·12		·03						·06		21
22			·09					·04		·11			22
23					·13			·05	·03	·02		·06	23
24		·02				·45				·17	·14		24
25		·04	·02								·07	·22	25
26			·09					·33	·02		·43	·18	26
27						·11	·03	·37				·02	27
28		·03	·09			·51		·11				·03	28
29		×	·02			·10	·99	·03		·21			29
30	02	×					·10	·14					30
31	·05	×	·13	×		×	·24	·15	×		×	·08	31
Total	2·10	·62	1·41	1·61	·67	2·10	2·42	4·89	1·92	3·50	1·35	·89	YEAR'S TOTAL 23·48
Rain Days.	15	9	17	13	4	10	10	18	8	16	10	9	139

4·19

W. 8,000, VIII. 16

8L

~~219~~ 79

REGISTER OF RAINFALL IN 1918

Eng 8L

BRITISH RAINFALL
FORM 1470
30 · 1 19

Kept at St. Germans Sluice

in the County of Norfolk

by G. E. Mathews

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10					·09		·05	·11	1
2	·09	·08		·13				·31		·02		·24	2
3			·05		·21			·17	·03		·88		3
4		·05	·07					·02	·63		·26	·03	4
5					·08			·18	·85	·03			5
6	·05	·04		·11								·02	6
7	·08	·09		·03		·04		·02	·04	·26	·10		7
8		·06					·04		·20		·06		8
9	·02	·12		·08		·02				·24		·02	9
10		·02					·54		·04	·03	·02	·18	10
11	·03	·02			·25		·10		·08	·54	·02	·17	11
12	·02	·16	·03		·02		·15		·09	·03		·07	12
13					·32				·11				13
14	·27			·06			·14		·12	·17		·03	14
15	·64			1·12			·52					·13	15
16	·02			·23					1·13	·02			16
17	·24			·07	·27		·55					·21	17
18	·27			·04		·04			·39	·09		·25	18
19	·09	·05	·07	·02		·28				·05		·26	19
20	·03	·02		·02		·02	·07		·09	·10			20
21						·09			·22				21
22	·03			·02	·03	·03	·02		·03			·28	22
23	·13				·86		·03		·10				23
24		·32		·02	·40		·05		·02		·15		24
25			·06			·20	·07	·24			·05	·04	25
26							·36	·10	·03		·19	·09	26
27				·03		·04		·26	·07		·08	·03	27
28		·15	·14					·02			·12	·49	28
29		X							·88		·02		29
30		X	·18						·20		·08	·21	30
31		X	·03	X		X			X	·10	X	·11	31
Total	2·01	1·18	·63	2·08	2·44	·76	2·64	1·32	5·24	1·68	2·08	2·97	YEAR'S TOTAL 25·23
Rain Days.	~~15~~	~~13~~	~~8~~	~~15~~	9	9	~~13~~	9	~~22~~	~~13~~	~~14~~	~~20~~	~~160~~

W. 8,000, IX. 17.

8L

~~W 8L~~

~~1422~~ 1470

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

23 MAR 20

Kept at St. Germans Sluice

in the County of Norfolk

by G. E. Mathews

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·02			·06		·14			·34	·20	·61	1
2	·10		·02		·01		·07	·03	·16		·28	·43	2
3	·30		·13		·01		·17		·02		·08	·02	3
4	·06		·23			·08	·11	·15				·18	4
5	~~·15~~ ·13	·04	·02						·42			·11	5
6			·08				·01				·03	·11	6
7			·21								·13	·10	7
8	·11			·05						·05	·20	·06	8
9			·02	·16						·07			9
10			·13	·02	·02					·06	·11	·04	10
11	·12		·16	·06			·69			·06	·15	·06	11
12			·34			·11	·09			·05			12
13	·17			·12						·07			13
14	·35			·14			·03						14
15	·12		·04	·16							·08	·11	15
16	·03	·57		·06							·03		16
17		·40		·02	·04						·34		17
18		·02					·02	·21			·03	·17	18
19		·11	·24			·11	·09	·23	·13		·05	·03	19
20	·17		·09			·20	·64	·42	·09			·05	20
21	·14	·41	·04			·03	·49					·25	21
22		·24					·11		·29		·11	·40	22
23				·06	·07	·06	·18		·03	·05		·02	23
24				·07	·01	·22	·02						24
25	·09			·03	·26			·28					25
26	·18	·15	·20	·11				·05	·05	·06	·02	·38	26
27	·14	·26		·24			·02	·04	·05	·30			27
28				·17			·04	·64		·30		·27	28
29	·03	×		·01		·13	·02	·12		·26	·13	·36	29
30		×	·02	·25		·62		·02		·06	·19	·13	30
31	·03	×		×		×	·04		×	·07	×	·12	31
Total	2.55	2.22	1.97	1.73	·48	1.56	2.98	2.19	1.24	1.80	2.16	4.01	YEAR'S TOTAL 24.89
Rain Days.	18	10	16	17	8	9	19	11	9	14	17	22	170

25 b

1345
1470

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St. German's Sluice, Wiggenhall
in the County of Norfolk
by G. E. Mathews

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·15		·25			·11		·05	1
2				·17				·16	·10	·22		·07	2
3						·06	·05		·05			·04	3
4	·02	·02	·08	·15			·11	·21	·06	·04		·03	4
5			·05	·03	·34		·21	·16	·13			·05	5
6			·05		·03		·56					·02	6
7			·22	·19			·30					·04	7
8			·10	·39	·06								8
9	·30	·05		·25			·08	·11				·03	9
10	·10	·04		·08			·03	·19			·04	·08	10
11	·24		·08	·03	·08		·02			·02		·10	11
12	·10		·03	·16	·66							·12	12
13			·03	·07		·79			·14	·02	·03	·05	13
14			·25	·09		·14	·08		·17		·15		14
15	·02	·05	·62	·04					·16	·72	·10	·17	15
16				·05	·10				·27			·06	16
17							·05		·20				17
18	·08				·02	·25		·49	·27			·07	18
19	·15	·05		·02				·24	·03				19
20	·14	·31		·45		·44				·02	·03	·02	20
21	·02			·09			·04	·14	·66			·08	21
22				·11				·41	·09	·02	·04		22
23							·32					·26	23
24			·23	·03			·01		·03	·02	·03	·07	24
25		·08	·03	·06	·25	·10	·27			·02			25
26	·07		·03	·08	·26		·08						26
27	·11	·08		·08		·45			·03	·02	·10	·08	27
28	·38			·08	·14		·06				·18	·06	28
29	·06		·32		·11		·11			·03	·08	·25	29
30	·04	✕		·07	·08	·01	·09	·05	·14		·15	·18	30
31	·08	✕		✕		✕		·01	✕	·06	✕	·13	31
TOTAL	1·91	·68	2·12	2·77	1·68	2·24	2·72	2·17	2·53	1·32	·93	2·11	YEAR'S TOTAL 23·18
Days with ·01 in. or more	~~16~~	~~8~~	~~14~~	~~23~~	~~13~~	~~8~~	~~19~~	~~11~~	~~16~~	~~13~~	~~11~~	~~24~~	~~176~~
	13	7	10	19	11	7	16	10	13	5	8	20	139

(44,186). Wt.21,058—218. 7500. 10/19. Gp.132. A.&E.W.

1466

SWAFFHAM.
THE VILLA.
NORFOLK
1911 — 1920

RE 19 11

FORM A.
BRITISH RAINFALL.
17 JAN 19

Kept at The P
in the County of Sw
by R Hamon +

20" E.
affham
8-30 AM
in.
round ft. 8 in.
a Level 245 ft.

NOTE.—Rain should be mea
of rain and particulars as to the
to Dr. H. R. MILL, 62, Camden

structions for the measurement
," sent post-free on application

Date	Jan.	Feb.	Mar							t.	Nov.	Dec.	Date.
	in.	in.	in								in.	in.	
1	·09									7	·01	·01	1
2	·37		·0							1	·15	·17	2
3	·03	·05		·12	·13	·79				22	·01	·02	3
4	·05	·01	·17	·11					·11	·05	·18	·22	4
5		·03		·02				·04		·09	·01	·21	5
6	34	·02								·05		·17	6
7	·01	·01		·03							·21	·36	7
8	·25		·21								·06	·01	8
9	·11		·12	·03							·01	·01	9
10	·05	03	·19	01				·02			·04	·29	10
11	·35	·43									·40		11
12	·13		·47								·10	·01	12
13	·01		·50			·08			·23	·26	·04	·12	13
14		·07	·21		1·35				·01			·15	14
15		·18	·32						·19	·03	·18	·01	15
16			·05			·65			·01		·34	·10	16
17	·01										·02	·14	17
18		·08	·01			·06					1·66	·05	18
19	·01	·06				·48			·15		·67	·02	19
20									·04	·04	·07	·31	20
21		·28		·05				35		·17	·05	·10	21
22	·01	·11	·06	·01				·06		·16	·02	·40	22
23		·06	·30		·02	2·21			·59			·16	23
24		·05	·03			·17	·01			·31		·11	24
25		·02	·01	·20		·15		·01			·15	·04	25
26				·12			·13			·22	·07	·35	26
27		·25	·11	·10					·43	·05	·03	·03	27
28		·28		·31		·02		·09		·12	·05	·11	28
29				·06		·38	·02		·42	·58	·01	·01	29
30			01	·01	·03	·01			·57	·09			30
31												02	31
Total	1·82	2·02	2·85	1·18	1·64	5·03	·22	·72	2·75	2·62	4·54	3·71	TOTAL for year
No. of Rain Days	15	18	18	14	5	12	4	8	11	17	25	29	29·10

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

29·10

Price 2d.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
17 JAN 19

Kept at The Paddocks

in the County of Swaffham 4

by R Hasson & McFoe

Lat. 52° 38′ 41″ N Long. 0° 41′ 20″ E.

Nearest Railway Station Swaffham

Time of Observation 8-30 AM

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " Sea Level 245 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·05					·14		·17	·01	·01	1
2	·37		·03		·11	·03	·06	·01		·01	·15	·47	2
3	·03	·05		·12	·13	·79				·22	·01	·02	3
4	·05	·01	·17	·11					·11	·05	·18	·22	4
5		·03		·02				·04		·09	·01	·21	5
6	·34	·02								·05		·17	6
7	·01	·01		·03							·21	·36	7
8	·25		·21								·06	·01	8
9	·11		·12	·03							·01	·01	9
10	·05	·03	·19	·01				·02			·04	·29	10
11	·35	·43									·40		11
12	·13		·47								·10	·01	12
13	·01		·50			·08			·23	·26	·04	·12	13
14		·07	·21		1·35				·01			·15	14
15		·18	·32						·19	·03	·18	·01	15
16			·05			·65			·01		·34	·10	16
17	·01										·02	·14	17
18		·08	·01			·06					1·66	·05	18
19	·01	·06				·48			·15		·67	·02	19
20									·04	·04	·07	·31	20
21		·28		·05				·35		·17	·05	·10	21
22	·01	·11	·06	·01				·06		·16	·02	·40	22
23		·06	·30		·02	2·21			·59			·16	23
24		·05	·03			·77	·01			·31		·11	24
25		·02	·01	·20		·15		·01			·15	·04	25
26				·42			·13			·22	·07	·35	26
27		·25	·11	·10					·43	·05	·03	·03	27
28		·28		·31		·82		·09		·12	·05	·11	28
29				·06		·38	·02		·42	·58	·01	·01	29
30			·01	·01	·03	·01			·57	·09			30
31												·02	31
Total	1·82	2·02	2·85	1·18	1·64	5·03	·22	·72	2·75	2·62	4·54	3·71	TOTAL for year
No. of Rain Days	15	18	18	14	5	12	4	8	11	17	25	29	29·10

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

29·10

Price 2d.

FORM A.
BRITISH RAINFALL.

13 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Paddocks, Swaffham

in the County of Norfolk 4

by H. Lee Warner, Esq.

Lat. 52°38′41″N. Long. 0°41′20″E.

Time of Observation 8·30 a.m.

Nearest Railway Station Swaffham.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·04		·13	·06	·02	·09			·38	1
2		·09		·03	·08	·01	·38			·10		·02	2
3	·16	·02			·01	·31		·10	·05	·01		·16	3
4	·05				·01	·11		·04			·26		4
5	·01	·10	·49			·04					·03		5
6	·75	·11	·46		·03		·30	·19	·49			·02	6
7	·05	·01	·01			·26	·01	·15	·07			·01	7
8	·19	·13	·03	·05		·13	·20	·04	·41			·01	8
9		·04	·09	·16	·13	·79			·01	·01		·34	9
10	·21		·01	·05		·05		·11	·28		·16	·01	10
11		·03		·01					·09		·12	·21	11
12	·07	·05	·17			·08					·65		12
13	·02	·02	·08			·12		·03			·60	·01	13
14			·01		·01	·07		·02		·03	·05	·03	14
15		·01	·21		·20	·19					·02	·09	15
16	·01		·08		·12	·06		·06		·14			16
17	·13		·29			·30		·09			·01	·14	17
18	·08		·12				·08	·49		·10	·01	·12	18
19	·10	·16	·15			·01	·42	·41		·03	·03	·01	19
20	·11	·01			·13		·03	·36		·39			20
21	·01		·45		·19			·53		·01	·05		21
22	·05	·14	·08		·84		1·36	·12				·07	22
23	·25	·29	·24		·03			1·02	·01		·22	·14	23
24	·38		·04			·20	·01	·25				·10	24
25	·01					·22	·41	·45			·26	·28	25
26		·01				·01	·04	2·96		·36	·26	·23	26
27										·22	·01	·21	27
28		·01		·02			·07	·35		·58	·16	·42	28
29			·01	·01	·16	·70	·16	·11	·63	·11	·29		29
30	·04					·01		·05	·76	·44			30
31			·30		·06		·24	·21		·03		·06	31
													YEAR'S TOTAL
Total	2·69	1·23	3·32	0·37	2·00	3·80	3·77	8·16	2·89	2·56	3·19	3·07	37·05
Rain Days.	21	17	20	8	14	21	15	24	11	15	18	23	207

W. 7,500, XI. ·12

Exa DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
20 JAN 1914

Kept at The Paddocks, Swaffham.
in the County of S Norfolk. 4
by Robt Hudson

Lat. 52° 38' 41" Long. 0° 41' 20" E.
Time of Observation 8·30 AM.
Nearest Railway Station Swaffham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·11	·15	·28		·01			·14		·14		1
2	·04	·15	·02		·31		·15				·02		2
3			·27		·69				·06	·60		·03	3
4	·12				·02		·01			·02	·01	·15	4
5	·07							·03	·01	·99	·11	·02	5
6	·01		·01		·21	·09	·02			·19	·01		6
7		·06			·03					·35			7
8			·01	·01	·33	·12	·01				·13		8
9		·18	·04	·02	·25	·15		·01			·04	·04	9
10				·06				·03			·24		10
11	·50			·52				·05			·31		11
12		·01		·04							·06		12
13	·03	·01	·09					·02			·85		13
14	·03	·02	·20	·09			·02			·31	·09	·01	14
15	·12		·09	·16			·12		·25		·02		15
16	·08		·53	·20					·26		·06	·07	16
17	·04	·01	·31	·13		·25	·11				·01	·02	17
18			·05	·19			·02	·01				·01	18
19	·12		·08	·01		·01	·02		·01			·06	19
20	·14		·06			·21			·46	·24			20
21	·06		·09	·02	·03		·17		·01	·36	·19		21
22	·16		·09		·01		·30	·07	·03				22
23			·01			·04	·03	·14	·03		·01		23
24	·09			·03		·11		·01			·01	·01	24
25	·01			·13								·01	25
26		·07	·04	·03		·23				·48	·01	·11	26
27		·12	·01			·02				·01	·03		27
28	·20	·02	·06	·06				·07	·01	·15			28
29	·38		·16	·43	·15				·01	·03		·06	29
30	·44			·15						·03	·14	·05	30
31								·52					31
Total	2·72	0·76	2·37	2·56	2·03	1·24	0·98	0·90	1·28	3·76	2·49	0·65	YEAR'S TOTAL 21·74
Rain Days.	20	11	21	19	10	11	12	11	12	13	21	14	175

W.7,000, XI. 13

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at Swaffham

in the County of Norfolk 4

by H. Lee Warner, Esq., The Paddocks

Lat. 52° 38′ 41″ N. Long. 0° 41′ 20″ E.

Time of Observation 9.0 a.m.

Nearest Railway Station Swaffham G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.01	.53		.01	.17		1
2								.20			.07	.05	2
3	.01		.12		.19		.16	.03					3
4	.16		.02	.23				.01			.25	.07	4
5			.13	.09	.07	.08	.08	.09					5
6		.11			.11		.01	.06			.16	.07	6
7		.03	.34		.02	.08						.12	7
8	.38	.07	.31	.04	.16	.56	.01	.16	.01				8
9	.37		.25	.03	.06	.82						.51	9
10	.55	.03	.12	.05	.01							.10	10
11		.17	.40	.06	.08	.01			.27		.37	.21	11
12	.02	.01	.01				.26		.30			.16	12
13		.18	.23						.04		.07	.25	13
14			.16				.01			.37	.10	.55	14
15	.07	.03	.16			.01	.30		.03		.20	.58	15
16	.02		.09				.05		.03		.14		16
17		.39	.03						.12	.02	.06	.20	17
18		.11					.06		.01		.01	.49	18
19		.06	.03			.05			.03		.22		19
20	.02	.01	.50			.27			.17	.03		.02	20
21	.01	.14	.39			.01		.08		.01	.04	.09	21
22			.01	.01	.30		.05	.01		.47		.05	22
23		.08	.06	.01	.17	.29	.04			.01	.02	.19	23
24				.16		.02		.05		.07	.11		24
25	.01									.80			25
26								.12		.04	.08	.44	26
27	.01		.01				.06				.03	.26	27
28	.01	.04					.01			.09	.15	1.49	28
29	.05		.02				.01			.21	.07		29
30		X	.06							.01	.11	.14	30
31		X		X	.05	X	.06		X	.02	X	.13	31
Total	1.69	1.46	3.45	.68	1.22	2.20	1.18	1.34	1.01	2.16	2.43	6.17	YEAR'S TOTAL 24.99
Rain Days.	14	15	22	9	11	11	16	11	10	14	20	22	175

W. 8,000. X. 14.

1611

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Paddocks,
in the County of Swaffham, Norfolk.
by Mr R. Hudson.

Lat. 52°38′41″ N. Long. 41′20″ E.
Time of Observation 8·30 a.m.
Nearest Railway Station Swaffham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·31	·07		·17				·26		·05	·18	1
2	·06	·11	·31	·09		·01		·07	·20		·05		2
3	·21		·22	·12			·01	·37	·06		·07	·17	3
4							·36	·06			·09	·61	4
5	·04				·02			·02	·14		·04	·26	5
6	·10	·19	·21	·21			·65	·02				·01	6
7	·12	·41	·12				·10	·04				·22	7
8		·10	·02	·01				·01					8
9	·04	·13		·01		·03					·19	·45	9
10	·45		·04			·01		·31				·01	10
11					·05		·53				·26	·06	11
12	·11			·43	·20			·35			1·70	·01	12
13	·14	·27		·07	·84			·01			·03		13
14		·33			·01		·30					·36	14
15	·27	·12			·05			·12			·19	·08	15
16	·01	·25					·77	·32			·19		16
17	·16	·16	·01				·20				·07	·03	17
18		·17	·18		·02						·13		18
19	·03	·12	·02				·41			·04			19
20	·33		·02	·01								·41	20
21	·16				·02		·04					·07	21
22	·26	·01	·23		·05		·63		·04			·31	22
23	·01	·11	·01				·18		·22		·15	·08	23
24		·07	·12				·08		·03	·04	·02	·21	24
25	·01		·04			·40	·06			·05	·01	·08	25
26		·17	·06			·01	·01			·03	·05	·28	26
27		·02	·01			·06	·13		·01	·31		·05	27
28		·07				·15		·08	·17	·63			28
29	·01				·04			·13	·15		·10	·17	29
30	·13	X				·13	·10	·01	·05		·01		30
31	·03	X		X		X		·13	X	·07	X	·11	31
Total	2·96	3·12	1·69	0·95	1·47	0·80	4·56	2·05	1·33	1·17	3·40	4·22	YEAR'S TOTAL ~~[illegible]~~ 27·72
Rain Days.	22	19	17	8	11	8	17	16	11	7	19	23	178

W. 8,000. X. 15.

Ex. D.

FORM A.
BRITISH RAINFALL

12 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The School Gardens, Swaffham
at the Paddocks
in the County of Norfolk
by R. Hudson for Head Teacher of Boys School.

Lat N. 52° 38' 41" Long. E 0° 41' 20"
Time of Observation 8-30 A.M. Summer Time Bill not regarded here
Nearest Railway Station About 1/2 mile
Diameter of Funnel of Rain Gauge ~~4~~ 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 241·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03				.02	.03	.01				.25		1
2	.64		.05		.26		.06		.04	.01	.01		2
3		.05	.04				.05		.45	.25	.26		3
4	.40	.17	.01			.29	.02		.19	.12	.32	.16	4
5	.04	.04	.10	.03		.22			.05	.19	.22	.04	5
6		.15	.30	.20	.10		.12			.02	.26		6
7	.10		.29	.01	.35	.08	.13			.11	.14	.08	7
8			.03		.11	.01						.13	8
9					.19	.20				.05		.18	9
10		.02	.10	.05		.06	.17			.06		.14	10
11	.11	.49	.06	.24	.19	.63			.02				11
12	.04			.02	.49	.68	.11	.05	.01	.10			12
13		.16	.08	.11	.02	.04	.02	.02		.02			13
14		.40			.13	.02	.05	.02	.01	.04		.16	14
15		.29	.32					.06	.03	.15		.02	15
16		.05	.12	.21			.11	.01				.04	16
17	.01		.01	.32			.17	.16	.18	.26		.03	17
18		.33		.30				.32	.09	.21	.48		18
19	.12	.01		.30				.15	.25		.43	.10	19
20	.18		.14	.05					.02		.19	.12	20
21		.05	.21				.02					.72	21
22		.25	.01		.18	.03					.01	.47	22
23		.34				.10	.01	.01			.14	.23	23
24		.30				.05	.01	.06		.41		.15	24
25		.41	.19					.12		.05	.08		25
26		.03				.05				.02	.10		26
27		.23	.53	.22		.01				.32			27
28		.20	.43		.02	.03			.02		.02	.28	28
29		.11				.04		1.22		.22		.05	29
30	.01	✕				.13		.30		.19		.01	30
31	.06	✕		✕	.03	✕		.09	✕	.03	✕	.01	31
Total	1.74	4.08	3.02	2.06	2.09	2.70	1.06	2.59	1.36	2.83	2.91	3.12	YEAR'S TOTAL 29.56
Rain Days.	12	21	19	13	13	19	15	14	13	21	15	20	195

W. 8,000, VIII. 16

:1512

Swaffham REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
6 MAY 1918

Kept at Boys School Gardens, The Paddocks
in the County of Norfolk.
by R. Hudson.

Lat. N. 52° 38' 41" Long. E 0° 41' 20"6
Time of Observation 8.30. A.M.
Nearest Railway Station Swaffham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 253 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.07				1.20	.31		.07		1
2	.12	.03		.07		.15		.52					2
3			.03	.05				.59		.11			3
4		.23	.04					.03		.82			4
5	.24	.11	.04	.15					.53		.21		5
6						.01			.01				6
7	.46					.03				.50			7
8	.20			.21			.71	.43		.27	.18		8
9	.12		.05	.15				.11			.15	.18	9
10	.20		.20	.10				.05		.15	.08		10
11	.11	.06	.35	.25						.26			11
12	.26		.05	.06	.01			.05		.37			12
13	.40		.17	.03			.01	.01	.15	.02		.01	13
14	.17			.07							.02	.04	14
15	.04						.16	.11		.05		.01	15
16	.05	.06	.01	.41		.05				.67		.20	16
17	.02	.02	.04	.26	.35	.09	.28		.38	.20			17
18	.02			.05			.14	.17	.92				18
19		.04	.20			.04			.17				19
20	.01	.22	.15						.20		.24		20
21		.04	.14		.01					.01	.09		21
22			.05					.06		.11			22
23		.01			.11			.05	.01			.03	23
24		.01				.16		.07		.22	.09	.02	24
25		.01	.03				55					.25	25
26			.14					.43			1.06	.14	26
27							.06	.56	.06			.01	27
28		.03	.12			.35		.17				.05	28
29			.01			.23	.10	.02		.24		.03	29
30	.05	✕					.14	.19					30
31	.15	✕	.15	✕		✕	.34	.14	✕		✕	.01	31
Total	2.62	.87	1.97	1.93	.48	1.11	2.49	4.96	2.74	4.00	2.19	.98	YEAR'S TOTAL 26.34
Rain Days.	17	13	19	14	4	9	10	20	10	15	10	13	154

W. 8,000, IX. 17.

2.89

FORM A.
BRITISH RAINFALL.

9 5 19

REGISTER OF RAINFALL IN 1918.

Kept at The Paddocks, Swaffham

in the County of Norfolk

by Robert Hudson, Gardener to H. Lee Warner Esq.

Lat. N. 52°-38'-41" Long. E 0° 41'-20"

Time of Observation 8-30 A.M.

Nearest Railway Station 833 yds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03	.03	.09					.10		.04	.16	1
2	.08	.02		.03				.23		.02		.32	2
3	.09		.03		.08			.32	.01		.83		3
4		.05	.08					.01	.55	.02	.41	.04	4
5		.03	.09		.12			.36	.27	.16		.01	5
6		.10		.17					.20	.01		.06	6
7	.06	.11		.02		.07			.02	.08	.06		7
8		.03	.01			.03	.02		.12		.13	.04	8
9	.10	.10		.09			.01		.42	.29		.07	9
10	.12	.12					61		.02		.10	.19	10
11	.03	.02			.30		12		.11	.56	.02	.30	11
12		.23	.01		.02		.02		.11	.06		.09	12
13		.03		.01	.23				.04			.01	13
14	.36			.02			.12		.16	.36		.03	14
15	.54			1.21		.03	.20		.31	.07		.08	15
16	.01			.26					.60	.04			16
17	.24			.01	1.19	.06	.89					.26	17
18	.48			.33		.04	.12		.45			.40	18
19	.19	.02	.04	.04		.11				.13		.55	19
20	.04	.04		.08		.01	.38		.13	.14			20
21	.01					.05	.01		.40	.04			21
22	.03			.04		.03	.07		.04	.01		.38	22
23	.16				.87		.06	.02	.06				23
24		.31		01	.41		.39		.08		.12		24
25						.17	.05	.18			.01	.06	25
26							.51	.60	.01		.17	.21	26
27				.08		.01		.37	.05		.04	.07	27
28		.07	.20					.05			.12	.62	28
29			.02						1.10		.05	.01	29
30		✗	.21						.29		.12	.06	30
31		✗	.01	✗		✗			✗	09	✗	.08	31

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
Total	2.54	1.31	.73	2.49	3.22	.61	3.58	2.14	5.65	2.08	2.22	4.10	30.67
Rain Days.	16	16	11	16	8	11	16	9	25	16	14	24	182

W. 6,500, VII. 18. w w c

Ex. HDb

1418

15 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at The Paddocks Gardens Swaffham
in the County of Norfolk
by Robert Hudson

Lat. N. 52°-38'-41" Long. E. 0. 41'-20"
Time of Observation 8-30. A.M.
Nearest Railway Station 833 yds. Swaffham
Diameter of Funnel of Rain Gauge 5 ~~8~~ in.
Height of top of Gauge above Ground ft 8½ in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39	.03			.07		.10			.23	.04	.67	1
2	.15		.08		.02		.15		.20	.01	.29	.94	2
3	.29		.17		.01		.07		.02		.12		3
4	.04		.18			.04		.18			.01	.15	4
5	.31	.02	.02					.03	.13			.07	5
6			.27								.06	.18	6
7	.01		.40				.01				.12	.12	7
8	.06			.01						.01	.16	.08	8
9			.03	.16						.16			9
10			.15	.03						.20	.08		10
11	.16		.20	.07	.01		.69			.04	.09	.17	11
12	.01		.09	.10		.20	.16			.09			12
13	.11			.14			.02			.08			13
14	.65	.01		.23					.09		.04		14
15	.25		.04	.30			.05			.13	.06	.17	15
16	.09	.70	.02	.14							.03	.05	16
17		.59		.01							.50	.01	17
18		.09					.12	.36			.04	.15	18
19	.02	.12	.28			.12	.38	.15	.18		.10	.02	19
20	.28	.03	.12			.35	.27	.49	.02			.03	20
21	.05	.49	.03				.64				.01	.28	21
22		.25	.01				.27		.32		.13	.48	22
23		.03				.03	.27	.01	.05			.05	23
24				.05		.30	.02					.01	24
25	.04			.03	.40	.12		.21					25
26	.21	.38	.34	.22		.05		.14	.15	.13		.50	26
27	.03	.11		.18			.09			.70			27
28	.04			.26			.02	1.00		.64	.02	.36	28
29	.02			.05		.15	.02	.19		.27	.20	.18	29
30		×	.03	.26		.26				.04	.18	.17	30
31	.02	×		×		×	.08		×	.02	×	.25	31
TOTAL	3.23	2.85	2.46	2.24	.51	1.62	3.43	2.76	1.16	2.75	2.28	5.09	YEAR'S TOTAL 30.38
Days with ·01 in. or more	22	13	18	17	5	10	19	10	9	15	20	23	181 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd

1341

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JUN 1921

Kept at The Paddocks, Swaffham

in the County of Norfolk

by Robert Hudson for H. Lee Warner Esq

Lat. N. 52°-38'-41" Long. E. 0°-41'-20"

Time of Observation 8-30 A.M.

Nearest Railway Station Swaffham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ins .24

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02				.16		.34			.19		.02	1
2		[illegible]	.04	.04			.01	.13	.06	.24		.14	2
3		.01		.19		.03			.07	.02		.14	3
4	.01	[illegible]	.03	.18			.13	.07				.32	4
5		[illegible]	.05	.23	.25		.64	.17	.22			.14	5
6		[illegible]	.05		.06		.49	.02					6
7		[illegible]	.13	.12			.26					.05	7
8	.01	.03		.38	.12			.04					8
9	.32	.02		.41				.09				.05	9
10	.19	.01	.13	.02			.06	.06			.01	.07	10
11	.29	[illegible]	.02	.01	.03		.01					.09	11
12	.12	[illegible]	.11	.17								.13	12
13	.01	.01	.07	.22		.47			.13		.01	.06	13
14	.01	.04	.29	.22		.08	.05		.16	.02	.22		14
15	.01	.03	.33	.05					.25	.21	.13	.07	15
16				.01					.54			.06	16
17					.17		.01		.07			.11	17
18	.07				.05	.53		.42	.45		.01	.06	18
19	.20			.07				.32					19
20	.14	.37		.25		.63			.01				20
21				.15			.34	.14	.20			.11	21
22	.01			.17			.01	.11	.06			.01	22
23		.01					.31					.27	23
24	.01		.19	.01			.01		.01			.13	24
25	.09	.14	.06	.11		.10	.32		.01				25
26				.16	.36	.01	.37					.01	26
27	.15	.15		.18		.36					.06	.12	27
28	.42		.01	.01	.13		.06				.05	.05	28
29	.02				.50		.24				.10	.26	29
30				.06	.03	.01	.11	.02	.07		.15	.16	30
31	.14									.06		.27	31
TOTAL	2.24	.82	1.51	3.42	1.86	2.22	3.77	1.59	2.31	.74	.74	2.90	YEAR'S TOTAL 24.12
Days with ·01 in. or more	20	11	14	24	11	9	19	12	15	6	9	25	175
Days with ·04 in. or more	11	4	11	19	9	6	14	10	12	4	6	22	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

84

SWAFFHAM

NORFOLK

1911 — 1920

2/15

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at *Swaff*

in the County of

by *W. H. F*

1

5 in.

Ground 5 ft.

Sea Level 250·16 ft.

Name

Distance Direction

IMPORTANT NO the result entered to the previous day. If an ersal rule, he is earnestly requested to add the re in the space provided for it at the end of th nt of rain, the selection and plac particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·04					·12		·08	·01	·01	1
2	·30		·02		·10	·01	·02	·01			·10	·20	2
3	·03	·03		·09	·11	·63				·20		·01	3
4	·04		·15	·02					·09	·04	·20	·21	4
5		·03		·03				·04		·09		·20	5
6	·33			·01						·04		·23	6
7	·02	·01		·02							·20	·26	7
8	·27	·01	·22						·01		·05	·01	8
9	·08		·04	·02									9
10	·04	·04	·18					·01			·03	·29	10
11	·31	·20									·42		11
12	·09		·45								·13		12
13	·01		·36		·02	·06			·20	·26		·11	13
14		·06	·13		1·18				·02	·01		·16	14
15		·17	·25						·16	·02	·20		15
16			·04			·67			·01		·35	·09	16
17	·01										·01	·12	17
18		·08				·07					1·29	·03	18
19		·03				·47			·13		·59	·02	19
20				·03					·03	·04	·04	·24	20
21		·24		·01				·35		·16		·07	21
22	·02	·05	·05					·06	—	·15	·06	·39	22
23		·05	·28		·02	2·08			·59			·15	23
24		·04	·02			·17				·30		·10	24
25		·01	·02	·17		·13		·01			·14	~~·29~~ ·04	25
26				·09			·12			·23	·06	·37	26
27		·25	·09	·08					·39	·04	·02	·03	27
28		·26		·30		·02		·09		·10	·05	·11	28
29				·06		·37	·02		·41	·54	·01		29
30					·01	·01			·48	·09			30
31												·03	31
Total	1·61	1·56	2·34	·93	1·44	4·69	·16	·69	2·52	2·39	3·96	3·48	TOTAL for year 25·77
No. of Rain Days	14	17	16	13	6	12	3	8	12	17	20	25	163

9,000, IX. '10.

87

2/15

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Swaffham

in the County of Norfolk ·4

by W. H. Plowright

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 5 ft.
" " " Sea Level 250·16 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·04					·12		·08	·01	·01	1
2	·30		·02		·10	·01	·02	·01			·10	·20	2
3	·03	·03		·09	·11	·63				·20		·01	3
4	·04		·15	·02					·09	·04	·20	·21	4
5		·03		·03				·04		·09		·20	5
6	·33			·01						·04		·23	6
7	·02	·01		·02							·20	·26	7
8	·27	·01	·22						·01		·05	·01	8
9	·08		·04	·02									9
10	·04	·04	·18					·01			·03	·29	10
11	·31	·20									·42		11
12	·09		·45								·13		12
13	·01		·36		·02	·06			·20	·26		·11	13
14		·06	·13		1·18				·02	·01		·16	14
15		·17	·25						·16	·02	·20		15
16			·04			·67			·01		·35	·09	16
17	·01										·01	·12	17
18		·08				·07					1·29	·03	18
19		·03				·47			·13		·59	·02	19
20				·03					·03	·04	·04	·24	20
21		·24		·01				·35		·16		·07	21
22	·02	·05	·05					·06	—	·15	·06	·39	22
23		·05	·28		·02	2·08			·59			·15	23
24		·04	·02			·17				·30		·10	24
25		·01	·02	·17		·13		·01			·14	·29 ·04	25
26				·09			·12			·23	·06	·37	26
27		·25	·09	·08					·39	·04	·02	·03	27
28		·26		·30		·02		·09		·10	·05	·11	28
29				·06		·37	·02		·41	·54	·01		29
30					·01	·01			·48	·09			30
31												·03	31
Total	1·61	1·56	2·34	·93	1·44	4·69	·16	·69	2·52	2·39	3·96	3·48 ✓	TOTAL for year 25·77
No. of Rain Days	14	17	16	13	6	12	3	8	12	17	20	25	163 ✓

9,000, IX. '10.

DL

2/16

24 JAN 1913

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Swaffham

in the County of Norfolk 4

by W. H. Plowright

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·02		·11	·05	·02	·07			·38	1
2		·07		·01	·07		·34			·09		·02	2
3	·14	·03			·01	·30		·09	·04			·15	3
4	·04		·50			·11		·04			·25		4
5		·13	·48			·05		·01			·04		5
6	·76	·11			·03		·30	·15	·45			·01	6
7	·02		·03			·25	·01	·15	·11			·01	7
8	·24	·13	·08	·02		·11	·18	·01	·31				8
9		·02		·18	·12	·73						·34	9
10				·01		·04		·11	·23		·13	·01	10
11	·21	·04		·01					·06		·08	·18	11
12	·09	·04	·22			·08					·54		12
13	·01	·01	·04			·09					·49		13
14			·01			·07		·02		·03	·04	·04	14
15		·01	·19		·19	·18		·02			·02	·07	15
16			·08		·08	·04		·04		·12	·01		16
17	·20		·30			·32		·08				·13	17
18	·05		·11				·06	·46		·10		·09	18
19	·09	·15	·12				·34	·38		·03	·04		19
20	·10	·01			·11		·03	·36		·40			20
21	·01		·49		·19			·51		·01	·05		21
22	·04	·12	·07		·88		1·29	·14				·07	22
23	·24	·27	·23		·08		·01	1·11			·21	·13	23
24	·35		·04			·16	·01	·13				·09	24
25	·01					·20	·41	·58			·21	·36	25
26		·01					·02	2·20		·35	·26	·14	26
27								·08		·19	·01	·22	27
28				·02			·06	·22		·56	·18	·40	28
29				·01		·67	·17	·10	·72	·16	·25		29
30	·03				·16	·02	·01	·05	·65	·35			30
31			·24		·06		·23	·16		·02		·07	31
Total	2·64	1·15	3·23	·28	1·98	3·53	3·52	7·22	2·64	2·41	2·81	2·91	TOTAL for year 3432
No. of Rain Days	19	15	17	8	12	18	17	26	9	13	17	20	191

9,000, IX. '10.

82 ✓

FORM A.
BRITISH RAINFALL.

28 JAN 1914

2/16

REGISTER OF RAINFALL IN 1913

Kept at *Swaffham* Est DS

in the County of *Norfolk* 4

by *W. H. Plowright*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 0 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·10	·14	·24		·01			·09		·03		1
2	·04	·14	·02		·31		·11				·02		2
3			·23		·70				·03	·70		·04	3
4	·10				·02		·01			·02	·07	·16	4
5	·06							·03	·01	·98	·04		5
6					·22	·08	·02			·15			6
7		·05			·02	·02				·32	·01		7
8					·35	·08	·01				·13		8
9		·18	·05	·02	·22	·12		·02			·05	·03	9
10				·05				·05			·24		10
11	1·11			·64				·02			·29		11
12				·01							·05		12
13	·04	·01	·08					·02			·78		13
14	·04	·02	·16	·08			·01			·29	·06		14
15	·09		·07	·16			·09		·23		·02		15
16	·07		·56	·15					·26		·06	·04	16
17	·03	·01	·16	·17		·24	·09				·01	·01	17
18			·09	·14			·02					·01	18
19	·11		·03		·02		·01					·05	19
20	·14		·05			·18			·44	·27			20
21	·04		·08	·02			·16			·31	·17		21
22	·18		·08		·01		·21	·07	·04				22
23			·01			·04	·01	·11	·02		·01		23
24	·08			·04		·09		·03					24
25				·09							·01	·01	25
26		·06	·04	·01		·21				·46	·04	·09	26
27		·10				·02							27
28	·23	·01	·04	·04				·01		·14			28
29	·41		·15	·41	·13					·02		·04	29
30	·43			·12						·03	·12	·04	30
31								·45		·09			31
Total	3·26	·68	2·04	2·39	2·00	1·09	·75	·81	1·12	3·78	2·21	·52	YEAR'S TOTAL 20·65
Rain Days.	18	10	18	17	10	11	12	10	8	13	20	11	158

W. 7,500, XI. ·12

82

En LMcG.

REGISTER OF RAINFALL IN 1914

2/16

FORM A. BRITISH RAINFALL.

23 JAN 1915

Kept at Swaffham

in the County of Norfolk

4

by W. H. Plowright

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. – in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·01	·55		·01	·16		1
2								·16			·06	·04	2
3	·01		·12		·20		·14	·02					3
4	·13		·03	·24				·04			·23	·07	4
5	·01		·12	·09	·06	·05	·08	·07					5
6		·08			·11		·01	·05			·16	·07	6
7		·02	·36		·01	·08						·11	7
8	·37	·06	·30	·03	·15	·49	·01	·16	·01				8
9	·43		·23	·03	·04	·80						·47	9
10	·54	·03	·10	·05	·02				·06			·06	10
11		·16	·44	·05	·06	·01			·19		·30	·21	11
12	·02	·01	·01				·25		·29			·24	12
13	·01	·17	·22						·04		·06	·24	13
14			·16				·01			·37	·23	·47	14
15	·06	·03	·16			·01	·29		·02		·09	·52	15
16	·02		·07				·05		·03		·13		16
17		·41	·02						·10	·02	·03	·19	17
18		·05					·05				·02	·40	18
19		·06	·03			·05			·04		·20		19
20	·02		·42			·30			·12	·03			20
21		·14	·36			·01		·10		·04	·04	·08	21
22			·01	·02	·37		·04	·01		·41		·11	22
23		·07	·06	·04	·05	·25	·04			·03	·03	·12	23
24				·12		·02		·04		·06	·10		24
25										·76			25
26								·12		·04	·07	·47	26
27	·01		·01				·06				·02	·25	27
28	·01	·03								·07	·13	1·06	28
29	·03		·02							·18	·06		29
30			·05							·01	·08	·15	30
31					·05		·06			·02		·09	31
Total	1·67	1·32	3·30	·67	1·12	2·07	1·10	1·32	·90	2·05	2·20	5·42	YEAR'S TOTAL 23·14
Rain Days.	14	14	22	9	11	11	14	11	10	14	20	21	171

W.7,000, XI. 13

8L

1610
2/16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Ex JL

4

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·31	·02		·17				·24		·04	·17	1
2	·04	·09	·37	·08		·02		·15	·19		·05		2
3	·21		·16	·11				·27	·04		·05	·16	3
4							·49	·06			·08	·62	4
5	·04	·02			·03			·02		·12	·03	·27	5
6	·12	·17	·16	·19			·63	·03					6
7	·08	·41	·10				·09	·04				·19	7
8		·10	·01					·01					8
9	·03	·12		·01		·05					·17	·47	9
10	·43		·04					·33				·02	10
11					·05		·55				·27	·05	11
12	·18		·01	·40	·19			·32			1·42	·01	12
13	·05	·27		·06	·74			·01			·01		13
14		·22					·30					·35	14
15	·25	·09			·04			·11			·17	·06	15
16	·01	·31					·80	·36			·15		16
17	·10	·10	·01				·10				·06	·02	17
18	·01	·15	·17		·02						·11		18
19	·03	·11	·02				·41			·02			19
20	·32											·41	20
21	·15				·03		·04					·04	21
22	·22		·24		·04		·59		·04			·30	22
23	·02	·10	·01				·18		·21		·13	·24	23
24		·03	·13				·07		·03	·03	·01	·04	24
25	·01		·02			·42	·05			·03	·02	·07	25
26		·16	·02			·01	·01			·02	·02	·32	26
27		·02	·01			·05	·12		·01	·43			27
28		·05				·14		·09	·19	·59			28
29	·01				·03			·09	·07		·10	·18	29
30	·11	X				·14	·05	·01	·05				30
31	·03	X		X		X		·12	X	·05	X	·08	31
Total	2·72	2·83	1·50	·85	1·34	·83	4·48	2·02	1·07	1·29	2·89	4·07	YEAR'S TOTAL 25·89
Rain Days.	23	19	17	6	10	7	16	16	10	8	18	21	171

W. 8,000. X. 14.

8L

1585
2/16

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Ex DL

REGISTER OF RAINFALL IN 1916

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01		·02	·02	·01				·23		1
2	·63		·03		·25		·05		·04	·01			2
3		·04	·03				·05		·44	·31	·24	·01	3
4	·36	·16	·01			·28			·13	·04	·34	·14	4
5	·05	·04	·05	·02		·22			·03	·19	·48	·02	5
6		·11	·24	·19	·10		·11			·01	·28		6
7			·25		·34	·06	·11			·10	·10	·09	7
8			·02		·11	·01						·18	8
9			·02		·19	·16				·04		·13	9
10		·01	·09	·05		·05	·18			·02		·13	10
11	·09	·42	·05	·22	·19	·52			·02				11
12	·03			·01	·48	·49	·10	·05	·01	·11			12
13		·15	·08	·08	·01	·04	·02						13
14		·31	·05		·12	·03	·04	·01	·01	·04		·16	14
15		·31	·26				·02	·05	·03	·14			15
16		·02	·11	·21			·07	·02				·06	16
17				·32			·15	·13	·17	·26		·01	17
18		·32		·23				·31	·09	·19	·42		18
19	·10			·23		·01		·13	·21		·48	·16	19
20	·15		·15	·04					·01		·14	·22	20
21		·07	·16				·02					·65	21
22		·15	·01		·16	·02						·49	22
23		·58				·08	·01				·12	·14	23
24		·26				·05		·06		·41		·14	24
25		·41	·15					·11		·04	·07		25
26		·04				·05				·02	·09		26
27		·17	·60	·26		·01				·32			27
28		·17	1·24		·02	·03			·02			·23	28
29		·09				·03		·98		·23		·05	29
30		X				·10		·25		·17		·01	30
31	·06	X		X	·03	X		·09	X	·03	X	·01	31
Total	1·50	3·83	3·61	1·86	2·02	2·26	·94	2·19	1·21	2·68	2·99	3·03	YEAR'S TOTAL 28·12
Rain Days.	9	20	21	12	13	20	14	12	13	20	12	20	186

W. 8,000. X. 15.

81

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06				·75	·30		·06		1
2	·11	·02		·06		·14		·40					2
3			·03	·03				·48		·18			3
4		·19	·06	·01				·04		·69			4
5	·24	·06	·01	·11					·49		·20		5
6						·01				·09			6
7	·50		·06			·03				·39		·01	7
8	·14			·19			·64	·42		·26	·17	·01	8
9	·07		·03	·12				·10			·12	·10	9
10	·24		·21	·06				·05		·16	·08		10
11	·08	·04	·37	·21						·24			11
12	·17		·01	·06	·01			·04		·37	·01		12
13	·36		·17	·02			·01	·02	·13	·02			13
14	·22			·06							·01	·03	14
15							·14	·10		·06		·01	15
16	·05	·06		·34		·03				·61		·16	16
17	·02	·01	·03	·16	·33	·06	·25	·01	·35	·19			17
18	·02			·30			·13	·11	·90				18
19		·04	·16			·03			·16				19
20	·01	·23	·10						·19		·21		20
21		·03	·02		·01						·07		21
22			·02					·05		·09			22
23		·01			·10			·04	·01			·03	23
24		·01				·15		·07		·20	·04	·01	24
25			·01				·87				·05	·28	25
26			·10					·38	·06		·93	·07	26
27						·01	·05	·55				·04	27
28		·02	·10			·29	}	·13				·05	28
29			·02			·16	}	·02		·20		·02	29
30		X					}	·18					30
31	·09	X	·11	X		X	·62 }	·13	X		X	·01	31
Total	2·32	·72	1·62	1·79	·45	·91	2·71	4·07	2·59	3·75	1·95	·83	YEAR'S TOTAL 23·71
Rain Days.	15	12	19	15	4	10	10	21	9	15	12	14	156

W. 8,000, VIII. 16

Dr

Ep Br

74 ~~2/16~~

FORM A.
BRITISH RAINFALL.

23.1.19

REGISTER OF RAINFALL IN 1918

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·07					·07		·03	·11	1
2	·07	·01		·03						·01	·01	·30	2
3	·05		·02		·08			·51	·03		·68		3
4		·04	·07					·01	·51	·01	·39	·03	4
5		·02	·08		·11			·36	·25	·12		·01	5
6		·11		·15					·22	·01		·05	6
7	·07	·10	·01	·02		·06			·02	·08	·11		7
8		·01					·02		·11		·07	·03	8
9	·09	·19		·09		·02	·14		·47	·27		·06	9
10	·06						·46		·02		·10	·18	10
11	·03	·01		·01	·26		·12		·09	·50		·29	11
12	·01	·21	·01		·02		·02		·07	·04		·08	12
13		·02			·22				·11			·01	13
14	·34			·02			·12		·26	·38		·03	14
15	·56		·01	1·01		·03	·20		·12	·05		·07	15
16	·09			·21					·61	·02			16
17	·24			·01	1·14	·07	·83					·25	17
18	·45			·30		·03	·11		·45			·38	18
19	·20	·02	·03			·13				·10		·50	19
20	·01	·02		·11		·01	·36		·12	·10			20
21						·03			·41	·04			21
22	·03			·03		·01	·06		·01	·01		·42	22
23	·15				·87		·05	·02	·05		·01		23
24		·27			·23		·39		·08		·07		24
25						·15	·04	·17			·01	·03	25
26							·48	·55			·18	·19	26
27				·06		·01		·36	·07		·06	·06	27
28		·05	·16					·02			·09	·60	28
29	·01		·01						1·06		·03		29
30		X	·22						·20		·16	·06	30
31		X		X		X			X	·08	X	·05	31
Total	2·46	1·08	·68	2·12	2·93	·55	3·40	2·00	5·41	1·82	2·00	3·79	YEAR'S TOTAL 28·24
Rain Days.	17	14	11	14	8	11	15	~~8~~ 9	24	16	15	23	177

W. 8,000, VIII. 16

Dl 1417

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·03	·03		·07		·03			·21	·03	·73	1
2	·14		·02				·12		·20	·01	·04	·67	2
3	·29		·16		·01		·06		·02		·05		3
4	·04		·16			·03		·16			·04	·11	4
5	·27	·04	·01					·03	·10		·12	·06	5
6			·26								·06	·14	6
7			·37				·01				·12	·08	7
8	·05		·02								·13	·05	8
9			·01	·13						·12			9
10			·13	·02						·18	·03		10
11	·16		·19	·07	·01		·63			·02	·05	·14	11
12	·01		·06	·07		·19	·12			·09			12
13	·17			·14			·01			·08			13
14	·60			·23					·09		·04		14
15	·23		·04	·26			·03			·09	·05	·21	15
16	·07	·68	·01	·08							·01	·02	16
17		·48		·01							·46	·03	17
18		·05					·11	·30			·06	·13	18
19		·12	·30			·23	·42	·18	·14		·05	·01	19
20	·31	·02	·11			·23	·21	·41	·01			·07	20
21	·04	·49	·02			·01	·64				·01	·17	21
22		·23	·01				·18		·33		·10	·48	22
23		·02				·01	·19	·01				·02	23
24				·03	·02	·27	·02						24
25	·06			·03	·33	·09		·19				·01	25
26	·17	·35	·33	·14				·13	·11	·07		·55	26
27	·01			·17		·03	·09	·09		·56			27
28	·06	·06		·24			·01	·93		·31	·06	·40	28
29	·01					·11	·02	·15		·23	·16	·18	29
30		✕	·02	·25		·28				·10	·21	·16	30
31	·02	✕		✕		✕	·08		✕	·05	~~·73~~ ✕	·17	31
Total	3·08	2·57	2·26	1·87	·44	1·48	2·98	2·58	1·00	2·12	1·88 ~~2·61~~	4·59	YEAR'S TOTAL. 26·85 ~~27·58~~
Rain Days.	20	12	20	15	5	11	19	11	8	14	21 ~~22~~	23	179

W. 8,000, IX. 17.

2/255

1340

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swaffham

in the County of Norfolk

by W. H. Plowright

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01				·15		·35			·20		·02	1
2			·03	·05				·12	·05	·26		·13	2
3				·13		·03			·08			·10	3
4			·02	·33			·33	·06	·02			·19	4
5			·04	·02	·22		·35	·15	·18			·10	5
6			·04		·02		·46	·01					6
7			·09	·11			·26					·05	7
8		·01		·42	·10			·03					8
9	·36	·02		·33				·08				·05	9
10	·26		·12	·02			·04	·04			·01	·06	10
11	·16		·11	·01	·02		·01					·15	11
12	·12		·01	·17								·05	12
13		·02	·06	·22		·45			·11		·01	·07	13
14	·02	·01	·29	·18		·07	·05		·16	·02	·20		14
15		·02	·49	·03					·25	·26	·11	·05	15
16				·01	·08				·44			·06	16
17	·01				·08		·01		·32			·09	17
18	·08				·03	·52		·37	·16			·05	18
19	·09			·06				·27					19
20	·12	·31		·27		·66			·10			·01	20
21				·13			·30	·10	·10			·08	21
22				·17				·08	·06				22
23							·30					·31	23
24			·19	·01					·01			·10	24
25		·18	·05	·10	·02	·10	·62						25
26	·08			·13	·33		·15					·01	26
27	·13	·12		·16		·36					·05	·11	27
28	·36		·01	·01	·12		·04				·05	·04	28
29	·02				·54		·22				·09	·27	29
30	·05			·06	·03	·03	·12	·02	·06		·16	·24	30
31	·08									·03		·20	31
TOTAL	1·95	·69	1·55	3·13	1·74	2·22	3·61	1·33	2·10	·77	·68	2.59	YEAR'S TOTAL 22.36
Days with ·01 in. or more	16	8	14	24	13	8	16	12	15	5	8	25	164
·04	12	3	10	17	8	6	14	9	13	3	6	22	123

* (44,283). Wt. ,958—21 7500. 10/19. Gp.132. A.&E.W.

—

SWANNINGTON

HEATH HOUSE

NORFOLK

1911 — 1920

9 11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Sw

in the County of

by P B

p 5 in.

bove Ground 2 ft. 7 in.

,, Sea Level 90 ft.

10 a-m.

on { Name Attlebridge

Distance 1⅓ Mile Direction S

IMPORTANT … and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the… year in the space provided for it at the end o… urement of rain, the selection and … British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32		·02					·17		·15		·015	1
2	·16		·12		·14	·10	·07			·05	·035	·12	2
3	·02	·02		·03	·11			·01		·24	·02	·025	3
4	·05		·09	·13						·01	·235	·10	4
5		·04		·05				·03		·22		·195	5
6	·23		·04	·02							·05	·24	6
7	·03	·04								·01	·16	·20	7
8	·27		·17						·01	·015	·055	·03	8
9	·07		·04 ·04	·05						·015			9
10	·06	·06	·11								·06	·38	10
11	·31	·52									·30	·01	11
12	·06		·37						·07		·05		12
13	·05		·26	[illegible]	·07	·14			·15	·33		·07	13
14		·05	·46		·52				·015			·06	14
15		·09	·21						·11	·01	·21	·02	15
16			·07			·40			·09		·35	·10	16
17			·09			·01					·035	·09	17
18		·16	·01			·16					1·20	·05	18
19		·02				·48		·15	·10		·26	·02	19
20	·01	·06		·015				·01	·17	·02		·29	20
21		·32						·03		·11		·05	21
22	·02		·09			·02		·09	·01	·24	·04	·43	22
23		·08	·41			·98		·015	·25			·09	23
24		·05	·055		·02	·09	·03			·48		·08	24
25		·08	·04	·11		·085	·17	·01		·03	·13	·10	25
26				·05			·04			·13	·12	·40	26
27		·13	·13	·125			·01		·28	·02		·015	27
28				·23			·005	·04			·05	·025	28
29				·13		·28			·52	·38		·01	29
30					·15	·03	·01	[illegible]	·55	·08			30
31		·20										·01	31
Total	1·66	1·92	2·785	·94	1·01	2·775	·335	·555	2·325	2·54	3·36	3·225	TOTAL 23·43
No. of Rain Days.	14	16	19	11	6	12	7	10	13	19	18	28	173

W. 8,000, X. '11.

911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Swanington

in the County of Norfolk

by B. Atkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 7 in.
" " " Sea Level 90 ft.

Time of Observation 10 a.m.

Nearest Railway Station
Name Attlebridge
Distance 1⅓ Mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32		·02					·17		·15		·015	1
2	·16		·12		·14	·10	·07			·05	·035	·12	2
3	·02	·02		·03	·11			·01		·24	·02	·025	3
4	·05		·09	·13						·01	·235	·10	4
5		·04		·05				·03		·22		·195	5
6	·23		·04	·02							·05	·24	6
7	·03	·04								·01	·16	·20	7
8	·27		·17						·01	·015	·055	·03	8
9	·07		·04 ·04	·05						·015			9
10	·06	·06	·11								·06	·38	10
11	·31	·52									·30	·01	11
12	·06		·37						·07		·05		12
13	·05		·26	[illegible]	·07	·14			·15	·33		·07	13
14		·05	·46		·52				·015			·06	14
15		·09	·21						·11	·01	·21	·02	15
16			·07			·40			·09		·35	·10	16
17			·09			·01					·035	·09	17
18		·16	·01			·16					1·20	·05	18
19		·02				·48		·15	·10		·26	·02	19
20	·01	·06		·015				·01	·17	·02		·29	20
21		·32						·03		·11		·05	21
22	·02		·09			·02		·09	·01	·24	·04	·43	22
23		·08	·41			·98		·015	·25			·09	23
24		·05	·055		·02	·09	·03			·48		·08	24
25		·08	·04	·11		·085	·17	·01		·03	·13	·10	25
26				·05			·04			·13	·12	·40	26
27		·13	·13	·125			·01		·28	·02		·015	27
28				·23			·005	·04			·05	·025	28
29				·13		·28			·52	·38		·01	29
30					·15	·03	·01	[illegible]	·55	·08			30
31		·20										·01	31
Total	1·66	1·92	2·785	·94	1·01	2·775	·335	·555	2·325	2·54	3·36	3·225	23·43
No. of Rain Days.	14	16	19	11	6	12	7	10	13	19	18	28	173

W. 8,000, X. '11.

REGISTER Ex DL OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 10 JAN 1913

Kept at Swannington

in the County of Norwich

by Revd G. B. Atkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

6 Feb 13

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·02		·055	·05	·03	·04	·005	·01	·345	1
2	·01		·04	·015			·35			·14	·10		2
3	·14	·08				·32	·02	·03	·05	·04	·01	·07	3
4	·08		·45	·015		·10	·	·03			·16		4
5	·02	·08	·54		·005	·02		·02			·01		5
6	·71	·13			·02	·09	·45	·02	·10				6
7	·21				·01	·24		·11	·10			·02	7
8	·175	·02	·09		·01		·07	·21	·24				8
9	·005			·11	·03	·02			·56			·27	9
10								·26	·37		·16	·01	10
11	·03	·05	·005	·04				·12	·04		·39	·20	11
12	·07	·04	·05		·02	·26		·005		·02	·72		12
13		·035	·01					·02			·47	·02	13
14			·01			·115		·05		·025	·09	·12	14
15	·06	·02	·18		·21	·21		·03			·03	·05	15
16			·03		·035	·28		·02		·09	·04		16
17	·19		·16			·17		·07			·01	·115	17
18	·01		·19				·79	·22		·06	·06	·03	18
19	·08	·17	·14			·015	·88	·12		·02	·02		19
20	·11	·02	·02		·20			·28		·35			20
21			·24		·06		·47	·54		·05	·03		21
22	·03	·08	·04		·82	·03	·375	·215		·01		·04	22
23	·44	·37	·21		·02			·56	·02		·17	·03	23
24	·26		·02			·10	·32	·11			·01	·11	24
25						·15	·06	·71		·01	·16	·24	25
26	·015					·20	·12	4·71		·245	·26	·22	26
27								·07		·145	·03	·14	27
28		·02					·08	·135	·01	·50	·18	·21	28
29	·02		·01	·03		·11	·22	·32	·58	·14	·48		29
30	·09					·005	·05	·11		·19			30
31			·10		·09		·155	·08	·55	·28		·09	31
Total	2·755	1·115	2·535	·23	1·53	2·49	4·46	9·205	2·66	2·32	3·60	2·33	YEAR'S TOTAL 35·23
Rain Days.	~~21~~ 20	13	20	6	~~13~~ 12	19	16	~~29~~ 28	12	18	23	19	~~209~~ 206

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM
JAN 1914

Kept at Swanington
in the County of Norfolk 1
by G B Atkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·035	·19	·11	·06		·01			·37		·01		1
2	·05	·20	·015		·03		·11		·01		·025		2
3			·205		·14		·01		·02	·11		·015	3
4	·09		·005		·01	·03	·02			·02	·015	·17	4
5	·035	·005			·02		·005		·02	1·30	·025		5
6			·02		·17	·08	·01		·02	·07	·02		6
7		·05			·06	·015	·02			·34	·005	·01	7
8				·02	·24	·13	·03			·035	·11		8
9		·08	·015	·04	·17	·16		·16	·015	·005	·04	·02	9
10		·005		·05			·03				·10		10
11	·68	·005		·60		·01		·015			·35		11
12		·005		·03		·03					·075		12
13		·005	·03								·39		13
14	·08	·005	·11				·57		·09	·25	·015		14
15	·06	·01	·15	·24			·32				·11		15
16	·145		·42	·16			·005		·26		·11		16
17	·01	·005	·30	·09		·005	·05	·005	·18			·015	17
18			·14	·13			·02		·48				18
19	·05		·02			·16	·01	·04	·16				19
20	·10		·01			·03		·02	·01	·22	·01		20
21	·05		·015	·015			·36	·005		·31	·19		21
22	·08		·13				·49	·04	·19				22
23	·005		·005			·015		·17	·01	·02	·01		23
24	·09		·005	·01		·26		·02			·01	·02	24
25				·11		·005							25
26		·065	·06			·015				·70	·015	·15	26
27		·04	·01		·11	·005				·04			27
28	·18	·01	·13	·015		·035				·05			28
29	·26		·10	·17	·15							·07	29
30	·39		·005	·30	·04			·01	·005	·07		·14	30
31			·02					·65		·005	·18		31
Total	2·39	·68	2·03	2·04	1·14	·995	2·06	1·135	1·84	3·545	1·815	·61	YEAR'S TOTAL 20·28
Rain Days.	19	~~14~~ 11	~~24~~ 22	16	11	16	~~16~~ 15	~~11~~ 10	~~15~~ 14	~~16~~ 15	21	9	~~188~~ 179 166

W.7,000, XII 13

18 - 7 - 20 - 16 - 11 - 14 - 14 - 9 - 14 - 14 - 20 - 9 Rain days with ·01

contd. your stats 1.11.15 ~~W~~ DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at Swanington

in the County of Norfolk

by Revd. J. B. Atkinson

Lat. .... Long. ....

Time of Observation 10. a.m.

Nearest Railway Station ....

Diameter of Rain Gauge as before in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·29			·33		1
2								·015			·05	·05	2
3	·02		·12		·10		·20	·03			·01		3
4	·10		·02	·15		·03		·05			·17	·09	4
5	·005		·11	·15	·11		·07	·44		·03	·01		5
6	·005	·05			·095		·02	·03		·01	·03	·25	6
7		·06	·32		·06	·015						·38	7
8	·21	·03	·25		·19	·52		·09	·11	·02			8
9	·525		·39	·05	·015	·77				·14		·84	9
10	·64	·01	·03	·04					·11			·02	10
11		·29	·30	·025	·08	·11			·08		·32	·46	11
12	·06	·01	·01		·01				·285		·02	·27	12
13	·01	·17	·30		·005				·025	·03	·245	·47	13
14		·005	·25				·04			·20	·185	·58	14
15	·14	·02	·19				·63	·01	·02		·27	·39	15
16	·07		·12						·01			·01	16
17	·03	·40							·18		·03	·26	17
18	·005	·125	·02						·09			·62	18
19	·005	·02	·19			·10			·09		·19	·01	19
20	·035	·005	·51			·04			·08	·19		·01	20
21	·03	·21	·20			·03		·09	~~·03~~	·02	·03	·06	21
22		·005	·01		·27		·04	·01		·465		·10	22
23		·005	·075	·03	·02	·11	·14		~~·07~~	·025	·07	·02	23
24	·005	·005	·04	·065				·06	~~·06~~	·05	·06		24
25		·02			·02	·015	·08			·715			25
26			·01				·02	·15	~~·12~~	·015	·12	·355	26
27	·01		·01				·24		~~·03~~		·03	·27	27
28	·005	·02					·01		~~·31~~	·05	·31	1·34	28
29	·015		·01				·025		~~·05~~	·32	·05		29
30		X	·02								·23	·08	30
31		X		X	·03	X	·065		X	·02	X	·10	31
Total	1·925	1·46	3·515	·51	1·005	1·74	1·58	1·265	1·08	2·30	2·76	7·035	YEAR'S TOTAL 26·175
Rain Days.	~~14~~ 17	~~14~~ 17	25	7	~~11~~ 12	10	13	12	11 ~~18~~	16	21	24	185

W. 8,000. X. 14.

ent by Rectory 2.III.16 FW. [illegible]

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Heath House, Swanington

in the County of Norfolk

by P. Norgate

Lat. 52° 43′ N Long. 1° 9′ E
Time of Observation 9 o'clk AM
Nearest Railway Station Attlebridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·16	·04	–	·22	–	–	·02	·27	–	·10	·07	1
2	·03	·06	·37	·09	–	·01	–	·26	·11	–	·04	·025	2
3	·22	–	·10	·08	–	–	·02	·23	·06	–	·14	·12	3
4	·01	–	·01	–	·03	–	–	·02	·02	·01	·09	·53	4
5	·03	·03	·01	–	·10	–	–	·03	–	·22	·04	·19	5
6	·09	·19	·21	·19	·16	–	·30	·015	–	–	–	·01	6
7	·08	·38	·08	·01	–	–	·44	·135	–	–	–	·19	7
8	·01	·09	·01	·07	–	–	–	·03	–	·07	–	·01	8
9	·03	·01	–	·05	–	·025	–	·02	–	·02	·21	·46	9
10	·39	–	·01	–	–	–	–	–	–	–	–	·05	10
11	·01	–	–	–	–	–	·04	–	–	·02	·23	·08	11
12	·09	·27	–	·35	·10	–	·05	·58	–	–	1·30	·14	12
13	·09	–	–	·04	·99	–	–	·04	·04	–	·25	–	13
14	–	·78	–	·01	·03	–	·37	·04	–	–	–	·30	14
15	·30	(04)	–	–	·035	–	·07	·12	–	–	–	·13	15
16	·03	·28	–	–	–	–	·92	·17	–	–	·15	·025	16
17	·40	·16	·09	–	·01	–	·13	–	–	–	·10	·13	17
18	·03	·06	·17	–	·135	–	–	·01	·01	–	·175	–	18
19	·02	·03	–	–	–	–	·16	–	–	·08	–	–	19
20	·30	–	–	·03	–	–	–	–	–	–	–	·39	20
21	·29	–	–	–	–	–	·12	–	–	·02	–	·10	21
22	·06	–	·24	–	–	–	·41	–	–	–	·01	·17	22
23	·01	·07	·01	–	–	–	·18	–	·03	–	·07	·09	23
24	·01	·09	·15	–	–	–	·13	–	·09	·07	·07	·11	24
25	·02	·01	·04	–	–	·16	·10	–	–	·115	·175	·04	25
26	·01	·19	–	–	–	·06	–	–	–	·11	·02	·29	26
27	–	·01	·02	–	–	·26	·24	–	·06	·31	–	·02	27
28	–	·13	·04	–	–	·15	·01	·09	·24	·49	–	–	28
29	·09	X	·02	–	·015	·05	·26	·12	·50	–	·08	·07	29
30	·10	X	–	–	–	·02	·02	·13	·36	·02	–	–	30
31	–	X	–	X	–	X	–	·09	X	·20	X	·11	31
Total	2·89	3·04 ✓	1·62	·92	1·825	·735	3·97	2·15	1·79	1·755	3·25	3·85	YEAR'S TOTAL 27·795 ✓
Rain Days.	27	20	18	10	11	8	19	19	12	14	18	26	202

W. 8,000. X. 14.

Ex. L.m.S.

1534

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Heath House Swannington

in the County of Norfolk

by P. Norgate

Lat. 52° 43' N Long. 1° 9' E

Time of Observation 9 AM

Nearest Railway Station Attlebridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·01	–	·02	·03	–	–	–	–	·185	–	1
2	·50	·01	·18	–	·44	–	·04	–	·02	·01	·01	–	2
3	·01	·04	·03	–	–	–	·48	–	·54	·275	·38	·01	3
4	·29	·10	·12	–	·02	·255	·48	–	·30	·07	·32	·28	4
5	·09	·03	·36	·025	–	·21	–	–	·01	·08	·32	·02	5
6	–	·11	·44	·31	–	·02	·015	·02	–	·02	·29	–	6
7	·09	–	·28	·01	·43	·095	·09	–	–	·12	·11	·03	7
8	·02	–	·06	–	·16	·34	–	–	–	–	·01	·15	8
9	–	–	·02	–	·245	·185	–	–	–	–	–	·22	9
10	–	·01	·15	·075	–	·03	·27	–	·015	·01	–	·17	10
11	·08	·59	·13	·27	·04	·81	–	–	·025	–	–	–	11
12	·04	·01	·01	·22	·69	·69	·16	·13	–	·13	–	–	12
13	·06	·10	·10	·01	·05	·03	·005	·10	·11	·015	–	–	13
14	·01	·45	·01	–	·17	·07	–	·18	·09	·05	–	·20	14
15	–	·29	·24	–	–	–	–	·41	·09	·34	–	–	15
16	–	·10	·045	·14	·01	–	·085	·57	–	·01	–	·16	16
17	·02	–	–	·32	–	·01	·13	–	·23	·215	–	·03	17
18	–	·15	–	·255	–	–	–	·165	·10	·12	·93	–	18
19	·065	–	–	·05	–	–	–	–	·14	·06	·22	·07	19
20	·14	–	·07	·01	–	·01	–	·005	·01	–	·15	·15	20
21	·035	·13	·095	·04	–	–	–	–	–	–	–	·53	21
22	–	·13	·04	–	·20	·03	·01	–	–	–	·01	·44	22
23	–	·63	–	–	–	·19	·01	·01	–	–	·08	·20	23
24	–	·43	·01	–	–	10	·03	·025	–	·315	–	·14	24
25	–	·43	·19	–	–	–	–	·10	–	·17	·05	·04	25
26	–	·05	–	–	–	·10	–	·01	–	·025	·14	–	26
27	–	·13	·84	–	–	·02	–	·01	·01	·42	–	–	27
28	–	·21	·42	–	·02	–	–	–	·02	–	·02	·18	28
29	–	·14	–	–	–	·09	–	1·57	·01	·185	–	·11	29
30	–	X	–	–	–	·10	–	·27	–	·20	–	·01	30
31	·14	X	–	X	·03	X	–	·08	X	·02	X	·015	31
Total	1·63	4·27	3·85	1·735	2·525	3·415	1·805	3·655	1·72	2·86	3·225	3·155	YEAR'S TOTAL 33·845
Rain Days.	16	22	23	13	14	21	~~13~~ 12	16	16	22	16	21	212

W. 8,000. X. 15.

4

1467

FORM A.
BRITISH RAINFALL.

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Heath House, Swanington
in the County of Norfolk
by P. Norgate

Lat. 52° 43' N Long. 1° 9' E
Time of Observation 9 o'clk A.M.
Nearest Railway Station Attlebridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	·01	·16	–	–	–	1·02	·19	–	·03	·01	1
2	·06	·07	–	·21	–	·04	–	·60	–	–	–	–	2
3	–	–	·02	·05	–	–	–	·75	–	·14	–	·01	3
4	–	·33	–	–	–	–	–	·01	–	·55	–	–	4
5	·17	·04	·02	·14	–	–	–	–	·42	–	·15	–	5
6	·01	–	–	–	–	·06	–	–	·23	·02	·02	–	6
7	·37	–	–	–	–	·06	–	–	–	·46	–	·02	7
8	·23	–	–	·15	–	–	·98	·20	–	·25	·115	·01	8
9	·16	–	–	·05	–	–	–	·18	–	–	·32	·075	9
10	·13	–	·24	·13	–	–	–	·01	–	·12	·05	–	10
11	·07	·11	·45	·12	–	–	–	–	·01	·27	·03	–	11
12	·31	–	·035	·13	–	–	–	·07	–	·40	–	·01	12
13	·26	–	·095	·06	–	·01	·02	·19	·09	·015	·01	–	13
14	·16	–	·01	·14	–	–	–	·06	–	–	–	·03	14
15	–	–	–	–	·01	–	·18	·03	–	·05	–	–	15
16	·05	·07	–	·40	–	–	–	–	–	·36	–	·46	16
17	·03	·04	·04	·21	·43	·07	·27	–	·35	·31	–	·02	17
18	·02	–	–	·04	·01	·01	·13	·08	·65	–	–	–	18
19	·01	·03	·31	–	·01	·06	–	·02	·17	–	–	–	19
20	·04	·28	·145	–	–	·02	–	·07	·20	–	·30	–	20
21	–	·17	·035	–	·01	–	–	–	–	–	·02	·02	21
22	–	–	·07	–	–	·01	–	·08	–	·08	–	–	22
23	–	–	–	–	·07	–	–	·06	–	–	–	·02	23
24	–	·02	–	–	·01	·07	–	·07	–	·18	·08	·05	24
25	–	–	·11	–	–	–	·02	–	–	–	·075	·21	25
26	–	–	·10	–	–	–	–	·25	·05	–	·64	·04	26
27	–	–	–	–	–	·075	·05	·31	–	–	·01	·13	27
28	·01	·03	·20	–	–	·235	–	·38	–	·03	–	·07	28
29	–	X	–	–	–	·23	·03	·01	–	·11	–	·04	29
30	·11	X	·02	–	–	–	·14	·13	–	–	–	–	30
31	·10	X	·43	X		X	·50	·12	X	–	X	·01	31
Total	2·30	1·20	2·34	1·99	·55	·95	2·32	4·70	2·36	3·345	1·85	1·235	YEAR'S TOTAL 25·14
Rain Days.	19	12	18	14	7	14 13	10	23	10	16	14	18	17~~5~~4

3.04

W. 8,000, IX. 17.

Exd M.D.T.

31

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918.

Kept at Heath House, Swanington
in the County of Norfolk
by P. Norgate

Lat. 52° 43 Long. 1° 9 E
Time of Observation 9 AM
Nearest Railway Station Attlebridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·01	·01	-	-	-	-	·12	-	·05	·17	1
2	·08	·01	-	·10	-	-	-	·36	-	·03	-	·21	2
3	·03	-	·02	·03	·05	-	-	·03	·05	-	·94	-	3
4	·01	·02	·06	-	-	-	·01	·03	·54	·06	·34	·015	4
5	-	·01	·05	-	·17	-	-	·30	·07	·11	-	·015	5
6	·03	·18	-	·10	-	-	-	·01	·04	·07	-	·05	6
7	·14	·13	·01	·03	-	·01	-	-	·26	-	·05	-	7
8	·01	·03	-	·01	-	-	·08	-	·39	-	·05	·03	8
9	·08	·07	·01	·01	-	·03	·02	-	·45	·21	-	·05	9
10	·10	·01	·01	-	-	-	·30	-	·07	-	·16	·21	10
11	·02	·09	-	·02	·19	-	·07	-	·36	·98	-	·19	11
12	-	·12	-	-	·16	-	·08	·055	·05	·19	-	·06	12
13	-	·07	-	-	·15	-	·06	-	·17	-	-	·02	13
14	·32	-	-	·03	-	·01	·07	-	·24	·27	-	·04	14
15	·72	-	·07	1·73	-	·12	·07	-	·35	·05	-	·06	15
16	·12	-	-	·21	-	·02	·06	-	·05	·03	-	·02	16
17	·20	-	-	·01	-	-	1·24	-	-	-	-	·30	17
18	·36	-	-	·11	-	·06	·02	-	·26	·01	-	·42	18
19	·15	·01	·025	·32	-	·01	·02	-	-	·13	-	·40	19
20	·035	·05	-	·135	-	·03	·81	-	·09	·14	-	·05	20
21	·02	-	-	-	-	·03	·05	-	·45	·16	-	-	21
22	·02	-	-	·03	-	·02	·03	-	·06	·01	-	·44	22
23	·09	-	-	-	·35	-	·03	·04	·06	-	-	-	23
24	-	·29	-	-	·01	-	·07	-	·13	-	-	-	24
25	-	-	·01	-	-	·57	·04	·12	-	·01	·10	·10	25
26	-	-	-	-	-	-	·91	·07	·02	-	·09	·10	26
27	-	·02	-	·29	-	·01	·02	·26	·03	·02	·02	·21	27
28	-	·13	·18	-	-	·26	·01	·05	-	-	·08	·36	28
29	-		·01	-	-	-	-	-	1·08	-	·04	·02	29
30	·01		·23	-	-	-	-	·02	·33	-	·02	·06	30
31	·02		-		-		-	-		·05		·13	31
Total	2·565	1·24	·695	3·175	1·08	1·18	4·07	1·345	5·72	2·53	1·94	3·73	YEAR'S TOTAL 29·27
Rain Days.	21	16	13	17	7	13	22	12	25	18	12	26	202

W, 6,500, VII. 18. w w c

Nor. H86 1375

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Heath House Swanington.

in the County of Norfolk.

by P. Norgate.

Lat. 52° 43' N. Long. 1° 9' E.

Time of Observation 9·0 A.M.

Nearest Railway Station Attlebridge.

Diameter of Funnel of Rain Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. 3 ins.

" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·03	-	-	·11	-	·39	-	-	·42	·09	·54	1
2	·12	·02	·02	-	-	-	·09	-	·01	·03	·55	·82	2
3	·33	-	·10	-	-	-	·08	-	·01	-	·12	·01	3
4	·07	-	·19	-	-	·025	-	·09	-	-	·02	·16	4
5	·52	·03	·01	-	·02	·01	-	-	·10	-	-	·06	5
6	·01	-	·13	-	-	-	·01	-	-	-	·075	·24	6
7	-	-	·21	-	·01	-	·02	-	-	-	·14	·335	7
8	·06	-	·01	·02	-	-	·02	-	-	·05	·04	·03	8
9	-	-	·01	-	-	-	-	-	-	·08	·05	-	9
10	·02	-	·12	·03	·04	-	-	-	-	·40	·18	·02	10
11	·05	-	·19	·03	·05	-	·56	-	-	·04	·07	·08	11
12	·12	-	·05	·17	-	·16	·11	-	-	-	-	-	12
13	·06	-	·01	·175	-	·01	·08	-	-	·06	·06	-	13
14	·43	-	·02	·265	-	-	·08	-	·09	·03	·01	·02	14
15	·20	-	-	·14	-	-	·01	-	-	·27	·17	·08	15
16	·03	·70	·02	·05	-	-	-	·02	-	·09	·02	·08	16
17	-	·80	·04	-	·13	-	-	-	-	-	·27	-	17
18	·05	·27	-	-	-	-	-	·25	·03	-	·01	·19	18
19	-	·085	·16	-	-	·18	·04	·17	·37	-	·14	·01	19
20	·21	·025	·12	-	-	·33	·34	·24	·03	-	-	·02	20
21	-	·28	·03	-	-	·08	·45	-	-	-	-	·19	21
22	·01	·13	·05	-	-	-	·14	-	·16	-	·03	·28	22
23	-	·01	·01	-	-	·03	·16	·14	·01	-	-	·07	23
24	-	-	-	·03	·09	·08	·035	-	-	-	-	·01	24
25	·01	-	-	·11	·25	·095	-	·35	-	·02	-	·04	25
26	·14	·44	·31	·14	-	·03	·03	·30	-	·38	-	·42	26
27	-	·06	·03	·10	-	-	·03	·05	·08	·47	·14	·01	27
28	·02	-	·01	·07	-	·01	·04	·88	·04	·50	·04	·325	28
29	·02		·01	·14	-	·13	·04	·08	-	·10	·27	·115	29
30	·01		·07	·17	-	·44	-	·01	-	·12	·165	·21	30
31	·02		-		-		·03	-		·21		·17	31
TOTAL	2·85	2·88	1·93	1·64	·70	1·61	2·785	2·58	·93	3·27	2·66	4·535	YEAR'S TOTAL 28·37 ✓
Days with ·01 in. or more	23	13	25	15	8	14	22	12	11	17	22	27	209 ✓

1424 1299

3 JAN 1921 001424

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "Heath House", Swanington
in the County of Norfolk
by P. Norgate Esq.

Lat. 52°43' N. Long 1°9' E.
Time of Observation 9 A.M.
Nearest Railway Station Attlebridge.
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 3 ins.
" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☒

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	-	-	·09	·09	-	·23	-	·01	·60	-	·02	1
2	-	-	·025	·03	-	-	·02	·15	·03	-	-	·17	2
3	-	·02	-	·30	-	·01	·04	-	·05	-	-	·06	3
4	·02	-	·09	·34	-	-	·06	·03	-	-	-	·35	4
5	-	-	·05	·03	·16	-	·14	·15	·11	-	-	·16	5
6	-	-	·28	-	·01	-	·47	·08	-	-	-	·03	6
7	·02	-	·12	·13	-	-	·10	-	-	-	-	·11	7
8	-	·01	-	·42	·03	-	·02	·24	-	-	-	·01	8
9	·25	·05	-	·42	-	-	·03	·33	-	-	-	·03	9
10	·20	·06	·05	·02	·02	-	·03	·01	-	-	·04	·12	10
11	·30	-	·05	·22	-	-	·05	-	-	-	-	·29	11
12	·10	-	·04	·16	-	·04	·03	-	-	-	-	·08	12
13	·08	·05	·025	·04	-	·55	-	-	·05	-	·02	·05	13
14	·03	·02	·23	·09	-	·22	·06	-	·11	·03	·22	-	14
15	·01	-	·25	·06	-	-	-	-	·22	·31	·11	·02	15
16	-	-	·02	·08	·03	-	-	-	·48	·13	-	·13	16
17	·01	-	·02	·06	·09	-	-	-	·06	·01	·01	·19	17
18	·06	·01	-	·02	·07	·15	-	·34	·53	-	-	·06	18
19	·14	-	-	·08	-	-	-	·46	·01	-	-	·01	19
20	·11	·26	-	·13	-	·48	-	·01	·15	-	-	·01	20
21	·01	·01	-	·01	-	-	·39	·14	·23	-	-	·07	21
22	·01	-	-	·06	-	-	-	·14	·36	-	-	·01	22
23	·01	-	-	-	-	-	·34	-	-	-	-	·18	23
24	-	·01	·13	·01	-	-	·16	-	·02	-	-	·09	24
25	-	·08	·02	·05	-	·14	·19	-	·02	-	·03	-	25
26	·04	·015	·06	·17	·55	-	·17	-	-	-	-	-	26
27	·15	·08	-	·12	-	·38	-	-	-	·02	·05	·075	27
28	·50	·015	-	·21	·11	-	·02	-	-	·02	·14	·02	28
29	·03	-	·02	-	·51	-	·24	-	-	-	·12	·20	29
30	-		-	·05	·02	·01	·19	·01	·06	-	·12	·15	30
31	·08		-		-		-	·10		·02		·225	31
Total	2·19	·69	1·48	3·32	1·69	1·98	2·98	2·19	2·50	1·14	·86	2·92	Year's Total 23·94
Days with ·01 in. or more	22	14	17	27	12	9	21	14	17	8	10	28	199
Days with ·04 in. or more	12	6	~~10~~ 11	20	7	7	15	10	12	3	7	19	~~128~~ 129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1564

FORM A.
BRITISH RAINFALL.
JAN 1916

REC

Kept at Swanningt

in the County of N

by G B Atkin

Asbefor

n Gauge .... in.

ove Ground .... ft. .... in.

Sea Level .... ft.

SWANNINGTON
RECTORY
NORFOLK.

1915 — 1916

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the r … ear in the space provided for it at the end of … ement of rain, the selection and plac … ritish Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·16	·01		·20			·03	·15		·09	·07	1
2	·02	·06	·40	·085		·01		·25	·10		·07	·01	2
3	·22		·08	·08				·14	·05		·10	·135	3
4	·015	·005	·005					·015	·02		·08	·52	4
5	·035	·02	·005		·17			·03		·23	·04	·18	5
6	·09	·19	·26	·17	·08		·24	·01		·005		·01	6
7	·08	·395	·075	·015			·39	·14				·19	7
8	·01	·05	·01	·06				·02		·08			8
9	·035	·06		·02		·02		·01		·02	·21	·45	9
10	·39					·05						·05	10
11	·02		·005		·02		·03			·01	·22	·075	11
12	·09			·34	·14		·02	·54			1·33	·135	12
13	·075	·25		·025	·91			·045	·03		·15		13
14	·005	·94		·01			·38	·06				·29	14
15	·32	·015			·03		·14	·125				·125	15
16	·03	·37					·91	·28			·16	·02	16
17	·425	·13	·10				·11				·10		17
18	·035	·035	·23		·12					·02	·17		18
19	·015	·03					·14	·01		·04			19
20	·28			·02				·015			·01	·405	20
21	·28	·01					·065					·10	21
22	·07		·23				·42					·17	22
23	·005	·05	·015				·165				·09	·14	23
24	·01	·08	·15				·115		·11	·09	·07	·07	24
25	·01		·015			·13	·07			·10	·15	·03	25
26	·01	·185	·03			·05				·105	·01	·28	26
27	·005	·01	·01			·27	·25			·45		·01	27
28		·18	·02			·17		·08	·235	·36			28
29	·10		·02			·05	·18	·09	·56	·01	·08	·06	29
30	·10	✕	·005			·015	·05	·13	·37		·005	·005	30
31	·03	✕		✕		✕		·09	✕	·22	✕	·10	31
Total	2·96	3·225	1·675	·825	1·67	·765	3·675	2·11	1·625	1·74	3·135	3·63	YEAR'S TOTAL 27·035
Rain Days.	27	20	16	10	8	9	17	20	9	13	18	24	191

W. 8,000. X. 15.

1564

FORM A.
BRITISH RAINFALL.
JAN 1916

REGISTER OF RAINFALL IN

Kept at Swannington Rectory, Norwich

in the County of Norfolk

by J. B. Atkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·16	·01		·20			·03	·15		·09	·07	1
2	·02	·06	·40	·085		·01		·25	·10		·07	·01	2
3	·22		·08	·08				·14	·05		·10	·135	3
4	·015	·005	·005					·015	·02		·08	·52	4
5	·035	·02	·005		·17			·03		·23	·04	·18	5
6	·09	·19	·26	·17	·08		·24	·01		·005		·01	6
7	·08	·395	·075	·015			·39	·14				·19	7
8	·01	·05	·01	·06				·02		·08			8
9	·035	·06		·02		·02		·01		·02	·21	·45	9
10	·39					·05						·05	10
11	·02		·005		·02		·03			·01	·22	·075	11
12	·09			·34	·14		·02	·54			1·33	·135	12
13	·075	·25		·025	·91			·045	·03		·15		13
14	·005	·94		·01			·38	·06				·29	14
15	·32	·015			·03		·14	·125				·125	15
16	·03	·37					·91	·28			·16	·02	16
17	·425	·13	·10				·11				·10		17
18	·035	·035	·23		·12					·02	·17		18
19	·015	·03					·14	·01		·04			19
20	·28			·02				·015			·01	·405	20
21	·28	·01					·065					·10	21
22	·07		·23				·42					·17	22
23	·005	·05	·015				·165				·09	·14	23
24	·01	·08	·15				·115		·11	·09	·07	·07	24
25	·01		·015			·13	·07			·10	·15	·03	25
26	·01	·185	·03			·05				·105	·01	·28	26
27	·005	·01	·01			·27	·25			·45		·01	27
28		·18	·02			·17		·08	·235	·36			28
29	·10		·02			·05	·18	·09	·56	·01	·08	·06	29
30	·10	╳	·005			·015	·05	·13	·37		·005	·005	30
31	·03	╳		╳		╳		·09	╳	·22	╳	·10	31
Total	2·96	3·225	1·675	·825	1·67	·765	3·675	2·11	1·625	1·74	3·135	3·63	YEAR'S TOTAL 27·035
Rain Days.	27	20	16	10	8	9	17	20	9	13	18	24	191

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

16. JAN 1917

Kept at Swannington Rectory
in the County of Norfolk
by G B Atkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·01			·015					·20	·03	1
2	·52		·16		·46		·05		·015	·01	·005		2
3		·03	·03				·495		·60	·31	·405	·02	3
4	·27	·11	·14		·015	·25	·43		·37	·005	·28	·25	4
5	·10	·02	·36	·02		·21	·005		·02	·08	·31	·015	5
6	·07	·08	·45	·31		·015	·01			·015	·29		6
7	·03		·24		·46	·09	·09			·10	·105	·04	7
8	·01		·03		·13	·31	·005				·005	·20	8
9			·02		·24	·16				·01		·13	9
10			·13	·08	·005	·035	·23					·20	10
11	·07	·61	·12	·24	·03	·865			·04				11
12	·035			·185	·64	·695	·15	·13		·13		·02	12
13	·07	·10	·11	·01	·04			·13					13
14		·35	·05		·18	·06		·18	·10	·05		·16	14
15		·31	·15		·02			·45	·07	·30			15
16		·07	·04	·15	·005		·09	·60		·01		·23	16
17	·02			·33			·11	·005	·23	·20			17
18		·15		·25		·01		·285	·11	·16	·75		18
19	·05	·005		·055				·01	·14	·015	·27	·065	19
20	·14		·08	·02							·09	·23	20
21	·03	·15	·09	·02								·42	21
22		·11	·03		·17	·01	·005					·45	22
23		·41				·20		·01			·09	·16	23
24		·32				·10	·02	·035		·30		·14	24
25		·28	·17				·005	·10		·17	·05	·035	25
26		·03				·12		·01		·02	·13		26
27		·10	·61	·01		·015		·02		·40			27
28		·21	·61		·02				·05		·03	·18	28
29		·13				·08		1·45		·20		·09	29
30		X		·005				·25		·17		·01	30
31	·145	X		X	·02	X		·09	X	·015	X	·015	31
Total	1·60	3·575	3·63	1·685	2·435	~~3·225~~ 3·24	1·695	3·755	1·745	2·67	3·01	3·09	YEAR'S TOTAL 32·135 32·13
Rain Days.	~~14~~ 15	~~19~~ 20	21	13	~~13~~ 14	18	~~10~~ 12	~~15~~ 16	11	20	~~13~~ 14	22	~~189~~ 196

W. 8,000, VIII. 16

SWAINSTHORPE
THE ROOKERY
NORFOLK
1911 - 1912

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

RE

Kept at Swanth

in the County of Ho

by O.W. Preston

5 in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTI

previous day. If an Ob

requested to add the read

for it at the end of thi

the selection and placin

Organization are given in

Dr. H. R. Mill, 62, Camden Square, London, N.W.

the result entered to the

ersal rule, he is earnestly

ar in the space provided

ent of rain,

tish Rainfall

pplication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38		.03					.13		.18		.01	1
2	.25		.08		.20	.11	.02			.01	.05	.17	2
3	.04	.03		.05	.12				.04	.08	.04	.04	3
4	.06	.01	.09	.14		.06				01	.12	.04	4
5	.01	.04		.11						.08	.01	.17	5
6	.25		.04	.04						.04	.01	.15	6
7	.02	.03								.01	.16	.28	7
8	.14		.11						.04	01	.08	.10	8
9	.11		.05	.05							.01		9
10	.04	.03	.06			.01					.09	.47	10
11	.34	.31	.01								.35	.01	11
12	.01	.01	.41						.01		.01		12
13	.08		.22		.15	.11			.16	.68	.02	.08	13
14	.01	.02	.22		.48				.01	.01		.10	14
15		.08	.22						.01	01	.20	.02	15
16		.01	.09			.53			.01		.25	.10	16
17	01		.07			.02					.02	.07	17
18		.33	.02			.02					1.02	.07	18
19		.02			.01	.73		.01	.03		.17	.02	19
20		.01				.04		.05	.04	.03	.09	.42	20
21	.01	.14						.06		.15		.06	21
22	.02	.07	.06			.05		.08		.12	.03	.43	22
23	.01	.02	.26		.02	1.11		.13	.25			.11	23
24		.07	.04			.06	.18			.61		.16	24
25		.04	.06	.09		.11	.14				.12	.05	25
26				.03			.18	.08		.19	.05	.39	26
27		.21	.09	.34					.29	.01		.01	27
28		.19	.01	.36			.06	.06		.01	.01	.07	28
29				.08		.33			.46	.39	.01	.01	29
30					.28	.03			.39	.13			30
31										.03		.01	31
Total	1.79	1.67	2.24	1.29	1.26	3.32	.58	.60	1.74	2.79	2.92	3.62	TOTAL for year 23.82
No. of Rain Days	18	20	21	10	7	15	5	8	13	21	23	28	189

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Swanthorpe The Rookery

in the County of Norfolk

by A.W. Preston – Miss E M Cross

RAIN GAUGE
Pattern —
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38		.03					.13		.18		.01	1
2	.25		.08		.20	.11	.02			.01	.05	.17	2
3	.04	.03		.05	.12				.04	.08	.04	.04	3
4	.06	.01	.09	.14		.06				01	.12	.04	4
5	.01	.04		.11						.08	.01	.17	5
6	.25		.04	.04						.04	.01	.15	6
7	.02	.03								.01	.16	.28	7
8	.14		.11						.04	01	.08	.10	8
9	.11		.05	.05							.01		9
10	.04	.03	.06			.01					.09	.47	10
11	.34	.31	.01								.35	.01	11
12	.01	.01	.41						.01		.01		12
13	.08		.22		.15	.11			.16	.68	.02	.08	13
14	.01	.02	.22		.48				.01	.01		.10	14
15		.08	.22						.01	01	.20	.02	15
16		.01	.09			.53			.01		.25	.10	16
17	01		.07			.02				—	.02	.07	17
18		.33	.02			.02					1.02	.07	18
19		.02			.01	.73		.01	.03		.17	.02	19
20		.01				.04		.05	.04	.03	.09	.42	20
21	.01	.14						.06		.15		.06	21
22	.02	.07	.06			.05		.08		.12	.03	.43	22
23	.01	.02	.26		.02	1.11		.13	.25			.11	23
24		.07	.04			.06	.18	—		.61		.16	24
25		.04	.06	.09		.11	.14		—		.12	.05	25
26				.03			.18	.08		.19	.05	.39	26
27		.21	.09	.34					.29	.01		.01	27
28		.19	.01	.36			.06	.06		.01	.01	.07	28
29				.08		.33			.46	.39	.01	.01	29
30					.28	.03			.39	.13			30
31										.03		.01	31
Total	1.79	1.67	2.24	1.29	1.26	3.32	.58	.60	1.74	2.79	2.92	3.62	TOTAL for year 23.82
No. of Rain Days	18	20	21	10	7	15	5	8	13	21	23	28	189

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 MAR 1913

Kept at Swainsthorpe, The Rookery
in the County of Norfolk
by M. Cross. (A. W. Preston)

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·02	·03		·08	·10	·01	·10	·01	·01	·31	1
2		·06	·03	·03			·14		·01	·01	·01	·04	2
3	·11	·04	·01	·01		·29	·02	·03	·03				3
4	·11		·55		·03	·23		·06		·04	·02	·06	4
5	·02	·07	·16			·13		·01			·12		5
6	·83	·13	·01			·26	·22	·09	·10		·01		6
7	·06	·01			·04	·25	·02	·20	·08			·02	7
8	·18	·02	·03	·01	·01	·04	·04	·08	·30			·01	8
9	·01		·02	·14	·02				·25			·30	9
10		·01		·01				·04	·24		·14	·02	10
11		·03		·11				·01	·06		·37	·12	11
12	·02	·07	·04		·08	·29					·49	·01	12
13	·04	·09	·04			·05		·01			·40	·03	13
14	·01	·01			·02	·06			·01	·02	·10	·10	14
15		·02	·23		·24	·16		·02			·03	·04	15
16	·06		·04		·06	·10		·07		·11	·01		16
17	·28		·17			·13		·12			·02		17
18	·04		·14				·49	·02		·06	·06	·10	18
19	·04	·07	·20				·50	·06		·04	·02	·01	19
20	·09	·01	·03		·23		·01	·02		·33			20
21	·01		·22				·06	·68		·07	·02		21
22	·12	·10	·04				·66	·14			·01		22
23	·33	·42	·19					·50	·10	·02	·18	·01	23
24	·07	·02	·06			·18	·23	·20	·01		·01		24
25	·02	·01	·01			·19	·03	1·11		·01	·26	·35	25
26	·01	·02			·02	·04	·23	5·90		·23	·11	·22	26
27		·01						·13		·05	·04	·18	27
28		·01		·05			·01	·04	·05	·35	·13	·26	28
29	·07			·02		·05	·20	·32	·53	·01			29
30	·14				·02	·02	·01	·04	·84	·02	·01		30
31			·11		·05		·18	·11		·15		·04	31
Total	2·68	1·24	2·35	·41	·82	2·55	3·15	10·02	2·71	1·53	2·58	2·23	YEAR'S TOTAL 32·27
Rain Days.	24	22	22	9	12	18	18	27	15	17	24	20	228

W. 7,500, XI. ·12

1422

SWANTON MORLEY REC
NORFOLK
1915 - 20

REGIST

FORM A.
BRITISH RAINFALL.

Kept at Swanton Morl … m. Dereham.
in the County of Norfolk … in.
by Rev: G. D. Barr … nd ft. in.
… level ft.

IMPORTANT NOTE.— … esult entered to the previous day. If an Observ … rule, he is earnestly requested to add the reading … the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03		·14			·05	·07		·13	·17	1
2			·34	·14					·38		·14	→	2
3			·04					·23	·21		·10	·15	3
4								·13	·10		·04	·65	4
5			·01		·80					·14	·02	·19	5
6			·11	·25			·17						6
7			·03	·01			·28	·09				·05	7
8				·04			·05	·12		·03		·04	8
9						·02							9
10								·03			·19		10
11					·04		·04			·01		·30	11
12				·44	·13		·10	·09			·23	·02	12
13				·05	·85			·18			1·35		13
14					·02		·26						14
15					·01		·09	·32			·05		15
16							·91	·48			·13	·44	16
17							·04	·05			·03	·04	17
18					·05						·10		18
19			·26				·42						19
20												·40	20
21							·06					·13	21
22			·25				·73		·01		·11	·12	22
23						·03	·26				·12	·14	23
24			·01				·15		·03			·04	24
25			·20			·15				·14			25
26			·03			·02				·03		·25	26
27						·02	·34		·11	·24		·15	27
28						·29			·10	·35			28
29						·02		·24	·36	·52	·10	·10	29
30		X			1·12				·34				30
31		X		X		X			X	~~1·8~~ 1·18	X	·10	31
Total			1·31	·93	~~3·16~~ 2·04	~~·55~~ 1·67	3·90	2·01	~~·95~~ 1·71	~~3·26~~ 1·64	2·84	3·84 ~~3·48~~	YEAR'S TOTAL ~~22·75~~
Rain Days.			11	6	8 9	8 9	15	12	~~6~~ 10	9	15	19	

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Swanton Morley
in the County of Norfolk
by Rev. G. D. Barry.

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station East Dereham.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·14			·05	·07		·13	·17	1
2			·34	·14					·38		·14	→	2
3			·04					·23	·21		·10	·15	3
4								·13	·10		·04	·65	4
5			·01		·80					·14	·02	·19	5
6			·11	·25			·17						6
7			·03	·01			·28	·09				·05	7
8				·04			·05	·12		·03		·04	8
9						·02							9
10								·03			·19		10
11					·04		·04			·01		·30	11
12				·44	·13		·10	·09			·23	·02	12
13				·05	·85			·18			1·35	—	13
14					·02		·26						14
15					·01		·09	·32			·05		15
16							·91	·48			·13	·44	16
17							·04	·05			·03	·04	17
18					·05						·10		18
19			·26				·42						19
20												·40	20
21							·06					·13	21
22			·25				·73		·01		·11	·12	22
23						·03	·26				·12	·14	23
24			·01				·15		·03			·04	24
25			·20			·15				·14			25
26			·03			·02				·03		·25	26
27						·02	·34		·11	·24		·15	27
28						·29			·10	·35			28
29						·02		·24	·36	·52	·10	·10	29
30		X			1·12				·34				30
31		X		X		X			X	~~1·8~~ ·18	X	·10	31
Total			1·31	·93	~~3·16~~ 2·04	·55 1·67	3·90	2·01	~~·95~~ 1·71	~~3·26~~ 1·64	2·84	3·84 ~~3·48~~	YEAR'S TOTAL ~~22·75~~
Rain Days.			11	6	8	8	15	12	~~6~~ 10	9	15	19	

W. 8,000. X. 15.

from Preston Cards Sp Bk

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
13 MAR 1917

Kept at Swanton Morley

in the County of Norfolk

by A W Preston   Rev D. G. Barry

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.08				.27		1
2	.44	.17	.04						.03				2
3	.01	.05			.48	.15	.10		.34		.32	.25	3
4	.30		.10	.27			.23			.25	.43		4
5	.04	.06			.01		.03		.22	.05	.35		5
6	.10		.48			.08	.01			.15	.30		6
7	.03	.45	.42		.32					.10	.10	.05	7
8		.02	.23	.01	.22		.01					.22	8
9	.02	.04			.16	.58						.13	9
10	.03	.27					.30					.12	10
11	.01		.08		.37	.68			.03				11
12	.04		.12	.39	.11	.34							12
13	.01		.01	.92			.10	.16					13
14		.12	.18		.10			.10	.10	.04		.17	14
15				.04		.01		.01	.02	.15			15
16	.01		.09				.36	.13		.13			16
17	.03	.69		.15			.09	.05	.19	.16			17
18	.05		.04	.19			.16	.24	.14	.30	.50		18
19	.01	.11		.26		.03				.15	.40		19
20	.06	.04	.01					.03	.15	.20	.12	.40	20
21			.11									.35	21
22	.04	.10	.20									.50	22
23	.02	.86	.08								.11	.23	23
24	.01	.19	.10		.15	.21							24
25		.25	.07			.19		.11		.35		.15	25
26	.05	.13	.15							.12	.12		26
27		.06	.06			.23		.18			.05		27
28		.10	.10		.11	.05				.45			28
29	.03	.03	.30					1.20				.25	29
30		X	.15			.07		.27		.20		.10	30
31	.04	X		X		X		.10	X	15	X		31
Total	1.38	3.74	3.12	2.23	2.03	2.62	1.47	2.58	1.22	2.95	3.07	2.92	YEAR'S TOTAL 29.33
Rain Days.	22	19	22	8	10	12	11	12	9	16	12	13	166

W. 8,000, VIII. 16

exd J.7.0 from Cards.

1465

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Swanton Morley

in the County of Norfolk

by Per A. W. Preston.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·25	–	–	–	1·25	40	–	–	–	1
2	·12	–	–	12	–	·10	–	·50	–	–		–	2
3	–	–	–	·05	–	–	–	·78	–	–	–	–	3
4	–	–	–	–	–	–		–	–	·50	–	–	4
5	16	–	·05	15	–	–	–	–	–	·30	·20	–	5
6	–	–	–	–	–	·28	–	–	–	–	–	–	6
7	·37	–	–	–	–	·14	–	–	–	·50	–	–	7
8	·33	–	–	·26	–	–	–	–	–	·30	·18	–	8
9	·06	–	–	–	–	–	–	·17	–	–	·22	·15	9
10	–	–	–	16	–	–	–	·21	–	·10	–	–	10
11	–	·10	·40	16	–	–	–	–	–	22	–	·	11
12	30	·30	·25	12	–	–	–	–	–	36	–	–	12
13	25	·10	·08	10	–	–	–	–	·20	–	–	–	13
14	·46	–	–	10	–	–	–	–	–	–	–	–	14
15	·26	–	–	–	–	–	·18	·15	–	–	–	–	15
16	·12	–	–	–	–	–	–	·10	–	–	–	–	16
17	–	–	–	·30	·41	·3	20	·05	·20	·50	–	·25	17
18	·10	–	–	40	–	–	–	–	–	·40	–	–	18
19	–	–	–	·05	–	–	–	–	·20	–	–	·20	19
20	10	·36	–	–	–	–	–	·10	·50	–	·30	–	20
21	–	·10	·33	–	–	–	–	–	·11	–	–	–	21
22	–	–	·12	–	10	–	–	–	–	10	–	–	22
23	–	–	·17	–	–	–	–	·10	–	–	–	–	23
24	–	–		–	–	·7	·	·15	–	–	–	–	24
25	–	–	·05	–	–	–	15	20	–	20	·32	·15	25
26	–	–	·12	–	–	–	–	30	·7	–	·50	–	26
27	–	–	·10	–	–	–	–	25	–	–	·20	·36	27
28	–	·05	·05	–	–	–	–	–	–	·	–	–	28
29	·26	X	·16	–	–	·12	–	–	–	20	–	–	29
30	–	X	–	–	–	·18	·25	·10	–	–	–	–	30
31	–	X	·30	X	–	X	·45	–	X	–	X	–	31
Total	2·76	·95	2·18	2·15	·51	92	1·23	4·41	1·78	3·68	1·92	1·05	YEAR'S TOTAL 23·54
Rain Days.	13	6	13	13	2	7	5	15	6	12	7	5	104

W. 8,000, VIII. 16

6

29

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Swanton Morley Rectory

in the County of Norfolk

by A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·12			·20	1
2												·25	2
3			·12					·40			1·00		3
4		·10	·08	·15				·22	·65		·35		4
5			·10		·15	·05			·20	·20			5
6		·20		·15				·20					6
7	·30									·12			7
8	·20	·10		·10					·40	·12	·20		8
9							·12		·42	·16		·10	9
10		·10				·07	·21					·20	10
11		·08					·11				·16	·21	11
12					·15		·10			·12			12
13	·35			·10	·05				·12	·35		·07	13
14		·20			·10		·10						14
15				1·50			·10		·38				15
16	·50		·08	·25						·25			16
17	·45						1·30					·40	17
18	·45			·27			·10		1·50			·45	18
19	·40			·24			·60			·16		·31	19
20									·12				20
21									·42	·15			21
22	·10	·08					·10		·09	·10			22
23	·10					·05			·10				23
24		·30			·50		·20		·10		·13		24
25								·20		·05			25
26					·05	·60	·20	·10			·12		26
27			·10					·23				·25	27
28			·20	·30		·10			·08				28
29										·06	·12	·50	29
30			·25						1·04				30
31			·05						~~·43~~	·10		·20	31
Total	2·85	1·16	·98	3·06	1·00	·87	3·24	1·35	6·17	1·94	2·08	3·14	YEAR'S TOTAL 27·84
Rain Days.	9	8	8	9	6	5	12	6	16	13	7	12	~~111~~

W, 6,500, VII. 18. W W C

1373

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

16 MAR 20

Kept at Swanton Morley

in the County of Norfolk

by G. D. Barry
per A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	-	-	-	-	-	·20	-	-	·35	-	·60	1
2	·15	-	·10	-	-	-	-	-	-	-	·05	·73	2
3	·30	.	·15	-	-	-	·50	-	-	-	·50	-	3
4	·05	.	·16	-	-	·08	-	·08	.	-	·10	·20	4
5	·45	.	-	·07	.	.	.	-	·12	-	-	·05	5
6	-	.	.	-	·10	-	.	-	.	-	·13	·10	6
7	-	-	·30	-	-	-	·05	·05	.	.	·11	·40	7
8	·10	.	.	.	.	.	-	-	-	.	·10	-	8
9	-	-	-	·06	.	.	-	-	.	·30	·13	-	9
10	-	.	·15	.	-	-	-	.	.	·27	·08	.	10
11	·30	.	.	-	.	-	·60	-	.	-	-	·27	11
12	-	-	·20	-	.	.	·15	-	.	-	-	-	12
13	-	-	-	.	-	.	-	-	.	·15	.	-	13
14	-	.	-	·40	.	.	·15	-	·10	·10	.	-	14
15	·50	-	.	·30	.	.	-	.	-	·06	-	-	15
16	·20	·30	.	·20	-	-	.	.	-	-	-	.	16
17	-	-	.	·20	.	.	.	.	.	.	·60	-	17
18	-	·40	-	-	-	-	.	·20	.	-	-	·13	18
19	.	-	.	-	.	.	·12	·25	·26	-	·12	·02	19
20	.	-	·20	-	.	·50	·45	·35	.	.	-	-	20
21	·30	·30	.	-	-	·35	·45	-	-	-	-	·26	21
22	-	-	·30	.	.	-	·25	·10	·15	-	-	·32	22
23	-	.	-	.	.	-	·15	-	-	-	-	·06	23
24	-	·15	·40	.	-	.	·10	-	.	.	.	-	24
25	·15	-	-	-	.	·35	-	·23	-	.	-	-	25
26	-	·10	-	·20	·50	-	-	·13	.	·32		·50	26
27	-	.	.	·20	-	·35	·08	-	.	·33	·06	-	27
28	.	·45	.	·50	.	-	-	·95	.	·80	-	·32	28
29	-	.	.	-	-	·30	-	·12	.	·20	·25	·15	29
30	.		-	·20	-	·15	.	-	-	·10	·10	·20	30
31	.		.		.		-	-		·10		·25	31
TOTAL	2·90	1·70	1·96	2·33	·60	2·08	3·25	2·46	·63	3·08	2·33	4·56	YEAR'S TOTAL 27·88 ✓
Days with ·01 in. or more	11	6	9	10	2	7	13	10	4	12	13	17	114 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1297

H. 1422

ØØ1422

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swanton Morley, Norwich
in the County of Norfolk
by Rev A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.	·15	.	·20		.	·50	.	.	1
2	.	.	.	.	.	.			.	·10	.	·02	2
3	.	.	.	·30	.	.			.	.	.	·01	3
4	.	.	.	·20	.	.			.	.	.	·03	4
5	.	.	·10	·05	·20	.	·32		·20	.	.	·15	5
6	.	.	·10	·05	.	.	·87		.	.	.		6
7	.	.	·10	·19	.	.	·11		.	.	.		7
8	.	.	.	·40	.	.			.	.	.		8
9	·35	.	.	·37	.	.			.	.	.		9
10	·20	·10	·10	.	.	.			.	.	.		10
11	·40	(·10)	.	·17	.	.			.	.	.		11
12	·10	.	·11	·18	.	.			.	.	.		12
13	.	.	.	·05	.	·30			·05	.	.		13
14	·07	.	·35	·10	.	·11			·11	.	·37		14
15	.	.	·45	·15	.	.			·22	·76	·10		15
16	.	.	.	.	.	.			·50	·10	.	·02	16
17	.	.	.	.	·18	.			·11	.	.	·03	17
18	.	.	.	.	·06	.			·25	.	.	·02	18
19	·25	.	.	.	.	.			.	.	.	·15	19
20	·12	·35	.	.	.	·40	·42		·10	.	.		20
21	.	.	.	.	.	.			·12	.	.	-	21
22	.	.	.	.	.	.			·22	.	.		22
23	.	.	.	.	.	.	·45		.	.	.	·03	23
24	.	·11	·17	.	.	.	·19		.	.	.		24
25	.	.	.	·30	.	·10	·25		.	.	.		25
26	.	.	.	.	·10	.	·10		.	.	.		26
27	·25	·10	.	·32	.	·33			.	.	.	·02	27
28	·50	.	.	·20	·14	.			.	.	·16		28
29	.	×	.	.	·70	.	·22		.	.	·10	·26	29
30	.	×	.	·10	.	.	·15		.	.	·15	·15	30
31	·16	×	.	×	.	×	.		×	.	×	·25	31
TOTAL	2·40	·76	1·48	3·08	1·53	1·24	3·28	2·73	1·88	1·46	·88	~~1·12~~ 1·14?	YEAR'S TOTAL 21·86?
Days with ·01 in. or more	10	4	8	15	7	5	11		10	4	5	13	
Days with ·04 in. or more	10	4	8	15	7	5	11		10	4	5	5	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TERRINGTON
ST CLEMENT
NORFOLK

1914 — 1915

FORM A.
BRITISH RAINFALL.
6 - APR 1915

4

Kept at Terringt

in the County of

by Edwin A.

ng.

9 AM

on Terrington

e 5 in.

above Ground 1 ft. — in.

„ Sea Level about 8 ft ~~ft.~~

IMPORTANT … nd the result entered to the previous day. If … niversal rule, he is earnestly requested to add th … year in the space provided for it at the end … rement of rain, the selection and p … British Rainfall Organization are giv … n application to Dr. H. R. Mill, 62

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·14	—	—	—	·07	1
2								·32	—	—	·16	·03	2
3						—		·15 ~~·61~~	—	—	·07	·09	3
4			·17					·34 ~~·95~~	—	—	·03	—	4
5			·07					·16	—	—	·25	·11	5
6			·41					·14	—	—	—	—	6
7								·03	—	—	·33½	·02	7
8								—	—	—	—	·03	8
9			·21					·13	·57	—	—	—	9
10	1·04		·13					—	·06	—	—	·20	10
11								·02	—	—	—	—	11
12			·36					—	·13	—	·28½	·14	12
13			·18					—	·30	—	—	·27	13
14			·21					—	—	·08	·04	·25	14
15								—	—	·42	—	·90	15
16			·15					—	—	—	·21	·04	16
17			·06					—	—	—	·08	—	17
18								—	·07	·04	·02½	—	18
19			·16					—	—	—	—	·48	19
20			·34					—	—	—	·19	—	20
21			·20					·15	·08	—	—	—	21
22								—	—	—	—	·05	22
23								·05	—	·23	—	—	23
24			·07					—	—	—	—	·07	24
25								—	—	·05	·16½	—	25
26								—	—	·58	—	·27	26
27								·10	—	·05	·11½	·13	27
28								—	—	—	·02	·15	28
29								—	—	·06	·18	1·28	29
30		✕	·06					—	—	·16	·09½	—	30
31		✕		✕		✕		—	✕	·03	✕	·36	31
Total	1·55	1·06	2·78	1·05	·98	2·38	·14 ~~1·77~~ 1·91	– ~~1·73~~ 1·59	– 1·21	– 1·70	·07 ~~2·25~~ 2·32	(–) 4·94 4·87	YEAR'S TOTAL 23·32
Rain Days.			15					12	6	10	16	20	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - APR 1915

Kept at Terrington St Clement

in the County of Norfolk

by Edwin A. Walker

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Terrington

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 8 ft ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·14	—	—	—	·07	1
2								·32	—	—	·16	·03	2
3								·15 ~~·61~~	—	—	·07	·09	3
4			·17					·34 ~~95~~	—	—	·03	—	4
5			·07					·16	—	—	·25	·11	5
6			·41					·14	—	—	—	—	6
7								·03	—	—	·33½	·02	7
8								—	—	—	—	·03	8
9			·21					·13	·57	—	—	—	9
10	1·04		·13					—	·06	—	—	·20	10
11								·02	—	—	—	—	11
12			·36					—	·13	—	·28½	·14	12
13			·18					—	·30	—	—	·27	13
14			·21					—	—	·08	·04	·25	14
15								—	—	·42	—	·90	15
16			·15					—	—	—	·21	·04	16
17			·06					—	—	—	·08	—	17
18								—	·07	·04	·02½	—	18
19			·16					—	—	—	—	·48	19
20			·34					—	—	—	·19	—	20
21			·20					·15	·08	—	—	—	21
22			—					—	—	—	—	·05	22
23								·05	—	·23	—	—	23
24			·07					—	—	—	—	·07	24
25								—	—	·05	·16½	—	25
26								—	—	·58	—	·27	26
27								·10	—	·05	·11½	·13	27
28								—	—	—	·02	·15	28
29								—	—	·06	·18	1·28	29
30		X	·06					—	—	·16	·09½	—	30
31		X		X		X		—	X	·03	X	·36	31
Total	1·55	1·06	2·78	1·05	·98	2·30	·14 ~~1·77~~ 1·91	– ~~1·73~~ 1·59	– 1·21	– 1·70	·07 ~~2·25~~ 2·32	(–) 4·94 4·87	YEAR'S TOTAL 23·32
Rain Days.			15					12	6	10	16	20	

W. 8,000. X. 14.

Ed L N

1618

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Terrington Saint Clement

in the County of Norfolk 4

by Edwin Alfred Walker

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Terrington (M.&G.N.J.)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 8·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·20	·06		·26	·01			·13			·14	1
2	·04	·11	·33	·05				·53				·08	2
3	·10			·07			·13		·06				3
4	·11						·40	·33			·06	·41	4
5	·04				·66		·07 ~~·40~~				·07	·23	5
6	–	·10	·12	·14			·81	·02		·07	·21		6
7	·20	·30		·01			·17	·19				·24	7
8	–	·07	·05			·04		·02					8
9	·35	·05	·04					·02			·20	·40	9
10	–		·13					·61				·10	10
11	–				·16								11
12	–			·21	·12		·11	·11			1·75		12
13	·19	·48			·75			·02					13
14	–				·06			·17		·02		·06	14
15	·22							·01			·48	·27	15
16	–	·48			·03		·68	·48				·04	16
17	–						·09						17
18	·12	·06								~~·09~~			18
19	–		·08				·07						19
20	·25											·38	20
21	–				·06		·06					·06	21
22	·40	·03	·22	·02			·57		·03			·18	22
23	–								·18	·04		·10	23
24	–	·20	·12				·12		·08	·08		·31	24
25	·03					·54	·04			·12		·16	25
26	–											·34	26
27	–	·18				·03	·18		·05	·46		·01	27
28	–					·37	~~·09~~	·16	·27	·28			28
29	–					·27	~~·08~~	·09			·33	·23	29
30	–	×						·08		·02		·12	30
31	·12	×		×		×			×		×		31
Total	2·47	2·26	1·15	·50	2·10	1·26	3.50	2·84	·80	1609	3·10	3.86	YEAR'S TOTAL 126
Rain Days.	14	12	9	6	8	6	14	15	7	8	7	20	24·93

W. 8,000. X. 15.

REGIS

FORM A.
BRITISH RAINFALL.
29 JAN 1916

THETFORD

NORFOLK

1915

Kept at Bury Road ... m.
in the County of Norfol ... etford
by M. A. Gatherco
ge 5 in.
round ft. in.
a Level ft.

IMPORTANT NOTE ... result entered to the previous day. If an Obse ... al rule, he is earnestly requested to add the readi ... n the space provided for it at the end of this ... of rain, the selection and placing ... Rainfall Organization are given in ... lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·35									·03	·08	1
2	·05	·04	·23								·02	·02	2
3	·22		·13	·07	·05		·07				·01	·12	3
4	·01			·13						·04	·07	41) ·41	4
5	·05	·08	·01		·44					·06	·02	·25	5
6	·13	·07	·20				·48					·02	6
7	·05	·30	·05	·14			·20					·12	7
8	·03	·10	·01			·17							8
9	·07	·03		·01							·20	·47	9
10	·40		·02				·01				·04	·05	10
11			·01		·01		·02				·43	·02	11
12	·16				·16		·04			·01	·82	·01	12
13	·07	·31		·32									13
14	·01	·17					·41				·01	·30	14
15	·20	·08			1·03						·06	·07	15
16	·01	·20			·05		·60				·02	·02	16
17	·05	·10					·21				·06	·03	17
18	·01	·14	·14								·20		18
19	·01	·02	·05		·07		·11			·06			19
20	·28		·01									·37	20
21	·29											·06	21
22	·18	·12	·30				·53					·22	22
23	·02	·10					·09		·02		·07	·15	23
24		·04	·07				·08					·10	24
25	·01		·02			·62	·03			·04	·01	·09	25
26		·08	·01							·01	·02	·20	26
27		·01				·08	·50			·40		·01	27
28		·05	·04			·35	·02		·45	·33	·01		28
29									·03	·02	·08	·13	29
30	·05	×							·03		·01	·01	30
31	·07	×		×		×			×	·08	×	·08	31
Total	2·63	2·39	1·30	·67	1·81	1·22	~~3·40~~	~~2·03~~	~~·53~~	1·05	2·19	3·41	YEAR'S TOTAL ~~22·75~~
Rain Days.	25	20	16	5	7	4	~~16~~	5·96?	~~4~~	10	20	26	22·63?

From July ~~to~~ 29 to Sep 20 I have no daily record being away from home
I found 2·03 in the gauge but I cannot depend upon its being right

W. 8,000. X. 15.

REGISTER OF RAINFALL IN

FORM A.
BRITISH RAINFALL.
29 JAN 1916

Kept at Bury Road, Thetford
in the County of Norfolk
by M. A. Gathercole

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·35									·03	·08	1
2	·05	·04	·23								·02	·02	2
3	·22		·13	·07	·05		·07				·01	·12	3
4	·01			·13						·04	·07	·41	4
5	·05	·08	·01		·44					·06	·02	·25	5
6	·13	·07	·20				·48					·02	6
7	·05	·30	·05	·14			·20					·12	7
8	·03	·10	·01			·17							8
9	·07	·03		·01							·20	·47	9
10	·40		·02				·01				·04	·05	10
11			·01		·01		·02				·43	·02	11
12	·76				·16		·04			·01	·82	·01	12
13	·07	·31		·32									13
14	·01	·17					·41				·01	·30	14
15	·20	·08			1·03						·06	·07	15
16	·01	·20			·05		·60				·02	·02	16
17	·05	·10					·21				·06	·03	17
18	·01	·14	·14								·20		18
19	·01	·02	·05		·07		·11			·06			19
20	·28		·01									·37	20
21	·29											·06	21
22	·18	·12	·30				·53					·22	22
23	·02	·10					·09		·02		·07	·15	23
24		·04	·07				·08					·10	24
25	·01		·02			·62	·03			·04	·01	·09	25
26		·08	·01							·01	·02	·20	26
27		·01				·08	·50			·40		·01	27
28		·05	·04			·35	·02		·45	·33	·01		28
29									·03	·02	·08	·13	29
30	·05	X							·03		·01	·01	30
31	·07	X		X		X			X	·08	X	·08	31
Total	2·63	2·39	1·30	·67	1·81	1·22	~~3·42~~	~~2·03~~	~~·53~~	1·05	2·19	3·41	YEAR'S TOTAL ~~22·75~~
Rain Days.	25	20	16	5	7	4	~~16~~	5·96?	~~4~~	10	20	26	22·63?

From July ~~to~~ 29 to Sep 20 I have no daily record being away from home
I found 2·03 in the gauge but I cannot depend upon its being right

W. 8,000. X. 15.

THETFORD

FORD PLACE GDNS

NORFOLK

1911 — 1912

RE

FORM A2.
BRITISH RAINFALL.

25 APR 1912

Kept at Ford Place

in the County of Norf

by P. Horn

retti + Zambra

in.

round 1 ft. in.

ea Level 50 ft.

m

ame Great Eastern

istance 1 mile Direction N.N.W

IMPORTANT NOTE he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10		·05							·10			1
2	·35		·04		·12		·03	·10			·10	·10	2
3	·02	·01		·04	·10					·09	·04	·02	3
4	·05	·02	·12	·14					·01	·03	·15	·15	4
5	·04	·01		·07				·04		·07	·02	·24	5
6	·20		·02	·03						·02		·13	6
7	·02	·02	·01								·16	·24	7
8	·14		·22						·04		·06	·07	8
9	·16		·31	·04									9
10	·02	·07	·09								·09	·24	10
11	·29	·37									·34		11
12	·05		·42			·04			·01		·09	·01	12
13			·43		·04	·03			·17	·53	·05	·11	13
14		·03	·18		·29					·01		·19	14
15	·01	·17	·18						·01	·03	·12	·01	15
16						·41					·22	·07	16
17			·01								·06	·06	17
18		·09				·17					1·50	·05	18
19	·01	·01			·01	·40	·02		·02	·01	·34	·03	19
20						·01		·04	·24	·01	·05	·38	20
21	·01	·10	~~·01~~	·01				·44	·02	·14	·06	·17	21
22		·05	·11			·04		·13		·13	·03	·32	22
23	·02	·05	·10		·01	1·06			·40			·13	23
24		·04	·03			·05	·08			·46		·20	24
25		·05	·05	·15	·01	·16	·03				·03	·02	25
26				·13			·09			·16	·03	·33	26
27		·29	·10	·10					·20			·03	27
28		·17		·30				·08			·03	·09	28
29				·15		·32			·46	·42		·01	29
30			·01		·09	·06	·26		·38	·11			30
31										·01		·03	31
Total	1·49	1·55	2·48	1·16	·67	2·75	·51	·83	1·96	2·33	3·57	3·43	TOTAL for year 22·73
No. of Rain Days.	16	17	19	11	8	12	6	6	12	17	21	27	172

W. 8,000, X. '11.

Form A2.
British Rainfall.

25 APR 1912

REGISTER OF RAINFALL IN 1911

Kept at *Ford Place Gardens Thetford*

in the County of *Norfolk* 4

by *P. Horn*

Rain Gauge
Pattern *Negretti + Zambra*
Diameter of top *5* in.
Height of top above Ground *1* ft. in.
„ „ „ Sea Level *50* ft.

Time of Observation *9 am*

Nearest Railway Station
Name *Great Eastern*
Distance *1 mile* Direction *N N W*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10		·05							·10			1
2	·35		·04		·12		·03	·10			·10	·10	2
3	·02	·01		·04	·10					·09	·04	·02	3
4	·05	·02	·12	·14					·01	·03	·15	·15	4
5	·04	·01		·07				·04		·07	·02	·24	5
6	·20		·02	·03						·02		·13	6
7	·02	·02	·01								·16	·24	7
8	·14		·22						·04		·06	·07	8
9	·16		·31	·04									9
10	·02	·07	·09								·09	·24	10
11	·29	·37									·34		11
12	·05		·42			·04			·01		·09	·01	12
13			·43		·04	·03			·17	·53	·05	·11	13
14		·03	·18		·29					·01		·19	14
15	·01	·17	·18						·01	·03	·12	·01	15
16						·41					·22	·07	16
17			·01								·06	·06	17
18		·09				·17					1·50	·05	18
19	·01	·01			·01	·40	·02		·02	·01	·34	·03	19
20						·01		·04	·24	·01	·05	·38	20
21	·01	·10	~~·01~~	·01				·44	·02	·14	·06	·17	21
22		·05	·11			·04		·13		·13	·03	·32	22
23	·02	·05	·10		·01	1·06			·40			·13	23
24		·04	·03			·05	·08			·46		·20	24
25		·05	·05	·15	·01	·16	·03				·03	·02	25
26				·13			·09			·16	·03	·33	26
27		·29	·10	·10					·20			·03	27
28		·17		·30				·08			·03	·09	28
29				·15		·32			·46	·42		·01	29
30			·01		·09	·06	·26		·38	·11			30
31										·01		·03	31
Total	1·49	1·55	2·48	1·16	·67	2·75	·51	·83	1·96	2·33	3·57	3·43	TOTAL for year 22·73
No. of Rain Days.	16	17	19	11	8	12	6	6	12	17	21	27	172

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

28 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Ford Place Gardens Thetford
in the County of Norfolk 4
by P. Horn

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G E R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·03	—	·05	·41	·14	·17	—	—	·25	1
2	—	·06	·05	·02	·02	—	·22	—	—	—	—	—	2
3	·18	·07	—	—	·09	·31	—	·05	·03	·02	—	·11	3
4	·10	—	·41	·02	·03	·09	—	·21	—	—	·26	—	4
5	·02	·10	·20	—	·03	—	—	·04	—	—	·02	—	5
6	·80	·07	—	—	·04	·27	·43	·13	·11	—	—	·03	6
7	·03	—	—	—	·02	·12	·03	·08	·05	—	—	·01	7
8	·19	·12	·05	·02	—	·10	·13	·15	·24	—	—	·03	8
9	—	·02	—	·23	·04	·01	—	—	—	—	—	·28	9
10	·01	—	—	·06	—	—	—	·14	·29	—	·29	·01	10
11	·13	·04	—	—	—	—	—	·01	·10	·01	·05	·14	11
12	·08	·05	·17	·02	·07	·02	—	—	—	—	·50	—	12
13	·02	·07	·03	—	—	·07	—	·01	—	—	·37	·02	13
14	—	—	—	—	·04	·08	—	—	·01	·02	·04	·13	14
15	—	·03	·18	—	·23	·22	—	·05	—	—	·02	·06	15
16	·05	—	·05	—	·14	·04	—	·07	—	·09	·02	—	16
17	·20	—	·16	—	—	·27	—	·09	—	—	—	·03	17
18	·05	—	·12	—	—	—	·03	·05	—	·05	·03	·14	18
19	·02	·12	·22	—	—	·06	·38	·13	—	·05	·03	—	19
20	·07	—	·05	—	·11	—	·01	·11	—	·26	—	—	20
21	—	—	·20	—	·01	—	·13	1·06	—	·13	·06	—	21
22	·24	·11	—	—	·30	—	1·38	·13	—	—	—	·07	22
23	·41	·49	·21	—	·01	—	—	·71	·08	—	·20	·02	23
24	·38	·02	—	—	—	·11	·03	·18	—	·01	—	·05	24
25	—	—	—	—	—	·14	—	1·10	—	—	·23	·29	25
26	—	—	—	—	—	·15	·04	3·37	—	·35	·12	·22	26
27	—	—	·03	—	—	—	—	·06	—	·05	—	·26	27
28	—	·01	—	·01	—	—	—	·05	·01	·30	·11	·31	28
29	—	—	—	·05	·07	·06	·03	·20	·65	·05	·36	—	29
30	·05		—	—	·10	—	·47	·01	·54	·24	—	—	30
31	—		·11		·03		·01	·20		·09		·07	31
Total	3·03	1·38	2·24	·46	1·38	2·17	3·73	8·53	2·28	1·72	2·71	2·53	YEAR'S TOTAL 32·16
Rain Days.	19	15	16	9	18	18	15	27	12	15	17	21	202

W. 7,500, XI. 12

1454

THETFORD BAILEY END

NORFOLK.

1912 — 20

made

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

912

Snowdon

Kept at The Gar

in the County of

by Arthur

p 5 in.

bove Ground 1 ft. - in.

„ Sea Level 44 ft.

9 a.m

n Name Thetford
Distance 1m, Direction N-W

IMPORTANT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	-	0.04	0.44	—	0.17	—	—	s 0.26	1
2	—	s 0.07	0.04	0.02	0.02	—	0.24	—	—	—	—	—	2
3	0-18	s 0.07	—	—	0.09	0.31	—	0.04	0.02	—	—	0.11	3
4	0-0.9	—	0.44	—	0.02	0.08	—	0.19	—	0.02	0.27	—	4
5	—	s 0 10	0.20	0.02	0.02	—	—	0.08	—	—	0.02	—	5
6	0-80	0.07	—	—	—	0.29	0.47	—	0.12	—	—	0.03	6
7	0-0.2	—	—	—	0.04	0.11	0.02	0.21	0.04	—	—	0.01	7
8	0-020	0.13	0.04	0 01	—	0.09	0.11	0.13	0 24	—	—	0.03	8
9	—	0.01	—	0.22	0.03	—	—	—	—	—	—	0.29	9
10	—	—	—	0 05	—	—	—	0.15	0.31	—	0.28	0.01	10
11	0-13	0 03	—	—	-	—	—	0.01	0 10	—	—	0.14	11
12	0-0.9	0 05	0.17	—	0.07	0.02	—	—	—	—	0.52	—	12
13	—	0 06	0.02	—	—	0.07	—	—	—	—	0.37	0.01	13
14	—	—	—	—	0.03	0.08	—	—	—	0.01	0.03	0.12	14
15	—	0 02	0.17	—	0.24	0.22	—	0.05	—	—	0.02	0.06	15
16	0-0.6	—	0.05	—	0.14	0.03	—	0.07	—	0.09	0.02	—	16
S. 17	0-29	—	0.16	—	—	0.27	—	0.09	—	—	0.01	—	17
18	0-02	—	0.11	—	—	—	—	0.05	—	0.05	0.02	0.15	18
19	0-02	0.11	0.21	—	—	0.06	0.41	0.16	—	0.04	0.03	—	19
20	0-06	—	0.04	—	0.11	—	—	0.12	—	0.27	—	—	20
21	—	—	0.21	—	0.07	—	—	1.09	—	0.13	0.06	—	21
22	0-24	0.11	—	—	0.26	—	1.58	0.14	—	—	—	0.08	22
23	0-45	0.49	0.20	—	—	—	—	0.78	0.08	—	0.21	0.02	23
24	0-35	0.02	—	—	—	0.10	—	0 15	—	—	0.22	0.05	24
25	—	—	—	—	—	0.14	—	1.20	—	—	0.22	0.30	25
26	0-01	—	0.01	—	—	0.15	0.06	3.70	—	0.35	0.12	0.23	26
27	—	—	0.02	—	—	—	—	0 06	—	0.06	—	0.27	27
28	—	0.02	—	—	—	—	0.02	0 05	0.01	0.31	—	0.32	28
29	—	—	—	0.05	0.07	0.07	0.54	0 21	0 81	0.19	0.32	—	29
S 30	0.05		—	—	0.09	—	0.01	0.01	0.42	0.14	—	—	30
31	—		0.11		0.03		0.13	0.20		0.08		0.08	31
Total	3.06	1.36	2.20	0.37	1.33	2.13	4.03	8.94	2.32	1.74	2.74	2.57	TOTAL for year
No. of Rain Days	17	15	17	6	16	17	12	24	11	13	17	20	32.79

9,000, IX. '10.

185

made

912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at The Gardens Ford St Thetford

in the County of Norfolk 4

by Arthur Pipe

Rain Gauge	Pattern	Snowdon
	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	„ „ „ Sea Level	44 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Thetford
Distance 1 m, Direction N. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	0.04	0.44	—	0.17	—	—	0.26	1
2	—	S 0.07	0.04	0.02	0.02	—	0.24	—	—	—	—	—	2
3	0-18	S 0.07	—	—	0.09	0.31	—	0.04	0.02	—	—	0.11	3
4	0-0.9	—	0.44	—	0.02	0.08	—	0.19	—	0.02	0.27	—	4
5	—	S 0.10	0.20	0.02	0.02	—	—	0.08	—	—	0.02	—	5
6	0-80	0.07	—	—	—	0.29	0.47	—	0.12	—	—	0.03	6
7	0-0.2	—	—	—	0.04	0.11	0.02	0.21	0.04	—	—	0.01	7
8	0-020	0.13	0.04	0.01	—	0.09	0.11	0.13	0.24	—	—	0.03	8
9	—	0.01	—	0.22	0.03	—	—	—	—	—	—	0.29	9
10	—	—	—	0.05	—	—	—	0.15	0.31	—	0.28	0.01	10
11	0-13	0.03	—	—	—	—	—	0.01	0.10	—	—	0.14	11
12	0-0.9	0.05	0.17	—	0.07	0.02	—	—	—	—	0.52	—	12
13	—	0.06	0.02	—	—	0.07	—	—	—	—	0.37	0.01	13
14	—	—	—	—	0.03	0.08	—	—	—	0.01	0.03	0.12	14
15	—	0.02	0.17	—	0.24	0.22	—	0.05	—	—	0.02	0.06	15
16	0-0.6	—	0.05	—	0-14	0.03	—	0.07	—	0.09	0.02	—	16
S 17	0-29	—	0.16	—	—	0.27	—	0.09	—	—	0.07	—	17
18	0-02	—	0.11	—	—	—	—	0.05	—	0.05	0.02	0.15	18
19	0-0.2	0.11	0.21	—	—	0.06	0.41	0.16	—	0.04	0.03	—	19
20	0-06	—	0.04	—	0.11	—	—	0.12	—	0.27	—	—	20
21	—	—	0.21	—	0.07	—	—	1.09	—	0.13	0.06	—	21
22	0-24	0.11	—	—	0.26	—	1.58	0.14	—	—	—	0.08	22
23	0-45	0.49	0.20	—	—	—	—	0.78	0.08	—	0.21	0.02	23
24	0-35	0.02	—	—	—	0.10	—	0.15	—	—	0.22	0.05	24
25	—	—	—	—	—	0.14	—	1.20	—	—	0.22	0.30	25
26	0-01	—	0.01	—	—	0.15	0.06	3.70	—	0.35	[illegible]	0.23	26
27	—	—	0.02	—	—	—	—	0.06	—	0.06	—	0.27	27
28	—	0.02	—	—	—	—	0.02	0.05	0.01	0.31	—	0.32	28
29	—	—	—	0.05	0.07	0.07	0.54	0.21	0.81	0.19	[illegible]	—	29
S 30	0-05		—	—	0.09	—	0.01	0.01	0.42	0.14	—	—	30
31	—		0.11		0.03		0.13	0.20		0.08		0.08	31
Total	3.06	1.36	2.20	0.37	1.33	2.13	4.03	8.94	2.32	1.74	2.74	2.57	TOTAL for year
No. of Rain Days	17	15	17	6	16	17	12	24	11	13	17	20	32.79

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Gardens Ford St

in the County of Thetford Norfolk

by Arthur Pipe

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station Thetford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.13	0.12	0.12	0.15	—	—	—	—	0.26	—	0.04	—	1
2	0.07	0.19	0.02	—	0.05	—	0.11	—	0.11	—	—	—	2
3	0.01	—	0.25	—	0.74	—	—	—	—	—	—	0.02	3
4	0.05	—	—	—	0.07	—	0.02	—	—	0.15	0.04	0.11	4
5	0.05	0.01	—	—	—	—	—	0.02	0.02	0.47	0.03	—	5
6	—	0.01	0.02	—	0.21	0.13	—	—	—	0.03	—	—	6
7	—	0.03	—	—	0.07	—	—	—	—	0.29	—	—	7
8	—	—	J.&H 0.04	—	0.26	0.25	—	—	—	0.24	0.17	0.01	8
9	—	0.20	0.04	0.04	0.12	0.22	—	0.02	—	—	0.03	—	9
10	—	—	—	0.05	—	—	0.04	0.11	—	—	0.25	—	10
11	0.74	—	—	0.56	—	—	—	0.41	—	—	0.63	—	11
12	—	—	—	—	—	—	—	—	—	—	0.06	—	12
13	0.05	—	0.01	—	—	—	—	0.08	—	—	0.66	—	13
14	—	0.03	0.06	0.33	—	—	0.10	—	—	0.26	0.04	—	14
15	0.15	—	0.24	0.07	—	—	0.21	—	0.01	—	—	—	15
16	0.11	—	0.31	0.15	—	—	—	—	0.26	—	0.09	0.06	16
17	0.14	—	0.14	—		0.66	0.09	—	—	—	—	—	17
18	—	—	0.02	0.03	0.02	—	0.04	—	—	—	—	—	18
19	0.04	—	0.07	—	—	—	0.02	—	—	—	—	0.11	19
20	0.11	—	0.03	—	—	0.02	—	—	0.23	0.25	0.29	—	20
21	0.03	—	0.07	—	—	—	0.20	—	—	0.27	—	—	21
22	0.20	—	0.04	—	—	—	0.12	—	0.06	—	—	—	22
23	—	—	0.02	—	—	0.03	0.02	0.25	0.02	—	0.02	—	23
24	0.05	—	—	—	—	0.16	—	0.05	—	—	—	—	24
25	0.01	—	0.05	0.09	—	0.01	0.01	—	—	—	—	0.02	25
26	—	0.06	—	—	0.44	—	—	—	—	0.50	—	0.12	26
27	—	0.07	0.01	—	—	—	—	—	—	—	0.03	—	27
28	0.17	—	0.07	0.04	0.20	—	—	0.02	—	0.18	—	—	28
29	0.29		0.13	[illegible]	—	—	—	—	—	—	—	0 06	29
30	0.17		—	0.13	—	—	—	—	—	0.03	0.10	0.07	30
31	—		—		—		—	0.36		0.05		—	31
Total	2.57	0.72	1.76	1.71	2.18	1.48	0.98	1.32	0.97	2.72	2.48	0.58	YEAR'S TOTAL 19.47
Rain Days.	19	9	21	12	10	8	12	9	8	12	15	9	144

e W. 7,500, XI. 12

19·47

ExLMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
- JAN 1915

Kept at The Gardens Ford st

in the County of (Thetford) Norfolk 4

by Arthur Pipe. Gardener

Lat. .... Long. ....

Time of Observation 9. a m

Nearest Railway Station Thetford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	0.13	—	—	0.08	—	1
2	0.01	—	—	0.03	—	—	—	—	—	—	0.10	—	2
3	—	—	0.12	—	0.12	—	0.53	—	—	—	—	—	3
4	0.20	—	0.02	0.23	—	—	—	0.29	—	—	0 25	0.16	4
5	—	—	0.18	0.06	0 02	002	0.10	0.12	—	—	—	—	5
6	—	0.04	—	0.01	0.08	—	0.02	—	—	—	—	0.07	6
7	—	0 01	0.37	—	0.10	<0	—	—	—	—	—	0.28	7
8	0.39	0.06	0.31	—	0.22	0.77	—	0.17	—	—	—	—	8
9	0.42	—	0.44	0.05	0.05	0.55	—	—	—	—	—	0.88	9
10	0.47	0.06	H.S 0 05	0.07	0.02	—	—	—	—	—	—	0.13	10
11	—	0.28	0.38	0.02	—	0.19	—	—	—	—	0.31	0.19	11
12	0.02	—	—	—	0.04	—	—	—	0.35	—	—	0.29	12
13	—	0.17	0.23	—	—	—	—	—	0.03	0.15	0.13	0.31	13
14	—	0 01	0.19	—	—	—	—	—	—	0.88	0.15	0.32	14
15	0.10	0 01	0.31	—	—	—	0.90	—	0.01	—	0.08	0.39	15
16	0.01	—	0 07	—	—	—	0.24	—	—	—	—	—	16
17	—	0.34	—	—	—	—	—	—	0.10	—	0 06	0.17	17
18	—	0.17	0.01	—	—	—	—	—	—	—	—	0.57	18
19	—	0.08	0.09	—	—	Tempest 0.41	0.03	—	0.07	—	0.20	—	19
20	—	—	S.H 0.39	—	—	0.04	—	—	0.31	0.02	—	—	20
21	—	0.17	0.33	—	—	0.21	—	—	—	0.03	0.04	0.07	21
22	—	—	0.03	0.21	0.33	0 07	0.06	0.10	—	0.43	—	—	22
23	—	—	0.06	0 04	—	—	—	—	—	0.05	—	0.07	23
24	—	—	0.01	0.07	—	—	0.01	—	—	0.10	0.10	—	24
25	—	—	—	—	0.03	—	0.05	—	—	0.58	—	—	25
26	—	—	—	—	—	—	—	—	—	0.02	0.11	0.40	26
27	0.04	—	Hc 0 03	—	—	—	0.06	0.09	—	—	0.01	0.12	27
28	—	0.04	—	—	—	—	—	—	—	0.13	0.37	1-06	28
29	0.02		—	—	—	—	—	—	—	0.34	0.03	—	29
30	—		0.10	—	—	—	—	—	—	0.02	0.11	0.40	30
31	—		—		0.11		0.11	—		0.01		0.07	31
Total	1.68 ✓	1.44 ✓	3.72 ✓	79 ✓	1.12 ✓	2.26 ✓	2.11 ✓	0.90 ✓	87 ✓	2.76 ✓	2.13 ✓	5-65 ✓	YEAR'S TOTAL 25.43 ✓
Rain Days.	10	13	21	10	11	8	11	6	6	13	16	19	144 ✓

W. 7,500, XI. 12

cnd fr auth 2.III.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4 JAN 1916

1596

Kept at The Gardens. (Mrs. Bidwell's)
in the County of Thetford. Norfolk
by Arthur Pipe.

4

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Thetford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.21	0.33	—	—	0.05	—	—	0.01	—	—	0.02	0.09	1
2	0.04	0.04	0.26	0.06	—	—	—	0.30	0.12	—	—	—	2
3	0.22	—	0.15	0.15	—	—	0.07	0.50	0.24	—	—	0.14	3
4	—	—	—	—	—	—	—	0.16	0.12	0.08	0.08	0.41	4
5	0.05	0.03	—	—	0.45	—	—	0.03	—	0.08	0.02	0.25	5
6	0.13	0.11	0.20	0.18	—	—	0.40	—	—	—	—	0.02	6
7	0.06	0.28	0.04	—	—	—	0.21	0.08	—	—	—	0.10	7
8	0.03	0.02	0.02	0.02	—	—	0.05	0.02	—	—	—	—	8
9	0.06	0.09	—	—	—	—	—	—	—	—	0.21	0.47	9
10	0.39	—	0.03	—	—	—	0.02	0.09	—	—	0.04	0.04	10
11	0.01	—	—	—	0.04	—	—	—	—	—	0.41	—	11
12	0.13	—	—	0.32	0.11	—	0.07	0.03	—	—	0.88	—	12
13	0.09	0.29	—	0.03	1.03	—	—	—	—	—	0.01	—	13
14	—	0.18	—	—	—	—	0.41	—	—	—	—	0.33	14
15	0.20	0.08	—	—	0.07	—	0.01	—	—	—	—	—	15
16	—	0.17	—	—	—	—	0.62	0.14	—	—	—	0.09	16
17	0.05	0.10	—	—	—	—	0.22	0.07	—	—	0.15	0.03	17
18	0.01	0.15	0.14	—	0.09	—	—	—	—	—	0.10	—	18
19	—	0.02	0.03	—	—	—	0.11	—	—	0.10	—	—	19
20	0.28	—	—	—	—	—	—	—	—	—	—	0.37	20
21	0.28	—	—	—	—	—	0.02	—	—	—	—	0.05	21
22	0.18	0.12	0.31	—	—	—	0.52	—	—	—	—	0.21	22
23	0.01	0.09	—	0.01	—	—	0.12	—	—	—	0.07	0.15	23
24	—	0.03	0.04	—	—	—	0.09	—	0.03	0.01	—	0.10	24
25	—	—	0.03	—	—	0.19	0.03	—	—	—	—	0.7	25
26	—	0.07	—	—	—	0.03	—	—	—	—	—	0.20	26
27	—	—	—	—	—	0.09	0.53	—	—	0.42	—	—	27
28	—	—	0.04	—	—	0.39	0.02	0.03	0.44	0.33	—	—	28
29	—		—	—	—	0.37	—	0.10	—	0.01	0.09	0.15	29
30	0.05	X	—	—	—	0.01	0.28	0.15	—	—	—	0.01	30
31	0.06	X	—	X	—	X	—	0.06	X	0.08	X	0.09	31
Total	2.54	2.20 2.20	1.29	77	1.84	1.08	3.80	1.77	0.95	1.11	2.08	3.37	YEAR'S TOTAL 22.80 22.80
Rain Days.	21	18	12	7	7	6	19	15	5	8	12	21	151

W. 8,000. X. 14.

5 made

(1571

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *Mrs. Bidwells Gardens Ford & St*

in the County of *Thetford, Norfolk*

by *Arthur. Piper, Gardiner*

Lat. .... Long. ....

Time of Observation *9. a.m.*

Nearest Railway Station *Thetford*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. .... in.

" " " " Sea Level *44* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	0-03	—	—	—	—	0-09	—	1
2	0·61	0·01	0·06	—	0·15	0·03	0-17	—	—	—	—	—	2
3	—	0·06	0·03	—	—	—	0·14	—	0·50	0,43	0·30	—	3
4	0·25	0·31	0·02	—	—	0-36	0·32	—	0·36	0·02	0-25	—	4
5	0·04	0·05	0·04	0·02	—	0·06	0-09	—	0·09	0·03	0-25	0·13	5
6	—	0·11	0·29	0·18	—	—	—	—	—	0·03	0·25	—	6
7	0·08	—	0·22	—	0·28	0·10	0,26	—	—	—	0,24	0-03	7
8	—	—	—	—	0·19	—	—	—	—	—	0·02	0-16	8
9	0·01	—	0·05	—	0·22	0-11	—	—	—	—	—	0-11	9
10	—	Trace	0·13	0,09	—	0-25	0-22	—	—	—	—	0-11	10
11	—	0·43	0·06	0·24	0·05	0·31	—	—	0·04	—	—	—	11
12	0·06	0-02	—	0·01	0·50	0·30	0·05	0·16	—	—	—	—	12
13	—	0·25	0·04	0-07	0·05	0,03	—	—	—	0-10	—	—	13
14	—	0·68	—	—	0-03	0,01	—	0·45	—	0·04	—	0-34	14
15	—	0·40	0·22	—	—	—	—	0·28	0-08	—	—	—	15
16	—	0·01	—	0·20	—	—	0·10	0·12	—	—	—	—	16
17	0·01	—	0·09	0·31	—	—	0·22	0·45	0·30	0·34	—	—	17
18	—	0·19	—	0·18	—	—	—	0·71	0·13	0-11	0-55	—	18
19	0·03	—	—	0·25	—	—	—	0·06	0·33	—	0·38	—	19
20	0·12	—	0·19	0·02	—	—	—	0·06	—	—	0-17	0·17	20
21	0,02	—	0,39	Trace	—	—	0·03	—	—	—	—	0-42	21
22	—	0·15	—	—	0·10	—	—	—	—	—	—	0·46	22
23	—	0·90	—	—	—	0,12	—	0·01	—	—	0-11	0·23	23
24	—	—	—	—	—	—	—	—	—	0-30	—	0,25	24
25	—	0,29	0·19	—	—	—	—	0·18	—	—	0-09	0·04	25
26	—	0·12	—	—	—	0-03	—	0·06	—	—	0-04	—	26
27	0·03	0·23	0·71	1·51	—	0·41	—	0·02	—	0·42	—	—	27
28	—	0·23	0·49	—	—	—	—	—	—	—	—	0-25	28
29	—	0·09	—	—	—	0·09	—	0·44	—	0-20	—	0-01	29
30	—	X	—	—	0·25	—	—	0·30	—	0,21	—	0·04	30
31	0-07	X	—	X	—	X	—	0-04	X	0-02	X	—	31
Total	1·33	4.54	3·22	~~2~~3·08 3·08	1·83	2·30	1-60	3·34	1-83	2.25	2·64	2·75	YEAR'S TOTAL ~~30·71~~ 30·71
Rain Days.	12	19	14	12	10	15	10	15	8	13	13	15	159

W. 8,000. X. 15.

S. made

1499

FORM A.
BRITISH RAINFALL.
4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Gardens Ford St. Thetford
in the County of Norfolk
by Arthur Pipe,

Lat. .... Long. ....
Time of Observation 9 - a m
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·22	—	—	—	—	—	1-30	0-30	—	0.06	—	1
2	0-17	—	—	0-15.	—	0 - 3	—	0 34	—	—	—	—	2
3	—	—	—	0-04	—	—	—	0·47	—	—	—	—	3
4	—	0·26	—	—	—	—	—	—	—	0-95	—	—	4
5	0·18	—	—	0-14	—	—	—	—	0·34	—	0-11	—	5
6	—	—	—	—	—	—	—	—	0-6	—	0-2	—	6
7	0·32	—	0·13	—	—	0·20	—	—	—	[illegible]	—	0-4	7
8	0·21	—	—	0·19	—	—	1-27	0·35	—	0-70	0-19	—	8
9	0·08	—	0-03.	0·12	—	—	—	0-6	—	—	0-10	—	9
10	0·21	—	0-17	—	—	—	—	0-2	—	—	0·8	—	10
11	0·09	—	0·58.	0-15	—	—	—	—	—	0-24	—	—	11
12	0·22	—	0·06	—	0·01	—	—	0-4	—	0 33	—	—	12
13	0·36	—	0·05	0-03	—	—	0·05	—	0-10	0-6	—	—	13
14	—	—	—	0·21	—	—	—	0-4	—	[illegible]	—	—	14
15	—	—	—	—	—	—	—	—	—	0-4	—	—	15
16	0·10	0·07	—	0-27	—	·23	—	—	—	0·48	—	0·32	16
17	—	—	0·03	0·26	0,64	0-71	0·20	—	0-61	0·25	—	—	17
18	—	—	—	0-04	—	—	0·29	—	0-70	—	—	—	18
19	—	0-05	0-13.	—	—	—	—	—	0-24	—	—	—	19
20	0·02	0·27	0-15	—	—	—	0·7	—	—	—	0·21	—	20
21	—	—	0·08	—	—	—	—	—	—	—	0-9	—	21
22	—	—	0-04	—	—	—	—	—	—	0-12	—	—	22
23	—	—	—	—	0-10	—	—	0.22	—	—	—	—	23
24	—	—	—	—	—	0.15	—	0 12	—	·14	0-11	0-6	24
25	—	—	—	—	—	—	—	—	—	—	—		25
26	—	—	0·08	—	—	—	—	0 23	—	—	0-90	0.41	26
27	—	—	—	—	—	—	—	0 34	—	—	—	—	27
28	—	—	0-20	—	—	0·40	—	0-8	—	—	—	0-9	28
29	—	✗	—	—	—	0·19	0-5	0.5	—	0.25	—	—	29
30	—	✗	—	—	—		0-12	0·16	—	0.01	—	—	30
31	—	✗	0·28	✗	—	✗	0.34	0·16	✗	—	✗	0-10	31
Total	1·96	0-87	2·01	1.60	0-75	1-91	2.39	3·98	2.35	3.57	1·87	1.02	YEAR'S TOTAL 24.2
Rain Days.	11	5	14	11	3	7	8	16	7	12	10	6	[illegible] ~~15~~

m 87

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3.1.19

Ford Street Gdns
Kept at Mrs Bidwells Gardens

in the County of Thetford Norfolk

by Arthur Pipe, Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	—	—	—	0.4	0-19	1
2	—	0-6	—	0-3	—	—	—	0.20	—	0-1	—	0.25	2
3	0-9	—	—	—	0-7	—	—	0-15	—	—	0.87	—	3
4	—	0-3	0-9	—	—	—	—	0-2	0.33	—	0.19	0-1	4
5	—	—	—	—	0-16	—	—	0.24	0-13	0-17	—	—	5
6	—	0-19	—	0-19	—	—	—	—	—	—	—	0-7	6
7	—	0.18	—	0-5	—	0-1	—	—	0-7	0-2	—	—	7
8	—	0-2	—	0-8	—	—	—	—	0.32	—	0-13	—	8
9	0.18	—	—	—	—	0-2	—	—	0.48	0.20	—	—	9
10	0-8	—	—	—	—	—	0.59	—	0.5	—	—	0.12	10
11	—	—	—	—	0.16	—	—	—	0.30	0.97	0.8	0.24	11
12	—	0-24	—	—	—	—	0.15	—	0.12	0-6	—	0-7	12
13	—	0.3	—	—	0.26	—	—	—	—	—	—	—	13
14	0.27	—	—	—	—	—	0.2	—	0.35	0-33	—	0.7	14
15	0-94	—	—	1-33	—	—	—	—	0.20	0-4	—	0.5	15.
16	—	—	—	0.33	—	—	—	—	0.23	—	—	—	16
17	—	—	—	—	—	—	1.57	0.2	—	—	—	0.18	17
18	0.76	—	—	0.33	—	—	—	—	0.71	—	—	0-62	18
19	0-11	—	0.5	0-1	—	0-24	0.23	—	—	0.12	—	0.23	19
20	—	0-10	—	—	—	—	0.47	—	0-6	0-9	—	—	20
21	—	—	—	—	—	0-4	—	—	0-50	0.17	—	—	21
22	0-3	—	—	—	—	—	0.22	—	0.4	—	—	—	22
23	0.18	—	—	—		—	0.12	0-4	0.4	—	—	0.32	23
24	—	0-17	—	—	1.50	—	0.16	—	0.10	—	0.8	—	24
25	—	—	—	—	—	0.25	0.4	Trace	—	—	—	—	25
26	—	—	—	—	—	—	0.35	0.43	—	—	—	0.17	26
27	—	—	—	0.32	—	—	—	0-31	0-1	—	—	0-4	27
28	—	0-8	0.17	—	—	0.10	—	0-6	—	—	0.48	0.23	28
29	—	X	—	—	—	—	—	—	1.30	—	—	—	29
30	—	X	0.31	—	—	—	—	—	0.19	—	0.15	0-1	30
31	—	X	—	X	—	X	—	—	X	0.7	X	0.7	31
Total	2.64	1.10	62	~~1.67~~ 2.67	2.15	66	4.02	1.47	5.53	2.25	2.02	2.89	YEAR'S TOTAL 28.02
Rain Days.	9	10	4	9	5	6	11	9	20	12	8	18	121

W. 8,000, IX. 17.

1405

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Mrs Bidwells Gardens Ford Street
in the County of Thetford Norfolk
by Arthur. Pipe.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0-34	0·7	—	—	0-11	—	0-17	—	—	0-24	0-1	0-66	1
2	0-11	—	0-2	—	—	—	0-8	0·4	0-5	—	0 28	0-89	2
3	0-25	—	0-14	—	—	—	0-4	—	0-3	—	0 12	0-2	3
4	0-4	—	0-12	—	—	0 3	0-1	0-11	—	—	0-1	0-15	4
5	0-18	0-8	0-13	—	—	—	—	—	0-5	—	—	0-15	5
6	—	—	0-21	—	—	—	—	—	—	—	—	0-9	6
7	—	—	0·27	—	—	—	—	—	—	—	0-16	0-10	7
8	0-4	—	—	—	—	—	—	—	—	—	0-6	0-8	8
9	—	—	—	0·7	—	—	—	—	—	0-3	0-4	—	9
10	0-3	—	0·35	0-2	—	—	—	—	—	—	0-4	—	10
11	0-13	—	—	—	0-14	—	0·48	—	—	0-6	—	0 12	11
12	0-2	—	0-13	0-14	—	0-11	0·43	—	—	—	—	—	12
13	—	—	—	0-9	—	—	0-8	—	—	0-14	—	—	13
14	0-49	—	—	0·20	—	—	0-3	—	0-9	—	—	—	14
15	0·23	—	0-2	0·33	—	—	0-1	—	—	0-7	0·17	—	15
16	—	0·77	—	0-11	—	—	—	0-8	—	—	0-3	0.12	16
17	—	0·61	—	0-3	—	—	—	—	—	—	0·44	0-2	17
18	—	0 16	—	—	—	—	—	0-16	0-3	—	0·8	—	18
19	—	0 9	0-27	—	—	—	—	0-23	0-9	—	0-2	—	19
20	0·37	—	0·37	—	—	0·43	0-40	0-30	—	—	—	—	20
21	0-7	0·32	—	—	—	0-13	0-69	—	—	—	—	0·33	21
22	—	0·25	—	—	—	—	0-14	—	0-30	—	0 11	0-53	22
23	—	—	—	—	—	—	0·15	0-5	0·7	—	—	—	23
24	—	—	—	0-7	—	0·15	0-1	—	—	—	—	0-3	24
25	—	—	—	0 6	0-13	—	—	0·16	—	—	—	0·3	25
26	0·23	0.34	0-27	0·33	—	0-7	—	0·44	—	—	—	0·42	26
27	—	0-8	—	0·32	—	—	—	0·5	—	0-68	—	0-2	27
28	—	—	—	0-21	—	—	0-2	0·70	—	0.14	—	0·35	28
29	—	—	—	0-6	—	0·17	0-1	0 13	—	0-25	0 20	0-10	29
30	—	X	0-6	0·22	—	0-17	—	—	—	—	0-13	0-13	30
31	—	X	—	X	—	X	0·2	—	X	0-9	X	0·10	31
Total	2-53	2·77	2·36	2-26	0·38	1-26	2-77	2·45	0-71	1·70	1-90	4·44	YEAR'S TOTAL 25·53
Rain Days.	14	10	13	15	3	8	17	12	8	9	16	21	146

W, 6,500, VII. 18. W W C

1330

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Miss Bidwells Gardens
in the County of Thetford Norfolk
by Arthur Pipe (Gardener)

Lat. .... Long. ....
Time of Observation 9 - a.m.
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0-3	—	—	0·4	0-7	—	0·28	—	—	0-9	—	0-3	1
2	—	—	0-2	0·3	—	—	0-2	0-14	0-6	0-4	—	0-5	2
3	—	0-1	—	0·6	—	—	—	—	0·4	—	—	0-8	3
4	0-1	—	0-2	0·16	—	—	—	0-7	—	0-1	—	0·23	4
5	—	—	0·7	0·36	0-27	—	0·7	0·15	0·17	—	—	0-14	5
6	—	—	0 10	—	0-7	—	0·66	0-2	—	—	—	—	6
7	—	—	0-16	0·13	—	—	0·21	—	—	—	—	0-4	7
8	0-7	—	—	0-48	0·5	—	—	0·19	—	—	—	—	8
9	0-32	0 1	—	0·78	—	—	—	0·6	—	—	—	—	9
10	0-6	0-1	0·12	0-2	—	—	0-7	0-1	—	—	—	—	10
11	[illegible]	—	0-2	0-7	0·1	—	—	—	—	—	—	0-38 Snow	11
12	0-11	—	—	0-9	—	—	0-7		—	—	—	0·12 Snow	12
13	0-5	—	0-4	—	—	0·66	—	—	0·14	—	—	—	13
14	0-2	0-17	0·23	0-13	—	0-6	—	—	0·8	—	0-20	—	14
15	—	—	0-48	—	—	—	—	—	0·18	0-4	0·24	—	15
16	—	—	0-1	0-6	—	—	—	—	0·44	—	—	—	16
17	0-1	—	—	0-4	0 7	—	—	—	0-6	—	—	0-15	17
18	0-2	—	—	—	0 2	0-3	—	—	0·33	—	—	0-2	18
19	0-17	—	—	0 7	—	—	—	0·55	—	—	—	0-2	19
20	0-13	0-31	—	0·27	—	0-61	—	—	0·13	—	—	—	20
21	—	—	—	0·24	—	—	0·64	0·7	0·30	—	—	0-5	21
22	0-1	—	—	0-11	—	—	—	0·35	0-27	—	—	Trace	22
23	—	—	—	—	—	—	0.32	—	—	—	—	0·32	23
24	—	—	0 12	—	—	—	—	—	—	—	—	0·8	24
25	—	0-6	0-7	0-12	—	—	0·35	Trace	—	—	—	—	25
26	0-5	—	0-4	0-12	0·16	0·8	0-16	—	—	—	—	—	26
27	0·8	0-10	—	0-12	—	0·45	0-5	—	—	—	0·14	0-6	27
28	0·33	—	0-2	—	0 5	0·5	0·1	—	—	—	0	—	28
29	—	—	—	—	0·31	—	0-17	Trace	—	—	0-13	0-26	29
30	—	X	—	0·2	0-12	—	0·7	—	0-7	—	0-10	0-20	30
31	0-9	X	—	X	—	X	—	0·1	X	0·7	X	0-14	31
Total	1-89	1-73	1-52	3-52	1-20	1-94	3-15	1-62	2-27	0-25	0·81	2·37	Year's Total 21·27
Days with ·01 in. or more	18	7	15	22	11	7	15	11	13	5	5	18	147
	12	4	10	19	9	6	13	8	13	4	5	15	118

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

—

THETFORD W. W.

NORFOLK

1911 — 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

11

Kept at The Thetf

in the County of

by E. S. Green

ck.

8 in.

ove Ground 1 ft. — in.

, Sea Level 170 ft. 1456

Am

Name Thetford G.E.R

Distance ½ Mile Direction South

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of t… rement of rain, the selection and pla… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	·08	· —	·06	· —	· —	· —	·01	·08	· —	·10	·01	· —	1
2	·40	· —	·05	· —	·13	· —	·07	· —	· —	· —	·12	·10	2
3	·01	·01	· —	·08	·11	· —	· —	· —	· —	·17	·04	·02	3
4	·06	·02	·12	·12	· —	· —	· —	· —	·02	·02	·15	·14	4
5	·03	· —	· —	·06	· —	· —	· —	·05	· —	·09	·03	·25	5
6	·24	· —	·03	·17	· —	· —	· —	· —	· —	·01	· —	·14	6
7	·01	·04	· —	· —	· —	· —	· —	· —	· —	·02	·16	·22	7
8	·16	·01	·25	· —	· —	· —	· —	· —	·16	· —	·08	·07	8
9	·15	· —	·30	·03	· —	· —	· —	· —	· —	· —	· —	· —	9
10	·05	·11	·10	· —	· —	· —	· —	· —	· —	· —	·10	·24	10
11	·30	·34	·02	· —	· —	· —	· —	· —	· —	· —	·36	· —	11
12	·04	· —	·43	· —	· —	·06	· —	· —	· —	· —	·16	·01	12
13	·01	· —	·41	· —	·03	·04	· —	· —	·22	·35	· —	·12	13
14	· —	·04	·19	· —	·28	· —	· —	· —	·01	·01	· —	·20	14
15	· —	·17	·20	· —	· —	· —	· —	· —	·02	·03	·13	· —	15
16	· —	· —	· —	· —	· —	·52	· —	· —	· —	· —	·25	·07	16
17	· —	· —	· —	· —	· —	·04	· —	· —	· —	· —	·06	·08	17
18	· —	·08	· —	· —	· —	·03	· —	· —	· —	· —	1·39	·05	18
19	· —	·02	· —	· —	·01	·39	·05	· —	·03	·02	·41	·02	19
20	· —	·01	· —	·01	· —	·01	· —	·01	·35	·01	·05	·40	20
21	· —	·14	· —	·02	· —	·01	· —	·48	·01	·14	·07	·14	21
22	·01	·05	·11	· —	· —	·03	· —	·16	· —	·12	·04	·32	22
23	·02	·04	·12	—	·02	1·20	· —	· —	·43	· —	· —	·15	23
24	· —	·04	·06	· —	· —	·06	·07	· —	· —	·45	· —	·20	24
25	· —	·05	·07	·18	·01	·15	·08	· —	· —	·01	·04	·02	25
26	· —	· —	· —	·15	· —	· —	·09	· —	· —	·16	·03	·35	26
27	· —	·27	·10	·20	· —	· —	· —	· —	·22	·01	·01	·03	27
28	· —	·16	· —	·26	· —	· —	· —	·07	· —	· —	·06	(·10) ·01	28
29	· —	~~—~~	· —	·15	· —	·37	·22	· —	·42	·42	· —	· —	29
30	· —	~~—~~	· —	·01	·15	·05	· —	· —	·44	·09	· —	·03	30
31	· —	~~—~~	· —		· —		· —	· —		· —		01	31
99 Total	1·57	1·60	2·62	1·44	·74	2·96	·59	·85	2·33	2·23	3·75	3·48	TOTAL for year 24·16
No. of Rain Days.	15	18	17	13	8	14	7	6	12	19	22	26	177

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Thetford Water Work
in the County of Norfolk 4
by E. S. Greenwood Superintendent

RAIN GAUGE
Pattern Hicks
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 170 ft. 1456
Time of Observation 9 Am
Nearest Railway Station
Name Thetford G.E.R
Distance ½ Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	·08	·—	·06	·—	·—	·—	·01	·08	·—	·10	·01	·—	1
2	·40	·—	·05	·—	·13	·—	·07	·—	·—	·—	·12	·10	2
3	·01	·01	·—	·08	·11	·—	·—	·—	·—	·17	·04	·02	3
4	·06	·02	·12	·12	·—	·—	·—	·—	·02	·02	·15	·14	4
5	·03	·—	·—	·06	·—	·—	·—	·05	·—	·09	·03	·25	5
6	·24	·—	·03	·17	·—	·—	·—	·—	·—	·01	·—	·14	6
7	·01	·04	·—	·—	·—	·—	·—	·—	·—	·02	·16	·22	7
8	·16	·01	·25	·—	·—	·—	·—	·—	·16	·—	·08	·07	8
9	·15	·—	·30	·03	·—	·—	·—	·—	·—	·—	·—	·—	9
10	·05	·11	·10	·—	·—	·—	·—	·—	·—	·—	·10	·24	10
11	·30	·34	·02	·—	·—	·—	·—	·—	·—	·—	·36	·—	11
12	·04	·—	·43	·—	·—	·06	·—	·—	·—	·—	·16	·01	12
13	·01	·—	·41	·—	·03	·04	·—	·—	·22	·35	·—	·12	13
14	·—	·04	·19	·—	·28	·—	·—	·—	·01	·01	·—	·20	14
15	·—	·17	·20	·—	·—	·—	·—	·—	·02	·03	·13	·—	15
16	·—	·—	·—	·—	·—	·52	·—	·—	·—	·—	·25	·07	16
17	·—	·—	·—	·—	·—	·04	·—	·—	·—	·—	·06	·08	17
18	·—	·08	·—	·—	·—	·03	·—	·—	·—	·—	1·39	·05	18
19	·—	·02	·—	·—	·01	·39	·05	·—	·03	·02	·41	·02	19
20	·—	·01	·—	·01	·—	·01	·—	·01	·35	·01	·05	·40	20
21	·—	·14	·—	·02	·—	·01	·—	·48	·01	·14	·07	·14	21
22	·01	·05	·11	·—	·—	·03	·—	·16	·—	·12	·04	·32	22
23	·02	·04	·12	·—	·02	1·20	·—	·—	·43	·—	·—	·15	23
24	·—	·04	·06	·—	·—	·06	·07	·—	·—	·45	·—	·20	24
25	·—	·05	·07	·18	·01	·15	·08	·—	·—	·01	·04	·02	25
26	·—	·—	·—	·15	·—	·—	·09	·—	·—	·16	·03	·35	26
27	·—	·27	·10	·20	·—	·—	·—	·—	·22	·01	·01	·03	27
28	·—	·16	·—	·26	·—	·—	·—	·07	·—	·—	·06	(·10) ·01	28
29	·—		·—	·15	·—	·37	·22	·—	·42	·42	·—	·—	29
30	·—		·—	·01	·15	·05	·—	·—	·44	·09	·—	·03	30
31	·—		·—		·—		·—	·—		·—		01	31
99 Total	1·57	1·60	2·62	1·44	·74	2·96	·59	·85	2·33	2·23	3·75	3·48	TOTAL for year 24·16
No. of Rain Days.	15	18	17	13	8	14	7	6	12	19	22	26	177

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.

21 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Water Works Thetford

in the County of Norfolk 4

by E. S. Greenwood Supt.

RAIN GAUGE
Pattern Snowden By Hicks
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 140 ft. 1456

Time of Observation 9 Am

Nearest Railway Station
Name G. E. R. Thetford
Distance ½ Mile Direction Southly

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	· —	·03	·05	· —	·06	·41	· —	·13	· —	· —	·23	1
2	· —	·04	·04	·02	·05	· —	·28	· —	· —	· —	· —	·01	2
3	·18	·03	· —	· —	·10	·26	·01	·10	·04	·03	· —	·12	3
4	·10	· —	·34	·01	·03	·07	· —	·02	· —	· —	·27	· —	4
5	·02	·09	·22	·01	·02	·05	· —	·25	· —	· —	·02	· —	5
6	·75	·23	· —	· —	·04	·65	·46	·10	·15	· —	· —	·05	6
7	·04	· —	· —	· —	·02	·17	·03	·12	·06	· —	· —	·01	7
8	·15	·13	·05	·01	· —	·04	·10	·16	·23	· —	· —	·03	8
9	· —	·03	·01	·21	·06	·01	· —	· —	·01	· —	· —	·29	9
10	· —	· —	· —	·06	· —	· —	· —	·15	·37	· —	·27	·01	10
11	·10	·03	·01	·02	· —	· —	· —	·03	·10	· —	·08	·14	11
12	·09	·05	· —	· —	·08	·04	· —	·03	· —	· —	·49	· —	12
13	· —	·07	·20	· —	· —	·08	· —	· —	· —	· —	·43	·03	13
14	· —	· —	· —	· —	·05	·09	· —	·01	·01	·03	·05	·13	14
15	· —	·03	·22	· —	·28	·24	· —	·07	· —	· —	·04	·06	15
16	·06	· —	·06	· —	·16	·05	· —	·10	·01	·10	·03	· —	16
17	·09	· —	·19	· —	· —	·27	· —	·09	· —	· —	·01	·07	17
18	· —	· —	·11	· —	· —	· —	·02	·11	· —	·06	·03	·11	18
19	·03	·12	·23	· —	· —	·03	·40	·13	· —	·05	·04	· —	19
20	·06	·01	·05	· —	·17	· —	·01	·18	· —	·34	· —	· —	20
21	· —	· —	·27	· —	·01	· —	·16	·97	· —	·13	·06	· —	21
22	·22	·12	·01	· —	·36	· —	1.45	·15	· —	·01	· —	·08	22
23	·44	·58	·20	· —	·03	· —	·01	·84	· —	· —	·21	·02	23
24	·33	·02	·01	· —	·01	·22	·03	·19	·07	· —	· —	·07	24
25	·01	·01	· —	· —	· —	·17	·01	1.15	· —	· —	·22	·27	25
26	· —	·01	· —	· —	· —	·12	·05	3.53	· —	·28	·12	·20	26
27	· —	· —	·02	· —	· —	· —	· —	·09	· —	·12	· —	·25	27
28	· —	·01	· —	·01	· —	· —	·02	·06	· —	·52	·11	·39	28
29	· —	· —	· —	·11	·05	·12	·42	·30	·70	·17	·38	· —	29
30	·05	X	· —	· —	·12	· —	·01	·04	·56	·27	· —	· —	30
31	· —	X	·10	X	·04	X	·16	·19	X	·10	X	·07	31
Total	2.73	1.61	2.37	·51	1.68	2.74	4.04	9.16	2.44	2.21	2.86	2.64	TOTAL for year 34.99
No. of Rain Days.	18	18	20	10	19	19	19	27	13	14	18	22	217

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
6 - JAN 1914
1456

REGISTER OF RAINFALL IN 1913

Kept at The Water Works Thetford

in the County of Norfolk 4

by E. S. Greenwood Superintendent

Lat. 52·25'N. Long. 0°45'E

Time of Observation 9 Am

Nearest Railway Station Thetford G.E.R

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14	.13	.12	.14	.01	.—	.—	.—	.10	.—	.07	.—	1
2	.08	.15	.02	.—	.03	.—	.11	.—	.02	.—	.02	.—	2
3	.01	.—	.21	.—	.79	.—	.01	.—	.—	.—	.—	.06	3
4	.07	.—	.01	.—	.08	.—	.01	.—	.—	.18	.05	.13	4
5	.04	.—	.—	.—	.—	.—	.—	.01	.06	.36	.06	.01	5
6	.—	.01	.04	.—	.21	.18	.—	.—	.—	.04	.—	.—	6
7	.—	.05	.—	.—	.09	.—	.—	.—	.—	.30	.01	.—	7
8	.—	.—	.05	.01	.25	.35	.—	.—	.—	.18	.14	.01	8
9	.—	.22	.04	.04	.15	.22	.—	.—	.—	.01	.05	.—	9
10	.—	.—	.—	.05	.—	.—	.03	.09	.—	.—	.12	.—	10
11	.62	.—	.—	.49	.—	.—	.—	.33	.—	.—	.62	.—	11
12	.—	.—	.—	.01	.—	.—	.—	.02	.—	.—	.08	.—	12
13	.05	.—	.01	.02	.—	.—	.—	.05	.—	.—	.70	.—	13
14	.03	.03	.07	.07	.—	.—	.07	.—	.—	.28	.04	.—	14
15	.14	.—	.20	.10	.—	.—	.01	.—	.02	.—	.01	.—	15
16	.10	.—	.36	.15	.—	.—	.12	.—	.24	.—	.09	.08	16
17	.18	.—	.17	.03	.—	.97	.05	.01	.01	.—	.01	.02	17
18	.—	.—	.03	.04	.05	.—	.02	.02	.—	.—	.—	.—	18
19	.05	.—	.12	.—	.01	.—	.—	.—	.01	.—	.—	.09	19
20	.10	.—	.07	.01	.—	.03	.14	.—	.25	.23	.—	.—	20
21	.04	.—	.06	.02	.01	.—	.12	.—	.—	.35	.25	.—	21
22	.20	.—	.05	.—	.—	.—	.02	.—	.06	.—	.—	.—	22
23	.—	.—	.02	.—	.—	.04	.—	.26	.04	.—	.—	.—	23
24	.08	.—	.—	.01	.—	.13	.04	.01	.—	.—	.04	.01	24
25	.02	.—	.—	.10	.—	.05	.01	.—	.—	.—	.—	.01	25
26	.—	.05	.06	.—	.—	.—	.—	.—	.—	.53	.01	.11	26
27	.—	.09	.02	.—	.38	.01	.—	.—	.—	.01	.—	.—	27
28	.16	.01	.06	.05	.—	.—	.—	.03	.—	.16	.—	.—	28
29	.31		.14	.35	.17	.—	.—	.—	.01	.—	.—	.—	29
30	.18		.—	.13	.—	.—	.—	.04	.—	.05	.74	.10	30
31	.—		.—		.—		.—	.52		.09		.—	31
99 Total	2.60	.74	1.93	1.82	2.23	1.98	.76	1.39	.82	2.77	2.51	.63	YEAR'S TOTAL 20.18
Rain Days.	20	9	22	19	13	9	14	12	11	14	19	11	173

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. 12 JAN 1915

12456

Kept at The Water Works Thetford

in the County of Norfolk 4

by E S Greenwood Supt

Lat. 52° 25' N Long. 0° 45' E

Time of Observation 9 Am

Nearest Railway Station Thetford G E R

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	.—	.—	.—	.—	.—	.—	.—	.16	.—	.—	.10	.—	1
2	.—	.—	.—	.03	.—	.—	.—	.—	.—	.—	.09	.02	2
3	.—	.—	.13	.—	.13	.—	.48	.07	.—	.—	.01	.—	3
4	.18	.—	.03	.22	.01	.—	.—	.13	.—	.—	.26	.15	4
5	.—	.—	.19	.04	.04	.03	.10	.08	.—	.—	.01	.—	5
6	.—	.01	.—	.—	.10	.02	.03	.03	.—	.—	.03	.10	6
7	.—	.02	.35	.02	.11	.10	.10	.—	.—	.—	.—	.41	7
8	.39	.06	.31	.03	.18	.67	.04	.15	.01	.—	.—	.—	8
9	.42	.—	.42	.01	.07	.58	.—	.—	.—	.—	.—	.88	9
10	.47	.03	.02	.10	.03	.—	.—	.—	.08	.—	.—	.12	10
11	.—	.28	.37	.03	.02	.13	.—	.—	.05	.—	.35	.18	11
12	.01	.01	.02	.—	.—	.—	.01	.—	.25	.—	.—	.31	12
13	.—	.17	.20	.—	.—	.—	.—	.—	.04	.18	.08	.24	13
14	.—	.01	.24	.—	.—	.—	.01	.—	.—	.86	.12	.34	14
15	.09	.01	.25	.—	.—	.01	.90	.01	.04	.01	.10	.38	15
16	.02	.—	.10	.—	.—	.—	.18	.—	.02	.—	.04	.01	16
17	.—	.35	.—	.—	.—	.—	.—	.—	.08	.—	.01	.18	17
18	.—	.16	.01	.—	.—	.—	.03	.—	.—	.—	.02	.52	18
19	.—	.08	.12	.—	.—	1.03	.—	.—	.05	.—	.20	.01	19
20	.01	.—	.35	.—	.—	.04	.—	.—	.28	.03	.—	.01	20
21	.02	.16	.33	.—	.—	.15	.—	.01	.—	.01	.06	.06	21
22	.—	.—	.03	.21	.30	.10	.07	.08	.—	.48	.—	.07	22
23	.—	.—	.06	.01	.03	.—	.—	.—	.—	.06	.—	.01	23
24	.—	.—	.01	.12	.—	.01	.01	.01	.—	.09	.11	.—	24
25	.—	.—	.—	.—	.01	.—	.06	.01	.—	.56	.—	.02	25
26	.—	.—	.—	.—	.02	.—	.01	.09	.—	.02	.10	.35	26
27	.01	.—	.05	.—	.—	.—	.10	.01	.—	.—	.02	.15	27
28	.—	.04	.—	.—	.—	.—	.—	.—	.—	.12	.42	.98	28
29	.01	.×	.04	.—	.—	.—	.—	.01	.—	.26	.03	.—	29
30	.—	×	.07	.—	.—	.—	.—	.—	.—	.02	.13	.07	30
31	.—	×	.—	×	.12	×	.12	.—	×	.01	×	.10	31
99 Total	1.63	1.39	3.70	.85	1.17	2.87	2.25	.85	.90	2.71	2.29	5.67	YEAR'S TOTAL 26.28
Rain Days.	11	14	23	11	14	12	16	14	10	14	21	25	185

W. 8,000. X. 14.

1595

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Water Works Thetford
in the County of Norfolk 4
by E. S. Greenwood Superintendent

Lat. 52° 25′ N. Long. 0° 45′ E
Time of Observation 9 Am
Nearest Railway Station Thetford G E R.
Diameter of Funnel of Rain Gauge 8 in. 1456
Height of top of Gauge above Ground 1[illegible] ft. in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	.18	.28	.—	.—	.07	.—	.—	.01	.18	.—	.04	.08	1
2	.05	.04	.23	.08	.—	.—	.—	.26	.27	.—	.02	.01	2
3	.23	.—	.13	.18	.—	.01	.05	.44	.20	.—	.01	.14	3
4	.01	.—	.—	.—	.—	.01	.—	.35	.01	.03	.05	.40	4
5	.05	.06	.—	.—	.25	.—	.—	.03	.—	.11	.03	.22	5
6	.14	.10	.21	.17	.—	.—	.48	.06	.—	.—	.—	.04	6
7	.06	.30	.07	.—	.—	.—	.26	.05	.—	.—	.—	.13	7
8	.05	.02	.01	.01	.—	.—	.04	.06	.—	.—	.—	.01	8
9	.10	.09	.—	.—	.—	.04	.—	.01	.—	.02	.26	.45	9
10	.35	.—	.05	.—	.—	.—	.02	.07	.—	.—	.03	.05	10
11	.01	.—	.—	.—	.06	.—	.10	.—	.—	.—	.41	.04	11
12	.15	.—	.—	.35	.11	.—	.03	.04	.—	.01	.92	.—	12
13	.09	.26	.—	.05	1.03	.—	.—	.02	.—	.—	.01	.—	13
14	.—	.19	.—	.—	.10	.—	.41	.—	.01	.—	.—	.30	14
15	.21	.10	.—	.—	.05	.—	.01	.02	.—	.—	.06	.08	15
16	.02	.17	.—	.—	.01	.—	.66	.05	.—	.—	.02	.02	16
17	.07	.11	.01	.—	.01	.—	.18	.—	.—	.—	.03	.01	17
18	.02	.14	Snow .13	.—	.10	.—	.—	.—	.—	.—	.12	.—	18
19	.01	.02	Snow .06	.—	.—	.—	.11	.—	.—	.05	.—	.—	19
20	.27	.—	.02	.02	.—	.—	.—	.—	.—	.01	.—	.37	20
21	.25	.—	.—	.—	.—	.—	.03	.—	.—	.—	.—	.05	21
22	.22	.10	.31	.—	.—	.—	.50	.—	.—	.—	.—	.21	22
23	.02	.12	.01	.—	.—	.—	.10	.—	.03	.01	.08	.13	23
24	.—	.04	.07	.—	.—	.—	.18	.—	.04	.—	.01	.09	24
25	.—	.—	.03	.—	.—	.15	.05	.—	.—	.01	.02	.10	25
26	.—	.09	Snow .01	.—	.—	.05	.—	.—	.—	.02	.01	.20	26
27	.—	.01	.—	.—	.—	.11	.32	.—	.—	.40	.—	.01	27
28	.—	.08	Snow .03	.—	.—	.43	.01	.05	.44	.30	.—	.—	28
29	.—		.—	.—	.01	.10	.—	.12	.04	.—	.07	.15	29
30	.08		.—	.—	.—	.01	.48	.13	~~.05~~	.01	.01	.01	30
31	.06		.—		.—		.01	.06		.11		.10	31
99 Total	2.70	2.32	1.38	.86	1.80	.91	4.03	1.83	1.27	1.09	2.21	3.40	YEAR'S TOTAL 23.80
Rain Days.	24	20	16	7	11	9	21	18	10	13	20	26	195

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
13. JAN 1917
1456

Kept at The Water Work Thetford
in the County of Norfolk
by E. S. Greenwood Supt

Lat. 52° 25' N Long. 0° 45' E
Time of Observation 9 Am
Nearest Railway Station Thetford G.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.—	.01	.—	.—	.04	.—	.—	.—	.—	.11	.—	1
2	.61	.01	.13	.—	.14	.03	.04	.—	.08	.01	.—	.—	2
3	.—	.08	.04	.—	.—	.—	.13	.—	.34	.37	.29	.—	3
4	.25	.25	.02	.—	.01	.33	.18	.—	.35	.02	.25	.12	4
5	.05	.09	.06	.04	.—	.09	.13	.—	.08	.12	.20	.04	5
6	.—	.11	.25	.20	.—	.01	.07	.—	.—	.09	.22	.—	6
7	.10	.—	.20	.01	.25	.02	.17	.—	.—	.02	.24	.05	7
8	.—	.—	.06	.—	.19	.01	.—	.—	.—	.—	.04	.17	8
9	.—	.—	.05	.—	.22	.16	.01	.—	.—	.01	.—	.07	9
10	.—	.—	.12	.12	.—	.18	.06	.—	.02	.—	.—	.11	10
11	.05	.42	.05	.23	.06	.32	.—	.—	.04	.—	.—	.01	11
12	.04	.04	.—	.01	.57	.43	.07	.16	.—	.09	.—	.04	12
13	.—	.22	.04	.08	.09	.02	.—	.08	.—	.01	.—	.—	13
14	.—	.73	.03	.—	.05	.01	.02	.39	.—	.10	.—	.34	14
15	.—	.35	.20	.—	.—	.—	.—	.32	.10	.09	.—	.—	15
16	.—	.01	.10	.20	.01	.—	.10	.17	.—	.02	.—	.—	16
17	.01	.01	.01	.29	.—	.01	.24	.30	.27	.19	.—	.03	17
18	.—	.19	.02	.23	.—	.—	.—	.40	.13	.10	.50	.—	18
19	.15	.01	.—	.25	.—	.03	.—	.06	.30	.01	.41	.04	19
20	.12	.—	.19	.02	.—	.—	.—	.10	.04	.—	.05	.15	20
21	.01	.04	.33	.01	.—	.—	.06	.—	.—	.—	.—	.35	21
22	.—	.17	.02	.—	.14	.02	.01	.—	.—	.—	.—	.45	22
23	.—	.72	.—	.—	.—	.11	.02	.02	.—	.—	.13	.22	23
24	.—	.10	.05	.01	.—	.02	.—	.04	.—	.30	.01	.20	24
25	.—	.13	.18	.—	.—	.—	.—	.16	.—	.05	.11	.05	25
26	.01	.15	.—	.—	.—	.03	.—	.12	.—	.04	.05	.—	26
27	.02	.23	.50	1.26	.—	.40	.—	.02	.—	.23	.—	.—	27
28	.—	.19	.40	.—	.—	.—	.02	.—	.03	.—	.—	.22	28
29	.—	.09	.06	.—	.02	.07	.—	.41	.01	.20	.—	.02	29
30	.—	✕	.—	.—	.56	.12	.—	.29	.—	.25	.—	.05	30
31	.10	✕	.—	✕	.01	✕	.—	.05	✕	.01	✕	.02	31
99 Total	1.[illegible]3	4.34	3.12	2.96	2.32	2.46	1.33	3.09	1.79	2.33	2.61	2.75	YEAR'S TOTAL 30.63
Rain Days.	14	23	25	15	14	22	16	17	13	22	14	21	216

W. 8,000, VIII. 16

End 40

1500

FORM A.
BRITISH RAINFALL.

1456

REGISTER OF RAINFALL IN 1917

Kept at The Water Works Thetford

in the County of Norfolk

by E. S. Greenwood. Superintendent

Lat. 52° 25' N Long. 0° 45' E

Time of Observation 9 Am

Nearest Railway Station Thetford G.E.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.—	.01	.01	.12	.—	.—	.—	1.16	.26	.—	.07	.—	1
2	.17	.05	.—	.06	.—	.05	.—	.37	.—	.01	.—	.—	2
3	.—	.—	.—	.08	.—	.—	.—	.58	.—	.18	.—	.—	3
4	.—	.25	.03	.—	.—	.—	.—	.04	.—	.76	.—	.—	4
5	.18	.03	.01	.14	.—	.—	.—	.—	.40	.—	.13	.—	5
6	.—	.04	.—	.01	.—	.—	.—	.—	.05	.03	.02	.01	6
7	.28	.—	.03	.—	.—	.12	.—	.—	.—	.42	.—	.03	7
8	.23	.—	.01	.17	.—	.—	1.10	.40	.—	.24	.16	.—	8
9	.08	.—	.03	.13	.—	.—	.—	.09	.—	.—	.10	.—	9
10	.07	.—	.17	.04	.—	.—	.—	.04	.—	.02	.09	.—	10
11	.41	.—	.64	.13	.—	.—	.—	.—	.—	.22	.01	.—	11
12	.22	.—	.03	.03	.—	.—	.—	.05	.—	.35	.—	.—	12
13	.35	.—	.09	.02	.—	.—	.06	.06	.11	.03	.—	.—	13
14	.03	.—	.01	.20	.—	.—	.—	.02	.—	.—	.—	.—	14
15	.01	.04	.—	.—	.—	.—	.—	.06	.—	.05	.—	.—	15
16	.08	.03	.—	.26	.—	.07	.—	.—	.—	.46	.—	.26	16
17	.04	.01	.04	.23	.57	.83	.30	.01	.66	.25	.—	.—	17
18	.—	.05	.—	.05	.—	.02	.16	.03	.69	.—	.—	.—	18
19	.—	.22	.16	.01	.—	.03	.—	.—	.22	.—	.—	.—	19
20	.—	.03	.14	.—	.—	.—	.07	.01	.—	.—	.22	.—	20
21	.—	.—	.10	.—	.02	.—	.—	.—	.—	.—	.11	.—	21
22	.02	.—	.03	.—	.—	.—	.—	.05	.—	.12	.01	.—	22
23	.—	.01	.—	.—	.10	.—	.—	.08	.—	.—	.—	.03	23
24	.—	.02	.—	.—	.—	.17	.—	.23	.—	.14	.15	.—	24
25	.—	.—	.01	.—	.—	.—	.—	.—	.—	.—	.10	.36	25
26	.—	.—	.08	.—	.—	.01	.—	.29	.08	.—	.75	.05	26
27	.—	.—	.—	.—	.—	.02	.01	.38	.—	.—	.—	.—	27
28	.—	.02	.25	.—	.—	.45	.—	.13	.—	.—	.—	.—	28
29	.—	~~.~~	.—	.—	.—	.10	.07	.05	.—	.25	.—	.12	29
30	.06		.01	.—	.—	.—	.18	.14	.—	.02	.—	.—	30
31	.15		.24		.—		.42	.13		.—		.03	31
99 Total	2.38	.81	2.12	1.68	.69	1.87	2.37	4.40	2.47	3.55	1.92	.89	YEAR'S TOTAL 25.15
Rain Days	16	14	21	16	3	11	9	23	8	17	13	8	159

W. 8,000, IX. 17.

2.68

Excd Cfr.

63

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

1456

Kept at The Water Works Thetford
in the County of Norfolk
by E. S. Greenwood Superintendent

Lat. 52°/25′ N Long. 0°/45′ E
Time of Observation 9 am
Nearest Railway Station Thetford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·—	·—	·—	·—	·—	·—	·—	·—	·01	·—	·04	·18	1
2	·06	·05	·—	·06	·—	·—	·—	·19	·02	·—	·—	·25	2
3	·01	·—	·03	·—	·10	·—	·—	·18	·03	·05	·86	·—	3
4	·—	·03	·06	·—	·—	·—	·—	·03	·40	·02	·20	·—	4
5	·—	·—	·—	·—	·18	·—	·—	·25	·11	·06	·—	·02	5
6	·—	·15	·—	·—	·—	·—	·—	·01	·01	·03	·—	·07	6
7	·06	·17	·—	·15	·—	·01	·—	·—	·03	·—	·09	·—	7
8	·—	·02	·—	·—	·—	·—	·—	·—	·50	·—	·07	·—	8
9	·08	·04	·—	·10	·—	·10	·02	·—	·46	·19	·—	·01	9
10	·10	·—	·—	·—	·—	·—	·40	·—	·13	·—	·14	·14	10
11	·—	·—	·—	·—	·16	·—	·15	·—	·17	·81	·—	·25	11
12	·—	·20	·—	·—	·10	·—	·20	·—	·30	·06	·—	·09	12
13	·—	·03	·—	·—	·13	·01	·01	·—	·15	·—	·—	·03	13
14	·25	·—	·—	·01	·—	·03	·05	·—	·28	·34	·—	·04	14
15	·85	·—	·02	1·19	·—	·—	·15	·—	·15	·04	·—	·08	15
16	·05	·—	·—	·33	·—	·—	·01	·—	·28	·01	·—	·—	16
17	·12	·—	·—	·05	·—	·01	1·40	·—	·—	·—	·—	·15	17
18	·58	·—	·—	·25	·—	·07	·21	·—	·90	·02	·—	·60	18
19	·10	·02	·03	·02	·—	·21	·07	·—	·—	·12	·—	·28	19
20	·—	·05	·—	·01	·—	·03	·31	·—	·07	·11	·—	·—	20
21	·—	·—	·—	·—	·—	·02	·26	·—	·60	·14	·—	·—	21
22	·—	·—	·—	·07	·—	·06	·07	·—	·04	·01	·—	·33	22
23	·18	·—	·—	·—	·25	·—	·17	·08	·05	·—	·—	·02	23
24	·—	·18	·—	·02	·13	·—	·21	·—	·12	·—	·09	·—	24
25	·—	·—	·01	·—	·01	·17	·07	·18	·—	·—	·02	·—	25
26	·—	·—	·—	·—	·—	·—	·17	·30	·—	·01	·18	·15	26
27	·—	·—	·—	·30	·—	·—	·—	·32	·01	·—	·06	·05	27
28	·—	·08	·19	·—	·—	·06	·—	·07	·—	·—	·19	·24	28
29	·—	×	·02	·—	·—	·—	·—	·—	1·30	·—	·04	·—	29
30	·—	×	·26	·—	·—	·—	·—	·—	·14	·01	·13	·01	30
31	·—	×	·01	×	·—	×	·—	·—	×	·09	×	·12	31
99 Total	2.44 ✓	1.02 ✓	·63 ✓	2·56 ✓	2·16 ✓	·78 ✓	3.87 ✓	1·61 ✓	6·26 ✓	2.12 ✓	2·11 ✓	3·11 ✓	YEAR'S TOTAL 28·67 ✓
Rain Days.	12 ✓	12 ✓	9 ✓	13 ✓	8 ✓	12 ✓	18 ✓	10 ✓	25 ✓	18 ✓	13 ✓	21 ✓	171 ✓

W, 6,500, VII. 18. W C

1456

JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Water Works Thetford

in the County of Norfolk

by E. S. Greenwood Supt

Lat 52° 25' N. Long 0. 45 E

Time of Observation 9 Am.

Nearest Railway Station Thetford G.E.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.01	.—	.—	.17	.—	.27	.—	.01	.15	.03	.71	1
2	.13	.—	.03	.—	.02	.—	.11	.02	.10	.—	.27	.70	2
3	.18	.—	.13	.—	.—	.—	.06	.—	.02	.—	.10	.03	3
4	.05	.—	.12	.—	.—	.05	.02	.07	.—	.—	.01	.18	4
5	.19	.07	.13	.—	.—	.—	.—	.04	.08	.—	.—	.14	5
6	.—	.—	.17	.—	.—	.—	.01	.—	.—	.—	.—	.10	6
7	.—	.—	.26	.—	.—	.—	.02	.—	.—	.—	.18	.09	7
8	.04	.—	.01	.—	.—	.—	.—	.—	.—	.01	.—	.08	8
9	.—	.—	.04	.04	.—	.—	.—	.—	.—	.07	.04	.—	9
10	.03	.—	.12	.02	.—	.—	.—	.—	.—	.01	.06	.—	10
11	.15	.—	.19	.12	.05	.—	.54	.—	.—	.11	.02	.12	11
12	.02	.—	.13	.11	.—	.11	.40	.—	.—	.10	.—	.—	12
13	.15	.—	.—	.15	.—	.—	.08	.—	.02	.01	.—	.—	13
14	.28	.—	.—	.17	.—	.—	.04	.—	.11	.—	.02	.—	14
15	.22	.—	.04	.26	.—	.—	.—	.—	.—	.07	.13	.07	15
16	.02	.65	.—	.13	.—	.—	.—	.08	.—	.—	.05	.06	16
17	.—	.48	.—	.04	.—	.—	.—	.—	.—	.—	.37	.02	17
18	.02	.25	.—	.—	.—	.—	.—	.17	.05	.—	.06	.15	18
19	.—	.10	.23	.—	.—	.05	.15	.24	.12	.—	.05	.01	19
20	.22	.06	.34	.—	.—	.40	.34	.30	.—	.—	.—	.02	20
21	.08	.26	.02	.—	.—	.20	.69	.—	.—	.—	.01	.14	21
22	.—	.23	.—	.—	.—	.—	.10	.—	.32	.—	.10	.50	22
23	.01	.15	.—	.02	.—	.01	.16	.03	.02	.—	.—	.03	23
24	.—	.—	.—	.08	.05	.17	.02	.—	.—	.—	.—	.01	24
25	.03	.—	.—	.04	.13	.08	.—	.13	.—	.—	.—	.03	25
26	.20	.33	.21	.40	.—	.02	.—	.47	.10	.02	.—	.37	26
27	.02	.09	.—	.27	.—	.—	.03	.13	.—	.60	.—	.02	27
28	.—	.—	.02	.18	.—	.02	.02	.67	.02	.26	.06	.30	28
29	.05		.—	.21	.—	.17	.01	.12	.—	.14	.15	.10	29
30	.—		.08	.07	.—	.18	.—	.—	.—	.04	.19	.15	30
31	.03		.04		.—		.—	.—		.05		.10	31
99 TOTAL	2.47	2.68	2.31	2.31	.42	1.46	3.07	2.47	.97	1.64	1.90	4.23	YEAR'S TOTAL 25.93
Days with ·01 in. or more	22	12	19	17	5	12	19	13	12	14	19	26	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

R.R.	14	11	15	15	4	9	11	11	7	10	14	18	139

1331

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Water Works Thetford
in the County of Norfolk
by E. S. Greenwood Superintendent

Lat. 52° 25' N Long. 0° 45' E
Time of Observation 9 AM
Nearest Railway Station Thetford G.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·03	·10	—	·25	—	—	·11	—	·04	1
2	—	—	—	·05	—	—	·02	·25	·07	·04	—	·05	2
3	—	·02	—	·40	—	—	—	—	·05	—	—	·06	3
4	—	—	·08	·18	·06	—	·10	·07	·04	—	—	·34	4
5	—	—	·07	·31	·23	—	·12	·18	·16	—	—	·10	5
6	—	—	·12	—	·07	—	·56	—	—	—	—	—	6
7	·03	—	·17	·13	·03	—	·25	—	—	—	—	·05	7
8	·09	—	—	·44	·09	—	—	·15	—	—	—	—	8
9	·37	·01	—	·47	—	—	—	·10	—	—	—	·04	9
10	·07	·03	·10	·03	—	—	·06	·01	—	—	·02	·03	10
11	·25	—	·11	·09	·01	—	·09	—	—	—	—	·29	11
12	·10	—	·02	·10	·02	—	—	—	—	·01	—	·30	12
13	·09	—	·03	·08	—	·80	—	—	·19	—	—	·12	13
14	·03	·18	·23	·07	—	·06	·03	—	·12	·01	·21	—	14
15	·02	·01	·36	·05	—	—	—	—	·30	·15	·15	—	15
16	—	—	·01	·18	·07	—	—	—	·22	—	—	—	16
17	—	—	—	·02	·13	·01	—	—	·10	—	—	·12	17
18	·02	—	—	·03	·02	·20	—	·26	·15	—	—	·01	18
19	·19	—	—	·05	—	—	—	·20	·01	—	—	·02	19
20	·14	·22	—	·28	—	·58	—	—	·20	—	—	—	20
21	—	—	—	·38	—	—	·58	—	·27	—	—	·06	21
22	·01	—	—	·11	—	—	—	·35	·22	—	—	—	22
23	—	—	—	·01	—	—	·39	·08	—	—	—	·08	23
24	·01	—	·15	—	—	—	—	—	·02	—	—	·25	24
25	—	·07	·06	·10	·14	·05	·30	—	·03	—	—	—	25
26	·08	—	·08	·15	·19	·03	·14	—	—	—	—	·01	26
27	·09	·16	—	·11	—	·43	·08	—	—	—	·13	·07	27
28	·33	—	·02	·02	·07	·04	·01	—	—	—	·06	—	28
29	—	—	—	—	·30	—	·18	—	·01	—	·09	·26	29
30	·03		—	·03	·13	·03	·10	·01	·06	·03	·10	·20	30
31	·05		—		—		—	·02		·07		·14	31
99 TOTAL	2·01	·70	1·61	3·90	1·66	2·23	3·26	1·68	2·22	·42	·76	2·64	YEAR'S TOTAL 23·09
Days with ·01 in. or more	20	8	15	27	16	10	17	12	18	7	7	22	179
Days with ·04 in. or more	12	4	11	20	12	7	14	9	14	4	6	18	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

THURLTON

COUNCIL SCHOOL

NORFOLK

1912 — 1913

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

REC

Kept at Thurlton

in the County of Norfo

by Eric You

piary

in.

round 1 ft. in.

a Level under 20 ft.

a.m

me Haddiscoe.

stance 3½ m Direction E

IMPORTANT NOTE. he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this at of rain, the selection and placing sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·11	·03	·04	—	·17	·7	—	·06	·02	—	·3	1
2	—	—	·08	·03	·01	~~·17~~	·25	—	—	·02	·1	·07	2
3	·12	—	·1	—	·01	·41	—	—	·05	·03	—	·05	3
4	·1	—	·44	·04	·03	·2	—	—	—	—	·13	—	4
5	—	·12	·13	—	—	·02	—	—	·18	—	·01	—	5
6	·75	·09	·01	—	·03	·13	·33	·25	—	—	—	—	6
7	—	—	—	—	·02	·24	—	·2	·05	—	—	·04	7
8	·21	·01	—	·01	—	·01	·01	·03	·26	—	—	—	8
9	—	—	—	·14	·01	—	—	—	·43	—	—	·32	9
10	·01	·03	—	·05	—	—	—	·25	·27	—	·18	—	10
11	—	·05	—	·03	—	—	—	·02	·03	—	·46	·12	11
12	—	·05	·04	—	·04	·09	—	—	—	—	·68	—	12
13	·03	·07	·04	—	—	·2	—	—	—	—	·49	·02	13
14	—	—	—	—	·01	·09	—	—	·02	·05	·06	·12	14
15	—	·02	·19	—	·25	·12	—	—	—	—	·01	·01	15
16	·03	—	·02	—	·04	·12	—	·01	—	·04	·01	—	16
17	·14	—	·38	—	—	·08	—	·02	—	·03	·07	—	17
18	·03	—	·18	—	—	—	·03	·08	—	·07	·06	·08	18
19	·01	·03	·08	—	—	—	·54	—	—	·03	·01	—	19
20	·06	·02	—	—	·18	—	·02	·02	—	·29	·03	·02	20
21	—	—	·15	—	—	—	·03	·13	—	·17	—	·06	21
22	·14	·12	·02	—	—	—	·93	·46	—	—	—	—	22
23	·32	·43	·19	—	—	—	—	·17	·02	·01	·11	—	23
24	·04	·02	·02	—	—	·26	—	·26	—	—	—	·22	24
25	—	—	—	—	—	·18	·16	·65	—	—	·19	·31	25
26	·01	·01	—	—	—	·05	·25	4·63	—	·22	·17	·26	26
27	—	—	—	—	—	—	—	·1	—	·03	·03	·1	27
28	—	—	—	·04	·01	—	·01	·01	·03	·24	·28	—	28
29	·01	—	·01	·02	—	·36	—	·06	·46	·03	·17	—	29
30	·04		—	—	—	·18	—	—	1	·18	·01	—	30
31	—		·12		·08		—	·06		·26		—	31
Total	2·06	1·18	2·2 2·23	·4	·72	2·91	3·26	7·41	2·86	1·72	3·26	2·1	TOTAL for year 30·11
No. of Rain Days	18	15	19	9	13	18	12	19	13	17	21	16	190

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Thurlton Council School
in the County of Norfolk
by Eric Youngs (Age 12)

RAIN GAUGE
Pattern Ordinary
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level under 20 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Haddiscoe
Distance 3½m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·11	·03	·04	—	·17	·7	—	·06	·02	—	·3	1
2	—	—	·08	·03	·01	~~·17~~	·25	—	—	·02	·1	·07	2
3	·12	—	·1	—	·01	·41	—	—	·05	·03	—	·05	3
4	·1	—	·44	·04	·03	·2	—	—	—	—	·13	—	4
5	—	·12	·13	—	—	·02	—	—	·18	—	·01	—	5
6	·75,	·09	·01	—	·03	·13	·33	·25	—	—	—	—	6
7	—	—	—	—	·02	·24	—	·2	·05	—	—	·04	7
8	·21	·01	—	·01	—	·01	·01	·03	·26	—	—	—	8
9	—	—	—	·14	·01	—	—	—	·43	—	—	·32	9
10	·01	·03	—	·05	—	—	—	·25	·27	—	·18	—	10
11	—	·05	—	·03	—	—	—	·02	·03	—	·46	·12	11
12	—	·05	·04	—	·04	·09	—	—	—	—	·68	—	12
13	·03	·07	·04	—	—	·2	—	—	—	—	·49	·02	13
14	—	—	—	—	·01	·09	—	—	·02	·05	·06	·12	14
15	—	·02	·19	—	·25	·12	—	—	—	—	·01	·01	15
16	·03	—	·02	—	·04	·12	—	·01	—	·04	·01	—	16
17	·14	—	·38	—	—	·08	—	·02	—	·03	·07	—	17
18	·03	—	·18	—	—	—	·03	·08	—	·07	·06	·08	18
19	·01	·03	·08	—	—	—	·54	—	—	·03	·01	—	19
20	·06	·02	—	—	·18	—	·02	·02	—	·29	·03	·02	20
21	—	—	·15	—	—	—	·03	·13	—	·17	—	·06	21
22	·14	·12	·02	—	—	—	·93	·46	—	—	—	—	22
23	·32	·43	·19	—	—	—	—	·17	·02	·01	·11	—	23
24	·04	·02	·02	—	—	·26	—	·26	—	—	—	·22	24
25	—	—	—	—	—	·18	·16	·65	—	—	·19	·31	25
26	·01	·01	—	—	—	·05	·25	4·63	—	·22	·17	·26	26
27	—	—	—	—	—	—	—	·1	—	·03	·03	·1	27
28	—	—	—	·04	·01	—	·01	·01	·03	·24	·28	—	28
29	·01	—	·01	·02	—	·36	—	·06	·46	·03	·17	—	29
30	·04		—	—	—	·18	—	—	1	·18	·01	—	30
31	—		·12		·08		—	·06		·26		—	31
Total	2·06	1·18	2·23	·4	·72	2·91	3·26	7·41	2·86	1·72	3·26	2·1	TOTAL for year 30·11 30·11
No. of Rain Days	18	15	19	9	13	18	12	19	13	17	21	16	190

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at Thurlton School Gardens
in the County of Norfolk.
by Senior Scholar (Eric Youngs)

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Haddiscoe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level Under 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·34	·18	·22	·04	·1	—	—	·15	—	·02	—	1
2	·04	17	02	·01	·01	—	·18	—	·02	—	·07	—	2
3	—	—	·32	·01	·15	—	—	—	·01	·31	02	—	3
4	·03	—	—	—	·03	—	—	—	—	—	—	·23	4
5	·04	—	—	—	·04	—	—	—	·05	·8	—	—	5
6	·03	—	06	—	·01	—	—	—	—	·07	—	—	6
7	—	·02	—	—	·04	—	·04	—	—	·44	—	—	7
8	·01	—	—	·03	·07	·14	·03	—	—	·06	·05	—	8
9	—	·1	·02	·03	—	·3	·04	—	·03	—	·05	—	9
10	—	—	—	·05	—	—	*—	·13	—	—	·08	—	10
11	·6	—	—	·6	·01	—	—	·06	—	·03	·5	·01	11
12	·17	·01	—	·06	—	—	—	·4	—	—	·22	—	12
13	·23	·01	·01	·01	—	—	—	—	—	—	35	—	13
14	·16	·01	·02	·07	—	—	1·23	—	·35	·3	·07	·02	14
15	·13	·01	·12	·13	—	—	·31	—	·23	—	·1	—	15
16	·11	01	·2	·14	—	—	—	—	·22	—	·11	·01	16
17	—	·02	·25	·07	—	—	·12	—	·5	—	—	—	17
18	—	—	·06	·05	—	—	·02	·03	·07	—	—	—	18
19	·12	—	·12	—	·02	—	—	·07	·01	—	—	—	19
20	·18	—	·03	—	—	—	—	—	—	·09	—	—	20
21	05	—	·15	·02	·01	—	·39	—	—	·6	·25	·02	21
22	·12	—	·03	—	~~0~~	—	·42	—	—	—	—	—	22
23	—	—	—	—	—	—	—	·13	—	—	·01	·01	23
24	·01	·02	—	—	—	·24	—	·12	—	—	·01	—	24
25	·11	—	—	·09	—	—	—	—	—	—	—	·05	25
26	—	·02	—	—	—	—	—	—	—	·83	·01	—	26
27	·02	·05	·06	—	—	·01	·03	—	—	·03	—	—	27
28	·06	—	·1	—	—	·03	—	—	—	·18	—	—	28
29	·37		·16	·12	·45	—	—	—	·01	—	—	·04	29
30	·24		—	·52	·11	—	—	—	—	—	·11	·13	30
31	—		·31		—		—	·42		—		—	31
Total	2·85	·79	2·22	2·23	·99	·82	2·81	1·36	1·65	3·74	2·03	·52	YEAR'S TOTAL 22·01
Rain Days.	22	13	19	18	13	6	11	8	12	12	17	9	160

W. 7,500, XI. 12

79

H. W. Robinson (Hd Teacher)

REG

1418.

THORPE ST ANDREW.

NORFOLK.

1917 - 20

19. JAN 19

FORM A.
BRITISH RAINFALL.

Kept at Thorpehurst ... am

in the County of Nor ... ittingham GER.

by Capt. J H

Gauge 5 in.

Ground 1 ft. 6 in.

Sea Level 45 ft.

IMPORTANT NO ... the result entered to the previous day. If an O ... ersal rule, he is earnestly requested to add the rea ... r in the space provided for it at the end of th ... ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01 Snow.		·25 Snow.				1·24	·23		·05	·02	1
2	·07			·17		·04		·44					2
3	·01		·01	·04				·9		·03			3
4		·41 Snow.		·01						·69			4
5	·14	·07 Snow	·03 Snow	·14					·14		·11		5
6				·01		·01			·11		·02		6
7	·4		·05			·01		·01		·51		·02	7
8	·16		·01				1·31	·18		·19	·08	·01	8
9	·03		·02	·18 Snow			·1	·18			·24		9
10	·1 Snow		·23	·11 Snow					·01	·06	·15	·24	10
11	·07		·64	·16 Snow				·01		·29			11
12	·37	·07	·18	·11						·37	·03	·02	12
13	·24		·04				·1	·14	·06	·06			13
14	·05 Snow		·01	·19			·4	·67				·05	14
15	·15 Snow		·01		·01			·07		·01		·02	15
16	·03	·07		·35		·07	·3			·41		·34	16
17	·02	·01	·04	·17 Snow	·42	·1	·11		·54	·27		·01 Snow	17
18	·03			·01	·01	·01	·19	·01	·53				18
19	·01 Snow	·24	·24	·02		·02			·24			·02 Snow	19
20	·02 Snow	·01	·2			·07		·04	·05		·26		20
21		·19	·11 Snow			·04		·02			·02		21
22		·01	·03 Snow		·01	·01		·04		·06			22
23					·05	·09		·08		·2		·02	23
24						·09	·01	·15		·2	·1	·06	24
25		·01	·06								·22 Snow	·37 Snow	25
26			·06					·22	·04		·57	·05 Snow	26
27						·05		·37				·03	27
28			·14			·26		·08		·05		·04	28
29	·02 Snow	·02			·01	·62	·15			·05		·02	29
30	·11 Snow	✕	·02				·19	·09		·02			30
31	·07 Snow	✕	·89 Snow	✕		✕	·42	·14	✕		✕		31
Total	2·10	1·12	3·02	1·92 1·82	·51	1·49	3·28	5·08	1·95	3·47	1·85	1·34	YEAR'S TOTAL 27·13 27·03
Rain Days.	20	12	21	15	6	15	11	21	10	17	12	17	177

W. 8,000, IX. 17.

REG

FORM A.
BRITISH RAINFALL.

19. JAN 19

Kept at Thorpehurst. Thorpe St andrew nr Norwich

in the County of Norfolk

by Capt. J H Mander.

Lat

Time of Observation 9 AM

Nearest Railway Station Whitlingham G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01 Snow.		·25 Snow.				1·24	·23		·05	·02	1
2	·07			·17		·04		·44					2
3	·01		·01	·04				·9		·03			3
4		·41 Snow.		·01						·69			4
5	·14	·07 Snow	·03 Snow	·14					·14		·11		5
6				·01		·01			·11		·02		6
7	·4		·05			·01		·01		·51		·02	7
8	·16		·01				1·31	·18		·19	·08	·01	8
9	·03		·02	·18 Snow			·1	·18			·24		9
10	·1 Snow		·23	·11 Snow					·01	·06	·15	·24	10
11	·07		·64	·16 Snow				·01		·29			11
12	·37	·07	·18	·11						·37	·03	·02	12
13	·24		·04				·1	·14	·06	·06			13
14	·05 Snow		·01	·19			·4	·67				·05	14
15	·15 Snow		·01		·01			·07		·01		·02	15
16	·03	·07		·35		·07	·3			·41		·34	16
17	·02	·01	·04	·17 Snow	·42	·1	·11		·54	·27		·01 Snow	17
18	·03			·01	·01	·01	·19	·01	·53				18
19	·01 Snow	·24	·24	·02		·02			·24			·02 Snow	19
20	·02 Snow	·01	·2			·07		·04	·05		·26		20
21		·19	·11 Snow			·04		·02			·02		21
22		·01	·03 Snow		·01	·01		·04		·06			22
23					·05	·09		·08		·2		·02	23
24						·09	·01	·15		·2	·1	·06	24
25		·01	·06								·22 Snow	·37 Snow	25
26			·06					·22	·04		·57	·05 Snow	26
27						·05		·37				·03	27
28			·14			·26		·08		·05		·04	28
29	·02 Snow	·02			·01	·62	·15			·05		·02	29
30	·11 Snow	X	·02				·19	·09		·02			30
31	·07 Snow	X	·89 Snow	X		X	·42	·14	X		X		31
Total	2·10	1·12	3·02	1·92 1·82	·51	1·49	3·28	5·08	1·95	3·47	1·85	1·34	YEAR'S TOTAL 27·13 27·03
Rain Days.	20	12	21	15	6	15	11	21	10	17	12	17	177

W. 8,000, IX. 17.

Esc Dh

26

FORM A.
BRITISH RAINFALL
7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Thorpe Hurst. Thorpe St Andrew
in the County of Norfolk
by Capt. J. H. Mander

Lat. — Long. —
Time of Observation 9 AM
Nearest Railway Station Whitlingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07					·09		·04	·22	1
2	·08	·02		·04				·44	·01	·02		·08	2
3	·01		·03		·04			·11			·87		3
4		·02	·09						·53	·05	·25		4
5		·05	·06		·14			·24	·04	·13			5
6		·1		·23					·01			·07	6
7	·08 Snow	·16		·27		·01			·01	·05	·01	·01	7
8	·04 S.	·03		·01					·07		·13	·01	8
9	·10 S	·06	·04	·01		·09			·6	·23		·05	9
10	·06						·09				·08	·16	10
11	·01	·09			·13		·05		·16	·74	·01	·29	11
12		·12			·04		·12	·03	·11	·23		·06	12
13		·08			·16				·03			·01	13
14	·35			·03			·14		·2	·36		·02	14
15	·68 S		·03	1·82		·02	·02		·28	·09	·01	·07	15
16	·02 S		·01	·31					·07	·01			16
17	·15			·07		·02	·97					·31	17
18	·48			·15		·07			·13	·02		·57	18
19	·13		·01	·09			·05		·01	·19		·13	19
20	·01	·07		·1		·01	·62		·07	·22		·03	20
21	·03					·07	·03		·39	·11			21
22	·03			·07		·07	·09		·04		·02	·42	22
23	·05			·01	·19		·08	·07			·08		23
24		·19					·04		·12				24
25			·02			·58	·43	·12				·09	25
26							·56	·29	·03			·14	26
27				·5			·12	·22	·07		·08	·2	27
28			·22			·17		·02			·1	·44	28
29	·02	·14	·01						1·26		·04	·02	29
30		X	·27						·33	·05	·01	·02	30
31		X		X		X			X	·01	X	·13	31
Total	2·33	1·13	·79	3·78	·70	1·11	3·41	1·54	4·66	2·51	1·73	3·55	YEAR'S TOTAL 27·24
Rain Days.	18	13	11	16	6	10	15	9	24	16	14	24	176

W, 6,500, VII. 18. w w c

~~H~~ BR and by Preston

1370

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Thorpe Hurst. Thorpe St Andrew
in the County of Norfolk
by Capt. J. H. Mander.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Whitlingham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·15		·19			·45	·05	·56	1
2	·4	·01	·01		·01		·04		·01	·02	·46	·56	2
3	·14	·01	·08				·22				·05	·01	3
4	·23		·26			·03		·01	·01		·01	·23	4
5	·07	·05	·01			·01		·17	·09			·05	5
6	·58		·15							·01	·09	·3	6
7			·23		·1						·21	·48	7
8	·11			·1						·04		·09	8
9			·02	·01						·16	·11	·01	9
10	·02		·11	·02	·03					·55	·15	·04	10
11	·05		·25	·05			·52			·04	·10	·1	11
12	·08		·05	·04		·15	·13			·01			12
13	·02			·19		·01	·17			·05			13
14	·38	·02		·42			·18		·04	·05	snow ·05	·01	14
15	·19		·01	·09			·04			·29	·12 snow	·05	15
16	·01	·78	·03	·08				·05		·19		·11	16
17		1·29 snow	·05	·03	·01						·29	·03	17
18	·1	·18	·01					·14	·03			·19	18
19		·07	·11				·03	·25	·39		·07		19
20	·31	·05	·12			·48	·96	·25	·01			·01	20
21	·01	·24	·02	·01		·12	·29					·18	21
22		·23	·02				·2	·17	·17		·02	·3	22
23	·01	·01				·08	·07	·07	·04			·05	23
24				·04	·44	·16	·04						24
25	·02			·04	·33	·07		·56		·02		·09	25
26	·1	·36	·26	·19		·05	·01	·27	·07	·28		·4	26
27		·02	·03	·03			·01			·38	·23	·03	27
28				·11			·04	·67	·07	·89	·03	·31	28
29	·06			·1		·13		·05		·13	·21	·2	29
30		✕	·08	·13		·13				·25	·17	·18	30
31	·01 snow	✕		✕		✕	·07		✕	·16	✕	·13	31
TOTAL	2·90	3·32	1·91	1·68	1·07	1·42	3·21	2·66	·93	3·97	2·42	~~4·66~~ 4·70	YEAR'S TOTAL ~~30·15~~ 30·19
Days with ·01 in. or more	21	14	21	18	7	12	18	12	11	19	18	27	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1294

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thorpe Hurst. Thorpe St Andrew

in the County of Norfolk

by Capt. J H Mander

Lat. .... Long. ....

Time of Observation 9. AM

Nearest Railway Station Whitlingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·01	·04		·21		·02	·48		·02	1
2		·02						·12	·03			·12	2
3	·01			·04		·01			·02			·10	3
4	·01		·03	~~·04~~ ·26	·05		·02	·03				·18	4
5		·01	·08	·07	·10		·15	·16	·09			·22	5
6			·09		·03		·47	·04	·01			·02	6
7	·01	·01	s ·13	·11	·01		·07					·08	7
8		·01		·49	·08		·02	·07				·01	8
9	·20	·05		·52				·29				·03	9
10	·20	·10	·04	·06			·03	·02				·12	10
11	·41	·03		·13	·01		·08					·27	11
12	·09		·09	·15		·02	·05					·10	12
13	·07	·03	·01			·64			·03			·05	13
14	·01	·03	·24			·21	·08		·01		·29		14
15			·18	·10 ~~·01~~			·02		·05	·42	·05	·12	15
16				·05	·01				·58	·03		·29	16
17				·06	·29				·17			·12	17
18				·02	·03			·31	·25		·01	·08	18
19	·17			·03				·35	·02			·01	19
20	·10	·36		·13		·64		·01	·06			·03	20
21				·04(4)			·36	·13	·17			·03	21
22				·06				·16	·28			·01	22
23							·52					·69	23
24		·01	·10				·09		·04				24
25		·06		·03		·11	·26		·02				25
26			·03	·15	·84		09				·01		26
27	·19	·11		·16		·50					·07	·11	27
28	·50			·11		·07	·03				·07	04	28
29			·03		·11	·02	·16				·06	·20	29
30		✕		·03	·20	·04	·14		·05		·13	·19	30
31	·06	✕		✕	·01	✕		·16	✕	·04	✕	·17	31
TOTAL	2·03	·83	1·08	2·81	1·81	2·26	2·85	1·85	1·90	·97	·69	2·99	YEAR'S TOTAL 21·99
Days with ·01 in. or more	14	13	13	23	14	10	19	13	18	4	8	27	176
Days with ·04 in. or more	10	~~4~~ 5	8	18	8	7	14	10	10	3	~~5~~ 6	19	118

Snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. **METEORO ORGANIZATION.**

92~~0~~0.

26 FEB 1921

Kept at Thux ng

in the County of on

by Rev. A.W. Rain Gauge in.

above Ground ft. in.

,, Sea Level ft.

THRUXTON

NORFOLK

1920

IMPORTANT N ult entered to the previous day.

If an Observer prefers requested to add the reading at 9 a.m. it at the end of this paragraph. Full i ng of rain gauges, and particulars as to ainfall Observers," sent post-free on app ion, 62, Camden Square, London, N.W.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.	·11	.	·22	-	·01	·55	·02	.	1
2	.	.	·02	·01	.	.	.	·17	·03	.	.	·17	2
3	·03	·01	.	·18	.	.	.	·01	·11	·01	.	·15	3
4	.	.	·10	·19	·06	·02	·04	·05	·01	.	.	·28	4
5	.	.	·06	·05	·22	.	·18	·15	·16	.	.	·17	5
6	.	.	·19	-	·03	.	62	.	.	.	.	·04	6
7	·02	.	·12	·08	.	.	·18	.	.	.	.	·04	7
8	.	·02	.	·52	·10	.	.	·28	.	.	·01	.	8
9	·30	·04	.	·40	.	.	·01	·06	.	.	·25	·04	9
10	·46	·03	·11	·05	.	.	·04	·08	.	.	·19	·02	10
11	·25	.	·10	·05	·02	.	·09	.	.	.	.	·30	11
12	·12	.	·03	·18	.	·05	·01	.	.	.	.	·10	12
13	·04	·01	·04	·05	.	·23	.	.	·08	.	.	·06	13
14	·03	·02	·28	·13	.	·09	·05	.	·12	.	.	.	14
15	.	.	·28	·06	.	.	.	.	·46	·08	.	·02	15
16	.	.	.	·07	·07	.	.	.	·37	.	.	·17	16
17	·01	.	.	·02	·09	·17	·01	.	·10	·03	.	·15	17
18	·04	.	.	·03	·07	.	.	·37	·35	.	.	·02	18
19	·10	.	.	·07	.	·02	.	·90	·07	.	·01	·02	19
20	·11	·44	.	·22	.	·53	.	.	·15	.	.	.	20
21	.	.	.	·01	.	.	·78	·12	·12	.	.	·09	21
22	.	.	.	·09	.	.	.	·09	·15	.	.	·01	22
23	.	.	.	·01	.	.	·47	.	.	.	.	·24	23
24	·03	.	·17	.	.	.	·06	.	·02	.	.	·09	24
25	.	·11	·02	·11	.	·09	·28	.	·03	·01	·01	.	25
26	·04	.	·09	·15	·21	.	·23	.	.	.	.	·01	26
27	·13	·08	.	·21	.	·42	.	.	.	.	·07	·07	27
28	·45	.	·01	·04	·12	·01	·04	.	.	-	·16	·06	28
29	·01	.	·04	.	·37	.	·15	.	.	.	·11	·22	29
30	·02	✕	.	·07	·10	·03	·10	·03	·06	·04	·16	·20	30
31	·11	✕	.	✕	.	✕	.	·03	✕	.	✕	·20	31
Total	2·30	·76	1·66	3·05	1·57	1·66	3.56	2·34	2·40	·72	·99	2·94	**Year's Total** 23.95
Days with ·01 in. or more	19	9	16	26	13	11	19	13	18	6	10	26	186
Days with ·04 in. or more	12	4	12	21	11	7	16	10	13	3	6	20	135

0

26 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Thuxton

in the County of Norfolk

by Rev. A.W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·	·11	·	·22	-	·01	·53	·02	·	1
2	·	·	·02	·01	·	·	·	·17	·03	·	·	·17	2
3	·03	·01	·	·18	·	·	·	·01	·11	·01	·	·15	3
4	·	·	·10	·19	·06	·02	·04	·05	·01	·	·	·28	4
5	·	·	·06	·05	·22	·	·18	·15	·16	·	·	·17	5
6	·	·	·19	-	·03	·	62	·	·	·	·	·04	6
7	·02	·	·12	·08	·	·	·18	·	·	·	·	·04	7
8	·	·02	·	·52	·10	·	·	·28	·	·	·01	·	8
9	·30	·04	·	·40	·	·	·01	·06	·	·	·25	·04	9
10	·46	·03	·11	·05	·	·	·04	·08	·	·	·19	·02	10
11	·25	·	·10	·05	·02	·	·09	·	·	·	·	·30	11
12	·12	·	·03	·18	·	·05	·01	·	·	·	·	·10	12
13	·04	·01	·04	·05	·	·23	·	·	·08	·	·	·06	13
14	·03	·02	·28	·13	·	·09	·05	·	·12	·	·	·	14
15	·	·	·28	·06	·	·	·	·	·46	·08	·	·02	15
16	·	·	·	·07	·07	·	·	·	·37	·	·	·17	16
17	·01	·	·	·02	·09	·17	·01	·	·10	·03	·	·15	17
18	·04	·	·	·03	·07	·	·	·37	·35	·	·	·02	18
19	·10	·	·	·07	·	·02	·	·90	·07	·	·01	·02	19
20	·11	·44	·	·22	·	·53	·	·	·15	·	·	·	20
21	·	·	·	·01	·	·	·78	·12	·12	·	·	·09	21
22	·	·	·	·09	·	·	·	·09	·15	·	·	·01	22
23	·	·	·	·01	·	·	·47	·	·	·	·	·24	23
24	·03	·	·17	·	·	·	·06	·	·02	·	·	·09	24
25	·	·11	·02	·11	·	·09	·28	·	·03	·01	·01	·	25
26	·04	·	·09	·15	·21	·	·23	·	·	·	·	·01	26
27	·13	·08	·	·21	·	·42	·	·	·	·	·07	·07	27
28	·45	·	·01	·04	·12	·01	·04	·	·	-	·16	·06	28
29	·01	·	·04	·	·37	·	·15	·	·	-	·11	·22	29
30	·02	×	·	·07	·10	·03	·10	·03	·06	·04	·16	·20	30
31	·11	×	·	×	·	×	·	·03	×	·	×	·20	31
TOTAL	2·30	·76	1·66	3·05	1·57	1·66	3.56	2·34	2·40	·72	·99	2·94	YEAR'S TOTAL 23.95
Days with ·01 in. or more	19	9	16	26	13	11	19	13	18	6	10	26	186
Days with ·04 in. or more	12	4	12	21	11	7	16	10	13	3	6	20	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible]

REGISTE

1474.

TITTLESHALL

NORFOLK

1912 - ~~30~~ 1913

16 APR 1913

FORM A.
BRITISH RAINFALL.

Kept at Tittleshall ... m.

in the County of Norfolk ... ham

by Harry G. Buxton ... n.

1 ft. ~~—~~ in.

291 ft.

IMPORTANT NOTE.—Ra ... t entered to the previous day. If an Observer ... , he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	2	—	2	—	7	31	—	10	—	—	42	1
2	8	13	—	4	10	—	43	—	—	6	—	5	2
3	20	9	2	—	3	36	1	12	6	4	—	11	3
4	6	—	45	—	3	12	—	3	—	—	21	—	4
5	1	13	62	—	—	—	—	3	—	—	3	—	5
6	68	8	2	—	8	8	67	18	38	—	—	3	6
7	16	1	2	—	1	28	—	2	7	—	—	2	7
8	21	8	8	4	1	9	29	12	31	—	—	—	8
9	—	2	2	17	4	16	—	3	6	—	—	32	9
10	—	—	—	4	—	—	—	1	47	—	23	2	10
11	16	3	—	—	—	—	—	5	8	—	32	18	11
12	8	8	16	—	4	8	—	—	—	—	62	—	12
13	2	10	6	—	—	1	—	2	—	5	50	2	13
14	—	—	3	—	—	7	—	4	3	6	10	12	14
15	—	—	24	—	15	18	—	5	—	—	5	10	15
16	2	—	5	—	2	10	—	4	—	17	3	—	16
17	28	—	22	—	—	30	—	7	—	—	—	15	17
18	3	—	12	—	—	—	23	60	4	7	4	9	18
19	10	17	11	—	—	—	28	75	—	5	3	—	19
20	9	—	—	—	9	—	6	27	—	34	1	—	20
21	—	1	47	—	19	—	4	45	—	—	4	—	21
22	3	9	3	—	102	3	102	11	—	—	—	9	22
23	38	29	21	—	5	—	—	76	—	—	28	17	23
24	41	1	5	—	—	9	45	14	—	—	—	12	24
25	2	1	—	—	—	17	6	74	—	—	20	31	25
26	—	4	2	—	1	15	32	78	—	39	17	23	26
27	—	—	—	—	—	—	—	2	—	20	2	12	27
28	—	1	—	2	—	2	16	24	—	28	17	30	28
29	—	1	—	—	—	51	17	9	68	12	34	—	29
30	4		—	—	18	2	4	2	79	55	~~35~~	—	30
31	—		28		12		19	14		22		5	31
Total	3·02	1·41	3·28	0·33	2·17	2·89	4·44	7·92	3·67	2·60	3·39 ✓	3·02	YEAR'S TOTAL 37·54 ✓
Rain Days.	21	20	21	6	17	20	17	28	12	14	19 ✓	21	216 ✓

W. 7,500, XI. ·12

[illegible]

REGISTE

FORM A.
BRITISH RAINFALL.

16 APR 1913

Kept at Tittleshall

in the County of Norfolk 4

by Harry G. Buxton

Nearest Railway Station ham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 291 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	2	—	2	—	7	31	—	10	—	—	42	1
2	8	13	—	4	10	—	43	—	—	6	—	5	2
3	20	9	2	—	3	36	1	12	6	4	—	11	3
4	6	—	45	—	3	12	—	3	—	—	21	—	4
5	1	13	62	—	—	—	—	3	—	—	3	—	5
6	68	8	2	—	8	8	67	18	38	—	—	3	6
7	10	1	2	—	1	28	—	2	7	—	—	2	7
8	21	8	8	4	1	9	29	12	31	—	—	—	8
9	—	2	2	17	4	16	—	3	6	—	—	32	9
10	—	—	—	4	—	—	—	1	47	—	23	2	10
11	16	3	—	—	—	—	—	5	8	—	32	18	11
12	8	8	16	—	4	8	—	—	—	—	62	—	12
13	2	10	6	—	—	1	—	2	—	5	50	2	13
14	—	—	3	—	—	7	—	4	3	6	10	12	14
15	—	—	24	—	15	18	—	5	—	—	5	10	15
16	2	—	5	—	2	10	—	4	—	17	3	—	16
17	28	—	22	—	—	30	—	7	—	—	—	15	17
18	3	—	12	—	—	—	23	60	4	7	4	9	18
19	10	17	11	—	—	—	28	75	—	5	3	—	19
20	9	—	—	—	9	—	6	27	—	34	1	—	20
21	—	1	47	—	19	—	4	45	—	—	4	—	21
22	3	9	3	—	102	3	102	11	—	—	—	9	22
23	38	29	21	—	5	—	—	76	—	—	28	17	23
24	41	1	5	—	—	9	45	14	—	—	—	12	24
25	2	1	—	—	—	17	6	74	—	—	20	31	25
26	—	4	2	—	1	15	32	78	—	39	17	23	26
27	—	—	—	—	—	—	—	2	—	20	2	12	27
28	—	1	—	2	—	2	16	24	—	28	17	30	28
29	—	1	—	—	—	51	17	9	68	12	34	—	29
30	4		—	—	18	2	4	2	79	55	~~35~~	—	30
31	—		28		12		19	14		22		5	31
Total	3·02	1·41	3·28	0·33	2·17	2·89	4·44	7·92	3·67	2·60	3·39 ✓	3·02	YEAR'S TOTAL 37·54 ✓
Rain Days.	21	20	21	6	17	20	17	28	12	14	19 ✓	21	216 ✓

W. 7,500, XI. 12

Cor. for arith. 7.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6 APR 191

W. H66

Kept at Tittleshall
in the County of Norfolk 4
by H. G. Buxton.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Fakenham M. & G.N.R.
Diameter of Rain Gauge 5 ins. Snowdon.
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 290 feet

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	10	11	12	18	–	–	–	–	–	–	–	–	1
2	4	18	4	–	–	–	14	–	15	8	18	–	2
3	–	–	17	–	34	–	–	–	4	–	–	–	3
4	10	–	–	–	3	–	–	2	2	3	1	12	4
5	3	–	–	–	3	16	–	–	2	1·80	7	17	5
6	–	–	–	–	18	25	10	–	–	22	1	–	6
7	–	11	–	–	3	6	–	–	–	53	–	–	7
8	–	–	–	–	38	16	4	–	–	–	10	–	8
9	–	15	5	4	27	8	–	7	–	1	5	–	9
10	–	–	–	7	–	–	39	5	–	–	–	–	10
11	45×	–	–	70×	3	2	–	1	–	–	41	–	11
12	–	2	–	2	–	3	–	–	–	–	·4	–	12
13	–	–	10	1	–	–	–	2	–	–	1·10	–	13
14	7	–	20	8	–	–	25	–	–	28	2	–	14
15	10	3	14	15	–	–	13	–	20	–	8	–	15
16	15	–	60	22	–	–	–	–	40	–	– ~~3~~	3	16
17	3	3	31	8	–	1·28	6	–	–	–	12	–	17
18	~~[illegible]~~ –	–	6	16	2	–	2	2	12	–	4	–	18
19	10	–	5	–	–	–	4	2	6	–	–	7	19
20	19	–	13	–	–	8	–	–	16	23	–	–	20
21	5	–	10	1	–	–	42	–	–	31	20	–	21
22	12	–	9	–	2	–	41	3	40	–	–	–	22
23	–	–	2	–	–	4	2	13	2	–	4	–	23
24	13	–	–	7	–	14	–	–	–	–	–	11	24
25	–	–	–	11	–	1	–	–	–	–	–	–	25
26	–	6	5	3	–	–	–	–	–	44	–	10	26
27	–	14	–	1	2	–	–	–	–	–	2	–	27
28	27	–	5	–	–	–	–	2	–	19	–	–	28
29	30		23	29	13	–	–	–	–	–	–	8	29
30	39		–	23	–	–	–	–	–	3	28	–	30
31	–		1		–		–	40		–		11	31
Total	2·62	·83	2·52	2·46	1·48	2·31	2·02 ~~1·92~~	·79	1·59	4·15 ~~4·18~~	2·77	·79	YEAR'S TOTAL ~~24·26~~
Rain Days.	17	9	19	18	12	12	12	11	11	12	17	8	158

24·33

W.7,000, XI. 13

—

TOFT MONKS

BECCLES

NORFOLK

1913 — 1917

RE 3

FORM A. BRITISH RAINFALL.

3 - JAN 1914

Kept at Toft 1°40′ E.
9 a.m.
in the County of N Aldeby 1½ mls S.E.
5 in.
by Wm B. A ove Ground 1 ft. 0 in.
Sea Level 60 ft.

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the r ear in the space provided for it at the end of t ement of rain, the selection and plac ritish Rainfall Organization are given application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	·35	·10	·19	·05	·15	—	—	·16	—	·06	—	1
2	·05	·15	·03	—	—	—	·18	—	·01	—	·04	—	2
3	—	—	·25	·01	·13	—	—	—	—	·24	·01	·01	3
4	·03	—	—	—	·04	·03	·01	—	—	—	—	·18	4
5	·15	—	—	—	·05	—	—	—	·02	·74	·05	—	5
6	·04	—	·03	—	·11	·02	—	—	—	·07	·03	—	6
7	—	·01	—	—	·02	—	·07	—	—	·55	—	·03	7
8	·01	—	—	·03	·08	·12	·02	—	—	·11	·08	—	8
9	—	·10	·02	·03	·30	·28	·08	·24	·02	·02	·04	·01	9
10	—	—	—	·04	—	—	—	—	—	·04	·07	—	10
11	M. Snow ·46	·01	—	Snow ·53	·01	·02	—	·37	—	·03	·54	—	11
12	—	·01	—	Snow ·15	—	·02	—	—	—	—	·12	—	12
13	·21	·01	·01	·01	—	—	—	—	—	—	·38	—	13
14	·12	·01	·10	·06	—	—	1·34	—	·45	·30	·08	—	14
15	·15	·01	·12	·13	—	—	·31	—	·01	—	·15	—	15
16	·15	—	·17	·15	—	—	·01	—	·25	·01	·12	·03	16
17	·04	—	·20	·06	—	—	·10	—	·05	—	—	·04	17
18	—	—	·05	·03	—	—	·02	·01	·16	·01	—	·01	18
19	·09	—	·10	—	·02	—	—	·06	·08	—	—	·03	19
20	·15	—	·01	—	—	—	—	—	·01	·10	—	—	20
21	·15	—	·12	·03	·03	—	·38	—	—	·60	·33	—	21
22	·11	·01	·03	—	—	—	·33	—	·03	—	—	—	22
23	·01	·01	—	—	—	·02	—	·15	—	·01	·01	·03	23
24	·10	—	—	·01	—	·16	—	·15	—	·01	·02	·08	24
25	·02	—	—	·08	—	—	·01	—	—	·01	—	—	25
26	—	·03	·14	—	—	—	—	—	—	·72	·02	·07	26
27	—	·05	·04	—	·02	·01	—	—	—	·03	—	—	27
28	·05	·02	·13	—	—	·02	—	—	·03	·18	—	·01	28
29	·44		·15	·05	·38	—	—	—	·01	—	·01	Snow ·03	29
30	·25		—	·50	·11	—	—	—	—	·02	—	Snow ·26	30
31	—		·42		—	—	—	·29		·02	·09	—	31
Total	3·11	·78	2·22	2·09	1·35	·84	2·86	1·27	1·29	3·82	2·25	·82	YEAR'S TOTAL 22·70
Rain Days.	22	14	20	18	14	11	13	7	14	21	20	14	188

W. 7,500, XI. 12

RE 3

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Kept at Toft Monks, Beccles

in the County of Norfolk

by Wm B. Alexander

Lat. 52°30′ N. Long. 1°40′ E.

Time of Observation 9 a.m.

Nearest Railway Station Aldeby 1½ mls S.E.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·35	·10	·19	·05	·15	—	—	·16	—	·06	—	1
2	·05	·15	·03	—	—	—	·18	—	·01	—	·04	—	2
3	—	—	·25	·01	·13	—	—	—	—	·24	·01	·01	3
4	·03	—	—	—	·04	·03	·01	—	—	—	—	·18	4
5	·15	—	—	—	·05	—	—	—	·02	·74	·05	—	5
6	·04	—	·03	—	·11	·02	—	—	—	·07	·03	—	6
7	—	·01	—	—	·02	—	·04	—	—	·55	—	·03	7
8	·01	—	—	·03	·08	·12	·02	—	—	·11	·08	—	8
9	—	·10	·02	·03	·30	·28	·08	·24	·02	·02	·04	·01	9
10	—	—	—	·04	—	—	—	—	—	·04	·07	—	10
11	M. Snow ·46	·01	—	Snow ·53	·01	·02	—	·37	—	·03	·54	—	11
12	—	·01 fog	—	Snow ·15	—	·02	—	—	—	—	·12	—	12
13	·21	·01	·01	·01	—	—	—	—	—	—	·38	—	13
14	·12	·01	·10	·06	—	—	1·34	—	·45	·30	·08	—	14
15	·15	·01	·12	·13	—	—	·31	—	·01	—	·15	—	15
16	·15	—	·17	·15	—	—	·01	—	·25	·01	·12	·03	16
17	·04	—	·20	·06	—	—	·10	—	·05	—	—	·04	17
18	—	—	·05	·03	—	—	·02	·01	·16	·01	—	·01	18
19	·09	—	·10	—	·02	—	—	·06	·08	—	—	·03	19
20	·15	—	·01	—	—	—	—	—	·01	·10	—	—	20
21	·15	—	·12	·03	·03	—	·38	—	—	·60	·33	—	21
22	·11	·01	·03	—	—	—	·33	—	·03	—	—	—	22
23	·01	·01	—	—	—	·02	—	·15	—	·01	·01	·03	23
24	·10	—	—	·01	—	·16	—	·15	—	·01	·02	·08	24
25	·02	—	—	·08	—	—	·01	—	—	·01	—	—	25
26	—	·03	·14	—	—	—	—	—	—	·42	·02	·07	26
27	—	·05	·04	—	·02	·01	—	—	—	·03	—	—	27
28	·05	·02	·13	—	—	·02	—	—	·03	·18	—	·01	28
29	·44		·15	·05	·38	—	—	—	·01	—	·01	Snow ·03	29
30	·25		—	·50	·11	—	—	—	—	·02	—	·26	30
31	—		·42		—	—	—	·29		·02	·09	—	31
Total	3·11	·48	2·22	2·09	1·35	·84	2·86	1·27	1·29	3·82	2·25	·82	YEAR'S TOTAL 22·70
Rain Days.	22	14	20	18	14	11	13	7	14	21	20	14	188

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Toft Monks, Beccles
in the County of Norfolk
by Wm. B. Alexander

Lat. 52°30′ Long. 1°40 E
Time of Observation 9 a.m.
Nearest Railway Station Aldeby 1½ mls S.
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	—	—	—	·04	—	·01	·45	·01	1
2	·01	—	—	·08	—	—	·29	—	—	—	·03	·08	2
3	—	·01	·09	—	·09	—	·52	—	—	—	·02	—	3
4	·17	·02	·02	·11	·01	—	—	—	—	·02	·17	·11	4
5	·01	·02	·08	·15	·09	·06	·18	·18	—	·02	·02	—	5
6	Snow ·09	·04	—	·03	·08	—	·28	·05	—	—	·07	·11	6
7	·01	·02	·30	·03	·21	·13	·18	—	—	—	—	·06	7
8	·12	·05	·40	—	·22	·68	—	·07	·31	—	·01	—	8
9	·62	—	·45	·01	·01	·60	—	—	·01	·02	—	·65	9
10	Snow & Rain ·76	·01	·02	·04	—	—	—	—	·04	·03	—	·27	10
11	—	·17	·28	·15	·24	·11	—	—	·06	·02	·30	·34	11
12	Snow ·03	—	·01	—	·03	—	·03	—	·28	—	—	·22	12
13	—	·20	·19	—	·03	—	—	—	·02	·06	·19	·53	13
14	—	·02	·18	—	·01	—	—	—	—	·20	·11	·35	14
15	·05	·01	·20	—	—	·01	·85	—	—	—	·35	·21	15
16	·03	—	·12	—	—	·01	—	—	—	—	·03	·03	16
17	·01	·23	·02	—	·01	—	—	—	—	—	·04	·13	17
18	—	·21	·05	—	—	—	—	—	—	·03	·04	·43	18
19	Snow ·01	·03	·25	—	·01	—	—	—	·31	·11	·19	·01	19
20	—	—	·26	·01	—	·02	—	—	·07	·16	·06	·04	20
21	·04	·55	·13	—	—	—	—	—	—	·02	·05	·17	21
22	·02	·01	·07	·01	·24	·01	·16	—	—	·29	—	·03	22
23	—	·01	·08	—	·06	—	·05	—	Mist ·02	·02	·02	·04	23
24	·01	·01	—	·16	—	·01	—	—	Mist ·01	·01	·07	·02	24
25	—	—	—	—	·10	—	·02	·02	—	·70	—	—	25
26	—	—	·02	—	·02	—	·01	·12	—	·01	·09	·31	26
27	—	—	—	—	—	—	·41	—	—	·02	—	·21	27
28	—	·01	—	·01	—	—	·01	—	—	·10	·74	1·24	28
29	·02		—	·01	—	—	·03	—	—	·47	·05	—	29
30	—		·07	—	—	—	—	—	—	—	·25	·05	30
31	—		—		·05		—	—		·01	—	·02	31
Total	2·01	1·63	3·33	·80	1·51	1·64	3·02	·48	1·13	2·33	3·35	5·67	YEAR'S TOTAL 26·90
Rain Days.	14	19	23	13	18	10	14	6	10	21	23	26	200

W.7,000, XI. 13

Exe DL

1541

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at Toft Monks, Beccles.
in the County of Norfolk.
by Wm B. Alexander.

Lat. 52°30′ Long. 1°40′ E.
Time of Observation 9 a.m.
Nearest Railway Station Aldeby 1½ mls S.E.
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*;" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·27	·04	—	·03	—	—	—	·41	·03	·11	·08	1
2	·03	·08	·32	·06	—	—	—	·10	·35	—	·15	·01	2
3	·32	—	·13	·06	—	—	—	·15	·12	—	·28	·13	3
4	—	—	—	—	·01	—	·25	·21	—	·03	·14	·42	4
5	·07	·01	—	—	—	—	—	·06	—	·41	·03	·22	5
6	·09	·22	·19	·24	·04	—	·18	—	—	—	·01	·11	6
7	·06	·22	·13	·01	—	—	·50	·05	—	·02	—	·16	7
8	·05	·15	—	·04	—	—	·02	·01	—	·06	—	—	8
9	·03	·14	—	·04	—	·02	—	·21	—	·08	·28	·41	9
10	·36	—	—	—	—	—	—	—	—	—	—	·13	10
11	·03	—	—	—	·09	—	—	—	—	·05	·32	·08	11
12	·06	—	—	·24	·08	—	·07	·48	—	—	·45	·21	12
13	·06	·33	—	·05	1·05	—	·05	·12	·08	—	·19	—	13
14	—	·18	—	·01	·03	—	1·53	·01	—	·01	—	·30	14
15	·30	·04	—	—	·12	—	·04	·57	—	—	—	·08	15
16	·15	·17	—	—	·01	—	·73	·24	—	—	·25	—	16
17	·26	·25	·01	—	·08	—	·10	—	—	—	·05	·16	17
18	·13	·09	·11	—	·35	—	—	—	—	·05	·33	—	18
19	·02	·20	·09	—	·01	—	·13	—	—	·26	—	—	19
20	·25	—	—	·06	—	—	—	·01	—	·04	—	·40	20
21	·35	—	—	—	·06	—	·05	·02	—	·15	—	·11	21
22	·36	·06	·25	·01	—	—	·45	—	—	—	—	·15	22
23	·02	·07	·01	—	—	—	·15	—	—	—	·06	·03	23
24	—	·03	·26	—	—	—	·45	—	·01	—	·05	·13	24
25	·04	—	·03	·04	—	·15	·06	—	—	·04	·17	·06	25
26	·01	·13	·02	—	—	·03	—	—	—	·03	·06	·21	26
27	—	·03	—	—	—	—	·96	—	·15	·24	—	·02	27
28	—	·07	·02	—	—	1·50	·02	—	·65	·55	—	—	28
29	—	X	—	—	·01	·12	·15	·12	·15	·10	·05	·03	29
30	·08	X	—		—	·02	—	·01	·06	—	·04	—	30
31	·03	X	—	X		X	·04	·02	X	·25	X	·27	31
Total	3·29	2·74	1·61	·86	1·97	1·84	5·93	2·39	1·98	2·40	3·02	3·91	YEAR'S TOTAL 31·94
Rain Days.	25	20	14	12	14	6	20	17	9	18	19	24	198

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Toft Monks
in the County of Norfolk
by Wm B. Alexander

Lat. 52°30′ Long. 1°40′E.
Time of Observation 9 a.m.
Nearest Railway Station Aldeby 1½ ml. S.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	·02	—	·04	·04	—	—	—	—	·09	—	1
2	·53	·01	·01	—	·40	—	·02	—	·29	·02	·01	—	2
3	—	·13	·09	~~0~~	—	·01	·02	—	·03	·20	·32	—	3
4	·28	·08	(Snow) ·04	—	—	·37	·02	—	·20	·05	·20	·21	4
5	·08	·08	(Snow) ·08	·03	—	·22	·08	—	·04	·07	·15	·01	5
6	—	·12	(Snow) ·19	·42	—	·14	·03	—	—	—	·26	·01	6
7	·12	—	(Snow) ·14	—	·20	·01	·16	—	—	·04	·20	·01	7
8	—	—	·12	—	·08	—	—	—	—	—	·01	·18	8
9	·02	—	·02	—	·20	·19	—	—	—	—	—	·24	9
10	—	—	·03	·05	—	·05	·13	—	·02	—	—	·48	10
11	·06	·55	·12	·30	·03	·50	—	—	—	—	—	·14	11
12	·05	·02	—	·01	·29	·48	·07	·01	—	·14	·01	·02	12
13	·01	·22	·05	·04	·02	·01	·02	·07	—	—	—	·01	13
14	—	(Snow) ·29	·02	·03	·15	·05	—	·24	·17	·11	·01	·27	14
15	—	·33	·22	—	—	—	—	·05	·10	·22	—	·04	15
16	—	·10	·02	·38	—	—	·15	·10	—	·08	—	·09	16
17	·01	—	—	·28	—	—	·13	·67	·20	·25	—	·01	17
18	—	·17	·01	·17	—	·01	·01	—	·03	·19	·49	—	18
19	·06	·01	—	·21	—	·04	—	·11	·39	·12	·60	·06	19
20	·17	—	·20	·04	—	—	—	—	·02	—	·04	·12	20
21	·04	(Snow) ·01	·10	—	—	—	—	—	—	—	·02	·39	21
22	—	(Snow) ·12	·01	—	·28	·05	·02	·01	—	—	·01	·37	22
23	—	(Snow) ·65	—	—	—	·12	·02	·01	—	·01	·09	·22	23
24	—	(Snow) ·20	—	—	—	·69	·02	·17	(Mist) ·01	·38	·01	·29	24
25	—	(Snow) ·08	(Snow) ·15	—	—	—	·01	·08	(Mist) ·01	·13	·03	—	25
26	—	(Snow) ·05	—	—	—	—	·01	·01	(Mist) ·01	·01	·20	·01	26
27	—	(Sleet) ·17	·47	—	—	·04	·01	—	·06	·18	·02	·02	27
28	·01 (Mist)	·33	(Snow) ·43	—	—	·01	—	1·03	·04	·06	·01	·17	28
29	—	·19	—	—	—	·14	—	·48	—	·22	—	·01	29
30	—	✕	—	—	·03	·18	—	·07	—	·52	—	—	30
31	·05	✕	—	✕	—	✕	—	—	✕	·03	✕	·02	31
Total	1·58	3·91	2·54	1·96	1·72	3·35	·93	3·11	1·62	3·03	2·48	3·40	YEAR'S TOTAL 29·93
Rain Days.	15	22	22	12	11	21	18	15	16	21	21	25	219

W. 8,000, X. 15.

1447

FORM A.
BRITISH RAINFALL.

3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Toft Monks
in the County of Norfolk
by Wm. B. Alexander

Lat. 52°30'N. Long. 1°40'E.
Time of Observation 9 a.m.
Nearest Railway Station Aldeby 1½ mls S.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 60. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	(Snow) ·01	·02	·09 (Sn)	—	—	—	1·09	·25	(Mist) ·02	·11	—	1
2	·10	—	—	·47 (Sn)	—	—	—	·35	—	(Mist) ·07	—	—	2
3	—	—	·01	·15 (Sn)	—	—	—	·71	—	·05	—	·01 (Sn)	3
4	—	·21 (Sn)	—	·02	—	—	—	·05	—	·80	—	—	4
5	·12	·15 (Sn)	·03 (Sn)	·15	—	—	—	—	·29	—	·06	—	5
6	—	—	—	·05	—	·14	—	—	·06	—	·05	—	6
7	·34	—	·01 (Sn)	—	—	—	—	—	—	·62	—	·02	7
8	·06	—	·02 (Sn)	·14 (Sn)	—	—	1·02	·20	—	·22	·13	·15	8
9	·08	—	·03 (Sn)	·12 (Sn)	—	—	·02	·04	—	—	·20	·26	9
10	(Snow) ·09	·01	·18	·08 (Sn)	—	—	—	·05	—	·08	·07	·04	10
11	·10	·04	·67	·18 (Sn)	—	—	—	—	—	·25	·02	—	11
12	(Snow) ·45	·06	·21	·07	—	·03	—	·04	—	·27	·02	·02	12
13	·19 (Snow)	—	·07	—	—	—	—	—	·04	·04	·01	·01	13
14	·07 (Sn)	—	·05	·24	—	—	·48	—	—	·04	·02	—	14
15	·05 (Sn)	—	—	—	—	—	·05	—	—	·04	·01	·02	15
16	·02 (Sn)	·03	—	·32	·02	—	·12	·06	—	·25	—	(Snow) ·35	16
17	·04 (Sn)	—	·04	·05 (Sn)	·23	·04	·24	—	·39	·32	·01	·03 (Sn)	17
18	·03	·01	—	·17 (Sn)	·01	·82	·10	—	·43	·01	—	—	18
19	—	·02	·34	·04	—	·19	—	—	·37	—	—	—	19
20	—	·25	·08 (Sn)	—	—	·19	—	—	—	—	·24	—	20
21	·01	·18 (Sn)	·10 (Sn)	—	—	·05	—	—	—	·02	·04	—	21
22	—	·02	·05 (Sn)	—	·04	—	—	·03	—	·07	—	—	22
23	—	—	—	·01	·04	—	—	·13	—	—	—	·03	23
24	—	—	—	—	—	·07	—	·08	·01	·22	·10	·10 (Sn)	24
25	—	—	·07	—	—	·09	—	—	—	—	·20 (Sn)	·04 (Sn)	25
26	—	—	—	—	—	·07	—	·39	·02	—	·64	·21 (Sn)	26
27	—	—	·03	—	—	·01	—	·63	—	—	—	·04 (Sn)	27
28	—	·03	·16	—	—	·42	—	·08	—	·01	—	·02	28
29	·01 (Snow)	~~0~~	—	—	—	·50	·45	—	—	·03	—	·04	29
30	·08 (Sn)	X	—	—	—	—	·33	·08	(Mist) ·01	·11	—	—	30
31	·02 (Sn)	X	·52 (Sn)	X	—	X	·57	·14	X	·01	X	—	31
Total	1·86	1·02	2·69	2·35	·34	2·62	3·38	4·15	1·87	3·49	1·93	1·39	YEAR'S TOTAL 27·09
Rain Days.	18	13	20	17	5	13	10	17	10	22	17	17	179

W. 8,000, VIII. 16

—

WALSHAM NORTH

EMPSON HOUSE

NORFOLK

1911 — 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

11

Kept at Empson

rowdon

5 in.

ove Ground 1 ft. — in.

in the County of

Sea Level 102 ft.

am M&GN Joint

by Wm S.

Name H. Walsham

Distance ½ mile Direction S

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … ement of rain, the selection and pl… British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	–	·01	–	–	–	–	·15	–	·05	–	–	1
2	·12	–	–	–	·11	·02	–	–	–	·09	·04	·13	2
3	·02	·03	–	·05	·07	–	–	–	–	·04	·03	·04	3
4	·07	–	·08	·01	–	–	–	–	·05	·03	·29	·07	4
5	–	·06	–	–	–	–	–	–	–	·15	–	·20	5
6	·22	–	·05	·01	–	–	–	–	–	–	·02	·24	6
7	·01	·02	–	–	–	–	–	–	–	–	·09	·18	7
8	·17	–	·13	–	–	–	–	–	–	–	·06	·06	8
9	·07	–	·14	·03	–	–	–	–	–	·02	–	–	9
10	·04	·04	·04	–	–	·02	–	·05	–	–	·10	·49	10
11	·26	·34	–	–	–	–	–	–	–	–	·26	–	11
12	·02	·03	·35	–	·02	·05	–	–	–	–	–	–	12
13	·03	·05	·04	–	·04	·07	–	–	·14	·20	–	·06	13
14	–	·05	·27	–	·58	–	–	–	–	–	·01	·03	14
15	–	·07	·25	–	–	–	–	–	·07	–	·16	·02	15
16	–	–	·09	–	–	·41	–	–	–	–	·30	·10	16
17	–	–	·06	–	–	–	·02	–	–	–	–	·08	17
18	–	·14	–	–	–	·12	–	–	–	–	·87	·06	18
19	–	·01	–	–	–	·66	–	·45	·10	–	·22	·02	19
20	–	–	–	–	–	·09	–	–	·13	·04	·10	·24	20
21	–	·39	–	–	–	–	–	·04	·02	·13	–	·03	21
22	·03	·04	·07	–	–	–	–	·06	–	·20	·06	·29	22
23	–	·01	·16	–	·01	·65	–	·01	·29	–	–	·06	23
24	–	·04	·05	–	–	·08	·04	–	–	·31	–	·03	24
25	·02	·06	·06	·09	–	·10	–	–	–	·03	·11	·11	25
26	–	–	–	·03	–	–	·21	–	–	·16	·17	·40	26
27	–	·12	·09	·17	–	–	–	–	·27	·01	–	·02	27
28	–	·17	–	·27	–	–	–	·04	–	·13	·05	·06	28
29	–		–	·16	–	·20	·01	–	·46	·40	·01	·02	29
30	–		–	–	·27	·02	–	–	·40	·21	–	–	30
31	–		–		–		–	–		·03		–	31 ✓
Total	1·74	1·67	1·94	0·82	1·10	2·49	0·28	0·80	1·93	2·23	2·95	3·04	TOTAL for year 20·99
No. of Rain Days.	14	18	17	9	7	13	4	7	10	18	19	25	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Empson House, Nth Walsham
in the County of Norfolk 2
by Wm S. Horn

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 102 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name N. Walsham, M & GN Joint
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.66	—	.01	—	—	—	—	.15	—	.05	—	—	1
2	.12	—	—	—	.11	.02	—	—	—	.09	.04	.13	2
3	.02	.03	—	.05	.07	—	—	—	—	.04	.03	.04	3
4	.07	—	.08	.01	—	—	—	—	.05	.03	.29	.07	4
5	—	.06	—	—	—	—	—	—	—	.15	—	.20	5
6	.22	—	.05	.01	—	—	—	—	—	—	.02	.24	6
7	.01	.02	—	—	—	—	—	—	—	—	.09	.18	7
8	.17	—	.13	—	—	—	—	—	—	—	.06	.06	8
9	.07	—	.14	.03	—	—	—	—	—	.02	—	—	9
10	.04	.04	.04	—	—	.02	—	.05	—	—	.10	.49	10
11	.26	.34	—	—	—	—	—	—	—	—	.26	—	11
12	.02	.03	.35	—	.02	.05	—	—	—	—	—	—	12
13	.03	.05	.04	—	.04	.07	—	—	.14	.20	—	.06	13
14	—	.05	.27	—	.58	—	—	—	—	—	.01	.03	14
15	—	.07	.25	—	—	—	—	—	.07	—	.16	.02	15
16	—	—	.09	—	—	.41	—	—	—	—	.30	.10	16
17	—	—	.06	—	—	—	.02	—	—	—	—	.08	17
18	—	.14	—	—	—	.12	—	—	—	—	.87	.06	18
19	—	.01	—	—	—	.66	—	.45	.10	—	.22	.02	19
20	—	—	—	—	—	.09	—	—	.13	.04	.10	.24	20
21	—	.39	—	—	—	—	—	.04	.02	.13	—	.03	21
22	.03	.04	.07	—	—	—	—	.06	—	.20	.06	.29	22
23	—	.01	.16	—	.01	.65	—	.01	.29	—	—	.06	23
24	—	.04	.05	—	—	.08	.04	—	—	.31	—	.03	24
25	.02	.06	.06	.09	—	.10	—	—	—	.03	.11	.11	25
26	—	—	—	.03	—	—	.21	—	—	.16	.17	.40	26
27	—	.12	.09	.17	—	—	—	—	.27	.01	—	.02	27
28	—	.17	—	.27	—	—	—	.04	—	.13	.05	.06	28
29	—		—	.16	—	.20	.01	—	.46	.40	.01	.02	29
30	—		—	—	.27	.02	—	—	.40	.21	—	—	30
31	—		—		—		—	—		.03		—	31 ✓
Total	1.74	1.67	1.94	0.82	1.10	2.49	0.28	0.80	1.93	2.23	2.95	3.04	TOTAL for year 2099
No. of Rain Days.	14	18	17	9	7	13	4	7	10	18	19	25	161

W. 8,000, X. '11.

Ee J. C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Empson House, N. Walsham

in the County of Norfolk 2

by Wm S. Hoon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 102 ft.

Time of Observation 9 am

Nearest Railway Station
Name N. Walsham (G.E.R)
Distance ¼ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·18	—	·03	—	·20	·16	·02	·02	·01	·02	·32	1
2	—	·13	·04	·03	·05	—	·29	—	—	·01	·12	·05	2
3	·20	·08	·01	—	·01	·19	—	·01	·07	·02	·04	·03	3
4	·07	—	·43	·05	·01	·42	—	—	—	·02	·19	—	4
5	·01	·08	·83	—	—	·06	—	—	—	—	·01	—	5
6	·75	·10	·10	—	·02	·11	·33	·05	·14	—	—	—	6
7	·08	—	—	—	·01	·23	—	·05	·13	—	—	—	7
8	·15	—	·06	—	—	—	·24	—	·38	—	—	·01	8
9	·01	—	—	·11	—	·10	—	—	·34	—	—	·24	9
10	—	—	—	·07	—	—	—	·31	·31	—	·21	—	10
11	—	·04	—	—	—	—	—	·02	·01	—	·54	·14	11
12	·02	·05	·04	—	·03	·17	—	—	—	—	·31	—	12
13	·04	·17	·03	—	—	·04	—	—	—	—	·31	—	13
14	—	—	·02	—	—	·18	—	·01	—	·07	·13	·07	14
15	—	·02	·16	—	·15	·27	—	·04	—	—	·04	·03	15
16	·03	—	·03	—	·12	·14	—	·03	—	·09	·02	—	16
17	·05	—	·24	—	—	·23	—	·08	—	—	·01	·10	17
18	·05	—	·27	—	—	—	·30	·09	—	·11	·09	·05	18
19	·04	·13	·19	—	—	·01	·37	·08	—	·04	·02	—	19
20	·10	·04	—	—	·13	—	·01	·17	—	·32	—	—	20
21	—	·01	·20	—	—	—	·60	·43	—	·15	·02	—	21
22	—	·07	·05	—	·02	—	·43	·15	—	—	—	·07	22
23	·39	·38	·16	—	·01	—	—	·74	·02	—	·11	·03	23
24	·13	—	·03	—	—	·34	·08	·26	—	—	—	·10	24
25	—	—	—	—	—	·17	·44	·84	—	—	·15	·23	25
26	·02	·02	—	—	—	·03	·09	4·05	—	·26	·27	·15	26
27	—	—	—	—	—	—	—	·15	—	·13	·14	·12	27
28	—	—	—	·07	·01	—	·08	·12	·02	·44	·09	·28	28
29	·09	—	—	—	—	·39	·35	·23	·35	·01	·26	—	29
30	·14		—	—	—	·49	·01	·04	·59	·29	·02	—	30
31	·02		·10		·07		·21	·04		·19		·07	31
Total	2·39	1·50	2·99	·36	·64	3·77	3·99	8·01	2·38	2·16	3·12	2·09	TOTAL for year 33·40
No. of Rain Days.	20	15	19	6	13	19	16	24	12	16	23	18	201

W. 8,000, X. '11.

~~W~~. 7. C.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Empson House, N. Walsham

in the County of Norfolk

by Wm S. Horn

Lat. Long.

Time of Observation 9 am

Nearest Railway Station N Walsham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·27	·09	·12	—	·01	—	—	·29	—	·04	—	1
2	·03	·17	·01	—	·04	—	·06	—	·22	—	·04	—	2
3	—	—	·18	—	·08	—	—	—	·03	·65	—	·01	3
4	·09	—	—	—	—	·02	·03	—	—	·01	·03	·17	4
5	·02	—	—	—	·05	—	·01	—	—	1·03	·05	·01	5
6	—	—	·02	—	·16	·14	—	—	—	·42	·01	—	6
7	—	·05	—	—	·03	—	·03	—	—	·40	—	—	7
8	—	—	—	·06	·11	·20	·05	—	—	·02	·11	—	8
9	—	·08	·01	·04	·25	·13	—	·21	·10	·02	·05	·03	9
10	—	—	—	·05	—	—	—	—	—	·04	·06	—	10
11	·59	—	—	·45	—	—	—	·13	—	—	·59	—	11
12	—	·01	—	·02	—	·02	—	—	—	—	·07	—	12
13	·21	—	·04	—	—	—	—	·03	—	—	·38	—	13
14	·08	—	·11	·06	—	—	·88	—	·54	·33	·07	—	14
15	·11	·01	·12	·15	—	—	·25	—	—	—	·05	—	15
16	·19	·01	·40	·15	—	—	—	—	·16	—	·16	·01	16
17	·03	—	·43	·04	—	·03	·05	·01	·25	—	·01	—	17
18	—	—	·08	·05	·09	—	·02	·02	·13	—	·02	·02	18
19	·05	—	·08	—	—	·05	—	·01	·10	—	—	·05	19
20	·10	—	·02	—	—	—	—	—	·02	·15	—	—	20
21	·05	·02	·03	·01	—	—	·20	—	—	·40	·21	—	21
22	·15	—	·11	—	—	—	·37	·02	·09	—	—	—	22
23	—	—	—	—	—	·01	·01	·16	—	—	—	—	23
24	·10	—	—	·01	—	·31	—	·24	—	—	·01	·04	24
25	·01	—	—	·08	—	—	—	—	—	—	—	—	25
26	—	·04	·06	—	—	·12	—	—	—	·75	·03	—	26
27	—	·02	·04	—	·03	·02	—	—	—	—	—	—	27
28	·14	·03	·07	—	—	·07	—	—	—	·07	—	·07	28
29	·26		·15	·11	·15	—	—	—	—	—	—	·05	29
30	·36		—	·37	·07	—	—	—	—	·05	—	·10	30
31	—		·09		—		—	·92		—		—	31
Total	2·67	0·71	2·14	1·77	1·06	1·13	1·96	1·75	1·93	4·34	1·99	0·56	YEAR'S TOTAL 22·01
Rain Days.	19	11	20	16	11	13	12	10	11	~~14~~	19	11	167

W.7,000, XI. 13

Gr a 4 N)

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
8 - JAN 1915

Kept at Empson House Nth Walsham

2

in the County of Norfolk

by Wm. S. Horn

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Nth Walsham (Mid [illegible])
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	—	·22	—	—	·19	·01	1
2	·03	—	—	—	—	—	·08	—	—	—	·01	·05	2
3	·01	—	·06	·01	·10	—	·40	·05	—	—	·01	—	3
4	·12	—	·04	·12	—	—	—	·02	—	·01	·20	·05	4
5	—	—	·10	·10	·15	·03	·11	·36	—	·02	—	—	5
6	·24	·04	—	·01	·11	—	·05	·04	—	·01	·04	·07	6
7	—	·04	·31	—	·08	·01	—	—	—	—	—	·34	7
8	·26	·02	·13	—	·23	·42	—	·08	·12	·01	—	—	8
9	·50	—	·24	·15	—	·77	—	—	·23	·01	—	·82	9
10	1·00	·02	·06	·05	—	—	—	—	·05	—	—	·12	10
11	—	·24	·26	·05	·03	·12	—	—	·19	—	·25	·45	11
12	·09	—	·02	—	·03	—	·01	—	·15	—	—	·21	12
13	—	·13	·25	—	·01	—	—	—	·01	—	·19	·52	13
14	—	—	·30	—	—	—	—	—	—	·02	·24	·45	14
15	·07	·03	·13	—	—	—	·81	—	·02	—	·29	·32	15
16	·05	—	·16	—	—	—	·08	—	·02	—	·08	—	16
17	·02	·26	·02	—	—	—	·01	—	·14	—	·01	·09	17
18	—	·22	·04	—	—	—	—	·05	·02	·02	—	·50	18
19	—	·01	·17	—	—	·11	—	—	·18	·02	·13	—	19
20	·01	—	·43	—	—	·06	—	—	·09	·25	·05	·01	20
21	·04	·39	·11	—	—	—	—	·15	·01	·03	·04	·10	21
22	—	—	·01	—	·09	·01	·21	·01	—	·37	—	·08	22
23	—	—	·06	—	·08	·15	·04	—	—	·03	·02	·01	23
24	—	—	·02	·12	·01	·02	·02	·02	—	·03	·08	—	24
25	—	·02	—	—	·02	—	·01	—	—	·74	—	—	25
26	—	—	—	—	—	—	·10	·23	—	·02	·09	·24	26
27	—	—	—	—	—	—	·14	—	—	—	·02	·30	27
28	·01	·01	—	—	—	—	—	—	—	·09	·19	1·25	28
29	·01	×	—	—	—	—	·05	—	·01	·36	·04	—	29
30	—	×	·04	—	—	—	—	—	—	—	·16	·04	30
31	—	×	—	×	·04	×	·05	—	×	·01	×	·09	31
Total	2·46	1·43	2·97	·61	·98	1·70	2·17	1·23	1·24	2·05	2·33	6·12	YEAR'S TOTAL 25·29
Rain Days.	15	13	23	8	13	10	16	11	14	18	21	23	185

W. 8,000. X. 14.

Ed. Lit.

1581

FORM A. BRITISH RAINFALL. 4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Empson House, Nth Walsham

in the County of Norfolk

2

by Wm J. Horn

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Nth Walsham (M+G.N.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·17	·10	—	·15	—	—	—	·24	·13	·10	·03	1
2	·03	·06	·38	·09	—	·01	—	1·35	·19	—	·28	—	2
3	·28	—	·07	·07	—	—	·02	—	—	—	·14	·17	3
4	·02	—	—	—	—	—	—	—	·02	·02	·15	·57	4
5	·06	—	·01	—	·08	—	—	·06	—	·18	·08	·21	5
6	·07	·29	·18	·14	·03	—	·31	·35	—	—	—	—	6
7	·12	·32	·06	—	—	—	·37	·23	·02	·01	—	·14	7
8	—	·05	—	—	—	—	·01	·01	—	·06	—	—	8
9	·05	·08	—	·11	—	·02	—	·08	—	—	·16	·43	9
10	·36	—	—	—	—	·01	—	—	—	—	·01	·06	10
11	·01	—	—	—	·08	—	·06	—	—	·02	·22	·12	11
12	·10	—	—	·26	·12	—	·07	·38	—	—	·92	·16	12
13	·09	·23	—	·04	·92	—	—	·57	·05	—	·26	—	13
14	—	·11	—	—	—	—	·31	·29	—	—	—	·20	14
15	·28	·08	—	—	·01	—	·22	·26	—	—	—	·12	15
16	·22	·15	—	—	·03	—	·75	·90	—	—	·44	·02	16
17	·14	·23	·10	—	—	—	·06	—	—	—	·03	·01	17
18	·14	·04	·36	—	·19	—	—	—	—	·01	·16	—	18
19	·04	·08	—	—	—	—	·15	—	—	·15	·01	—	19
20	·27	—	·01	·02	—	—	—	·01	—	·02	—	·38	20
21	·27	—	—	—	·03	—	·08	—	—	—	—	·17	21
22	·03	—	·24	·02	·04	—	·32	—	—	—	—	·14	22
23	·01	·08	·01	—	—	—	·20	—	—	—	·03	·06	23
24	—	·03	·30	—	—	—	·25	—	·03	·07	·15	·11	24
25	—	—	·02	—	—	·25	·37	—	—	·07	·24	·03	25
26	·03	·12	·01	—	—	·09	—	—	—	·09	·03	·24	26
27	·01	·08	—	—	—	·14	·35	—	·09	·31	·02	·06	27
28	—	·09	·09	—	—	·11	·07	·11	·31	·54	—	—	28
29	·02	X	·01	—	·05	—	·03	·20	·09	—	·10	·02	29
30	·09	X	—	—	—	—	·02	·06	·39	—	·01	—	30
31	·03	X	—	X	—	X	—	·07	X	·15	X	·12	31
Total	2.88	2·29	1·95	0·75	1·73	0·63	4·02	4·93	1·43	1·83	3·54	3·57	YEAR'S TOTAL 29·55
Rain Days.	26	18	16	8	12	7	20	16	10	15	21	23	192

W. 8,000: X. 15.

1555

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
4 JAN 1917

Kept at Empson House, Nth Walsham

in the County of Norfolk

by Wm. S. Horn

Lat. Long.

Time of Observation 9 am

Nearest Railway Station N. Walsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·01	—	·01	·02	—	—	—	—	·07	—	1
2	·43	·01	·11	—	·23	—	·55	—	·05	·02	—	—	2
3	—	·03	·02	—	—	—	·12	—	·16	·20	·34	·04	3
4	·30	·12	·08	—	—	·29	·06	—	·48	·04	·16	·26	4
5	·06	·01	·17	·01	—	·23	—	—	·01	·10	·18	—	5
6	·05	·10	·19	·36	—	—	·01	—	—	·01	·23	—	6
7	·04	—	·12	·01	·39	·11	·11	—	—	·09	·10	·02	7
8	·02	—	·06	—	·10	·39	—	—	—	—	—	·12	8
9	—	·03	·02	—	·20	·14	—	—	—	·01	—	·21	9
10	—	—	·07	·08	—	·16	·19	—	—	—	—	·42	10
11	·07	·61	·16	·14	·02	·67	—	—	—	—	—	·08	11
12	·03	·01	—	·49	·73	·62	·10	·09	·01	·07	—	·07	12
13	·01	·07	·08	—	·02	—	·02	·01	·07	·02	—	—	13
14	—	·31	·01	·02	·21	·10	—	·08	·02	·01	·01	·15	14
15	—	·25	·12	—	—	—	—	·12	·06	·31	—	·03	15
16	—	·09	·03	·22	·01	—	·12	·28	—	·06	—	·14	16
17	—	—	—	·35	—	—	·04	·16	·19	·24	—	—	17
18	—	·17	—	·14	—	—	—	·04	·10	·13	·60	—	18
19	·02	—	—	·12	—	·04	—	·02	·18	·03	·26	·04	19
20	·14	—	·04	·05	—	—	—	·05	·02	—	·09	·17	20
21	·01	·05	·04	·06	—	—	—	—	—	—	·01	·42	21
22	—	·05	·01	—	·31	·02	—	—	—	—	—	·41	22
23	—	·25	—	—	—	·15	·02	·01	—	—	·07	·20	23
24	—	·40	·03	·01	—	·14	·01	·04	—	·25	—	·12	24
25	—	·30	·21	—	—	·02	—	·07	—	·16	·06	—	25
26	—	·09	—	—	—	·37	—	·10	—	·01	·34	—	26
27	—	·19	·47	—	—	·03	·01	—	—	·07	—	—	27
28	—	·24	·66	—	—	·04	—	·07	—	·02	—	·13	28
29	—	·15	·09	—	—	·06	—	1·06	—	·16	—	·18	29
30	—	✕	—	—	—	·10	—	·44	—	·14	—	·02	30
31	·20	✕	—	✕	·03	✕	—	·08	✕	·01	✕	·08	31
Total	1·40	3·53	2·80	2·06	2·26	3·70	1·36	2·72	1·35	2·16	2·52	3·31	YEAR'S TOTAL 29·17
Rain Days.	14	22	23	14	12	20	13	17	12	23	14	21	205

W. 8,000, VIII. 16

1487

FORM A.
BRITISH RAINFALL.
4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Empson House
North Walsham
in the County of Norfolk
by William S. Horn

Lat. Long.
Time of Observation 9 am
Nearest Railway Station North Walsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·42	–	–	–	·68	·25	–	·03	·01	1
2	·07	–	–	·17	–	·03	–	·53	–	–	–	–	2
3	·01	–	·04	·03	–	–	–	·37	–	·04	–	·04	3
4	–	·27	–	·02	–	–	–	–	–	·60	–	–	4
5	·14	·02	·02	·10	–	–	–	·01	·02	–	·17	–	5
6	·01	–	–	–	–	·04	–	–	·09	–	·01	–	6
7	·29	–	–	–	–	·12	–	–	–	·37	–	–	7
8	·19	–	·02	·15	–	–	·92	·30	–	·26	·06	–	8
9	·02	–	·02	·06	–	–	–	·26	–	–	·26	·10	9
10	·11	·01	·27	·14	–	–	–	–	–	·06	·16	–	10
11	·07	·09	·41	·17	–	–	–	–	–	·20	·04	–	11
12	·32	–	·04	·11	–	–	–	·01	–	·56	·01	·01	12
13	·12	–	·07	·09	–	–	–	·13	·07	·21	–	–	13
14	·13	·01	–	·16	–	–	·02	·17	–	–	–	·03	14
15	·01	–	–	–	·01	–	·27	·03	–	·02	·02	·01	15
16	·01	·04	–	·33	–	–	·05	–	–	·34	–	·33	16
17	·04	–	·03	·14	·33	·19	·22	–	·30	·21	–	–	17
18	·04	·01	–	·03	–	–	·14	·03	·54	–	–	–	18
19	–	–	·20	·02	·04	·01	–	–	·15	–	–	–	19
20	–	·27	·13	–	–	·05	–	–	·03	–	·30	·01	20
21	–	·15	·06	–	–	–	–	–	–	–	–	–	21
22	–	–	·06	–	·03	–	–	·03	–	·10	–	–	22
23	–	·01	–	–	·04	–	–	·04	–	–	–	·02	23
24	–	–	–	–	·01	·09	–	·10	–	·25	·13	·05	24
25	–	–	·07	–	–	–	·02	–	–	–	·31	·19	25
26	–	–	·03	–	–	·03	–	·26	·04	–	·57	·03	26
27	–	–	–	–	–	–	·03	·38	–	–	–	·06	27
28	–	·03	·20	–	–	·26	–	·14	–	·09	–	·03	28
29	·02	X	·01	–	–	·24	·11	·02	–	·06	–	–	29
30	·09	X	·01	–	–	–	·06	·06	–	·03	–	–	30
31	·08	X	·49	X	–	X	·51	·11	X	–	X	–	31
Total	1·77	·92	2·18	2·14	·46	1·06	2·35	3·66	1·49	3·40	2·07	·92	YEAR'S TOTAL 22·42
Rain Days.	19	12	19	16	6	10	11	20	9	16	13	14	165

W. 8,000, IX. 17.

2·26

Exd. E.F.E.

50

FORM A.
BRITISH RAINFALL.

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Empson House, North Walsham

in the County of Norfolk

by Wm S. Horn

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Nth Walsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·15	–	–	–	–	·12	–	·03	·15	1
2	·05	–	–	·02	–	–	–	·69	–	·02	–	·16	2
3	·02	–	·01	–	·01	–	–	·36	–	–	·86	–	3
4	·01	·01	·09	–	–	–	–	·01	·70	·02	·33	–	4
5	–	·01	·03	–	·20	–	–	·27	·13	·10	–	·01	5
6	·04	·20	–	·08	–	–	–	–	·01	–	–	·03	6
7	·06	·10	·01	–	–	·01	–	–	·05	·13	·03	·01	7
8	–	·05	–	·01	–	–	·10	–	·11	–	·08	·01	8
9	·09	·06	·01	·01	–	·06	·09	–	·46	·25	–	·07	9
10	·18	·04	–	–	–	–	·29	–	·01	–	·03	·16	10
11	·04	·08	–	·02	·18	–	·08	–	·08	·68	–	·15	11
12	–	·09	–	–	·23	–	·16	·08	·07	·23	–	·16	12
13	–	·03	–	–	·10	–	·08	–	·01	–	–	·01	13
14	–	–	–	·03	–	·13	·06	–	·09	·22	–	·03	14
15	·84	–	·08	1·53	–	·03	·04	–	·29	·10	–	·05	15
16	·03	–	–	·12	–	·07	–	–	·09	·23	–	·04	16
17	·20	–	–	–	–	–	·63	·02	–	–	–	·29	17
18	·34	–	–	·11	–	·04	·05	–	·15	–	–	·45	18
19	·12	–	–	·07	–	·01	–	·03	–	·13	–	·32	19
20	·03	·05	–	·07	–	·03	1·13	–	·05	·10	–	·07	20
21	·02	–	–	–	–	·06	–	–	·32	·14	–	–	21
22	·03	–	–	·08	–	–	·02	–	·05	–	–	·45	22
23	·09	–	–	–	·11	–	·04	·04	·03	–	·02	–	23
24	–	·25	–	·01	–	–	·08	–	·19	–	·01	–	24
25	–	–	–	–	–	·51	·01	·35	–	·02	–	·09	25
26	–	–	–	–	–	–	·87	·34	–	·02	·11	·05	26
27	–	·01	–	·24	–	–	·03	·25	·04	–	·01	·22	27
28	–	·05	·13	–	–	·06	–	·02	–	–	·02	·23	28
29	·01	✗	·01	–	–	–	–	–	·97	–	·06	·03	29
30	–	✗	·25	–	–	–	–	–	·21	–	·10	·21	30
31	–	✗	–	✗	–	✗	–	–	✗	·02	✗	·03	31
Total	2·20 ✓	1·04 ✓	·62 ✓	2·55 ✓	·83 ✓	1·01 ✓	3·76 ✓	2·46 ✓	4·23 ✓	2·41 ✓	1·69 ✓	3·48 ✓	YEAR'S TOTAL 26·28
Rain Days.	18 ✓	15 ✓	9 ✓	15 ✓	6 ✓	11 ✓	17 ✓	12 ✓	23 ✓	16 ✓	13 ✓	26 ✓	181

W. 8,000, IX. 17.

Ex. H06

1372

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Empson House North Walsham

in the County of Norfolk

by Wm S. Horn

Lat. Long.

Time of Observation 9 am

Nearest Railway Station N. Walsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·01	–	–	·11	–	·18	–	–	·54	·03	·52	1
2	·14	–	·02	·02	–	–	·08	–	–	–	·46	·77	2
3	·20	–	·08	–	–	–	·21	–	–	–	·07	–	3
4	·11	–	·30	–	–	·02	–	·01	–	–	–	·12	4
5	·63	·01	–	–	–	–	–	–	·09	–	–	·06	5
6	–	–	·04	–	–	–	–	–	–	–	·08	·15	6
7	–	–	·17	–	·18	–	·01	–	–	–	·18	·69	7
8	·09	–	–	·07	–	–	–	–	–	·02	–	·02	8
9	–	–	–	·03	–	–	–	–	–	·09	·05	·01	9
10	·02	–	·13	·02	·01	–	–	–	–	·19	·08	–	10
11	·02	–	·25	·02	–	–	·49	–	–	·07	·06	·09	11
12	·11	–	·07	·07	–	·07	·06	–	–	–	·06	–	12
13	·04	–	–	·15	–	–	·20	–	–	·06	·42	–	13
14	·41	·01	·02	·34	–	–	·06	–	·08	·02	·02	–	14
15	·18	–	·01	·23	–	–	·05	–	–	·55	·06	·06	15
16	·06	·72	–	·05	–	–	–	·01	–	·13	–	·12	16
17	–	·70	·08	·03	·11	–	–	–	–	–	·22	·03	17
18	·07	·09	–	–	–	–	–	·18	·04	–	·01	·13	18
19	–	·15	·02	–	–	·08	·01	·11	·49	–	·04	–	19
20	·27	·02	·17	·01	–	·44	·67	·39	·18	–	·02	·03	20
21	·03	·20	–	–	–	·05	·59	–	–	–	–	·20	21
22	–	·07	·03	–	–	–	·16	–	·24	–	·01	·27	22
23	·03	·02	–	–	–	·07	·04	·03	·02	–	–	·08	23
24	–	–	–	·02	·05	·11	·02	–	·01	–	–	–	24
25	·01	–	–	·07	·37	–	–	·19	–	·04	–	·06	25
26	·10	·55	·24	·08	–	·01	–	·33	·09	·37	–	·39	26
27	·04	·01	·01	·02	–	–	·04	–	–	·17	·27	·01	27
28	–	–	–	·04	–	·01	·04	·80	·06	·64	·07	·28	28
29	·01	X	–	·04	–	·11	·01	·06	–	–	·18	·07	29
30	–	X	·11	·17	–	·25	–	·01	–	·14	·16	·23	30
31	–	X	–	X	–	X	·03	–	X	·04	X	·11	31
TOTAL	2.84	2.56	1.80	1.48	0.83	1.22	2.95	2.12	1.30	3.12	2.55	4.50	YEAR'S TOTAL 27.27
Days with ·01 in. or more	21	13	17	19	6	11	19	11	10	15	21	24	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1317

endg new stats

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Empson House; Nth Walsham

in the County of Norfolk

by Wm S. Horn

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station North Walsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	.04	–	.17	–	.09	.54	–	.01	1
2	–	–	.02	.01	–	–	–	.12	.05	–	–	.19	2
3	–	–	–	.09	–	–	–	–	.03	–	–	.07	3
4	–	–	.06	.22	–	–	.14	.02	–	–	–	.37	4
5	–	–	.06	.05	.13	–	.12	.17	.05	–	–	.19	5
6	–	–	.14	–	–	–	.49	.08	–	–	–	.02	6
7	–	–	.10	.07	–	–	.05	–	–	–	–	.09	7
8	–	–	.01	.38	.03	–	–	.20	–	–	–	–	8
9	.16	.04	–	.48	–	–	.04	.12	–	–	–	.04	9
10	.17	.10	.03	.02	–	–	.03	.01	–	–	–	.29	10
11	.25	–	–	.07	.02	–	.07	–	–	–	–	.19	11
12	.09	–	–	.13	–	–	.07	–	–	–	–	.02	12
13	.05	.01	.03	.07	–	.38	–	–	.06	–	.01	.02	13
14	.02	.06	.21	.07	–	.11	.06	–	.07	–	.17	–	14
15	–	–	.13	.04	–	–	.01	–	.22	.54	.23	.02	15
16	–	–	–	.07	–	–	–	–	.59	.03	–	.26	16
17	–	–	–	.02	.07	–	–	–	.07	–	–	.15	17
18	.02	–	–	.03	.05	–	–	.25	.50	–	–	.08	18
19	.11	–	–	.05	–	–	–	.63	–	–	–	.04	19
20	.12	.20	–	.13	–	.55	–	–	.17	–	–	–	20
21	–	–	–	.06	–	–	.33	.27	.21	–	–	.04	21
22	.01	–	–	.06	–	–	–	.04	.46	–	–	.01	22
23	–	–	–	–	–	–	.34	–	–	–	–	.12	23
24	–	–	.10	–	–	–	.03	–	.03	–	–	.05	24
25	–	.08	.01	.01	–	.06	.26	–	.02	–	–	–	25
26	.05	.04	.07	.13	.09	.01	.10	–	–	–	–	–	26
27	.12	.06	–	.16	.01	.40	–	–	–	–	.02	.08	27
28	.33	–	–	.11	.09	–	–	–	–	–	.06	.09	28
29	.02	–	.02	–	.36	–	.30	–	–	–	.17	.15	29
30	–	✕	–	.06	.02	–	.10	.01	.05	–	.14	.17	30
31	.09	✕	–	✕	–	✕	–	.01	✕	.02	✕	.18	31
TOTAL	1.81	0.59	0.99	2.59	.91	1.51	2.71	1.93	2.67	1.13	.80	2.94	YEAR'S TOTAL 20.58
Days with ·01 in. or more	15	8	14	25	11	6	18	13	16	4	7	26	163
Days with ·04 in. or more	11	7	8	20	7	5	16	9	13	2	5	20	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WALSHAM NORTH

BEECH GROVE

NORFOLK

1912 ——

9 12

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Beechg

in the County of

by Sydney

nowdon

p 5 in.

bove Ground 1 ft. — in.

„ Sea Level 140 ft.

9.0 am.

Name North Walsham.

Distance 4m. Direction SW.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pl British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·04	—	·03	—	·19	·17	—	·02	·01	·04	·32	1
2	—	·10	·04	·02	·04	—	·27	—	·01	·01	·12	·05	2
3	·20	·06	·01	—	·01	·15	—	—	·06	—	·03	·04	3
4	·07	—	·47	·05	—	·38	—	—	—	—	·19	—	4
5	—	·06	·76	—	—	·10	—	—	—	—	·01	—	5
6	·76	·10	·09	—	·02	·11	·33	·05	·15	—	—	—	6
7	·07	—	—	—	·02	·25	—	·03	·13	—	—	·02	7
8	·16	·01	·06	—	—	—	·27	·01	·39	—	—	—	8
9	—	—	·01	·11	—	·14	—	—	·35	—	—	·26	9
10	—	—	—	·09	—	—	—	·28	·34	—	·21	—	10
11	·01	—	—	—	—	—	—	·01	·01	—	·60	—	11
12	·05	·09	·03	—	·01	·21	—	—	—	—	·49	—	12
13	·01	·16	·05	—	—	·02	—	—	—	—	·33	—	13
14	—	—	·02	—	—	·18	—	·01	—	·10	·16	·22	14
15	·01	·02	·16	—	·15	·31	—	·03	—	—	·04	—	15
16	—	—	·02	—	·11	·09	—	—	—	·10	·03	—	16
17	·05	—	·26	—	—	·22	—	·11	—	—	—	·10	17
18	·02	—	·26	—	—	—	·09	·11	—	·11	·10	·07	18
19	·04	·13	·17	—	—	·01	·63	·09	—	·04	—	—	19
20	·11	·04	—	—	·12	—	—	·17	—	·35	—	—	20
21	—	—	·19	—	—	—	·40	·44	—	·12	·04	—	21
22	—	·08	·06	—	·02	—	·64	·10	—	·04	—	·03	22
23	·35	·40	·15	—	·02	—	—	·78	—	—	·12	·08	23
24	·14	—	·02	—	—	·33	·08	·28	—	—	—	·10	24
25	—	—	—	—	—	·17	·36	1·02	—	—	·15	·23	25
26	—	·01	—	—	—	·02	·08	5·16	—	·25	·30	·15	26
27	—	—	—	—	—	—	·01	·16	—	·13	·02	·12	27
28	—	—	—	·07	—	—	·07	·12	—	·44	·20	·27	28
29	·10	—	—	—	—	·38	·33	·26	·32	—	·29	—	29
30	·15	〰	—	—	—	·36	·01	·05	·73	·29	·01	—	30
31	·10	〰	·09	〰	·08	〰	·21	·04	〰	·20	〰	·10	31
Total	2·40	1·30	2·92	·37	·60	3·62	3·95	9·31	2·51	2·19	3·48	2·16	34·81
No. of Rain Days.	18	14	20	6	11	19	16	22	11	14	21	16	188 dys.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Beechgrove, North Walsham.
in the County of Norfolk. 2
by Sydney Hare.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 140 ft.

Time of Observation 9.0 am.

Nearest Railway Station
Name North Walsham.
Distance ¼ m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	—	·03	—	·19	·17	—	·02	·01	·04	·32	1
2	—	·10	·04	·02	·04	—	·27	—	·01	·01	·12	·05	2
3	·20	·06	·01	—	·01	·15	—	—	·06	—	·03	·04	3
4	·07	—	·47	·05	—	·38	—	—	—	—	·19	—	4
5	—	·06	·76	—	—	·10	—	—	—	—	·01	—	5
6	·76	·10	·09	—	·02	·11	·33	·05	·15	—	—	—	6
7	·07	—	—	—	·02	·25	—	·03	·13	—	—	·02	7
8	·16	·01	·06	—	—	—	·27	·01	·39	—	—	—	8
9	—	—	·01	·11	—	·14	—	—	·35	—	—	·26	9
10	—	—	—	·09	—	—	—	·28	·34	—	·21	—	10
11	·01	—	—	—	—	—	—	·01	·01	—	·60	—	11
12	·05	·09	·03	—	·01	·21	—	—	—	—	·49	—	12
13	·01	·16	·05	—	—	·02	—	—	—	—	·33	—	13
14	—	—	·02	—	—	·18	—	·01	—	·10	·16	·22	14
15	·01	·02	·16	—	·15	·31	—	·03	—	—	·04	—	15
16	—	—	·02	—	·11	·09	—	—	—	·10	·03	—	16
17	·05	—	·26	—	—	·22	—	·11	—	—	—	·10	17
18	·02	—	·26	—	—	—	·09	·11	—	·11	·10	·07	18
19	·04	·13	·17	—	—	·01	·63	·09	—	·04	—	—	19
20	·11	·04	—	—	·12	—	—	·17	—	·35	—	—	20
21	—	—	·19	—	—	—	·40	·44	—	·12	·04	—	21
22	—	·08	·06	—	·02	—	·64	·10	—	·04	—	·03	22
23	·35	·40	·15	—	·02	—	—	·78	—	—	·12	·08	23
24	·14	—	·02	—	—	·33	·08	·28	—	—	—	·10	24
25	—	—	—	—	—	·17	·36	1·02	—	—	·15	·23	25
26	—	·01	—	—	—	·02	·08	5·16	—	·25	·30	·15	26
27	—	—	—	—	—	—	·01	·16	—	·13	·02	·12	27
28	—	—	—	·07	—	—	·07	·12	—	·44	·20	·27	28
29	·10	—	—	—	—	·38	·33	·26	·32	—	·29	—	29
30	·15	~~~	—	—	—	·36	·01	·05	·73	·29	·01	—	30
31	·10	~~~	·09	~~~	·08	~~~	·21	·04	~~~	·20	~~~	·10	31
Total	2·40	1·30	2·92	·37	·60	3·62	3·95	9·31	2·51	2·19	3·48	2·16	34·81
No. of Rain Days.	18	14	20	6	11	19	16	22	11	14	21	16	188 dys

W. 8,000, X. '11.

to Preston

1911

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

WATTON,

NORFOLK

1911. 16, 18–1920

Kept at Wa

in the County of

by J. W.

of top 18 in.

op above Ground 1 ft. in.

„ Sea Level ft.

tion Name
Distance Direction

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add th year in the space provided for it at the end urement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17		.08					.10		.32	.01	.01	1
2	.33		.04		.16	.08	04			.03	.12	.15	2
3		.02		.07	.17					.24	.03	.04	3
4	.10	.04	.12	.16					.06	.02	.30	.12	4
5	.02			.18				.04		.04	.03	.30	5
6	.30		.03	.04						.02		.16	6
7	.05										.19	.32	7
8	.19		.22						.06	.02	.08	.07	8
9	.11		.14	.04							.06		9
10	.15		.16								.04	.30	10
11	.25	.41	.04								.35		11
12	.09		.40						.02		.15	.02	12
13			.50		.13	.19			.32	.16		.12	13
14			.24		.48							.15	14
15		.25	.23						.04	.05	.18		15
16			.03			.49			.03	.01	.32	.15	16
17			.03			.02					.04	.05	17
18	.09	.22	.02			.05					1.22	.06	18
19		.06				.80			.14	.02	.55	.04	19
20									.12		.14	.41	20
21	.02	.25		.03				.21		.10		.12	21
22		.05	.07					.13		.12	.04	.38	22
23		.09	.31			2.20			.42			.16	23
24	.02	.05	.09			.18	.03			.48		.16	24
25		.02	.06	.19		.07	.02				.04	.06	25
26				.03		.06		.02		.15	.07	.41	26
27		.32	.12	.23					.34			.03	27
28		.22		.26				.07		.10	.04	.10	28
29			.01	.07		.55	.05		.48	.40	.01	.02	29
30					.10	.03			.57	.06		.01	30
31										.02		.03	31
Total	1.89	2.00	2.94	1.30	1.04	4.72	.14	.57	2.60	2.36	4.01	3.95	TOTAL for year 27.52
No. of Rain Days	14	13	21	11	5	12	4	6	12	19	22	28	167

9,000, IX. '10.

Preston

FORM A2.
BRITISH RAINFALL.
24 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Walton

in the County of Norfolk 4

by J. W. Preston a. a. Gompertz

RAIN GAUGE
Pattern
Diameter of top 18 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17		.08					.10		.32	.01	.01	1
2	.33		.04		.16	.08	04			.03	.12	.15	2
3		.02		.07	.17					.24	.03	.04	3
4	.10	.04	.12	.16					.06	.02	.30	.12	4
5	.02			.18				.04		.04	.03	.30	5
6	.30		.03	.04						.02		.16	6
7	.05										.19	.32	7
8	.19		.22						.06	.02	.08	.07	8
9	.11		.14	.04							.06		9
10	.15		.16								.04	.30	10
11	.25	.41	.04								.35		11
12	.09		.40						.02		.15	.02	12
13			.50		.13	.19			.32	.16		.12	13
14			.24		.48							.15	14
15		.25	.23						.04	.05	.18		15
16			.03			.49			.03	.01	.32	.15	16
17			.03			.02					.04	.05	17
18	.09	.22	.02			.05					1.22	.06	18
19		.06				.80			.14	.02	.55	.04	19
20									.12		.14	.41	20
21	.02	.25		.03				.21		.10		.12	21
22		.05	.07					.13		.12	.04	.38	22
23		.09	.31			2.20			.42			.16	23
24	.02	.05	.09			.18	.03			.48		.16	24
25		.02	.06	.19		.07	.02				.04	.06	25
26				.03		.06		.02		.15	.07	.41	26
27		.32	.12	.23					.34			.03	27
28		.22		.26				.07		.10	.04	.10	28
29			.01	.07		.55	.05		.48	.40	.01	.02	29
30					.10	.03			.57	.06		.01	30
31										.02		.03	31
Total	1.89	2.00	2.94	1.30	1.04	4.72	.14	.57	2.60	2.36	4.01	3.95	TOTAL for year 27.52
No. of Rain Days	14	13	21	11	5	12	4	6	12	19	22	28	167

9,000, IX. '10.

P. made

REGISTER OF RAINFALL IN 1912

Ex Dd

FORM A. BRITISH RAINFALL.

22 FEB 1913

Kept at Watton

in the County of Norfolk 4

by A. W. Preston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·04	·04	·06	·01	·15	·23	·03	·06			·37	1
2		·07	·04	·02	·02		·33			·09			2
3	·15	·10			·03	·42		·09	·06	·02		·14	3
4	·12	·03	·49	·03	·03	·26		·07			·23		4
5	·02		·35			·17		·03			·02		5
6	·88	·30			·01	·13	·27	·16	·46			·04	6
7	·16				·03	·17		·09	·06			·01	7
8	·22	·21		·02		·07	·20	·01	·44				8
9		·03	·10	·25	·09	·10		·01				·34	9
10	·02					·02		·14	·40	·03	·15	·01	10
11	·07	·05		·03				·03	·16		·25	·24	11
12	·09	·09	·19			·11					·53		12
13	·03	·02	·07		·03	·08				·01	·33	·03	13
14					·01	·04		·09	·05		·04	·11	14
15		·03	·19		·28	·20		·02			·02	·10	15
16			·07		·24	·09		·06		·13	·02		16
17	·25		·20			·27		·10				·08	17
18	·04		·12				·03	·12		·12	·01	·09	18
19	·02	·28	·24				·37	·21			·05	·01	19
20	·13	·01	·02		·64			·23		·37			20
21	·01		·60		·01			·62		·09	·07		21
22	·14	·13	·03		·87	·06	·90	·18				·06	22
23	·40	·69	·24					·85	·01		·24	·03	23
24	·39		·04				·02	·24				·04	24
25	·02					·20	·03	1·00		·01	·35	·38	25
26		·02	·01			·04	·04	2·80		·38	·34	·30	26
27								·11		·19		·24	27
28		·01					·15	·12		·52	·13	·30	28
29				·04		·07	·24	·47	·80	·50	·22		29
30	·05				·30	·01	·02	·36	·51	·29			30
31			·15		·10		·18	·16		·10		·09	31
													YEAR'S TOTAL
Total	3·22	2·11	3·19	·45	2·70	2·66	3·01	8·40	3·01	2·85	3·00	3·01	37·61
Rain Days.	21	17	19	7	16	20	14	28	11	15	17	21	206

W. 7,500, XI. ·12

from Norfolk Co

REGISTER OF RAINFALL IN 1913

E+RR

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Watton

in the County of Norfolk

by A.W. Preston

4

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.16	.15	.14		.01			.19		.06		1
2	.07	15	.03		.64		.10						2
3			.28		.44		.01			.36		.04	3
4	.10						.01			10	.04	.15	4
5	.06	.01							.05	1.08	.06		5
6		03			.25	.12	.06		.02	.19	.01		6
7		05			.04					.42			7
8			.02		.32	.04					.17		8
9		16	.03	.03	.19	.15		.07			.06	.03	9
10				.06			.07	.10			.09		10
11	.70			.72				.10			.49		11
12		.01								.01	.07		12
13	.04	.01	.07	.03							.97		13
14	.05	.01	.12	.09			.03			.28	.01		14
15	.07		.20	.18			.20		.12		.03		15
16	.15		.40	.33					.34		.05	01	16
17	09		.25	01		.29	.14					03	17
18			.06	.11			.02	.03	.07				18
19	.07		.14			.03	.02	.01	.03			.12	19
20	07		.06			.03			.36	.24			20
21	.13		.01				.19	.01		.28	.22		21
22	.18		.05				.25		.17				22
23			.01					.25	.02				23
24	10			.06		.20							24
25	.02			.15						.01			25
26		.09	.04			.03				.50		.15	26
27		.13				.01					.05		27
28	.26		.07	.06				.12		.21			28
29	.33		.17	.27	.10							.02	29
30	.32			.19						.03	.13	.07	30
31								.75		.05			31
Total	2.91	.81	2.16	2.43	1.98	91	1.10	1.44	1.37	3.76	2.51	.62	YEAR'S TOTAL 22.00
Rain Days.	19	11	19	15	7	10	12	9	10	14	16	9	151

W.7,000, XI. 13

Copied from C.

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 - MAR 1915

Kept at Walton

in the County of Norfolk 4

by A A Gomperty A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	·24	-	-	·17	-	1
2	·06	-	-	-	-	-	-	-	-	-	·10	·03	2
3	-	-	·13	-	·20	-	·23	·06	-	-	-	-	3
4	·15	-	·02	·22	-	-	-	·03	-	-	·32	·13	4
5	-	-	·15	·15	·10	·06	·09	·27	-	-	-	-	5
6	-	·08	-	-	·15	-	-	·05	-	-	·16	·14	6
7	-	·02	·20	-	·02	·12	-	-	-	-	-	·44	7
8	·36	·07	·66	·03	·21	·55	-	·16	-	-	-	-	8
9	·47	-	·33	·06	·05	·67	-	-	·03	-	-	·81	9
10	·52	·03	·15	-	·01	-	-	-	·01	-	-	·11	10
11	-	·27	·43	·10	·01	·06	-	-	·17	-	·43	·34	11
12	·08	-	·01	-	-	-	-	-	·30	-	-	·26	12
13	-	·21	·31	-	-	-	-	-	·03	-	·18	·49	13
14	-	-	·20	-	-	-	·05	-	-	·25	·10	·44	14
15	·01	-	·20	-	-	-	·43	-	-	-	·31	·48	15
16	·05	-	·09	-	-	-	·07	-	·10	-	·07	-	16
17	-	·46	·02	-	-	-	-	-	·18	-	·03	·28	17
18	-	·14	-	-	-	-	·05	-	·05	-	·15	·55	18
19	-	·05	·08	-	-	·38	-	-	·10	-	-	-	19
20	·05	-	·49	-	-	·05	-	-	·38	·12	-	-	20
21	-	·18	·37	-	-	-	-	·11	-	·02	·10	·06	21
22	-	-	-	-	·27	-	·04	·05	-	·55	-	·09	22
23	-	-	·06	·05	·01	·04	·06	-	-	·04	-	-	23
24	-	-	-	·13	-	-	·02	·01	-	·13	·05	-	24
25	-	-	-	-	·05	-	·01	-	-	·87	-	-	25
26	-	-	-	-	-	-	·01	·20	-	·04	·13	·45	26
27	-	-	-	-	-	-	·12	·02	-	-	·03	·35	27
28	-	·04	-	-	-	-	-	-	-	·18	·42	1·20	28
29	·07	-	·03	-	-	-	·02	-	-	·24	·05	-	29
30	-	✕	·06	-	-	-	-	-	-	-	·23	·12	30
31	-	✕		✕	-	✕	·07	-	✕	·05	✕	·12	31
Total	1·82	1·55	3·99	·74	1·14	1·93	1·27	1·20	1·35	2·49	3·03	6·89	YEAR'S TOTAL 27·40 ✓
Rain Days.	10	11	20	7	11	8	14	11	10	11	18	20	151 ✓

W. 8,000. X. 14.

from Prestons C

1604

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Watton

in the County of Norfolk 4

by A W Preston [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22	.38	.03		.19			.03	.50		.10	.12	1
2	.07	.05	.27	.08				.28	.15		.04		2
3	.23		.17	.14			.04	.27	.20		.03	.19	3
4								.05			.05	.55	4
5	.05	.03			.10			.04		.11		.24	5
6	.13	.18	.20	.16			.34	.03			.04	.12	6
7	.05	.46	.05				.10					.12	7
8	.03	.04		.10			.02	.01					8
9	.06	.09						.11		.03	.28	.47	9
10	.43	.04						.09				.04	10
11			.05		.10		.12				.32		11
12	.14			.32	.25		.06	.12			1.38		12
13	.08	.24		.06	1.00			.07			.03		13
14		.37					.44					.40	14
15	.32	.05			.10			.35			.22	.12	15
16		.33					.78	.01					16
17	.36	.20					.16						17
18		.14			.07					.04	.08		18
19		.10					.13						19
20	.34		.06									.45	20
21	.26				.01		.05						21
22	.20	.11	.30		.04		.68		.05			.32	22
23			.04				.03		.04		.12	.12	23
24		.03	.21				.17					.09	24
25	.02		.04			.30	.08			.18			25
26		.18				.06				.02		.35	26
27		.05					.44			.35	.11	.02	27
28		.19				.10	.03		.32	.52			28
29					.03		.02	.23	.06	.03	.04	.16	29
30	.14	×				.37	.02	.07	.04	.12	.03		30
31	.04	×		×		×	.01	.16	×		×	.09	31
Total	3.17	3.26	1.42	.86	1.89	.88	3.72	1.92	1.36	1.40	2.87	3.97	YEAR'S TOTAL 26.67
Rain Days.	19	20	11	6	10	4	20	16	8	9	15	18	156

W. 8,000. X. 15.

1579

FORM A. BRITISH RAINFALL.

13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Watton

in the County of Norfolk

by A. W. Preston A. A. Gompertz

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.11							1
2	.48				.25								2
3		.08	.02										3
4	.46	.40	.02			.32							4
5	07	.09	.25	.03		.18							5
6		.10	.20	.22		01							6
7	.09		.20		.37								7
8					.20								8
9			.40		.24	.07							9
10		.02		.08	.10	.02							10
11	.10	.45	.25	.24	.55	.45							11
12	.08	.01	.	.05		.60							12
13		.37	.08	.16	.07	.04							13
14		.40	.08		.05								14
15		46	.36										15
16		.03	15	.31									16
17	.03		.01	.38									17
18		.28		.26									18
19	.09	.01		.32									19
20	.15		.15										20
21	.04	.28	.19										21
22		.07	.06		.18								22
23		.70				.15							23
24		.40				.20							24
25		.40	.17										25
26						.07							26
27			.15			.07							27
28		.23	90										28
29		.12			.04	.11							29
30						.22							30
31	.10				.01								31
Total	1.69	4.90	3.99	2.05	2.06	2.62	1731						YEAR'S TOTAL
Rain Days.	11	20	18	10	11	15	85						

W. 8,000, VIII. 16

6 Esx Df 68

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Walton

in the County of Norfolk

by A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·28					·08		·06	·10	1
2	·08			·05				·24	·06			·35	2
3	·02	·03	·03		·04			·18	·03		·97		3
4		·05	·08					·04	·36	·03	·42	·03	4
5		·02	·03		·12			·42	·06	·18	·01		5
6		·20		·13				·03	·10	·08		·09	6
7		·11		·09		·04			·05		·12		7
8	·15	·04						·01	·26		·04	·04	8
9	·05	·12				·04			·47	·28		·07	9
10				·13			·45		·04		·15	·11	10
11	·25	·01			·20		·17		·15	·72		·40	11
12		·19			·08		·07		·15	·08		·10	12
13		·02			·28		·03		·08			·11	13
14	·35			·06			·04		·25	·35			14
15	·75		·04	·30			·15		·25	·05		·09	15
16				·29				·01	·31	·03			16
17				·03	·20	·22	1·44					·30	17
18	·70			·38		·06	·09		1·00	·02		·72	18
19	·20		·05	·07			·03			·09		·33	19
20	·04	·05					·59		·11	·14			20
21						·30	·03		·73	·09			21
22				·02					·11	·02		·45	22
23	·16				·68		·06		·04				23
24		·28			·24		·03	·04	·12		·16		24
25			·03			·23	·45	·22				·07	25
26							·30	·50			·17	·18	26
27			·05	·33		·01	·01	·30			·05	·06	27
28		·09	·20			·35		·03			·15	·57	28
29									1·28		·07	·01	29
30		×	·24						·34		·20	·02	30
31		×	·01	×		×			×	·15	×	·16	31
Total	2·75	1·21	·77	2·16	1·84	1·25	3·94	2·02	6·43	2·31	2·57	4·36	YEAR'S TOTAL 31·61
Rain Days.	11	13	11	13	8	8	16	12	24	15	13	22	166

W. 6,500. VII. 18. W W C

Ese DL

1411

23 MAR 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Watton
in the County of Norfolk
by per Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41				·12		·39			·23	·07	·69	1
2	·15		·04		·04		·08		·02		·42	·81	2
3	·33		·14				·16		·03	·01	·11	·02	3
4	·07		·16			·07	·01	·07			·01	·27	4
5	·33		·07						·09			·06	5
6			·27				·01				·06	·20	6
7							·01				·14	·25	7
8	·06						·01			·03	·21	·04	8
9			·02	·14						·14	·03		9
10	·13		·15	·03						·10			10
11	·04		·25	·09	·10		·50			·10	·01	·27	11
12			·07	·02		·18	·18			·06			12
13	·14			·06			·04		·02	·07			13
14	·48			·48					·11	·01	·15		14
15	·37			·42						·07	·12	·10	15
16	·05	·80	·03	·10						·02		·04	16
17		1·10									·50	·04	17
18		·22						·26			·04	·21	18
19		·05	·27	·02		·12	·22	·21	·12	·01		·03	19
20	·33		·17			·48	·31	·27		·01			20
21		·37				·18	·55	·03		·01		·33	21
22		·41	·04				·17		·29		·12	·47	22
23						·03	·25		·06		·02	·06	23
24				·03		·32	·03			·01		·02	24
25				·03	·29	·13		·33		·04		·01	25
26	·24	·29	·30	·14		·14		·27	·11	·17		·48	26
27		·12	·03	·24			·11			·52		·03	27
28		·01		·21			·03	·77	·04	·38	·06	·38	28
29			·02	·20		·22		·24		·25	·15	·18	29
30			·03	·25		·24				·06	·16	·18	30
31	·06						·06			·07		·15	31
TOTAL	3·19	3·37	2·06	2·46	·55	2·11	3·12	2·45	·89	2·37	2·38	5·32	YEAR'S TOTAL 30·27
Days with ·01 in. or more	15	9	17	16	4	11	19	9	10	22	18	25	175

(44,283). Wt.21,958—216. 7500. 10/19. Gp.132. A.&E.W.

1335.

26 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Watton

in the County of Norfolk

by Rev A. W. Preston

Lat.............. Long..............

Time of Observation..............

Nearest Railway Station..............

Diameter of Funnel of Rain Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	.	.	.	·15	-	·32	.	.	·12	.	·04	1
2	·02	.	.	·29	.	.	·02	·15	·05	·09	.	·12	2
3	.	·01	.	·54	.	·22	.	·01	·02	·01	.	·18	3
4	.	.	·14	·30	·01	.	·06	·08	·01	-	.	·39	4
5	.	.	·07	·04	·25	.	·17	·17	·26	.	.	·16	5
6	.	.	·20	.	·07	.	·76	·06		-	.	·01	6
7	.	.	·16	·09	·10	.	·35	.		-	.	·05	7
8	·03	·02	.	·45	·18	.	.	·18		.	·01	·02	8
9	·33	·06	.	·44	.	.	.	.		.	.	.	9
10	·19	·05	·11	·02	.	.	·07	·04		.	·03	·05	10
11	·62	.	.	·04	·02	.	·07	-		-	.	·13	11
12	·18	.	·11	·16	.	.	·15	.		-	.	·16	12
13	.	·03	·10	·09	.	·42	.	.	·20	.	.	·04	13
14	·06	·04	·30	·10	.	·17	·09	.	·17	.	·25	.	14
15	·01	.	·58	·12	.	.	.	.	·17	·03	·18	·06	15
16	.	.	.	·07	·04	.	.	.	·63	.	.	·08	16
17	.	.	.	·04	·12	.	.	.	·06	.	.	·11	17
18	.	.	.	·03	·05	·06	.	·35	·63	-	.	·05	18
19	·07	.	.	·05	.	·54	.	1·10	·08	.	.	.	19
20	·30	·28	.	·23	.	·54	.	.	·08	.	.	·02	20
21	.	.	.	·10	.	.	·70	·13	·30	.	.	·10	21
22	.	.	.	·10	.	.	.	·04	·11	.	·01	.	22
23	.	.	.	·13	.	.	·47	.	.	.	·02	·26	23
24	·08	.	·15	.	.	·06	·04	.	·01	.	-	·16	24
25	.	·08	·02	.	.	.	·25	.		·02	.	.	25
26	·03	.	·07	·17	·45	·05	·07	.		·01	.	·02	26
27	·14	·23	.	·20	.	·37	.	.		·01	·04	·10	27
28	·41	.	·05	.	·03		·04	.		·01	·13	·07	28
29	·02	.	.	·02	·44	·01	·18	.		.	·15	·27	29
30	.		.	·12	·02	·03	·13	·01	·08	.	·15	·20	30
31	·18		.		.		-	·02		·04		·22	31
TOTAL	2·74	·80	2·06	3·92	1·93	1·93	3·94	2·34	2·86	0·32	·97	3·07	YEAR'S TOTAL 26·88
Days with ·01 in. or more	17	9	13	25	14	10	18	13	16	9	10	26	180
Days with ·04 in. or more	12	6	12	22	10	8	17	10	13	3	6	22	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELBORNE RECTORY

NORFOLK

1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REC

Kept at Welbone

in the County of Norf

by Edward

[illegible] in.

round 1 ft. 6 in.

Sea Level ft.

Name Hardingham

Distance NW Direction 3½ m.

IMPORTANT NOTE

previous day. If an Obse

requested to add the readi

for it at the end of this

the selection and placing

Organization are given in "Rules for Rainfall

Dr. H. R. Mill, 62, Camden Square, London, N.W.

the result entered to the

rsal rule, he is earnestly

ar in the space provided

ent of rain,

tish Rainfall

pplication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	·05	—	—	—	—	·16	—	·36	—	—	1
2	·37	·01	·13	—	·16	·07	·03	—	—	·09	·06	·15	2
3	·05	·02	—	·08	·16	—	—	—	·10	·19	·03	·04	3
4	·10	·03	·11	·18	—	—	—	—	—	·03	·26	·15	4
5	·03	·04	—	·12	—	—	—	·04	—	·16	—	·23	5
6	·25	—	—	·10	—	—	—	—	—	·07	·02	·13	6
7	·05	·03	·03	—	—	—	—	—	—	—	·22	·28	7
8	·20	—	·17	—	—	—	—	—	·02	·02	·07	·04	8
9	·09	—	·16	·04	—	—	—	—	—	—	—	—	9
10	·07	·08	·04	—	—	—	—	·04	—	—	·10	·30	10
11	·30	·34	—	—	—	—	—	·01	—	—	·35	—	11
12	·09	—	·36	—	—	—	—	—	—	—	·06	—	12
13	·08	—	·41	—	·57	·11	—	—	·17	·15	—	·11	13
14	—	·04	·28	—	—	·01	—	—	~~17~~ ·05	—	—	·09	14
15	—	·11	·20	—	—	—	—	—	~~·05~~ ·13	·05	·18	·03	15
16	—	·01 17 —	·06	—	—	·40	—	—	·05	—	·34	·10	16
17	—	18 ·16	·06	—	—	·01	—	—	—	—	·05	·10	17
18	—	19 —	·01	—	—	·20	—	—	—	—	1·46	·05	18
19	—	20 ·01	—	—	—	·40	—	·05	·14	·12	·36	·03	19
20	—	21 ·24	—	—	—	·22	—	—	·20	—	·18	·31	20
21	—	22 ·07	—	·03	—	—	—	·06	—	·16	—	·07	21
22	—	23 ·06	·10	—	—	—	—	·14	—	·18	·04	·42	22
23	·05	24 ·07	·39	—	—	1·09	—	—	·26	—	—	·12	23
24	—	25 ·05	·08	—	—	·10	·03	—	—	·57	—	·16	24
25	—	26 —	·06	·13	—	·13	73	—	—	—	·08	·07	25
26	—	27 ·24	—	·15	·02	—	·13	—	·01	·16	·09	·34	26
27	—	28 ·21	·13	·15	—	—	—	—	·32	·02	—	·01	27
28	—		—	·17	—	—	·02	·05	—	·01	·04	·08	28
29	—		—	·19	—	·54	·07	—	·41	·40	—	·01	29
30	—		—	—	·11	·03	—	—	·62	·07	—	—	30
31			—		—		—	—		·03		·04	31
Total	1·79 1·79	1·81	2·8 ✓ 2·83	1·34	1·02	3·31	·47 ·41	·55	2·48	2·78	3·93 3·93	3·46	TOTAL for year 25·71
No. of Rain Days.	14	19	19	11	5	13	6	8	13	19	19	26	172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at [illegible] Rectory, E Dereham
in the County of Norfolk
by Edward [illegible]

RAIN GAUGE
Pattern Copper Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Hardingham
Distance NW Direction 3½ m.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·05	–	–	–	–	·16	–	·36	–	–	1
2	·37	·01	·13	–	·16	·07	·03	–	–	·09	·06	·15	2
3	·05	·02	–	·08	·16	–	–	–	·10	·19	·03	·04	3
4	·10	·03	·11	·18	–	–	–	–	–	·03	·26	·15	4
5	·03	·04	–	·12	–	–	–	·04	–	·16	–	·23	5
6	·25	–	–	·10	–	–	–	–	–	·07	·02	·13	6
7	·05	·03	·03	–	–	–	–	–	–	–	·22	·28	7
8	·20	–	·17	–	–	–	–	–	·02	·02	·07	·04	8
9	·09	–	·16	·04	–	–	–	–	–	–	–	–	9
10	·07	·08	·04	–	–	–	–	·04	–	–	·10	·30	10
11	·30	·34	–	–	–	–	–	·01	–	–	·35	–	11
12	·09	–	·36	–	–	–	–	–	–	–	·06	–	12
13	·08	–	·41	–	·57	·11	–	–	·17	·15	–	·11	13
14	–	·04	·28	–	–	·01	–	–	~~17~~ ·05	–	–	·09	14
15	–	·11	·20	–	–	–	–	–	~~·05~~ ·13	·05	·18	·03	15
16	–	·01 17 –	·06	–	–	·40	–	–	·05	–	·34	·10	16
17	–	18 ·16	·06	–	–	·01	–	–	–	–	·05	·10	17
18	–	19 –	·07	–	–	·20	–	–	–	–	1·46	·05	18
19	–	20 ·01	–	–	–	·40	–	·05	·14	·12	·30	·03	19
20	–	21 ·24	–	–	–	·22	–	–	·20	–	·18	·31	20
21	–	22 ·07	–	·03	–	–	–	·06	–	·16	–	·07	21
22	–	23 ·06	·10	–	–	–	–	·14	–	·18	·04	·42	22
23	·05	24 ·07	·39	–	–	1·09	–	–	·26	–	–	·12	23
24	–	25 ·05	·08	–	–	·10	·03	–	–	·57	–	·16	24
25	–	26 –	·06	·13	–	·13	73	–	–	–	·08	·07	25
26	–	27 ·24	–	·15	·02	–	·13	–	·01	·16	·09	·34	26
27	–	28 ·21	·13	·15	–	–	–	–	·32	·02	–	·01	27
28	–		–	·17	–	–	·02	·05	–	·01	·04	·08	28
29	–		–	·19	–	·54	·07	–	·41	·40	–	·01	29
30	–		–	–	·11	·03	–	–	·62	·07	–	–	30
31			–		–			–		·03		·04	31
Total	1·79 1·79	1·81	2·8[illegible] ✓ 2·83	1·34	1·02	3·31	·47 ·41	·55	2·48	2·78	[illegible] 3·93	3·46	TOTAL for year 25·71
No. of Rain Days.	14	19	19	11	5	18	6	8	13	19	19	26	172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

JAN 3 1912

WEREHAM

MANOR HOUSE

NORFOLK

1911 — 1920

19 11

British Assoc

Kept at Ma

in the County of

by Geog

of top 5 in.
top above Ground 2 ft.
" " Sea Level 66 ft.
ion 9 a.m.
Station Name Stoke Ferry
Distance 2 Direction S.E.

IMPORTANT n., and the result entered to the previous day. If st universal rule, he is earnestly requested to add t ving year in the space provided for it at the end easurement of rain, the selection and the British Rainfall Organization are gi ee on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14		2				2	7		9	7	4	1
2	41		1	2	10		9	2			9	14	2
3		6		10	11					28	2	4	3
4	3	3	19	12				4	9		9	17	4
5	4			2	2			8		4		7	5
6	34	1		2						3		27	6
7	3	3	1	4							9	28	7
8	25		22						14		11	4	8
9	14	1	18							4	2		9
10	3	10	21					4		1	9	18	10
11	13	43	1								38		11
12	15	6	44		76							2	12
13			25		3	6			23	4	14	21	13
14		12	26		23				8			18	14
15		13	35							·03 3	9	6	15
16	2		4			43					32	9	16
17		6									5	12	17
18	4	15	2			9					1·25	5	18
19	1		6	~~2~~	3	·82		2	25	3	42	2	19
20	3	1		2		10			5	2	14	47	20
21		16		3		7		29		13	7	18	21
22	3	21	21					9		15	3	28	22
23			16			1·21			48			17	23
24		9	4	2		28		5		2	2	11	24
25		15	~~5~~	18		22	22	8		27	8	4	25
26		6	5	19		4	7			28	7	38	26
27		23	9	16					28	9	6	7	27
28		22		28				9		2	6	16	28
29				6		24	5		48	45	4	3	29
30			1	1	9	3			38	3		2	30
31			2				16					2	31
Total	1·82	2·32	2·85	1·27	1·37	3·54	·61	·87	2·46	2·05	3·80	3·91	TOTAL for year
No. of Rain Days.	16	20	22	15	8	12	6	11	10	19	24	29	26·92

W. 8,000, X. '11.

192

FORM A2.
BRITISH RAINFALL.

JAN 3 1912

REGISTER OF RAINFALL IN 1911

Kept at Manor House Wereham

in the County of Norfolk 4

by George Read

RAIN GAUGE
Pattern British Assoc.
Diameter of top 5 in.
Height of top above Ground 2 ft.
" " " Sea Level 66 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Stoke Ferry
Distance 2 Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	14		2				2	7		9	7	4	1
2	41		1	2	10		9	2			9	14	2
3		6		10	11					28	2	4	3
4	3	3	19	12				4	9		9	17	4
5	4			2	2			8		4		7	5
6	34	1		2						3		27	6
7	3	3	1	4							9	28	7
8	25		22						14		11	4	8
9	14	1	18							4	2		9
10	3	10	21					4		1	9	18	10
11	13	43	1								38		11
12	15	6	44		76							2	12
13			25		3	6			23	4	14	21	13
14		12	26		23				8			18	14
15		13	35							·03 3	9	6	15
16	2		4			43					32	9	16
17		6									5	12	17
18	4	15	2			9					1·25	5	18
19	1		6	~~2~~	3	·82		2	25	3	42	2	19
20	3	1		2		10			5	2	14	47	20
21		16		3		7		29		13	7	18	21
22	3	21	21					9		15	3	28	22
23			16			1·21			48			17	23
24		9	4	2		28		5		2	2	11	24
25		15	~~5~~	18		22	22	8		27	8	4	25
26		6	5	19		4	7			28	7	38	26
27		23	9	16					28	9	6	7	27
28		22		28				9		2	6	16	28
29				6		24	5		48	45	4	3	29
30			1	1	9	3			38	3		2	30
31			2				16					2	31
Total	1·82	2·32	2·85	1·27	1·37	3·57	·61	·87	2·46	2·05	3·80	3·91	TOTAL for year
No. of Rain Days.	16	20	22	15	8	12	6	11	10	19	24	29	26·92

W. 8,000, X. '11.

✓ corrd by Parker - quantities 3

W F.C.

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.
17 JAN 1913

Kept at Manor House Wereham
in the County of Norfolk 4
by George Read

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Stoke-Ferry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	✱					2	13	10	12	6	8	29	1
2	2	2			3		46	3	3	7	1	2	2
3	2					47	2	13	5	6	1	15	3
4	18	8	41		8	9		3			37		4
5	6	10	49		1	13		3			5	2	5
6	83	8			4	4	24,	30	26			2	6
7	2	4	·16		7	38	4	12	6				7
8	24	4	10	19		10	19	4	19			2	8
9	2	·03	3		15	20		5	1	2		29	9
10	3		1					29	11	2	5	2	10
11		4	1		2	6		1	12			21	11
12	24	10	21		1				2		58	1	12
13		3				10		2		1	49	2	13
14	2		3		2	9		1				3	14
15			17		29	31					2	8	15
16		2	8		22	8		10		10	3	2	16
17	6		21			26		11		1		12	17
18	23		11			10	6	12		8	5	11	18
19	16	18	7			1	31	23		5	4		19
20	8	2	1		6	3	7	64		41	2		20
21		2	59		39	2	3	62		4	18		21
22	16	16	27		47		1·97	23				. 2	22
23	43	32	26		7		3	91	1		23	22	23
24	48		3			8	26	24			1	19	24
25	2					20	28	67		1	31	33	25
26	2	4	2			9	4	3·57		41	30	23	26
27		1				3		28		19		24	27
28				5	1	2	3	26		2	14	26	28
29						31	10	12	78	17	22		29
30	4		1		11	2		6	56	31			30
31			4		10		26	28				6	31
Total	3·36	1·33 ✓	3·26	·24	2·09	3·24	4·52	9·60	2·32	2·04	3·19	2·98	YEAR'S TOTAL 38·47 38·17
Rain Days.	21	17	22	2	18	25	18	29	13	18	20	24	227

5

W. 7,500, XI. 12

31.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at Wereham
in the County of Norfolk 4
by George Read J.P.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Stoke Ferry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	8	10	11	21	2	7			10				1
2	4	15	3	4	18		11		2		8		2
3		2			95	5	4		1	9	3	11	3
4	19			1	3		2				4	11	4
5	5				2	9	3	5	9	46	5	2	5
6	2			2	28		15			11	2		6
7		15	1		3	5	2			57	1		7
8				5	58	5	1		2	5	14		8
9		25	8	2		18		2			5		9
10				11				11			33		10
11	75			56				2	1		18		11
12	4	2					1	2			4		12
13	3	5	5	10				10			68		13
14	9 ~~12~~	2	17	16			4		3	29	5		14
15	3 ~~11~~		16	10			11		28		13	2	15
16	12 ~~8~~		67	14					38	5	9		16
17	11		18			26	13					6	17
18	8		7		2		9	2		2			18
19	12		6			4	1		3	2		4	19
20	9		8						5	28			20
21	8		11	1			14				19		21
22							26	3	1				22
23	5	2	2				3	18	11		1		23
24	8			2		12	1				2	2	24
25			4	15						4	3	3	25
26		7	8		3					41	6	17	26
27		11	5			7							27
28	9	2	8	5				18			2		28
29	39		2	31	18			5		18	1	2	29
30	38			10				4		4	12	10	30
31	2				5			37		5			31
Total	2·93	·93	2·07	2·16	2·37	·86	~~·83~~ 1·21	1·29	1·14	2·66	2·38	·70	YEAR'S TOTAL 20·70
Rain Days.	23	12	19	18	12	8	17	13	13	15	23	11	G.R.

22

W.7,000, XI. 13

183

E20 87

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Wereham
in the County of Norfolk 4
by George Read

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Stoke-ferry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			3	1	~~[illegible]~~		64	39			11	1	1
2			4				24	37			8	6	2
3	1		14		19			19			1	1	3
4	21		4				2	5			26	14	4
5			12		8	2	24	16			5	1	5
6		11	1	7	13	1	5	6			18	1	6
7		5	38	1	3	7					.1	2	7
8	29	6	31	2	7	52		19	2			~~63~~	8
9	38	2	30	2	6	82			2		1	·37	9
10	61	7	26	8		4			8	1	1	3	10
11		5	38	8					18		8	20	11
12	5	4	13			1			28		5	28	12
13		11	24				63		3	5	15	52	13
14		3	14				10		6	39	18	49	14
15	2		17			3	20		7	3	15	2	15
16	5		14				1				11	9	16
17		33	5				5		4		5	10	17
18		7	6				2		5		26	49	18
19		7	14						8			4	19
20		4	47			9				2	14	3	20
21		3	41			12		27		10	2	11	21
22	1		4	14	31		3	11		28		12	22
23		8	8	4	7		7			6	5	2	23
24			2			5	2	2		10		7	24
25							3			31	6	12	25
26							2	18		4	6	44	26
27	5	1					18			1	5	10	27
28	1	4	1				1			8	16	1·41	28
29	4						1			16	7	4	29
30		×	5							3	9	16	30
31		×		×	7	×	10		×	9	×	13	31
Total	1·73	1·21	4·18	·47	1·01	1·78	2·67	1·99	·91	2·06	2·47	5·79	YEAR'S TOTAL 26·27
Rain Days.	12	17	26	9	9	11	20	11	11	16	26	31	199

W. 8,000. X. 14.

cord by Preston 2.11.16 JAF LCN

1606

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Manor House Wereham

in the County of Norfolk 4

by George Read

Lat. Long.

Time of Observation 9. A. M.

Nearest Railway Station Stoke-Ferry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·33	·01		·15			·03	·08		·07	·15	1
2	·06	·06	·29	·05		·03	·01	·40	·09		·09	·02	2
3	·21			·11			·03	·03	·02	·01	·05	·02	3
4	·06		·04				·28	·39		·03	·09	·73	4
5	·05	·02		·01				·04		·12	·05	·26	5
6	·13	·08	·10	·15			·88	·08		·03		·02	6
7	·10	·34	·11				·15	·09				·16	7
8	·02	·10	·05				·07	·04		·02	·03	·06	8
9	·20	·23				·05	·02	·19		·01	·18	·47	9
10	·32		·10					70		·02	·03	03	10
11				·01	·08		·11	·03		·01	·04	07	11
12	·20	·01		·29	·33		·03	·27			1·06 (·16)	16	12
13	·06	·27			·73		·03	·20	·03		·04		13
14		·13					·17	·03	·01			·41	14
15	·29	·11			·09			·04	·01		·18	·09	15
16		·25			·10		·74	·39			·02	·62	16
17	·14	·11	·02		·02		·22					·01	17
18	·53	·10	·11				·01			·02	·13		18
19	·03	·04	·09				·40			·02	~~·02~~	·02	19
20	·34		·02	·02			·04			·03	·02	·41	20
21	·14	·03	·06				·04					·05	21
22	·34	·13	·09				·63		·05	·01	·05	·14	22
23	·03	·03	·01				·19		·33	·03	·09	·19	23
24	·13		·09				·61		·08	·04		·14	24
25	·03		·01			·21	·03		·01	·02	·04	~~·08~~	25
26		·13	·05				·03		·01	·03	·01	·08	26
27		·06	·03			·19	·10		·01	·43	~~·07~~		27
28		·13				·17	·03	·07	·23	·74	~~·07~~	·07	28
29						·01		·12	·03	·02	·14	·08	29
30	·15	✕				·17	·04	·08	·03	·02	·02	·02	30
31	·04	✕		✕		✕	·02	·15	✕	·04	✕	·09	31
Total	3·43	2·69	1·28	·64	1·50	·83	4·91	2·77	1·02	1·70	2·43	3·97	YEAR'S TOTAL 27·17
Rain Days.	24	21	18	7	7	~~8~~ 7	26	20	15	21	21	27	213

W. 8,000. X. 15.

Cudley Preston

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
5 JAN 1917

Kept at Manor House Wereham
in the County of Norfolk. Stoke-Ferry
by George Read

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Stoke-Ferry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00·3		3				5		8		15		1
2	·43	2	2		22		8		12	3	2		2
3	1	11	3	1	1	1	8		62	38	23	5	3
4	37	15	12		3	29	1		27	4	25	13	4
5	5	16	15			29	4			12	20	8	5
6		17	16	21	2	1	15			5	29	2	6
7	6		17		34	6	32			15	19	9	7
8			6		9	9	1			4	1	24	8
9	1		4		26	20	9			5	1	9	9
10	12	3	9	8	2	6	8	11	6	1		8	10
11		47	7	27	18	53	1		2	16			11
12	1	2	1	8	52	48	11	6	4				12
13		2	5		6	9	9	6		2		4	13
14	5	50	9				6	3	2	5		15	14
15		36	28			·1	8	8	14	5		4	15
16		6	4	27			14	16	2			2	16
17	5	4	2	33			11	1	25	39		1	17
18	2	19	3			1	1	21	17	20			18
19	8	6	2			2		15	34		56	12	19
20	11	3	17			1		20	14		56	28	20
21	3	6	2	2		8	2	2				74	21
22		16		3	16	1				3	1	46	22
23		40	6			15	2	3		3	16	21	23
24	2	25	3					6		33	4	14	24
25		26	21			2	2	14		4	11	3	25
26		8				9	2	6			10	6	26
27		23	70			6		1				8	27
28		2	·66 66	1	10	2			5	2		2	28
29	1		6			9		96		18	1	4	29
30		X	2			16		31		19		2	30
31	·01	X		X	3	X		7	X	5	X	1	31
Total	1·47	3·85	3·41	1·31	2·04	2·76	1·60	2·73	2·34	2·61	2·90	3·25	YEAR'S TOTAL 30·27
Rain Days.	17	24	28	~~9~~ 10	~~13~~ 14	23	22	19	15	23	17	26	238

W. 8,000, VIII. 16

[illegible] by Parker

1506

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wereham

in the County of Norfolk

by George Read

Lat. not Long. known

Time of Observation 9 a.m.

Nearest Railway Station Stoke-Ferry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	3		8				1·77	34		07	2	1
2	14	2		7				33	2	3	3		2
3	2		2					73		·21			3
4	4	8	3					5		·63		·02	4
5	24	26	7	12				1	49		·27		5
6	2		4										6
7	41		6					5		·54	2	4	7
8	15		2	12		72	·81	34		33	9	5	8
9	4		4	6			2	5		4	3	10	9
10	44		28	12				10		·16	5		10
11	8		40	1				4		·24	1		11
12	8		2	5				7	1	·43	3	2	12
13	18		14	4	·06		4	10		·11		4	13
14	18		1	4			6	4		4	4	3	14
15	13		–	20			·12	2	·16	·16		3	15
16	5	10	2	4		7		·1		·71		14	16
17	3		5	1	40	·30	·16	6	·41	·15		2	17
18	3		4	6	2	5	·23	9	·99	2			18
19	2	8	19				26	1					19
20		18	5		10				·24	2	·20		20
21	3	3	11		6			7	3		3		21
22	1	2	2		4		1		1	8	2		22
23					16			9		2	3	4	23
24		4	7			20	3			·19	14		24
25		1	5				5	3	2	1	·63	24	25
26		2	15			1		·37	9		·68	10	26
27			5			4	3	·43			·02	4	27
28		6			6	63		8		3		2	28
29						16	·28	3		·14		9	29
30	2	X	5				·12	·18				2	30
31	31	X	8	X	6	X	26	·15	X	2	X	4	31
Total	2·68	·93	2·04 ~~2·94~~	1·02 ~~·52~~	·96 ~~·90~~	1·58	2·28	5·30	2·81 ~~2·70~~	4·21	1·89	1·10	YEAR'S TOTAL 26·85 26·80
Rain Days.	23	13 ~~11~~	25	14	9	9	15	27	12	23	18	18	205

25

W. 8,000, IX. 17.

3·49

W 9112 [illegible] Preston

64

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Wereham

in the County of Norfolk

by George Read

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Stoke-Ferry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2		3	14					8	1	4	9	1
2		5		26			~~48~~	48	4	4	2	20	2
3	~~1·03~~ ·13	4	5		23		~~99~~	99	6	6		33	3
4	5	6	11	1	1		~~6~~	6	47	5			4
5		3		2	14			36	50	10		2	5
6		11		18				1	17			4	6
7	15	20		4		~~6~~			7	2		3	7
8	8	1							11				8
9	9	12			1		3		67	31		4	9
10	8	1			4		43		5	1	81	36	10
11	4						38	1	14	41	48	17	11
12		26			17	7	15		11			9	12
13				1	38	2			14	2		6	13
14	31			7		1	18		28	4	4	4	14
15	66			71			48		16	6		8	15
16				21	9		11		1·18	4	6	2	16
17	21			7	39		88	3		2	7	21	17
18	61	4		12		3	34		42	4	2	51	18
19	26	8	8	12		15	16		1	12		6	19
20		3				7	2		11	1		4	20
21	2					6	6		43	4	6		21
22	3				8	5	15		4		1	10	22
23	16			3	89		16	5		2	8	2	23
24				1	33	2	16		6	1	4		24
25					1	26		19		1	11	9	25
26	1	16					1·02	18	5	2	26	8	26
27		1	3	4			2	27	8	2	10	6	27
28	3	9	13	1				3			8	7	28
29	2		8				1		95	4	11	18	29
30	2		28						18	1	20	5	30
31			1							11		2	31
Total	2·98	1·30	·80	2·05	2·77	·74	4·74	2·66	6·56	1·64	2·59	3·06	YEAR'S TOTAL 31·89
Rain Days.	20	16	9	17	13	10	18	12	26	2~~5~~6	18	27	212

W. 6,500, VII. 18. W W C

W JL

1412

Bramble

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wereham
in the County of Norfolk
by G. Read [illegible] Reaston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43		·04		·11		·05			·25	·08	·73	1
2	·15		·05		·05		·08		·36		·06	(·81)	2
3	·23	·02	·04		·03		·51		·05		·07	·02	3
4	·12	·04	·21			·07	·07	·07		·02	·01	·25	4
5	·23	·08	·20				·03		·37		·26	·11	5
6	·02		·21				·04				·03	·06	6
7	·02		·40								·11		7
8				·05						·05	·04	·18	8
9			·05	·18						·08	·02	·10	9
10	·02	·02	·21	·02	·05						·18		10
11	·04		·23	·10	·03		·64			·04	·09		11
12	·08		·11			·21	·08			·08	·01	·04	12
13	·23		·02	·21						·09	·16		13
14	·47		·02	·19					·03	·04	·09		14
15	·23		·04	·41							·14	·02	15
16	·04	·73	·06	·20							·06	·12	16
17		·46		·04	·01		·04	·01			·38	·04	17
18			·01					·25			·09	·16	18
19	·06	·20	·21			·18	·08	·21	·14		·04	·10	19
20		·03	·26			·28	·30	·43			·08		20
21	·19	·45	·04			·04	·68	·04			·18	·07	21
22		·29	·03			·01	·18				·14	·53	22
23	·08	·01		·03		·04	·28	·01			·02		23
24				·06			·02			·03	·01		24
25	·08			·05	·40		·01	·26	·14		·03	·09	25
26	·15	·24		·28		·03		·58	·12	·06		·47	26
27	·14	·13	·16	·27			·04	·14	·02	·39	·02	·09	27
28	·02	·01		·05		·02	·05	·89	·14	·38	·06	·16	28
29	·08			·03		·17	·04	·07	·36	·26	·10	·37	29
30	·03	X		·28		·47	·01			·16	·15	·10	30
31	·02	X	·05	X		X	·03		X	·06	X	·17	31
TOTAL	3·16	2·71	2·65	2·45	·68	1·52	3·26	2·96	1·73	1·99	2·71	4·79	YEAR'S TOTAL 30·61
Days with ·01 in. or more	24	14	22	17	7	11	21	12	10	15	29	23	205

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1336

Copy by B.R.O.

26 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wereham

in the County of Norfolk

by Rev A. W. Preston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·01	·02	·	·01	·	·	-	·	·		·17	1
2	·02	·	·	·04	·03	·	·01	15	·10	·		·07	2
3	·01	·	·	·02	·	·02	·03	·02	·05	·		·04	3
4	·	·02	·	·07	·04	·	·26	·08	·07	·		·02	4
5	·01	·	·06	·01	·27	·01	·56	·	·16	·		·04	5
6	·	·02	·03	·85	·07	·	·36	·06	·	·		·16	6
7	·	·03	·22	·08	·06	·	·08	·	·	·	·01	·09	7
8	·05	·	·10	·34	·13	·	·09	·01	·	·	·02	·	8
9	·41	·05	·	·43	·01	·	·12	·	·	·		·	9
10	·14	·03	·	·08	·	·	·05	·08	·	·		·	10
11	·34	·	·03	·05	·	·	·03	·	·	·	·01	·03	11
12	·	·02	·04	·18	·03	·	·	·	·	·		·14	12
13	·14	·02	·	·17	·	·84	·02	·02	·08	·	·03	·	13
14	·03	·06	·13	·16	·	·18	·06	·	·18	·02	·14	·	14
15	·	·04	·61	·04	·	·02	·	·	·24	·	·05	·	15
16	·04	·	·13	·11	·	·	·02	·	·64	·02	·16	·	16
17	·03	·	·	·06	·	·	·	·	·14	·01		·16	17
18	·08	·	·	·02	·	·21	·	·48	·43	·		·09	18
19	·03	·02	·06	·04	·01	·	·	·34	·01	·		·06	19
20	·14	·31	·	·16	·	·62	·	·	·04	·	·01	·	20
21	·12	·	·06	·11	·	·05	·18	·08	·21	·	·03	·	21
22	·02	·	·	·06	·	·01	·02	·34	·06	·		·08	22
23	·04	·	·08	·02	·	·	·34	·03	·01	·02		·16	23
24	·	·	·04	·01	·	·02	·02	·01	·	·		·02	24
25	·03	·02	·12	·06	·	·03	·52	·	·	·01	·02	·	25
26	·08	·	·	·09	·37	·	·21	·	·02	·02	·02	·04	26
27	·15	·10	·	·11	·	·54	·05	·	·01	·	·08	·94	27
28	·39	·	·03	·10	·02	·12	·02	·	·	·	·06	·08	28
29	·08	·	·06	·06	·74	·01	·13	·	·	·01	·07	·06	29
30	·04	×	·01	·09	·	·	·13	·04	·24	·	·26	·31	30
31	·10	×	·02	×	·	×	·01	·01	×	·06	×	·16	31
TOTAL	3·02	·75	1·85	2·82	1·79	2·68	3·32	1·75	2·69	·17	·97	2·12	YEAR'S TOTAL 23·93
Days with ·01 in. or more	25	14	19	29	13	14	24	15	18	8	15	21	215
Days with ·04 in. or more	17	5	13	24	7	7	15	9	14	1	7	18	137

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

RE 14

Kept at Wick g.
7. a.m.
in the County of No Aylsham
5 in.
by John Blo above Ground 6 ft. 3 in.
,, Sea Level 150 ft.

—

WICKMERE

NORFOLK

1914 — 1918

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t rement of rain, the selection and placi British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·33	—	—	·29	·03	1
2	·01	—	—	—	—	—	·01	·09	—	—	·03	·05	2
3	·02	—	·07	—	·16	—	·11	·07	—	—	·03	—	3
4	·05	—	·04	·1	—	·03	—	·1	—	—	·11	·11	4
5	·07	—	·08	·12	·12	—	·12	·62	—	·01	·02	—	5
6	·01	·05	—	—	·14	—	·02	·06	—	—	·23	·06	6
7	—	·04	·27	—	·08	—	—	—	—	—	·01	·12	7
8	·21	·03	·13	—	·21	·52	—	·08	·01	—	—	—	8
9	·36	—	·21	—	·02	·83	—	—	·21	·12	—	·49	9
10	·38	—	·04	·04	—	—	—	—	·2	·05	—	·08	10
11	—	·23	·25	·06	·02	·05	—	—	·06	—	·16	·26	11
12	·07	·02	·03	—	·02	—	—	—	·14	—	—	·15	12
13	—	·15	·26	—	·02	—	—	—	·17	·03	·21	·33	13
14	—	—	·27	—	—	—	—	—	·02	·07	·09	·51	14
15	·07	·07	·11	—	—	—	·5	·01	·04	—	·27	·32	15
16	·05	—	·12	—	—	—	·1	—	·02	—	·04	·04	16
17	·01	·27	·02	—	—	—	·01	—	·14	—	·02	·14	17
18	—	·17	·01	—	—	—	—	—	·03	—	·02	·48	18
19	—	·02	·09	—	—	·37	—	—	·17	·05	·23	·01	19
20	—	—	·4	—	—	·07	—	—	·07	·2	·05	·02	20
21	·04	·15	·16	—	—	·17	—	·19	—	·02	·04	·09	21
22	—	·01	·01	—	·14	·02	·07	·02	—	·45	—	·15	22
23	—	—	·05	·01	·07	·1	·06	—	—	·03	·03	·12	23
24	—	·01	·09	·11	—	·02	·02	·04	—	·04	·07	—	24
25	—	·04	·01	—	·05	—	—	—	—	·7	·1	—	25
26	—	·03	·02	—	—	—	·12	·39	—	·01	—	·28	26
27	·02	—	—	—	—	—	·13	·01	—	—	·03	·26	27
28	—	·03	—	·01	—	—	—	·01	—	·11	·12	·67	28
29	·01		—	—	—	—	·05	—	—	·4	·09	·01	29
30	—		·04	—	·03	—	—	—	—	·01	·17	·07	30
31	—		—		—		·11	—		·02		·06	31
Total	1·38	1·32	2·78	·45	1·08	2·18	1·43	2·02	1·28	2·32	2·46	4·91	YEAR'S TOTAL 23·61
Rain Days.	15	16	24	7	13	10	14	14	13	17	24	26	193

W.7,000, XI. 13

RE 14

FORM A.
BRITISH RAINFALL,
2 - JAN 1915

Kept at* Wickmere

in the County of Norfolk 2

by John Blott

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Aylsham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 3 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·33	—	—	·29	·03	1
2	·01	—	—	—	—	—	·01	·09	—	—	·03	·05	2
3	·02	—	·07	—	·16	—	·11	·07	—	—	·03	—	3
4	·05	—	·04	·1	—	·03	—	·1	—	—	·11	·11	4
5	·07	—	·08	·12	·12	—	·12	·62	—	·01	·02	—	5
6	·01	·05	—	—	·14	—	·02	·06	—	—	·23	·06	6
7	—	·04	·27	—	·08	—	—	—	—	—	·01	·12	7
8	·21	·03	·13	—	·21	·52	—	·08	·01	—	—	—	8
9	·36	—	·21	—	·02	·83	—	—	·21	·12	—	·49	9
10	·38	—	·04	·04	—	—	—	—	·2	·05	—	·08	10
11	—	·23	·25	·06	·02	·05	—	—	·06	—	·16	·26	11
12	·07	·02	·03	—	·02	—	—	—	·14	—	—	·15	12
13	—	·15	·26	—	·02	—	—	—	·17	·03	·21	·33	13
14	—	—	·27	—	—	—	—	—	·02	·07	·09	·51	14
15	·07	·07	·11	—	—	—	·5	·01	·04	—	·27	·32	15
16	·05	—	·12	—	—	—	·1	—	·02	—	·04	·04	16
17	·01	·27	·02	—	—	—	·01	—	·14	—	·02	·14	17
18	—	·17	·01	—	—	—	—	—	·03	—	·02	·48	18
19	—	·02	·09	—	—	·37	—	—	·17	·05	·23	·01	19
20	—	—	·4	—	—	·07	—	—	·07	·2	·05	·02	20
21	·04	·15	·16	—	—	·17	—	·19	—	·02	·04	·09	21
22	—	·01	·01	—	·14	·02	·07	·02	—	·45	—	·15	22
23	—	—	·05	·01	·07	·1	·06	—	—	·03	·03	·12	23
24	—	·01	·09	·11	—	·02	·02	·04	—	·04	·07	—	24
25	—	·04	·01	—	·05	—	—	—	—	·7	·1	—	25
26	—	·03	·02	—	—	—	·12	·39	—	·01	—	·28	26
27	·02	—	—	—	—	—	·13	·01	—	—	·03	·26	27
28	—	·03	—	·01	—	—	—	·01	—	·11	·12	·67	28
29	·01		—	—	—	—	·05	—	—	·4	·09	·01	29
30	—		·04	—	·03	—	—	—	—	·01	·17	·07	30
31	—		—		—		·11	—		·02		·06	31
Total	1·38	1·32	2·78	·45	1·08	2·18	1·43	2·02	1·28	2·32	2·46	4·91	YEAR'S TOTAL 23·61
Rain Days.	15	16	24	7	13	10	14	14	13	17	24	26	193

W.7,000, XI. 13

1583.

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Wickmere
in the County of Norfolk
by John Blott

2

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Aylsham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 3 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·19	·03	—	·19	—	—	—	·12	·03	·06	·07	1
2	·04	·11	·33	·09	—	·02	—	·37	·14	—	·05	·02	2
3	·17	—	·09	·1	·03	—	·02	—	·05	—	·15	·13	3
4	·01	—	·01	—	—	—	—	—	·01	·03	·11	·65	4
5	·05	·19	—	—	·02	—	—	·05	—	·36	·04	·17	5
6	·11	·23	·12	·13	·08	—	·42	·12	—	—	—	·02	6
7	·12	·17	·07	—	—	—	·24	·19	—	—	·01	·19	7
8	·01	·11	·01	·01	—	—	·02	·02	·01	·06	—	—	8
9	·03	·05	—	·09	—	·03	—	·05	·01	·01	·16	·29	9
10	·35	—	·03	—	—	·04	—	·04	—	—	—	·07	10
11	·06	—	—	—	·06	—	·09	—	—	·01	·18	·07	11
12	·11	—	·03	·24	·05	—	·14	·39	—	—	1·16	·03	12
13	·1	·18	—	·03	·51	—	—	·17	·05	—	·18	—	13
14	—	·19	—	—	·02	—	·11	·1	—	—	—	·23	14
15	·31	·11	—	—	·03	—	·05	·03	—	—	—	·11	15
16	·06	·15	—	—	·02	—	·84	·05	—	—	·13	·02	16
17	·17	·19	·1	—	—	—	·09	—	—	—	·07	—	17
18	·08	·03	·39	—	·06	—	—	—	—	—	·18	—	18
19	·03	·19	—	—	—	—	·35	—	—	·21	·03	—	19
20	·21	—	—	·02	—	—	—	·02	—	·01	—	·38	20
21	·16	·07	—	—	·05	—	·06	—	—	—	—	·12	21
22	·08	·02	·21	—	—	—	·54	—	—	—	—	·17	22
23	·02	·05	·03	—	—	—	·12	—	·04	—	·03	·05	23
24	·04	·07	·19	—	—	—	·33	—	·03	·05	·08	·15	24
25	·03	—	·06	—	—	·17	·03	—	—	·07	·15	·07	25
26	·03	·16	·02	—	—	·16	—	—	—	·12	—	·24	26
27	—	·05	·15	—	—	·18	·33	—	·02	·36	—	·03	27
28	—	·09	—	—	—	·18	·06	·11	·12	·49	—	·01	28
29	·11		·01	—	·06	·04	·05	·14	·39	·02	·11	·02	29
30	·09		—	—	—	·01	·02	·22	·4	·01	·01	—	30
31	·07		—		—		—	·1		·06		·11	31
Total	2·81	2·6	1·88	·71	1·18	·83	3·91	2·17	1·39	1·9	2·89	3·42	YEAR'S TOTAL 25·69
Rain Days.	28	21	18	8	13	9	20	17	13	16	19	25	207

W.7,000, XI. 13

4th Year

5 made

Exd Ely

REGISTER OF RAINFALL IN 1916

FORM A4
BRITISH RAINFALL
2 JAN 1917

Kept at Wickmere

in the County of Norfolk

by John Blott

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. 3 in.
" " " Sea Level 150 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Aylsham
Distance 5 m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·02	—	·01	·05	—	—	—	—	·21	—	1
2	·39	·01	·09	—	·37	—	·27	—	—	·02	·02	—	2
3	—	·03	—	—	—	—	·97	—	·55	·17	·26	—	3
4	·25	·14	·09	—	·01	·19	·09	—	·28	·07	·27	·32	4
5	·07	·03	·13	·03	—	·33	·02	—	—	·12	·27	·02	5
6	·05	·09	·19	·35	—	·03	·01	—	·02	—	·23	—	6
7	·01	—	·06	·02	·48	·2	·07	—	—	·04	·07	·03	7
8	·02	—	·02	—	·12	·27	—	—	—	·02	·01	·15	8
9	—	—	·07	—	·13	·01	—	—	—	—	—	·16	9
10	—	—	·02	·06	·01	·07	·03	—	—	·01	—	·18	10
11	03	·45	·11	·17	·02	·59	·07	—	—	—	—	·07	11
12	·04	·03	·02	·32	·32	·64	·03	·12	—	·05	—	·18	12
13	·04	·07	·17	—	·01	—	·04	·06	—	·01	—	—	13
14	—	·17	·02	—	·21	·07	—	·26	·18	·03	·02	·09	14
15	—	·31	·11	—	—	—	—	·14	·04	·33	·01	·05	15
16	—	·03	·04	·21	—	—	·11	·16	—	·08	—	·18	16
17	—	—	—	·25	—	—	·06	·17	·17	·22	—	—	17
18	—	·14	—	·14	—	·02	—	·02	·14	·21	·29	—	18
19	·07	·01	—	·08	—	—	—	·06	·15	·04	·22	—	19
20	·14	—	·03	·03	—	—	—	·05	·03	—	·14	·16	20
21	·01	·03	·03	—	—	—	—	—	—	—	·02	·43	21
22	—	·04	—	—	·17	·01	—	—	—	—	—	·29	22
23	—	·02	—	—	—	·17	·02	·02	—	—	·09	·14	23
24	—	·08	·02	—	—	·07	·01	·04	—	·26	—	·11	24
25	—	·03	·11	—	—	—	·01	·07	—	·15	·05	·02	25
26	—	·02	—	—	—	·15	—	·15	—	·02	·12	·01	26
27	—	·09	·13	·05	—	·04	—	—	02	·34	·01	—	27
28	—	·13	·22	—	·03	·03	—	—	—	—	·02	·13	28
29	—	·13	·04	—	—	·05	—	1·01	—	·11	—	·16	29
30	—		—	—	—	·08	—	·34	—	·22	—	·02	30
31	·2		—		·04		—	·1		·02		·03	31
Total	1·35	2·08	1·74	1·71	1·93	3·07	1·81	2·77	1·58	2·54	2·33	2·93	TOTAL for year 25·84
No. of Rain Days	14	22	22	12	14	20	15	16	10	22	19	22	208

7,000. X. '09.

S made ✓

1459

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Wickmere

in the County of Norfolk

by John Blott

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Aylsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·04	—	—	—	1·01	·08	—	·04	—	1
2	·06	·11	—	·08	—	·02	—	·45	·41	—	—	—	2
3	—	—	·03	·03	—	—	—	·55	—	·07	—	—	3
4	—	·15	—	·02	—	—	—	—	—	·51	—	—	4
5	·11	·05	—	·17	—	—	—	—	—	—	·15	—	5
6	—	—	—	·01	—	·18	—	—	·11	—	·01	—	6
7	·24	—	—	—	—	·04	—	—	·07	·27	—	—	7
8	·15	—	—	·12	—	—	·71	·26	—	·25	·08	—	8
9	·05	—	—	—	—	—	·02	·31	—	—	·22	·11	9
10	·14	—	·12	·04	—	—	—	·03	—	·16	·11	—	10
11	·09	·16	·29	·08	—	—	—	—	—	·21	·02	—	11
12	·18	·02	·03	·08	—	—	—	·06	—	·51	·01	—	12
13	·13	—	·11	·04	—	—	·01	x ·12	—	·12	—	·02	13
14	·20	—	·01	·07	—	—	—	·24	·08	—	—	—	14
15	—	—	—	—	·02	—	·12	·14	—	·03	—	—	15
16	·07	—	—	·39	—	—	·02	—	—	·45	—	·18	16
17	·04	—	·03	·12	·19	·15	·30	—	·26	·25	—	—	17
18	·03	·05	—	·02	·01	·02	·12	·03	·68	·02	—	—	18
19	—	·02	·16	·03	·02	·08	—	—	·16	—	—	—	19
20	—	·18	·07	·01	—	·04	—	—	—	·01	·29	·01	20
21	—	·15	·03	—	—	—	—	·08	—	—	·01	—	21
22	—	·01	—	—	·01	—	—	·05	—	·15	—	—	22
23	—	·02	—	—	·16	—	—	·05	·03	—	—	·03	23
24	—	—	—	—	·01	·10	—	·15	—	—	·05	·05	24
25	—	—	·07	—	—	—	·11	—	—	—	·09	·23	25
26	—	—	·05	—	—	·02	—	·39	·04	·17	·51	·08	26
27	—	—	·02	—	—	·05	·07	—	—	—	—	—	27
28	—	·02	·14	—	—	·21	—	·18	—	·01	—	·12	28
29	—	X	·02	—	—	·11	·08	·16	—	·09	—	—	29
30	·05	X	—	—	—	—	·12	·08	—	—	—	—	30
31	·04	X	·21	X	—	X	·61	—	X	—	X	—	31
Total	1·61	·94	1·39	1·35	·42	1·02	2·29	4·34	1·92	3·28	1·59	·83	YEAR'S TOTAL 20·98
Rain Days.	15	12	16	17	7	12	12	19	10	17	13	9	159

W. 8,000, VIII. 16

Bt 120

52

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

Kept at Wickmere

in the County of Norfolk

by John Blott

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Aylsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept. #	Oct.	Nov.	Dec.	*Date.*
1			·07	·07				·61	·11		·03	·19	1
2		·04		·03				·16	·06	·03		·17	2
3	·09	·01			·09			·04	·53		·85	·01	3
4		·03						·28	·09	·02	·26		4
5		·02	·06		·17					·11			5
6		·19	·02	·12	·01					·02		·05	6
7			·02	·23		·02			·19	·17	·04		7
8	·05	·15		·02			·04		·25		·08	·03	8
9	·06	·04				·04	·09		·27	·28		·07	9
10	·14	·06	·01				·25		·02	·02	·05	·21	10
11	·06			·05	·22		·16		·11	·81		·17	11
12		·11			·18		·07	·06	·03	·19		·25	12
13		·02			·09				·07	·01		·03	13
14	·27			·04		·03	·05		·03	·28		·03	14
15	·49		·06	1·81		·03	·08		·18	·06		·07	15
16				·07		·04			·26	·13		·04	16
17	·23			·04			1·17		·01			·26	17
18	·37		·01	·05		·05	·02		·91			·25	18
19	·19	·02	·03	·16				·04	·10	·11		·42	19
20	·06	·04		·03		·03	1·20		·09	·07		·11	20
21	·03					·06			·29	·12			21
22	·12			·08			·04		·06	·03		·37	22
23		·35			·43	·02	·12	·03	·04			·01	23
24				·01	·01	·02	·06		·12		·11		24
25			·01			·51	·02	·11			·03	·08	25
26		·01				·01	·77	·17		·05	·09	·06	26
27				·21			·04	·25	·07	·01	·03	·22	27
28	·01		·12	·01		·02	·01	·03			·03	·23	28
29	·02								·83		·08	·03	29
30	·02								·28		·07	·25	30
31			·19							·06		·05	31
Total	2·21	1·09	·60	3·03	1·20	·88	4·19	1·78	5·00	2·58	1·75	3·66	YEAR'S TOTAL 27·97
Rain Days.	16	14	11	17	8	13	17	11	25	20	13	26	191.

W, 6,500, VII. 15. W W & S

Sennade

RE

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

WITCHINGHAM GREAT

NORFOLK

1911 — 1912

Kept at Great

in the County of N

by Major W. An

·9 in.
Ground 1 ft. 4
Sea Level 66 ft. 9
to 12. P.m.
Name Sennade.
Distance ⅓ m. Direction E.

IMPORTANT NOTE … the result entered to the previous day. If an Obs… …ersal rule, he is earnestly requested to add the readi… …ear in the space provided for it at the end of this … …ment of rain, the selection and placing … …itish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·1155	—	—	—	—	—	·0140	·1500	—	·2875	—	—	1
2	·2250	—	—	—	·1437	—	·0185	—	—	·0125	·0563	—	2
3	·1125	·0187	·1373	—	·1250	·1187	·0655	·0250	—	·1625	—	·1250	3
4	·0375	·0115	·0875	·1625	—	—	—	—	·0765	·0815	·0125	·1000	4
5	·0200	·0390	—	·1500	—	—	—	·0265	—	·0125	·2500	·2750	5
6	·2437	—	—	·0250	—	—	—	—	—	·1750	·0500	—	6
7	·0125	·0125	·0375	—	—	—	—	—	—	·0072	—	·5000	7
8	·0352	·0070	—	—	—	—	—	—	—	—	·1625	·0195	8
9	·3500	—	·2000	—	—	—	—	—	—	·0350	·0563	—	9
10	—	—	·0098	·0625	—	—	—	·0060	—	·0500	·1188	·3500	10
11	·1560	·4625	·0938	—	—	—	—	—	—	—	·0085	·0300	11
12	·2625	·0188	·2093	—	—	—	—	—	—	—	·2915	—	12
13	·0875	—	·2188		—	—	—	—	·1625	·1188	—	·0250	13
14	—	—	·4500	—	·7063	·1385	—	—	·0200	·1375	—	·0710	14
15	—	·0385	·3563	—	·0260	—	—	—	·0320	—	·0191	·0750	15
16	—	·1000	·1250	—	—	—	—	—	·1500	—	·1750	—	16
17	—	—	·1345	—	—	·4140	—	—	—	—	·3365	·1875	17
18	—	—	—	—	—	·2125	—	—	—	—	·4000	·0180	18
19	—	·1875	—	—	—	·2730	—	—	—	—	·9875	·0270	19
20	—	·0195	—	—	—	·1175	—	·0750	·2188	·0375	·1260	·2875	20
21	·0155	·0875	—	·0187	—	—	—	·0555	·0160	—	—	·0938	21
22	—	·1625	—	—	—	—	—	·0812	—	·3563	—	·4000	22
23	·0218	·0735	·4550	—	—	·3270	—	·0125	·0275	—	·0625	—	23
24	—	·0187	·0415	—	—	·8260	—	—	·2225	·3188	—	·1250	24
25	—	·0405	·0500	—	—	·0875	·0250	—	—	·0625	·0116	·0270	25
26	—	·0570	—	·1375	—	—	·2375	—	—	·1375	·2009	·4980	26
27	—	·1000	·1240	·1187	—	—	—	—	·0270	—	—	·0145	27
28	—	·2500	—	·1000	—	—	—	·0500	·2730	·0500	·0375	·0125	28
29	—	—	—	·2760	—	·0375	—	—	—	·0450	—	·0313	29
30	—	—	—	·0176	·1390	·2625	—	—	·7625	·3935	·0063	—	30
31	—	—	—	—	—	—	·0365	—	—	—	—	·0130	31
Total	1·6952	1·7052	2·7303	1·0685	1·1400	2·8147	·4000	·4817	1·9883	2·4811	3·3693	3·3056	TOTAL for year 23·18
No. of Rain Days.	14	19	16	10	5	11	6	9	12	19	20	23	164

W. 8,000, X. '11.

23·1799

Lenwade

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Great Witchingham.
in the County of Norfolk.
by Major W. Amphlett Moss.

RAIN GAUGE
Pattern
Diameter of top 4·697 in.
Height of top above Ground 1 ft. 4 in.
„ „ „ Sea Level 66 ft.?
Time of Observation 10 to 12. p.m.
Nearest Railway Station
Name Lenwade.
Distance 1/3 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·1155	—	—	—	—	—	·0140	·1500	—	·2875	—	—	1
2	·2250	—	—	—	·1437	—	·0185	—	—	·0125	·0563	—	2
3	·1125	·0187	·1373	—	·1250	·1187	·0685	·0250	—	·1625	—	·1250	3
4	·0375	·0115	·0875	·1625	—	—	—	—	·0765	·0815	·0125	·1000	4
5	·0200	·0390	—	·1500	—	—	—	·0265	—	·0125	·2500	·2750	5
6	·2437	—	—	·0250	—	—	—	—	—	·1750	·0500	—	6
7	·0125	·0125	·0375	—	—	—	—	—	—	·0072	—	·5000	7
8	·0352	·0070	—	—	—	—	—	—	—	—	·1625	·0195	8
9	·3500	—	·2000	—	—	—	—	—	—	·0350	·0563	—	9
10	—	—	·0098	·0625	—	—	—	·0060	—	·05 ·0500	·1188	·3500	10
11	·1560	·4625	·0938	—	—	—	—	—	—	—	·0085	·0300	11
12	·2625	·0188	·2093	—	—	—	—	—	—	—	·2915	—	12
13	·0875	—	·2188	—	—	—	—	—	·1625	·1188	—	·0250	13
14	—	—	·4500	—	·7063	·1385	—	—	·0200	·1375	—	·0710	14
15	—	·0385	·3563	—	·0260	—	—	—	·0320	—	·0191	·0750	15
16	—	·1000	·1250	—	—	—	—	—	·1500	—	·1750	—	16
17	—	—	·1345	—	—	·4140	—	—	—	—	·3365	·1875	17
18	—	—	—	—	—	·2125	—	—	—	—	·4000	·0180	18
19	—	·1875	—	—	—	·2730	—	—	—	—	·9875	·0270	19
20	—	·0195	—	—	—	·1175	—	·0750	·2188	·0375	·1260	·2875	20
21	·0155	·0875	—	·0187	—	—	—	·0555	·0160	—	—	·0938	21
22	—	·1625	—	—	—	—	—	·0812	—	·3563	—	·4000	22
23	·0218	·0735	·4550	—	—	·3270	—	·0125	·0275	—	·0625	—	23
24	—	·0187	·0415	—	—	·8260	—	—	·2225	·3188	—	·1250	24
25	—	·0405	·0500	—	—	·0875	·0250	—	—	·0625	·0116	·0270	25
26	—	·0570	—	·1375	—	—	·2375	—	—	·1375	·2009	·4980	26
27	—	·1000	·1240	·1187	—	—	—	—	·0270	—	—	·0145	27
28	—	·2500	—	·1000	—	—	—	·0500	·2730	·0500	·0375	·0125	28
29	—	—	—	·2760	—	·0375	—	—	—	·0450	—	·0313	29
30	—	—	—	·0176	·1390	·2625	—	—	·7625	·3935	·0063	—	30
31	—	—	—	—	—	—	·0365	—	—	—	—	·0130	31
Total	1·6952	1·7052	2·7303	1·0685	1·1400	2·8147	·4000	·4817	1·9883	2·4811	3·3693	3·3056	TOTAL for year 23·18
No. of Rain Days.	14	19	16	10	5	11	6	9	12	19	20	23	164

W. 8,000, X. '11.

23·7799

W DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
7 - JAN 1913

Kept at Great Witchingham
in the County of Norfolk
by Major W. Amphlett Moss.

RAIN GAUGE
Pattern Jugga Rao.
Diameter of top 4.697 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 60 ft.?
Time of Observation Between 10 and 12 a.m.
Nearest Railway Station
Name Lenwade.
Distance 1/3 m. Direction ?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
12. P.M. 31.12.12 to 9. a.m. 1.1.13
·0775 in.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·0750	·0125	·0500	—	·0285	·0500	·0425	·0875	·3000	·2125	·2000	1
2	—	·1500	·0335	·0188	·1063	·0275	·2750	·0325	·0625	·0103	·0250	·1625	2
3	·0375	·0760	—	—	·0187	·2375	·0560	·0260	·0188	·0625	—	·0340	3
4	·1375	—	·4188	—	·0125	·1125	—	·0188	·0366	·0385	—	·0475	4
5	·0625	·0350	·0750	—	·0265	·0513	—	·0050 ·0080	—	—	·1525	—	5
6	·5563	·1120	·4875	—	·0360	·0938	·0450	·0385	·0935	—	—	·0135	6
7	·2250	·0343	—	—	·0181	·1125	·2925	·4188	·0133	—	—	—	7
8	·0250	·0185	·0750	·0150	—	·0790	·0760	·1188	·3810	—	—	—	8
9	·1750	—	—	—	—	—	—	—	·0685	·0115	—	·0063	9
10	—	—	—	·1188	·0375	—	—	·0313	·4563	—	·1125	·2500	10
11	·0437	—	·0125	·0313	—	—	—	·2625	·2760	—	·4188	—	11
12	·0050	·0875	—	—	·0218	·0560	—	—	—	·0165	·3750	·2270	12
13	·0875	·0500	·0570	—	—	·0090	—	·0093	—	—	·6000	—	13
14	—	—	—	—	—	·0250	—	·0188	—	·0365	·3625	·0100	14
15	—	·0188	·1750	—	—	·0875	—	·0188	—	—	·0188	·1545	15
16	—	—	·0500	—	·2875	·3675	—	·0310	—	·0560	—	·0063	16
17	—	—	·1186	—	·0125	—	—	·0250	—	·0375	·0725	—	17
18	·2750	—	·2188	—	—	·1625	—	·2000	—	—	·0500	·1290	18
19	—	·1000	·0125	—	—	—	1·4625	·0540	—	·0530	·0270	·0165	19
20	·1125	·1000	·1375	—	·1000	—	·0110	·3060	—	·2735	—	—	20
21	·0750	—	·3000	—	·0260	—	—	·1000	—	·1450	·0365	—	21
22	—	·0875	·0562	—	·8250	—	·8395	·4750	—	·0375	·0080	—	22
23	—	·2188	·0750	—	·0175	·0400	·2563	·6000	—	—	—	·0750	23
24	·4500	·1125	·1564	—	—	·0250	·2250	·2375	—	—	·1750	·1350	24
25	·2437	—	·0188	—	—	·1560	·4813	·0155	·0188	—	·1500	·2395	25
26	·0125	·0103	—	—	—	·1425	—	3·3500	—	·2750	·3000	·2250	26
27	—	—	·0047	—	·0135	—	·1188	·4813	—	·0125	·0270	·0750	27
28	—	—	—	—	—	—	·1750	·0063	—	·4375	—	·1375	28
29	—	—	—	·0313	—	·3500	·1125	·3125	·0250	·3000	·4125	·1313	29
30	·0320	—	—	·0090	—	—	·0730	·0438	·7635	·3000	·0625	—	30
31	—	—	·0600	—	·0625	—	·1500	—	—	·1063	—	—	31
Total	2·5557	1·2862	2·5502	·2742	1·6219	2·1636	4·7994	7·3295	2·3012	2·5086	3·6486	2·2754	TOTAL for year 33·31 33·3145
No. of Rain Days.	17	16	20	7	16	19	17	28	13	19	20	20	212

W. 8,000, X. '11.

WOOTTON NORTH

NORFOLK

1914 — 1915

FORM A.
BRITISH RAINFALL.
5 JAN

REGI

Kept at North W... m

Hunstanton
North Wootton

in the County of Norf

by A. F. Clayd

N. Wootton, 100 yards

6 in.

Ground 1 ft. — in.

Sea Level ft.

IMPORTANT NOTE ... e result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the readin ... in the space provided for it at the end of this ... t of rain, the selection and placing c ... Rainfall Organization are given in " ... pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.03	—	—	.05	.36	—	.01	.16	.01	1
2	.01	—	—	.03	—	—	.07	.27	—	—	.05	.01	2
3	—	—	—	—	.15	—	.06	.11	—	—	.01	—	3
4	.15	—	.10	.20	—	.01	—	.28	—	—	.23	.05	4
5	—	—	.08	.09	.20	—	.05	.36	—	—	.01	—	5
6	—	—	—	.03	.07	—	.05	—	—	.01	.19	.01	6
7	—	.10	.38	.02	.08	.05	—	—	—	—	—	.02	7
8	.29	.02	.04	.01	.11	.75 T	.01	.11	—	—	—	.01	8
9	—	—	.23	.22	—	.92	—	—	1.82 T	.01	—	.16	9
10	.29	—	.03	.02	.01	—	—	—	.03	—	—	.01	10
11	.45	.04	.32	.16	.02	.09	—	—	.10	—	.27	.11	11
12	.05	.15	.19	—	—	.01	.01	—	.21	—	—	.24	12
13	.03	.11	.15	—	—	—	—	—	.01	.01	.02	.28	13
14	—	—	.16	—	—	—	.10	—	—	.34	.15 S	.47	14
15	—	—	.05	—	—	—	.01	—	—	—	.06	.49	15
16	—	.03	—	—	—	—	.01	—	.01	—	.08	—	16
17	—	.40	—	—	—	—	—	—	.30	.04	.07	.04	17
18	.02	.04	.01	—	—	—	.17	—	.01	—	.01	.43	18
19	—	.04	.14	—	—	.01	—	—	.03	—	.21	.01	19
20	—	.10	.33	—	—	.40 T	.01	—	.03	.07	—	—	20
21	.01 S	.11	.26	—	.12	.01	—	.04	.01	—	—	.06	21
22	—	—	.01	.03	.04	—	.05	.01	—	.21	—	.07	22
23	—	.02	.06	.01	.01	.01 T	.07	—	—	—	.04	—	23
24	—	—	—	.06	.03	—	.02	—	—	.06	.11	.01	24
25	.01	—	.01	—	—	—	—	—	—	.57	.05	—	25
26	—	—	—	—	—	—	.23	.08	—	.04	—	.30 S	26
27	.01	—	—	—	—	—	—	—	—	—	.01	.22	27
28	—	.03	—	—	—	—	—	—	—	.06	.15	S&R 1.06	28
29	—		.03	—	—	—	—	—	—	.44	.02	—	29
30	—	×	.02	—	.01	—	—	—	—	.02	.04	.19	30
31		×	—	×		×	.06	—	×	.06	×	.11	31
Total	1.32 1.32	1.19	2.60	(.91)	.85	2.26	1.03	1.62	2.56	1.95	~~1.94~~	4.37	YEAR'S TOTAL ~~22.00~~
Rain Days.	11	13	20	13	12	10	17	9	11	15	~~21~~	24	~~22.6~~

W. 8,000. X. 14.

S for Snow T for Thunderstorm

176

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 15

Kept at North Wootton Jan 1 - Apr 20 / Apr 20 - Nov 10 / Nov 10 - Dec 31
Hunstanton
North Wootton
in the County of Norfolk
by A. F. Claydon

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station North Wootton, 100 yards
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.03	—	—	.05	.36	—	.01	.16	.01	1
2	.01	—	—	.03	—	—	.07	.27	—	—	.05	.01	2
3	—	—	—	—	.15	—	.06	.11	—	—	.01	—	3
4	.15	—	.10	.20	—	.01	—	.28	—	—	.23	.05	4
5	—	—	.08	.09	.20	—	.05	.36	—	—	.01	—	5
6	—	—	—	.03	.07	—	.05	—	—	.01	.19	.01	6
7	—	.10	.38	.02	.08	.05	—	—	—	—	—	.02	7
8	.29	.02	.04	.01	.11	.75 T	.01	.11	—	—	—	.01	8
9	—	—	.23	.22	—	.92	—	—	1.82 T	.01	—	.16	9
10	.29	—	.03	.02	.01	—	—	—	.03	—	—	.01	10
11	.45	.04	.32	.16	.02	.09	—	—	.10	—	.27	.11	11
12	.05	.15	.19	—	—	.01	.01	—	.21	—	—	.24	12
13	.03	.11	.15	—	—	—	—	—	.01	.01	.02	.28	13
14	—	—	.16	—	—	—	.10	—	—	.34	.15 S	.47	14
15	—	—	.05	—	—	—	.01	—	—	—	.06	.49	15
16	—	.03	—	—	—	—	.01	—	.01	—	.08	—	16
17	—	.40	—	—	—	—	—	—	.30	.04	.07	.04	17
18	.02	.04	.01	—	—	—	.17	—	.01	—	.01	.43	18
19	—	.04	.14	—	—	.01	—	—	.03	—	.21	.01	19
20	—	.10	.33	—	—	.40 T	.01	—	.03	.07	—	—	20
21	.01 S	.11	.26	—	.12	.01	—	.04	.01	—	—	.06	21
22	—	—	.01	.03	.04	—	.05	.01	—	.21	—	.07	22
23	—	.02	.06	.01	.01	.01 T	.07	—	—	—	.04	—	23
24	—	—	—	.06	.03	—	.02	—	—	.06	.11	.01	24
25	.01	—	.01	—	—	—	—	—	—	.57	.05	—	25
26	—	—	—	—	—	—	.23	.08	—	.04	—	.30 S	26
27	.01	—	—	—	—	—	—	—	—	—	.01	.22	27
28	—	.03	—	—	—	—	—	—	—	.06	.15	S&R 1.06	28
29	—	—	.03	—	—	—	—	—	—	.44	.02	—	29
30	—	X	.02	—	.01	—	—	—	—	.02	.04	.19	30
31	—	X	—	X		X	.06	—	X	.06	X	.11	31
Total	1.32 1.32	1.19	2.60	.91	.85	2.26	1.03	1.62	2.56	1.95	~~1.94~~	4.37	YEAR'S TOTAL ~~22.00~~
Rain Days.	11	13	20	13	12	10	17	9	11	15	~~21~~	24	~~22.61~~

W. 8,000. X, 14.

S for Snow T for Thunderstorm

~~176~~

Entered [illegible]

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
22 FEB 1916

Kept at North Wootton
in the County of Norfolk
by A. F. Claydon

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station North Wootton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level About 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.14	—	—	.30	—	—	—	.16^{T}	—	.08	.09	1
2	.01	.06	.19	.03	—	.01	—	.20^{T}	.33	—	.08	—	2
3	.18	—	.05	.02	—	—	.08	.08	.03	—	.17	.15	3
4	—	—	—	—	—	—	.25^{T}	.05^{T}	—	—	.09	.42	4
5	.03	—	—	—	.22	—	.33^{T}	.01	—	.02	.01	.19	5
6	.05	.14	.09	.13	—	—	.86^{T}	.23	—	.01	—	.06	6
7	.14	.24	.08	—	—	—	.12	.05	—	—	—	.14	7
8	.01	.02	.01^{S}	.01	—	—	—	—	—	—	.01	—	8
9	.06	.12	—	.02	—	.02	—	.01	—	—	.13	.40	9
10	.19	—	.03	—	—	—	—	.16^{T}	—	—	—	—	10
11	—	—	.05	—	.17	—	.08	—	—	—	.30	.05^{S}	11
12	.04	—	—	.30	.08	—	.03	.32^{T}	—	.01	1.59	—	12
13	.03	.32	—	—	.61	—	—	.01^{T}	.01	—	.01	—	13
14	—	.12	—	—	.04	—	.04^{T}	.11^{T}	—	—	—	.14	14
15	.11	.06^{S}	—	—	.02	—	—	—	—	—	.49^{S}	.02	15
16	—	.20	—	—	—	—	.64	.24^{T}	—	.03	.01	.02	16
17	.16	.09	—	—	—	—	.08	—	—	—	—	—	17
18	—	.01	.14^{S}	—	—	—	—	—	—	—	.14	.01	18
19	.01	.01	—	—	—	—	.05	—	—	.01	.01	—	19
20	.25	—	—	—	—	—	—	—	—	.01	—	.40	20
21	.07	.05	—	—	—	—	.06	—	—	—	—	.02	21
22	.30	—	.22	—	—	—	.34^{T}	—	.01	—	—	.20	22
23	.01	.11^{S}	.01	—	—	.01	.01	—	.17	.01	.05	.12	23
24	—	.03	.10	—	—	—	.15^{T}	—	.04	.13	.03	.30	24
25	.02	—	.04	—	—	.33	.01	—	—	.09	.01	.15	25
26	—	.09	.01^{S}	—	—	—	.01	—	—	.01	.01^{S}	.83	26
27	—	.01	.01^{S}	—	—	.23^{T}	.20^{T}	—	—	.38	—	.08	27
28	.01^{S}	.06^{S}	—	—	—	.40^{T}	—	.13	.15	.45	—	—	28
29	—		—	—	—	.07^{T}	—	.12	—	.01	.10	—	29
30	.04	✕	—	—	.01	—	—	.02	.01	—	—	—	30
31	.04	✕	—	✕	—	✕	—	.12	✕	.02	✕	~~.08~~	31
Total	2.05	1.88	1.03	.51	1.45	1.07	3.34	1.86	.91	1.19	3.32	~~3.79~~ 3.87	YEAR'S TOTAL ~~22.48~~ ~~22.48~~
Rain Days.	22	19	14	6	8	7	18	16	9	14	19	21	~~172~~ 173

W. 8,000. X. 15. "S." for Snow. "T" for Thunderstorm

WORSTEAD

THE GRANGE

NORFOLK

1911 — 1920

R 11

heneeis

FORM A2.
BRITISH RAINFALL.
29 APR 1912

Ke at The Grau 3 in.

ove Ground 3 ft. in.

in the County of , Sea Level 40 ft.

by Frederick. 9 a.m.

Name Worstead

Distance 1½ Direction S.W.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of surement of rain, the selection and pla British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53		·01				·03	·13		·12			1
2	·33		·01	·01	·13	·03	·03			·10	·04	·12	2
3	·06	·04		·05	·10					·15	·03	·07	3
4			·08	·07					·06	·01			4
5	·06	·05		·06						·60	·20	·17	5
6	·19		·06	·07						·03	·01	·12	6
7		·02	·01								·08	·23	7
8	·21								·02			·04	8
9	·08		·16	·04						·02	·03		9
10	·05	·03	·16			·02					·16	·40	10
11	·30	·36									·25		11
12	·07	·04	·36			·06							12
13	·08		·06		·03	·09				·30	·02	·07	13
14			·30		·65				·03			·02	14
15		·05	·30						·07		·10		15
16		·08	·09			·41			·02		·32	·10	16
17			·11				·01		·17		·02	·09	17
18		·10	·01			·13					1·03	·05	18
19						1·01		·40	·10	·01	·18	·01	19
20			·01			·13		·02	·21		·10	·31	20
21		·49						·05	·01	·02			21
22			·10					·05		·38	·03	·38	22
23		·03	·10			·67			·35			·06	23
24	·03	·03	·06			·07	·09			·30		·05	24
25		·06	·02	·12		·09				·05	·02	·11	25
26			·03			·01	·22				·26	·45	26
27		·13	·07	·13					·25	·15		·02	27
28		·10	·01	·32			·02					·06	28
29				·12		·23	·02		·52	·40	·11	·03	29
30					·30				·49	·15			30
31			·01							·05			31
Total	1·99	1·61	2·13 ✓	·99	1·21	2·95	·42	·65	2·30	2·84	2·99	~~3·96~~ 2·96	TOTAL for year ~~24·04~~
No. of Rain Days.	12	15	~~22~~ 23	10	5	13	7	5	13.	17.	19	22	160

W. 8,000, X. '11.

23·04

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
29 APR 1912

Kept at The Grange, Worstead

in the County of Norfolk 2

by Frederick W. Walter.

RAIN GAUGE
Pattern Spencer's
Diameter of top 3 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 40 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Worstead
Distance 1½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53		·01				·03	·13		·12			1
2	·33		·01	·01	·13	·03	·03			·10	·04	·12	2
3	·06	·04		·05	·10					·15	·03	·07	3
4			·08	·07					·06	·01			4
5	·06	·05		·06						·60	·20	·17	5
6	·19		·06	·07						·03	·01	·12	6
7		·02	·01								·08	·23	7
8	·21								·02			·04	8
9	·08		·16	·04						·02	·03		9
10	·05	·03	·16			·02					·16	·40	10
11	·30	·36									·25		11
12	·07	·04	·36			·06							12
13	·08		·06		·03	·09				·30	·02	·07	13
14			·30		·65				·03			·02	14
15		·05	·30						·07		·10		15
16		·08	·09			·41			·02		·32	·10	16
17			·11				·01		·17		·02	·09	17
18		·10	·01			·13					1·03	·05	18
19						1·01		·40	·10	·01	·18	·01	19
20			·01			·13		·02	·21		·10	·31	20
21		·49						·05	·01	·02			21
22			·10					·05		·38	·03	·38	22
23		·03	·10			·67			·35			·06	23
24	·03	·03	·06			·07	·09			·30		·05	24
25		·06	·02	·12		·09				·05	·02	·11	25
26			·03			·01	·22				·26	·45	26
27		·13	·07	·13					·25	·15		·02	27
28		·10	·01	·32			·02					·06	28
29				·12		·23	·02		·52	·40	·11	·03	29
30					·30				·49	·15			30
31			·01							·05			31
Total	1·99	1·61	2·13	·99	1·21	2·95	·42	·65	2·30	2·84	2·99	~~3·96~~ 2·96	TOTAL for year 24·04
No. of Rain Days.	12	15	~~22~~ 23	10	5	13	7	5	13.	17.	19	22	160

23·04

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
14 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at The Grange. Worstead
in the County of Norfolk 2
by Fredk. W. Walter

Lat. 52°.58'N. Long. 0° 45' E.
Time of Observation 9 a.m.
Nearest Railway Station Worstead
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04		·17	·15	·04	·03	·01	·07	·33	1
2			·03	·03	·04		·32			·02	·11	·04	2
3	·21				·02	·17			·05	·06	·03	·04	3
4	·08		·39	·04	·01	·35				·02	·07		4
5		·45	·70			·04							5
6	·81	·10	·11		·06	·15	·48		·07				6
7	·10	·10			·02	·32			·13			·01	7
8	·06		·04				·15	·06	·40			·01	8
9				·13		·16			·35			·26	9
10	·02			·13				·40	·48		·20		10
11		·05		·05				·02		·01	·60	·13	11
12	·05		·04		·03	·35			·01		·47		12
13		·17	·04			·05					·42		13
14			·04			·10		·02		·06	·14	·09	14
15		·02	·19		·18	·35		·02			·04		15
16			·03		·15	·11		·03		·12	·05	·03	16
17			·23			·25		·09			·01	·11	17
18	·12		·24				·03	·25		·11	·13	·03	18
19	·06	·17	·20				·75	·07		·03	·01		19
20	·09	·04			·12			·13		·31			20
21			·16				·41	·48		·19	·03		21
22		·07	·09		·03		·50	·20				·06	22
23	·31	·50	·15		·05			·68	·03		·12		23
24		·01	·03			·15	·10	·25				·10	24
25						·18	·08	·98		·01	·15	·26	25
26		·01				·05	·11	6·31		·25	·27	·20	26
27	·12							·18		·12	·19	·10	27
28				·04	·01		·08	·15	·03	·43	·14	·27	28
29	·18			·01	·02	·10	·33	·39	·29	·07	·27		29
30	·14					·66	·01	·08	·58	·26			30
31	·02		·20		·09		·25	·05		·22		·17	31
Total	2·37	1·69	2·91	·47	8 3	3.71	3·80	10·88	2·45	2·30	3·62	2·24	YEAR'S TOTAL 37·27
Rain Days.	15	12	18	8	14	18	15	22	12	18	21	18	191

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 MAY 1914

Kept at The Grange, Worstead

in the County of Norfolk 2

by Frederick W. Walter

Lat. 52° 58' N. Long. 0° 45' E.

Time of Observation 9 a.m

Nearest Railway Station Worstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·20	·08	·08		·01	·08		·33		·05		1
2	·03	·18			·02				·16				2
3			·24		·10				·04	·40	·05	·05	3
4	·10				·02	·03	·05				·03	·16	4
5	·02				·06				·01	·88			5
6		·01	·03	·01	·14	·07			·01	·32			6
7		·03			·05	·03	·04			·44			7
8				·08	·13	·13	·04			·14	·10		8
9		·08		·05	·26	·10		·11	·10		·07		9
10				·04						·04	·21		10
11	·78			·53	·02			·08			·54		11
12		·01	·04	·05		·03		·01			·06		12
13	·23							·02			·43		13
14			·07	·07			1·10		·58	·32			14
15	·11	·02	·12	·14			·24				·05		15
16	·09		·37	·14					·15		·17	·04	16
17	·40		·48	·04		·07	·05		·36		·01		17
18	·02	·02	·10	·07	·08		·05	·01	·19		·02	·03	18
19	·06		·05			·07			·10				19
20	·11		·02	·02					·05	·08			20
21	·06		·03	·01			·18			·49	·20		21
22	·18		·10				·48	·03	·04				22
23	·01					·05	·02	·15					23
24	·09			·04		·33		·30		·01		·04	24
25				·11									25
26			·08			·11				·81	·03	·10	26
27		·10	·03		·04	·03							27
28	·16	·02	·09			·05				·11		·09	28
29	·28			·07	·24								29
30	·35			·40	·08					·06		·24	30
31			·11					·33					31
Total	3·18	·67	2·04	1·95	1·24	1·11	2·33	1·04	2·12	4·10	2·02	·75	YEAR'S TOTAL 22·55
Rain Days.	19	10	17	18	13	14	11	9	13	13	15	8	160

W.7,000, XI. 13

~~W~~ M.L. Cor. by sun. stats. 28.V.15.

REGISTER OF RAINFALL IN 1914

7 MAY 1915

FORM A.
BRITISH RAINFALL.

Kept at The Grange Worstead

in the County of Norfolk 2

by Rev. J. W. Walter

Lat. 52° 58' n. Long. 0° 45' East

Time of Observation 9 a.m.

Nearest Railway Station Worstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·34			·20		1
2	·02						·10				·02	·08	2
3			·07		·10		·81	·03					3
4	·15		·03	·16		·04		·01		·02	·22	·04	4
5			·10	·09	·07		·12	·38		·04			5
6		·05			·29			·04			·09	·20	6
7	·30	·02	·35		·07	·03						·39	7
8	·32	·02	·18	·05	·21	·49		·08	·35				8
9	·07		·30	·09		·75			·02	·05		·74	9
10	1·10	·03	·05	·05					·10		·25	·08	10
11			·27		·18	·20			·15			·45	11
12	·07		·03		·03				·17		·20	·21	12
13		·15	·23		·01				·02			·50	13
14			·22							·03	·56	·43	14
15	·13	·01	·15				·85					·32	15
16	·02		·17				·10				·08		16
17		·18							·10			·09	17
18		·30	·04					·07	·03	·06		·49	18
19		·04	·27			·02			·23		·20		19
20	·03		·43			·07			·19	·15	·04		20
21	·06	·43	·12					·10			·04	·19	21
22					·09		·31	·01		·40		·05	22
23			·07		·07	·25	·04			·03	·02	·02	23
24				·12	·02	·02	·02			·03	·07		24
25		·02			·06		·03	·06		·75			25
26					·01		·09	·12			·09	·28	26
27							·15				·02	·20	27
28										·15	·32	1·38	28
29	·02						·04			·40	·04		29
30		✕	·04								·19	·06	30
31		✕		✕	·04	✕			✕	·02	✕	·05	31
Total	2·29	1·25	3·12	·56	1·25	1·87	2·66	1·24	1·36	2·13	2·65	6·25	YEAR'S TOTAL 26·63
Rain Days.	12	11	19	6	14	9	12	11	10	13	18.	~~20~~ 21	~~155~~ 156

W. 8,000. X. 14.

Crd for auth 26. VI. 16

1580

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

MAY 1916

Kept at The Grange Worstead

in the County of Norfolk

by Rev F. W. Walter.

Lat. 52°58' N. Long. 0° 45' East

Time of Observation 9 a.m

Nearest Railway Station Worstead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'14	'17	'20		'20		'01	'12	'20	'13	'13	'05	1
2	'02	'02	'43	'10				'16	'13		'30		2
3	'02		'07	'08							'13	'19	3
4					'02				'01	'04	'13	'38	4
5	'07	'07	'02		'03			'05				'21	5
6	'09	'24	'21	'15	'04		'32	'25		'24		'02	6
7	'09	'30	'10				'25	'24	'01	'01		'22	7
8		'12						'02		'06			8
9	'05		'03	'12		'02		'18		'04	'14	'43	9
10	'34					'03						'08	10
11	'02	'01			'07		'07				'22	'07	11
12	'10			'34	'13		'06	'29		'01	'98	'19	12
13	'10	'25		'05	'97			'46	'03		'31		13
14		'14		'01			'75	'88				'20	14
15	'27	'10			'03		'20	'16				'10	15
16	'29	'10			'01		'75	'47			'58	'01	16
17	'31	'07	'13				'10				'05	'05	17
18	'17	'05	'45		'27					'05	'16		18
19	'05	'07					'12			'18			19
20	'35			'03				'02		'06		'39	20
21	'28				'05		'08					'25	21
22	'03		'25	'04			'32						22
23	'01	'09					'32				'03	'14	23
24			'31				'18		'03	'18	'16	'06	24
25	'02		'03			'24	'31			'06	'38	'02	25
26	'04	'12	'02			'13				'07	'03	'28	26
27		'08	'02			'06	'46			'42			27
28		'08	'09			'10	'04	'13	'40	'43			28
29	'02		'01		'11	'02	'02		'15		'13	'03	29
30	'09	X						'05	'31				30
31	'04	X		X		X		'11	X	'16	X	'10	31
Total	3'00 3·01	2'08	2'35 2·37	'92	1'93 1·93	'60	4'36	3'59	1'27	2'14	3·86	3'47	YEAR'S TOTAL 29'67 29·60
Rain Days.	25	18	16 17	9	12	7	18	16	9	16	16	22	185 4

W. 8,000. X. 15.

Exd. E.G.E.

1554

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at The Grange. Worstead
in the County of Norfolk
by Rev. F. W. Walter

Lat. 52°.58'.N. Long. 0° 45' E.
Time of Observation 9. a.m.
Nearest Railway Station Worstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16		·07	·02					·06		1
2	·46	·01	·10		·22		·27		·07	·03			2
3		·02	·01				·07		·22	·24	·30	·08	3
4	·34	·15	·09		·01	·28	·06			·01	·22	·27	4
5	·06	·02	·09			·22				·24	·21		5
6	·11	·12	·27	·37	·03						·23		6
7	·01		·27		·45	·08	·11			·08	·08		7
8	·01				·10	·28						·18	8
9		·02	·07		·19							·20	9
10	·01		·12	·07		·13	·20					·47	10
11	·08	·65	·12	·15	·06	·63						·05	11
12				·40	·45	·61	·08	·02		·13		·13	12
13	·02	·08		·01				·13	·12	·01			13
14		·20	·02		·21	·10				·08		·26	14
15		·40						·07	·08	·33		·02	15
16		·08	·03	·21			·10	·13		·08		·12	16
17				·30			·06	·11	·18	·25			17
18		·18		·15				·01		·15	·72		18
19				·11				·01	·29		·34		19
20	·14		·06	·02				·07	·02		·07	·54	20
21	·01	·10	·06	·02					·18			·17	21
22		·05	·01		·35	·05						·47	22
23		·30				·16		·02		·25	·07	·19	23
24		·21	·04			·10	·02	·04		·15		·15	24
25		·80	·22			·12		·08		·06	·05	·02	25
26		·09				·50					·27		26
27		·21	·60			·04			·01	·03	·02		27
28		·27	·75			·13		·16		·05		·14	28
29		·20				·04		1·50		·21		·14	29
30		✕				·17		·40		·11		·01	30
31	·20	✕		✕	·02	✕		·07	✕		✕	·09	31
Total	1·45	4·16	3·09	1·81	2·16	3·66	·97	2·82	1·17	2·49	2·64	3·70	YEAR'S TOTAL 30·12
Rain Days.	12	21	19	11	12	18	9	15	9	19	13	20	178

W. 8,000, VIII. 16

1486

FORM A.
BRITISH RAINFALL.
8 JUN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Grange. Worstead
in the County of Norfolk
by Fredk. W. Walter

Lat. 52° 58' Long. 0° 45' E
Time of Observation 9 a.m.
Nearest Railway Station Worstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·42				·78			·02		1
2	·07			·22		·07		·58			·02		2
3			(·13)	·04				·34		·30		·09	3
4				·01			·01			·35			4
5	·12						1·00		·02		·15		5
6	·03			·11		·06			·12				6
7	·31					·80				·40			7
8	·22			·19				·28		·37	·09		8
9			·13					·28			·31	·16	9
10	·12	·58	·27	·20						·05	·18		10
11	·08		·45	·12						·20			11
12	·45		·03	·12						·57		·02	12
13	·14		·05				·03	·38	·07	·19		·01	13
14	·07							·08		·19			14
15	·14			·12			·13	·11		·03	·05	·04	15
16	·01		·01				·02			·32		·29	16
17	·05	·67	·03	·15	·37	·35	·30		·32	·42			17
18	·02			·04	·03	·01	·06	·08	·60				18
19			·24		·02				·12				19
20		·26	·13			·05		·02	·11		·32	·03	20
21		·18	·26								·02		21
22			·13		·04			·03		·08			22
23					·04			·05					23
24		·02				·10		·12		·20	·12	·06	24
25			·07								·40	·20	25
26						·14		·27	·06		·60		26
27						·11		·10				·08	27
28			·29			·21		·47		·08		·04	28
29			·02			·26	·19			·06			29
30		×					·10	·08					30
31		×	·73	×		×	·70	·09	×		×		31
Total	1·83	1·71	2·97	1·74	·50	2·16	2·54	4·14	1·42	3·81	2·28	1·02	YEAR'S TOTAL 26·12
Rain Days.	14	5	16	12	5	11	10	18	8	16	12	11	138

W. 8,000, IX. 17.

~~N 970~~ Cor. for arith dly sum. stats.

49

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23 6 19

Kept at The Grange, Worstead

in the County of Norfolk

by (Rev) Fredk. W. Walter

Lat. 52° 58' N, Long. 0° 45' E.

Time of Observation 9 a.m

Nearest Railway Station Worstead G. E. R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08					·15		·05	·09	1
2	·10	·02						·67		·02		·17	2
3	·03		·09					·47	·02		·82		3
4		·01							·73	·09	·28		4
5			·04					·31					5
6		·22		·07					·10	·10		·06	6
7		·15	·02			·01			·07		·07		7
8		·02					·05		·11		·03	·02	8
9	·26	·06				·05	·07		·43	·24			9
10		·03		·05			·24				·04	·25	10
11	·20	·11			·39		·03		·05	·70			11
12		·11			·10		·17	·12	·06	·22		·37	12
13		·02			·11		[illegible]		·05			·01	13
14	·25			·05		·10	·09		·07	·31			14
15			·10	1·83		·05	·04			·06		·05	15
16				·16		·03			·06	·24			16
17	·96						·69					·37	17
18	·31			·24		·07			·06			·46	18
19	·12		·01	·05					·13	·15		·37	19
20	·03	·03				·03	1·20		·07	·19		·07	20
21						·05			·40	·15			21
22	·06			·08			·04		·01			·43	22
23	·09				·18	·03	·04	·05	·01				23
24		·28					·21		·20				24
25						·43	·12	·18				·10	25
26							·89	·39		·02	·15	·06	26
27				·30			·04	·28	·04			·22	27
28		·09	·13			·30		·02			·02	(·20)	28
29								·01	1·25		·05	·03	29
30	·02	X	·26						·20	·02	·13	·03	30
31		X		X		X			X		X	·02	31
Total	~~2·53~~ 2·43	1·15	·65	2·91	·78	1·15	3·92	2·50	4·27	2·51	1·64	3·38	YEAR'S TOTAL ~~27·39~~ 27·29
Rain Days.	12	13	7	10	4	11	15	10	22	14	10	~~19~~ 20	~~147~~ 148

W, 6,500, VII. 18. W W C

1391

18 JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Grange Worstead

in the County of Norfolk

by Rev. F. W. Walter F. R. Met. S.

Lat. 52°58′ N. Long. 0° 45′ E.

Time of Observation 9 a.m

Nearest Railway Station Worstead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17				·12		·27		·01	·50	·07	·48	1
2	·14	·04	·05				·06				·47	·98	2
3	·23		·06				·16				·10	·02	3
4	·11		·31			·05		·02				·13	4
5	·61						·02		·09			·10	5
6			·11								·20	·14	6
7			·12		·35						·18	·04	7
8				·08			·02					·01	8
9										·20	·05		9
10			·16	·03						·20	·08		10
11			·27				·57			·04	·06		11
12	·22		·06	·20		·09	·05				·05	·16	12
13	·18		·02	·16	·01	·02	·20			·08	·16		13
14	·20			·25			·11		·10		·13		14
15	·13			·30			·02			·76	·08	·05	15
16	·04	·78								·10	·08	·13	16
17		·77	·13	·03	·13						·14	·03	17
18	·06	·08						·17	·06			·15	18
19		·07	·02			·13		·13	·49			·05	19
20	·29	·02	·14			·38	·68	·28	·15				20
21		·20	·03			·02	·70					·20	21
22		·10	·03				·07					·34	22
23	·05	·02				·09	·05	·04	·14			·04	23
24				·03		·10	·01		·02				24
25	·02		·01	·10	·50	·10		·18		·05			25
26	·10	·48	·26	·10		·02		·28	·05	·42		·38	26
27	·04	·02	·03	·02			·03	·06		·10	·45	·01	27
28				·05				·66	·04	·80	·07	·23	28
29				·08		·12		·05		·03	·16	·10	29
30			·13	·19						·13	·22	·20	30
31							·09			·04		·13	31
TOTAL	2·59	2·58	1·94	1·62	1·11	1·12	3·11	1·87	1·15	3·45	2·75	4·10	YEAR'S TOTAL 27·39
Days with ·01 in. or more	16	11	18	14	5	11	17	10	10	14	18	23	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1315

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Grange, Worstead
in the County of Norfolk
by (Rev) Fredk. W. Walter

Lat. 52° 58' N. Long. 0° 45' E.
Time of Observation 9. a. m
Nearest Railway Station Worstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·05		·22		·09	·05		·03	1
2	·02	·20		·02				·08	·05			·19	2
3				·14					·03			·10	3
4	·02		·11	·28			·15	·03				·23	4
5			·06	·04	·14		·10	·15	·05			·25	5
6							·57	·05				·03	6
7			·06	·08	·02		·07					·09	7
8			·15	·40	·04			·34				·02	8
9	·17	·04		·59			·02	·10				·02	9
10	·18	·23	·04	·04			·03					·16	10
11	·26		·06	·08			·09					·17	11
12	·14			·14			·40	·01			·05		12
13	·04	·05	·04	·04		·51			·03			·07	13
14	·01		·17	·12		·08	·07		·08				14
15			·12	·06	·04				·55	·21	·21		15
16				·08					·17			·19	16
17	·10			·02	·08		·02		·08			·18	17
18				·08	·03			·27	·46			·12	18
19	·15							·84	·06			·02	19
20	·14	·29		·22		·57			·09				20
21				·08			·37	·21	·15			·08	21
22				·07				·05	·73			·03	22
23							·44					·13	23
24							·04		·04			·06	24
25		·07	·11				·30						25
26	·06	·07	·06	·13	·15	·07	·06				·01		26
27		·05		·15	·07	·41						·10	27
28	·53			·13	·03		·01				·08	·14	28
29	·01		·03		·50		·28				·13	·15	29
30	·04			·06	·10		·04		·08		·14	·20	30
31	·04							·03				·15	31
TOTAL	1·91	1·00	1·01	3·05	1·25	1·64	3·28	2·16	2·74	·26	·62	2·91	YEAR'S TOTAL 21·83.
Days with ·01 in. or more	16	8	12	23	12	5	19	12	16	2	6	25	156.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 8 11 21 9 5 15 9 14 2 5 19 130

WORSTEAD

FRANK MANOR NR SLOLEY
NORFOLK.

1914 — 1920

FORM A.
BRITISH RAINFALL.

RE 4

Kept at Frankfort

in the County of Nor

by J. R.W. P

ng.

8.30 am

on Worstead GER.

ge 5" in.

e above Ground 5 ft. 4 in.

" Sea Level ft.

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … surement of rain, the selection and plac … British Rainfall Organization are give … on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Returns wanted

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01					·19	·00	·00	·24	·00	1
2							·02		·00	·00	·01	·04	2
3			·05		·10		1·02	·03	·00	·00	·01	·00	3
4			·04	·10	·01		·01		·00	·00	·20	·03	4
5			·10	·15	·13		·14	·38	·00	·03	·01	·00	5
6			·01	·01	·08		·04	·02	·00	·00	·07	·16	6
7			·22		·15				·00	·00	·00	·40	7
8			·45		·20	·66		·08	·02	·03	·00	·00	8
9			·36	·06	·01	·77			·00	·02	·00	·75	9
10				·02				·01	·32	·00	·00	·06	10
11			·23		·23	·23			·06	·00	·28	·37	11
12			·01	·09	·03				·20	·00	·00	·29	12
13			·19		·01				·01	·00	·30	·50	13
14			·25				·01		·00	·08	·11	·49	14
15			·12				·76		·02	·00	·40	·35	15
16			·09				·14		·01	·00	·09	·02	16
17			·01						·11	·00	·02	·07	17
18			·02					·04	·13	·01	·00	·45	18
19			·16						·09	·00	·19	·00	19
20			·46			·05			·32	·12	·05	·01	20
21			·09					·08	·02	·03	·05	·17	21
22			·01		·12	·02	·44		·00	·37	·00	·04	22
23			·05		·07	·22	·05		·00	·02	·02	·02	23
24				·14	·02	·03	·02	·02	(·00)	·05	·00	·00	24
25					·06		·01	·03	(·00)	·62	·00	·00	25
26			·01		·01		·15	·16	·00	·01	·07	·16	26
27							·21	·03	·00	·01	·02	·31	27
28									·00	·14	·27	1·56	28
29			·01		—		·05		·01	·43	·05	·00	29
30			·05						00	·00	·16	·06	30
31					·04		·05		X	·00	X	·14	31
Total			3·00	·57	1·27	1·98	3·12	1·07	1.32 ~~2·62~~	1·97	2·62	6·45	YEAR'S TOTAL
Rain Days.			24	7 8	16	7	16	12	15	15	21	23	

W.7,000, XI. 13

Frankfort

RE[illegible] IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Frankfort Manor, Sloley
in the County of Norfolk
by J. R. W. Pigott, Esq.

Lat.
Long.
Time of Observation 8.30 am
Nearest Railway Station Worstead GER.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Returns wanted

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·19	·00	·00	·24	·00	1
2							·02		·00	·00	·01	·04	2
3			·05		·10		1·02	·03	·00	·00	·01	·00	3
4			·04	·10	·01		·01		·00	·00	·20	·03	4
5			·10	·15	·13		·14	·38	·00	·03	·01	·00	5
6			·01	·01	·08		·04	·02	·00	·00	·07	·16	6
7			·22	—	·15				·00	·00	·00	·40	7
8			·45		·20	·66		·08	·02	·03	·00	·00	8
9			·36	·06	·01	·77			·00	·02	·00	·45	9
10				·02				·01	·32	·00	·00	·06	10
11			·23		·23	·23			·06	·00	·28	·34	11
12			·01	·09	·03				·20	·00	·00	·29	12
13			·19		·01				·01	·00	·30	·50	13
14			·25				·01		·00	·08	·11	·49	14
15			·12				·76		·02	·00	·40	·35	15
16			·09				·14		·01	·00	·09	·02	16
17			·01						·11	·00	·02	·04	17
18			·02					·04	·13	·01	·00	·45	18
19			·16						·09	·00	·19	·00	19
20			·46			·05			·32	·12	·05	·01	20
21			·09					·08	·02	·03	·05	·14	21
22			·01		·12	·02	·44		·00	·37	·00	·04	22
23			·05		·07	·22	·05		·00	·02	·02	·02	23
24				·14	·02	·03	·02	·02	(·00)	·05	·00	·00	24
25					·06		·01	·03	(·00)	·62	·00	·00	25
26			·01		·01		·15	·16	·00	·01	·04	·16	26
27							·21	·03	·00	·01	·02	·31	27
28									·00	·14	·24	1·56	28
29			·01				·05		·01	·43	·05	·00	29
30			·05						·00	·00	·16	·06	30
31					·04		·05		✕	·00	✕	·14	31
Total			3·00	·57	1·27	1·98	3·12	1·07	~~2·62~~ (1·32)	1·94	2·62	6·45	YEAR'S TOTAL
Rain Days.			24	7 8	16	7	16	12	15	15	21	23	

W.7,000, XI. 13

cnd fr auth by c 2.III.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

6. JAN 1916

Kept at Frankfort Manor - Sloley

in the County of Norfolk

by J. R. W. Pigott

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Worstead. G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 4 in.

" " " " Sea Level ? 50 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·14	·09	. .	·34	. .	. .	·02	·24	·11	·13	·04	1
2	·03	·02	·35	·08	·01	·02	. .	40	·10	. .	·23	. .	2
3	·30	·00	·08	·08	. .	. .	·03	. .	·05	. .	·12	·19	3
4	·03	. .	. .	. .	·03	. .	. .	. .	. .	·06	·23	·60	4
5	·05	. .	. .	. .	. .	. .	. .	05	. .	·25	·11	·22	5
6	·09	·34	·24	·18	·03	. .	·28	·17	. .	. .	. .	·02	6
7	·10	·28	·09	·03	. .	. .	·22	·73	. .	. .	. .	·10	7
8	·01	·06	·01	·15	. .	. .	·03	. .	. .	08	. .	. .	8
9	·05	·07	·03	. .	. .	. .	. .	·50	. .	. .	·14	·49	9
10	·35	·01	. .	. .	. .	·04	. .	. .	. .	. .	. .	·06	10
11	·02	. .	. .	. .	·04	. .	·22	. .	. .	. .	·22	·21	11
12	·07	. .	. .	·32	·10	. .	. .	·69	. .	. .	·92	. .	12
13	·07	·26	. .	·05	1·02	. .	·62	·46	. .	. .	·27	. .	13
14	·00	·26	. .	·01	·01	. .	·11	·10	. .	. .	. .	·14	14
15	·28	·10	. .	. .	·04	. .	·74	·06	. .	. .	. .	·11	15
16	·25	·20	. .	. .	·02	. .	·10	1.42	. .	. .	·46	. .	16
17	·29	·14	·11	. .	·01	. .	. .	. .	. .	. .	·02	·08	17
18	·11	·07	·31	. .	·30	. .	09	. .	. .	. .	19	. .	18
19	·02	·10	. .	. .	. .	. .	. .	·01	. .	·21	·02	. .	19
20	·28	·00	·01	. .	. .	. .	. .	·02	. .	. .	. .	·40	20
21	·31	. .	. .	. .	·06	. .	·07	. .	. .	. .	. .	·14	21
22	·02	·00	·28	·05	·05	. .	33	. .	. .	. .	. .	·12	22
23	. .	·06	. .	. .	. .	. .	35	. .	. .	. .	·04	·09	23
24	·01	·04	·29	. .	. .	. .	94	. .	·05	·17	·13	·15	24
25	. .	. .	·09	. .	. .	·24	·24	. .	. .	·12	·27	·03	25
26	·04	·12	·02	. .	. .	·12	. .	. .	. .	·10	. .	·24	26
27	·02	·02	·04	. .	. .	·21	·54	. .	·09	·29	. .	05	27
28	. .	·13	·09	. .	. .	·28	·10	·11	·36	·56	. .	. .	28
29	·02		. .	. .	·04	·04	04	·14	·15	. .	14	. .	29
30	·08	╳	. .	. .	. .	. .	. .	·11	·36	. .	. .	. .	30
31	04	╳	. .	╳	. .	╳	. .	·09	╳	22	╳	·13	31
Total	3·08 3·08	2.42	2.13	·95	2.13	·95 ·95	5.05	4.58	1.40	2.17	3.64	3.67	YEAR'S TOTAL 32.17 32·17
Rain Days.	27	19	16	9	15	7	18	17	8	11	17	21	185

W. 8,000. X. 15.

Esse D.

1550

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
8 JAN 1917

Kept at Frankfort Manor - Sloley

in the County of Norfolk -

by J. A. W. Pigott

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	..	..	..	..	·02	..	..	·01	..	·13	..	1
2	·46	..	·06	..	·21	..	·03	..	·06	..	..	..	2
3	..	·04	..	..	..	..	·05	..	·19	·24	·29	·05	3
4	·29	·14	..	..	..	·26	·03	..	·45	·08	·15	·25	4
5	·06	..	·15	·39	..	·12	..	..	·01	·09	·20	·06	5
6	·11	·17	·15	..	·10	..	·03	..	..	..	·24	..	6
7	03	..	27	..	·31	·19	·12	..	..	·10	·10	..	7
8	..	..	..	..	·10	·30	..	..	..	..		·16	8
9	..	..	·15	·08	·19	·17	..	..	..	·03		·23	9
10	..	..	·15	·14	..	·13	·30	..	..	..		·37	10
11	·07	·65	·14	·38	·03	·56	..	..	·05	..		·11	11
12	..	..	..	..	·48	·47	·11	·11	..	·14		·08	12
13	·07	·09	·09	..	·06	..	..	·05	·20	..		..	13
14	..	·37	..	..	·20	10	..	·24	·02	·12		·14	14
15	..	·26	·17	·16	..	..	..	·12	·07	·35		..	15
16	..	·12	·03	·38	..	..	·14	·06	..	·05		·13	16
17	..	..	..	·21	..	..	·11	·10	·20	·24		..	17
18	..	·15	..	·12	..	03	..	·11	·14	·12	·71	..	18
19	..	..	..	..	..	..	..	·03	·21		·25	..	19
20	·15	..	..	·04	..	..	..	·05	·01		·10	·22	20
21	·03	..	12	..	..	..	..	..	..		..	·41	21
22	..	·14	..	..	·34	·07	..	..	..		..	·42	22
23	..	·28	..	..	..	·14	..	·03	..		·08	·19	23
24	..	·48	·05	—	..	·13	·04	·03	..	·30	..	·16	24
25	..	·44	·20	..	..	..	..	·10	..	·17	·05	·04	25
26	..	·10	..	..	..	32	..	..	..	..	·31	..	26
27	..	·27	50	..	..	·03	..	·08	..	·10	·05	..	27
28	..	·27	50	..	·04	..	..	·09	..	..	..	·14	28
29	..	·14	..	..	..	·06	..	1·18	..	·21	..	·11	29
30	..	X	..	..	..	04	..	·35	..	·11	..	..	30
31	·19	X	..	X	·02	X	..	·08	X	..	X	·08	31
Total	1·48	4·11	2·73	1·90	2·08	3·44	·96	2·81	1·62	2·45	2·66	3·35	YEAR'S TOTAL 29·59
Rain Days.	11	14	15	9	12	18	10	17	13	16	13	19	170

W. 8,000, VIII. 16

✓ 1482

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Frankfort Manor - Sloley

in the County of Norfolk.

by J. R. W. Pigott.

Lat. — Long. —

Time of Observation 9 am

Nearest Railway Station Worstead G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 4 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	..	..	..	·64	..	..	..	·93	·10	..	..	..	1
2	·07	..	..	·08	..	·05	..	·60	..	..	..	..	2
3	..	..	..	·03	..	..	..	·48	..	·06	..	..	3
4	..	·46	..	..	..	..	..	·02	..	·43	..	..	4
5	·15	..	..	·11	..	..	..	..	·05	..	·14	..	5
6	..	..	..	..	..	·04	..	..	·11	..	..	·06	6
7	·32	..	..	..	..	·36	..	..	..	·43	..	..	7
8	·12	..	..	·12	..	..	1.10	·25	..	·21	·07	..	8
9	·03	..	·12	..	..	..	..	·13	..	..	·31	·15	9
10	..	..	·26	·16	..	..	..	·03	..	·21	·20	..	10
11	·19	·13	·50	·17	..	..	..	..	..	·20	·05	..	11
12	·35	..	·07	·10	..	..	..	·02	·08	·47	..	..	12
13	·18	..	..	·08	..	..	·04	·71	..	·20	..	..	13
14	·07	..	..	·11	..	..	·34	·09	..	..	..	..	14
15	..	..	..	..	..	..	·20	·33	..	..	..	..	15
16	..	·04	·06	·25	..	..	·03		..	·33	..	·35	16
17	·06	·04	..	·19	·57	·41	·18		·34	·41	..	..	17
18	·04	..	·03	..	51 ..	..	·15		·64	..	..	..	18
19	..	..	·37	..	·05	·04	..	×	·10	..	..	..	19
20	..	·30	·15	..	..	·07	..	·30	·16	..	·32	..	20
21	..	·21	·10	..	..	·02	..	×	..	..	..	..	21
22	..	..	·09	..	..	..	..	×	..	·08	..	..	22
23	..	..	..	..	..	..	..	×	..	..	..	·06	23
24	..	..	..	..	·08	·11	..	×	..	·17 ·07	·08	..	24
25	..	..	07	..	..	..	..		..	..	·35	·30	25
26	.. ×	..	07	..	..	·07	..	·05	..	..	·42	..	26
27	..	..	..	..	..	..	..	·60	..	..	..	·08	27
28	..	·04	23	..	..	·36	..	·17	..	·05	..	·04	28
29	..	×	..	..	..	19	·18	·01	..	·07	..	..	29
30	·28 ×	×	..	04	..	..	·09	·08	·04	02	..	..	30
31	×	×	1.00	×	..	×	·64	·10	×	..	×	·02	31
Total	1.86	1.22	3.12	2.08	·64	1.72	2.95	4.90	1.62	3.64	1.94	1.06	YEAR'S TOTAL 26·78
Rain Days.	14	7	14	13	3	11	10	(22)	9	15	9	8	~~140~~ (135)

W. 8,000, IX. 17.

81/

45

~~220~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Frankfort Manor, Sloley

in the County of Norfolk

by J. R. W. Pigott

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·08					·15	·01	·04	·16	1
2								·75	·05	·02		·17	2
3								·38	·04		·85		3
4	·07	·02	·10					·02	·70	·05	·27		4
5		·03	·04		·21			·30	·10	·07	·01	·01	5
6	·04	·17		·08				·01	·03			·07	6
7		·13		·04					·05	·08	·04		7
8	·13	·02				·02	·04		·08	·01	·08	·02	8
9	·14	·06		·03		·06	·06		·46	·26	·01	·06	9
10	·02	·01		·06			·20		·02	·02	·06	·17	10
11		·12			·15		·04		·05	·76		·24	11
12		·10			·14		·17	·02	·05	·23		·14	12
13	·30	·04			·12	·06	·11		·02	·01		·01	13
14	·60					·11	·08		·14	·33		·03	14
15			·15	1·60		·04	·03		·23	·07		·05	15
16	·25			·13					·05	·12	—	·04	16
17	·29			·02			·70	·02		·01		·27	17
18	·12			·15		·05	·01		·15	·01		·41	18
19	·02			·12			·01	·02	·02	·16		·29	19
20		·04		·13		·03	1·00		·08	·10		·03	20
21	·06					·04	·02		·42	·17			21
22	·07			·08	·16		·05		·04	·01		·43	22
23						·01	·08	·07	·02		·02	·01	23
24		·26				·02	·03		·11		·03		24
25						·45	·05	·12		·02	·01	·07	25
26							·99	·41			·12	·06	26
27				·37			·04	·24	·03		·02	·20	27
28		·09	·15			·68	·01	·02	·01		·02	·22	28
29								·01	1·19		·07	·03	29
30	·03	×	·26	·01				·02	·23	·02	·05	·19	30
31		×		×		×			×	·02	×		31
Total	2·14	1·10	·70	2·90	·78	1·57	3·72	2·41	4·52	2·56	1·70	3·38	YEAR'S TOTAL 27·48
Rain Days.	14	14	5	14	5	12	20	15	27	23	16	25	190

W. 8,000, IX. 17.

81

mr [illegible] for missing months 11.3.20

Ex 81

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Frankfort Manor, Sloley

in the County of Norfolk

by J. R. W. Pigott

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22				.11		.48		.01	.49	.09	.57	1
2	.14		.09		.03		.04			.07	.51	.84	2
3	.26		.12				.15		.01		.11		3
4	.11		.32			.03		.03				.15	4
5	.54								.07			.06	5
6	.01		.12		.26						.16	.17	6
7			.15								.19	.55	7
8	.09			.06									8
9	.02			.05						.10	.08		9
10	.01		.14							.26	.12		10
11	.13		.25	.03	.04		.63			.03		.16	11
12	.04		.06	.08		.09	.08						12
13				.15			.20			.08			13
14	.32		.10	.33			.13		.09		.36		14
15	.11			.26			.07			.40	.05	.05	15
16	.02	.81	.03	.07						.14		.12	16
17		.77	.11		.15						.23	.03	17
18	.04	.18						.20	.05			.15	18
19		.09						.29	.42		.05		19
20	.08	.02	.25			.49	.47	.24	.15				20
21	.21	.21	.02			.11	.45		.02			.20	21
22	.01	.09					.21		.09			.25	22
23	.03	.01				.06		.05	.04			.07	23
24	.02				.06	.18	.07						24
25	.01				.44	.02		.15					25
26	.09	.41	.25	.23				.16		.37		.43	26
27	.04	.03	.03	.03				.01		.16	.44		27
28	.02			.07			.11	.75	.06	.84	.07	.29	28
29	.03			.08		.11		.06			.21	.09	29
30			.07	.18		.17		.01		.22	.13	.20	30
31							.02			.16		.16	31
Total	2.60	2.62	2.11	1.62	1.09	1.26	3.11	1.95	1.01	3.32	2.80	4.54	YEAR'S TOTAL 28.03
Rain Days.	~~27~~ 26	10	16	13	7	9 ~~10~~	14	11	11	13	17	19	166

W. 6,500, VII 18. w w c

Sxd (WMJ)

1311

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Frankfort Manor

in the County of Sloley Norfolk

by J. R. W. Pigott.

Lat. ? Long. ?

Time of Observation 9 am

Nearest Railway Station Worstead G.E.R

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 5 ft. 4 in.

" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	. .			·05		~~2~~	~~·72~~		·61			1
2							·21		·12			·18	2
3								·16	·07			·11	3
4			·06	·14	·02		·09		·04			·17	4
5			·05	·73	·12		·18		·06			·31	5
6			·12				·48	·13				·02	6
7			·20				·05	·05					7
8				·42				·28				·10	8
9	·18	·06		·62								·05	9
10	·13	·16		·05			·05	07				·11	10
11	·26		·08	·20	·08		·10	01					11
12	·10			·09			·30					·19	12
13	·07			·08		·44			·09			·08	13
14	·03	·08	·24	. .		·16			·10		·18		14
15			·09	·12			·06		·04	·26	·11		15
16				·04					·61	·09		·28	16
17					·10				·06	·02		·25	17
18				·06	·10			·28	·48			·10	18
19	·13			·04				·65					19
20	·16	25		·31		·60			·08				20
21				·13			·64	·27	·12			·05	21
22				·07				·11	·73				22
23							·52					·15	23
24			·11				·03					·06	24
25		·05				·09	·32		·03				25
26	·07	·08	·07	·14	·35		·09						26
27	·11			·13	·11	·43						·11	27
28	62			·13	·03	·02					·09	·07	28
29	02	01	·07		·43		·33				·11	·15	29
30	. .	X		05	·11	·02	·12		05		·14	·15	30
31	08	X		X		X		·03	X	03	X	14	31
TOTAL	1·96	·69	1·09	3·05	1·50	1·76	3·57	2·04	2·68	1·01	·63	2·86	YEAR'S TOTAL 22·84
Days with ·01 in. or more	13	7	10	19	11	7	16	11	15	5	5	21	140
Days with ·04 in. or more	11	6	10	19	9	5	15	9	14	3	5	20	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

WORSTEAD.

NORFOLK.

1911 — 1920

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

RE

Kept at Worstea

in the County of N

by AWF

8 in.

round 1 ft. in.

ea Level ft.

ame

istance Direction

IMPORTANT NOTE the result entered to the
previous day. If an Obs rsal rule, he is earnestly
requested to add the read in the space provided
for it at the end of this nt of rain,
the selection and placing sh Rainfall
Organization are given in ' *Rules for Rainfall Observers,*' sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62		.01				.02	.09		.10			1
2	.17			.03	.14		.04			.07	.08	.15	2
3	.06	.05		.02	.10	.02				.16	.02	.09	3
4	.05		.12	.05					.06	.03	.20	.04	4
5		.06		.13						.23		.25	5
6	.21		.02	.17						.07			6
7	.01	.03	.05								.13	.45	7
8									.02			.09	8
9	.28		.25	.05							.07		9
10		.04				.03		.12			.12	.54	10
11	.36	.35	.05								.32		11
12	.01	.04	.37			.06							12
13	.05		.05		.04	.09			.17	.32			13
14		.06	.28		.67							.08	14
15		.08	.22						.06		.16	.05	15
16			.12			.32			.04		.32	.12	16
17	.01		.10			.03						.09	17
18		.08				.22					.91	.07	18
19						.91	01	.29	.12		.18	.15	19
20						.10			.15	.03	.12	.35	20
21		.46						.05	.01	.20		.04	21
22		.07						.06		.18	.05	.35	22
23	.05	.08	.23			.68			.27			.10	23
24		.04	.05			.08	.11		.05	.28		.07	24
25	.01	.07	.04	.06		.09		.02		.06	.12	.11	25
26				.07			.22			.15	.16	.42	26
27		.14	.10	.13					.23	.04		.02	27
28		.18		.23			01	.05		.06	.08	.05	28
29				.19		.27			.47	.40	.01	.02	29
30					.25	.11			.53	.12			30
31												.01	31
Total	1.59	1.83	2.06	1.13	1.20	3.01	.41	.68	2.18	2.50	3.05	3.71	TOTAL for year 23.65
No. of Rain Days	13	16	16	11	5	14	6	7	13	17	17	24	159

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

24 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Worstead

in the County of Norfolk 2

by A W Preston

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62		.01				.02	.09		.10			1
2	.17			.03	.14		.04			.07	.08	.15	2
3	.06	.05		.02	.10	.02				.16	.02	.09	3
4	.05		.12	.05					.06	.03	.20	.04	4
5		.06		.13						.23		.25	5
6	.21		.02	.17						.07			6
7	.01	.03	.05								.13	.45	7
8									.02			.09	8
9	.28		.25	.05							.07		9
10		.04				.03		.12			.12	.54	10
11	.36	.35	.05								.32		11
12	.01	.04	.37			.06							12
13	.05		.05		.04	.09			.17	.32			13
14		.06	.28		.67							.08	14
15		.08	.22						.06		.16	.05	15
16			.12			.32			.04		.32	.12	16
17	.01		.10			.03						.09	17
18		.08				.22					.91	.07	18
19						.91	01	.29	.12		.18	.15	19
20						.10			.15	.03	.12	.35	20
21		.46						.05	.01	.20		.04	21
22		.07						.06		.18	.05	.35	22
23	.05	.08	.23			.68			.27			.10	23
24		.04	.05			.08	.11		.05	.28		.07	24
25	.01	.07	.04	.06		.09		.02		.06	12	.11	25
26				.07			.22			.15	.16	.42	26
27		.14	.10	.13					.23	.04		.02	27
28		.18		.23			01	.05		.06	.08	.05	28
29				.19		.27			.47	.40	.01	.02	29
30					.25	.11			.53	.12			30
31												.01	31
Total	1.89	1.83	2.06	1.13	1.20	3.01	.41	.68	2.18	2.50	3.05	3.71	TOTAL for year 23.65
No. of Rain Days	13	16	16	11	5	14	6	7	13	17	17	24	159

9,000, IX. '10.

made

FORM Ae.

BRITISH RAINFALL
JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Worstead

in the County of Norfolk 2

by Robert T. Cross

RAIN GAUGE
Pattern Meteor. Office Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 50 ft.

Time of Observation 8·30 A.M.

Nearest Railway Station
Name Worstead
Distance 1½ m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·20		·05		·19	·15	·06	·05		·10	·28	1
2		·10	·05	·04	·07		·34			·05	·12	·03	2
3	·18	·05	·07		·02	·13		·02	·04	·02	·03	·04	3
4	·08	·03	·44			·17				·01	·18		4
5	·02	·08	·66	·05		·07					·02		5
6	·77	·11	·11		·03	·20	·40	·09	·18				6
7	·05				·02	·26		·04	·13				7
8	·24		·06	·01			·09	·04	·39			·04	8
9	·02	·01	·01	·13		·14			·41	·03		·25	9
10				·05				·38	·38		·20		10
11				·01				·01	·02		·58	·14	11
12		·09			·05	·27					·43		12
13	·05	·11	·07			·04					·42	·01	13
14			·03			·07		·02	·01	·05	·17	·08	14
15		·01	·20		·23	·19		·04			·03	·03	15
16	·03				·15	·30				·13	·04		16
17			·33			·24		·11					17
18	·11		·21					·38		·12	·15	·11	18
19	·04	·15	·17				·64	·17	·01	·03			19
20	·10	·04			·11		·02	·16		·35			20
21			·25					·45			·04		21
22	·02	·07	·03		·03		·89			·17		·04	22
23	·34	·57	·15		·02			·81	·03		·15	·02	23
24	·09		·03		·01	·10	·08	·19				·10	24
25						·20	·03	·34			·13	·25	25
26	·01					·05		5·55		·25	·25	·21	26
27							·13	·15		·12		·12	27
28				·02			·07	·04	·03	·38	·07	·25	28
29	·17					·20	·43	·65	·28		·32		29
30	·13					·47	·09	·11	·68	·37			30
31	·03		·18		·10		·22	·05		·23		·08	31
Total	2·48	1·62	3·05	·36	·84	3·29	3·58	9·86	2·64	2·31	3·43	2·08	TOTAL for year 35·54
No. of Rain Days.	19	14	18	8	12	18	14	23	14	15	19	18	~~[illegible]~~ 192

W. 8,000, X. '11.

Ex Of

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at Worstead

in the County of Norfolk 2

by Robert Cross

Lat. .... Long. ....

Time of Observation 8 A.m.

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·21	·09	·07	·02				·49		·05		1
2	·04	·18			·03		·07		·09		·05		2
3			·24		·10				·06	1·02		·08	3
4	·10					·03	·05				·02		4
5	·03				·06				·02	·70	·02	·18	5
6			·03	·01	·18	·08				·65			6
7		·03			·03	·02	·03			·44			7
8				·10	·11	·12	·04			·17	·13		8
9		·08		·04	·26	·11		·25	·11		·03	·02	9
10				·04						·03	·08		10
11	·77			·45				·04			·75		11
12		·01		·05		·03					·07		12
13	·21	·01	·04					·02			·38		13
14	·09		·09	·06			1·17		·52	·33	·09		14
15	·09	·02	·20	·14			·32		·01		·06		15
16	·12		·37	·28					·15		·18	·02	16
17	·03		·44	·02		·08	·05		·07				17
18			·06	·10	·05		·03	·02	·18		·01	·04	18
19	·07		·12		·01	·10						·10	19
20	·09		·01						·14	·10			20
21	·03		·04				·19			·53	·20		21
22	·18		·09				·48	·03	·03				22
23	·01					·05		·14					23
24	·08					·33		·24				·04	24
25				·15									25
26		·04	·07			·10				·79		·11	26
27		·06	·06		·03						04		27
28	·14	·03	·07			·07				·11			28
29	·28		·15	·07	·24							·01	29
30	·27			·38	·08					·06		·11	30
31	·04		·12					·39					31
Total	2·84	·67	2·29	1·96	1·20	1·12	2·43	1·13	1·87	4·93	2·16	·71	YEAR'S TOTAL 23·31
Rain Days.	20	10	18	15	13	12	10	8	12	12	16	10	156

W.7,000, XI. 13

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Worstead

in the County of Norfolk 2

by Robert Cross

Lat. 52·30 Long. 1° E.
Time of Observation 8 A.M.
Nearest Railway Station Worstead
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·29			·20		1
2	·02						·12					·05	2
3	·01		·05		·11		1·40	·04			·02		3
4	·19		·05	·11							·21	·05	4
5			·10	·17	·08	·05	·13	·42		·03			5
6	·27	·06		·02	·08		·03	·03			·07	·18	6
7		·03	·21		·17							·44	7
8	·25	·02	·39	·04	·21	·61		·08		·06			8
9	·51		·34	·06		·79			·34	·03		·75	9
10	·96		·03	·03					·08			·08	10
11		·20	·25	·10	·24	·24			·17		·31	·37	11
12	·04		·04		·03		·01		·20			·26	12
13	·03	·16	·17								·24	·48	13
14			·29							·04	·17	·45	14
15	·11		·14				1·03		·01		·40	·32	15
16	·07		·17				·11		·02		·08	·04	16
17		·27							·13			·08	17
18		·28	·02					·06	·03			·52	18
19		·02	·21						·12		·21		19
20	·02		·50			·07			·32	·15		·02	20
21	·06	·45	·14					·06	·02	·03	·07	·20	21
22					·11	·07	·38			·40		·06	22
23			·04		·11	·31	·04			·02	·02	·03	23
24				·24	·03	·02	·01			·06	·10		24
25		·03			·08		·03	·08		·66			25
26							·11	·11			·09	·21	26
27							·15			·01	·02	·32	27
28	·02									·15	·31	1·43	28
29	·01						·05			·45	·05		29
30			·07								·22		30
31					·05		·04					·12	31
Total	2·57	1·52	3·21	·67	1·30	2·16	3·64	1·17	1·44	2·09	2·79	6·46	YEAR'S TOTAL 29·02
Rain Days.	15	10	19	8	12	8	15	9	11	13	18	22	160

W. 8,000. X. 14.

1579

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Worstead

in the County of Norfolk 2

by Robert Cross

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Worstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·19	·11		·30				·21	·15	·15	·05	1
2	·03	·04	·29	·09				·28	·13		·13		2
3	·27		·19	·10			·02		·06		·20	·19	3
4	·02				·02		·05			·07	·20	·56	4
5	·07				·05			·05		·24	·13	·20	5
6		·28	·20	·19	·02		·31	·26				·04	6
7	·20	·30	·10				·23	·24				·16	7
8		·06	·01				·10			·06			8
9	·06	·06	·07	·14		·02		·57		·01	·14	·42	9
10	·36					·03							10
11					·05		·06			·01	·20	·12	11
12	·05			·30	·10		·10	·46			·88	·17	12
13	·13	·27		·09	·99			·41	·03		·27		13
14		·15		·02	·02		·52	·15				·20	14
15	·32	·11					·23	·05				·14	15
16	·22	·08			·05		·69	·32			·58		16
17	·39	·30					·15				·03	·05	17
18	·22	·08	·43		·31					·03	·18	·05	18
19	·03	·10					·10			·15	·03		19
20	·37		·02	·03				·02				·35	20
21	·30				·05		·07			·04		·22	21
22	·04		·25	·03	·07		·33					·14	22
23		·09					·47				·04	·04	23
24	·02	·03	·20				·53		·04	·10	·16	·21	24
25	·02	·04	·09			·23	·28			·15	·20	·03	25
26	·04	·12	·03			·19				·04	·08	·18	26
27		·04	·02			·03	·46		·09	·25		·10	27
28		·19	·12			·14	·10		·35	·62			28
29	·03				·05	·02	·04	·31	·15		·11	·03	29
30	·10	✕						·13	·32				30
31	·05	✕		✕		✕		·10	✕	·16	✕	·12	31
Total	3·46	2·53	2·13	·99	2·08	·66	4·84	3·35	1·38	2·08	3·71	3·77	YEAR'S TOTAL 30·98
Rain Days.	24	19	15	9	13	7	20	14	9	15	18	23	186

W. 8,000. X. 15.

Esc DL

1553

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Worstead

in the County of Norfolk

by Robert Cross

Lat. 52°47 Long. 1°26 E

Time of Observation 8 A.M.

Nearest Railway Station Worstead

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02		·01	·04					·06		1
2	·45		·06		·20				·07				2
3		·05					·08		·20	·24	·27	·04	3
4	·30	·19	·09			·28	·05		·43	·05	·23	·27	4
5	·07	·03	·02			·16	·01		·01	·10	·26		5
6		·14	·30	·34	·04	·02				·03	·23		6
7	·12		·24	·03	·41	·13	·02			·08	·10		7
8	·02		·10		·10	·20	·11					·15	8
9			·06		·20	·12				·02		·24	9
10			·12			·19						·25	10
11	·09	·64	·17	·22		·54	·36					·04	11
12	·04	·02		·39	·59	·58		·10	·02	·11		·09	12
13		·08	·11	·02	·04	·02	·08	·03	·08	·02			13
14	·02	·34			·24	·09		·11	·04	·09		·12	14
15		·14	·16					·13	·07	·32			15
16		·12	·02	·18			·01	·05		·10		·14	16
17				·30		·01	·11	·14	·22	·22			17
18		·18		·18			·06	·03	·15	·10	·61		18
19	·03	·02		·10		·02		·01	·24		·27	·02	19
20	·16		·06	·04				·06	·02		·08	·15	20
21	·02		·06	·03								·50	21
22		·15	·03		·38	·07						·40	22
23		·23				·13		·01			·08	·24	23
24		·40	·03	·02		·10	·02	·03		·25		·17	24
25		·25	·23			·01	·02	·09		·15	·05	·03	25
26		·19				·66		·04		·01	·29		26
27		·25	·55			·03		·28	·02	·09	·02		27
28		·24	·53			·04	·01	·16		·01		·15	28
29		·15				·04		1·32		·17		·14	29
30		×				·18		·46		·18		·02	30
31	·20	×		×	·02	×		·08	×	·01	×	·09	31
Total	1·54	3·81	2·96	1·85	2·23	3·66	·94	3·13	1·57	2·35	2·55	3·25	YEAR'S TOTAL 29·84
Rain Days.	13	20	20	12	11	23	13	18	13	21	13	20	197

W. 8,000, VIII. 16

1485

FORM A.
BRITISH RAINFALL

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Worstead

in the County of Norfolk

by Robert Cross

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Worstead

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·43				·82	·13		·05		1
2	·08			·22		·07		·48					2
3			·04	·04				·31		·03		·10	3
4		·26								·76			4
5	·14	·07	·02	·10					·02		·12		5
6	·03					·08			·13		·02		6
7	·31		·01			·60				·40			7
8	·15		·01	·12			·93	·28		·26	·09		8
9			·02	·07			·02	·09			·29	·15	9
10			·25	·12						·05	·21		10
11	·20	·10	·48	·18						·20	·05		11
12	·38	·02	·05	·12				·02		·51			12
13	·13		·05	·24			·01	·45	·08	·18			13
14	·08			·14			·28	·05				·03	14
15	·01		·02		·02		·20	·19		·01			15
16		·04		·29						·32	·03	·35	16
17	·05	·02	·04	·18	·35	·32	·22		·32	·43			17
18	·02						·17	·07	·52				18
19			·25	·04	·03	·06		·04	·20				19
20	·02	·28	·14			·04		·01	·14		·32		20
21		·18	·11			·02		·03					21
22		·01	·10		·04			·02		·09			22
23					·05			·05	·01			·03	23
24						·09		·09		·18	·10	·03	24
25		·01	·07				·05				·35	·15	25
26			·07			·09		·28	·05		·65	·05	26
27								·41				·05	27
28		·03	·19			·25		·09		·05		·06	28
29	·06		·02			·26	·19			·05			29
30	·10	X	·02				·12	·08		·06			30
31	·04	X	·72	X		X	·59	·10	X		X		31
Total	1·80	1·02	2·69	2·29	·49	1·88	2·78	3·96	1·60	3·58	2·28	1·00	YEAR'S TOTAL 25·37
Rain Days.	16	11	22	14	5	11	11	21	10	16	12	10	159

W. 8,000, IX. 17.

Ex m&s

48

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3.1.19

Kept at Worstead.
in the County of Norfolk
by Robert Cross

Lat. — Long. —
Time of Observation 8 A.M.
Nearest Railway Station Worstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·05	—	·08	—	—	—	—	·13	—	·02	·25	1
2	·03	—	—	·01	—	—	—	·63	·02	·02	—	·19	2
3	—	—	·02	—	—	—	—	·20	—	—	·76	—	3
4	—	·03	·07	—	—	—	—	—	·68	—	·33	—	4
5	—	·03	·04	—	·23	—	—	·29	·14	·11	—	·02	5
6	·07	·20	—	·08	—	—	—	—	·01	—	—	·06	6
7	·10	·12	—	·01	—	—	—	—	·07	·08	—	—	7
8	·04	·06	—	—	—	—	·03	—	·10	—	·10	·01	8
9	—	·06	—	·04	—	·06	·06	—	·43	·25	—	·09	9
10	·18	·02	—	—	—	—	·19	—	—	—	·06	·16	10
11	·04	·13	—	—	·13	—	·06	—	·03	·72	—	·19	11
12	—	·10	—	—	·12	—	·08	·14	·07	·24	—	·15	12
13	—	·03	—	—	·12	—	·01	—	—	—	—	—	13
14	·27	—	—	·05	—	·03	·06	—	·10	·29	—	·03	14
15	·72	—	·10	1·55	—	·09	·04	—	·26	·10	—	·07	15
16	—	—	—	·11	—	·02	—	—	·04	·19	—	·07	16
17	·20	—	—	—	—	—	·76	—	—	—	—	·26	17
18	·28	—	—	·11	—	·03	·01	—	·16	—	—	·42	18
19	·14	—	—	·05	—	—	·01	·03	—	·17	—	·30	19
20	·03	·04	—	·15	—	·04	1·14	—	·07	·07	—	·06	20
21	·03	—	—	—	—	·02	·02	—	·40	·24	—	—	21
22	·05	—	—	·07	—	—	·03	—	·04	—	—	·41	22
23	·08	—	—	—	·20	—	·02	·05	—	—	·05	—	23
24	—	·25	—	—	—	·01	·07	—	·12	—	·05	—	24
25	—	—	·01	—	—	·42	·07	·10	—	—	—	·09	25
26	—	—	—	—	—	—	1·28	·59	—	—	·10	·06	26
27	—	·03	—	·37	—	—	·07	·25	—	—	—	·24	27
28	—	·06	·14	—	—	·48	—	·04	·02	—	·04	·25	28
29	—	—	—	—	—	—	—	—	1·08	—	·06	·04	29
30	—	X	·25	—	—	—	—	—	·28	·04	—	—	30
31	—	X	—	X	—	X	—	—	X	·01	X	·21	31
Total	2·36	1·21	·63	2·68	·80	1·20	4·01	2·32	4·25	2·53	1·57	3·63	YEAR'S TOTAL 27·19
Rain Days.	16	15	7	13	5	10	19	10	21	14	10	23	163

W. 6,500, VII. 18. W W C

Ex. 1806

1390

8 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Worstead

in the County of Norfolk

by Robert Cross

Lat. 52° 47′ 15″ Long. 1° 26′ E

Time of Observation 8 A.M.

Nearest Railway Station Honing 1 mile N. E.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21				·11		·35			·54	·06	·65	1
2	·14	·03			·03		·05		·02	·05	·39	·98	2
3	·22		·10				·17				·10		3
4	·12		·32			·03		·02				·15	4
5	·59								·07			·07	5
6			·08								·14	·14	6
7			·20		·21		·01				·15	·67	7
8	·10			·04							·01	·27	8
9				·04						·19	·06		9
10	·02		·11	·02						·18	·11		10
11			·30	·03	·03		·52			·04	·08	·14	11
12	·15		·05	·16		·10	·06				·07		12
13	·01			·13			·21			·07	·27		13
14	·40		·04	·37			·08		·09	·01	·04		14
15	·13			·25			·05			·68	·01	·05	15
16	·02	·69		·05						·14	·06	·14	16
17		·91	·10	·03	·11						·24	·04	17
18	·06	·16						·16	·07			·13	18
19	·02	·08	·03					·19	·47		·06		19
20	·25	·02	·15			·46	·58	·22	·14		·02	·03	20
21	·03	·21	·02				·58					·20	21
22		·10					·14		·09		·01	·24	22
23		·02				·09	·05	·03	·04		·01	·08	23
24				·04	·28	·10	·01			·02			24
25	·05			·10	·41	·13		·15		·02		·06	25
26	·11	·36	·26	·11		·03		·11	·04	·39		·34	26
27	·03	·04	·03	·02			·05			·11	·37		27
28				·10		·01	·05	·75	·07	·70	·04	·28	28
29	·02			·14		·12	·03	·04		·18	·25	·08	29
30			·12	·18		·18				·12	·12	·20	30
31							·07			·14		·14	31
TOTAL	2·68	2·62	1·91	1·81	1·18	1·25	3·06	1·67	1·10	3·58	2·67	5·08	YEAR'S TOTAL 28·61 ✓
Days with ·01 in. or more	20	11	15	17	7	10	18	9	10	17	23	22	179 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd wns　1434　1314

214782

5 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Worstead

in the County of Norfolk

by Robert Cross

Lat. ...... Long. ......

Time of Observation 8 A.M.

Nearest Railway Station Honing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	·05	—	—	—	·09	·48	—	—	1
2	—	—	—	—	—	—	·20	·17	·05	—	—	·21	2
3	—	—	—	·15	—	—	—	—	·03	—	—	·13	3
4	—	—	·07	·25	—	—	·06	—	—	—	—	·15	4
5	—	—	·06	·03	·14	—	·17	·12	·05	—	—	·28	5
6	—	—	·13	—	—	—	·50	·06	·02	—	—	·02	6
7	—	·02	·15	·05	—	—	·07	—	—	—	—	·10	7
8	—	—	—	·37	·04	—	—	·27	—	—	—	—	8
9	·16	·04	—	·57	—	—	·01	·07	—	—	—	·05	9
10	·12	·26	·02	·03	—	—	·03	—	—	—	—	·05	10
11	·27	—	—	·07	·05	—	·09	—	—	—	—	·30	11
12	·10	—	·08	·14	—	—	·24	—	—	—	—	—	12
13	·05	—	·02	·09	—	·38	—	—	·03	—	—	·05	13
14	·03	·08	·21	·09	—	·17	·06	—	·07	—	·19	—	14
15	—	—	·11	·12	—	—	—	—	·09	·19	·14	·07	15
16	—	—	—	·04	—	—	—	—	·62	—	—	·15	16
17	—	—	—	·02	·10	—	·01	—	·05	—	—	·20	17
18	—	—	—	·06	·07	—	—	·26	·48	—	—	·13	18
19	·14	—	—	·04	—	—	—	1·00	·07	—	—	—	19
20	·13	·24	—	·16	—	·60	—	—	—	—	—	—	20
21	—	—	—	·14	—	—	·49	·27	·18	—	—	·05	21
22	—	—	—	·09	—	—	—	—	1·02	—	—	—	22
23	—	—	—	—	—	—	·44	·06	—	—	—	·14	23
24	—	—	·10	—	—	—	—	—	·03	—	—	·07	24
25	—	·06	—	—	—	·07	·32	—	—	—	—	—	25
26	·08	—	·09	·15	·18	—	·06	—	—	—	—	—	26
27	·13	·09	—	·15	·16	·40	—	—	—	—	—	—	27
28	·50	—	—	·13	·03	—	—	—	—	—	·13	·16	28
29	·02	—	·04	—	·39	—	·29	—	—	—	·11	·15	29
30	—	X	—	·05	·14	—	·13	—	·07	—	·13	·15	30
31	·08	X	—	X	—	X	—	·03	X	·07	X	·22	31
Total	1·81	0·79	1·08	2·99	1·35	1·62	3·17	2·31	2·95	0·74	0·70	2·83	Year's Total 22·34
Days with ·01 in. or more	13	7	12	23	11	5	17	10	16	3	5	21	143
Days with ·04 in. or more	11	6	10	20	10	5	14	9	12	3	5	20	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

84 ·285

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

WYMONDHAM.

NORFOLK

1911 — 1920

1911

Kept at Wym

in the County of

by J. B. T

of top 8 in.

op above Ground 1 ft. 3 in.

„ „ Sea Level 148 ft. 1408

n

Station Name
Distance Direction

IMPORTAN m., and the result entered to the previous day. I ost universal rule, he is earnestly requested to add ving year in the space provided for it at the en easurement of rain, the selection an the British Rainfall Organization are given in "Rules for ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18		·06					·15		·17			1
2	·22	·05	·10	·01	·19	·13	·05			·05	·10	·20	2
3	·06			·03	·16					·16	·05	·15	3
4	·08	·02	·12	·24		·12			·07	·03	·32	·15	4
5	·01	·05		·06						·18	·01	·26	5
6	·27		·04	·03						·03		·16	6
7	·03	·02									·13	·28	7
8	·17		·18						·03		·08	·06	8
9	·11		·08	·06						·02	·02		9
10	·07	·05	·15								·06	·37	10
11	·47	·31									·38	·01	11
12	·04		·45						·03		·01	·01	12
13	·08		·37		·06	·08			·16	·18	·03	·10	13
14		·04	·36		·86		·01		·06			·12	14
15		·16	·14						·04	·03	·30	·01	15
16			·06			·50			·03	·01	·31	·10	16
17	·01		·01								·04	·12	17
18		·23	·01	·02		·08					1·37	·08	18
19	·01	·04	·01			·75		·01	·01	·01	·36	·02	19
20	·01	·04				·08		·01	·20	·05	·07	·33	20
21	·01	·21		·02				·05		·31		·09	21
22	·02	·10	·11			·02		·16		·17	·04	·40	22
23		·03	·39			1·10		·04	·30			·15	23
24		·12	·04			·14	·15	·01		·50		·18	24
25		·04	·04	·13	·03	·09	·16			·01	·11	·04	25
26			·01	·06			·05			·22	·07	·35	26
27		·37	·14	·34					·38	·01		·02	27
28		·18	·01	·30			·06	·09			·04	·10	28
29		×		·06		·49	·02		·50	·62	·01	·01	29
30		×			·11	·04	·01		·51	·22			30
31		×		×		×			×	·03	×	·02	31
Total	1·85	2·06	2·88	1·36	1·41	3·62	·51	·52	2·32	3·01	3·91	3·89	TOTAL for year 27·34
No. of Rain Days	~~18~~	~~18~~	~~22~~	~~13~~	~~6~~	~~13~~	~~8~~	~~8~~	~~13~~	~~21~~	~~22~~	~~28~~	~~190~~

9,000, IX. '10.

8L

285

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wymondham

in the County of Norfolk

by J. B. Pomeroy

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
„ „ „ Sea Level 148 ft.

1408

Time of Observation —

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18		·06					·15		·17			1
2	·22	·05	·10	·01	·19	·13	·05			·05	·10	·20	2
3	·06			·03	·16					·16	·05	·15	3
4	·08	·02	·12	·24		·12			·07	·03	·32	·15	4
5	·01	·05		·06						·18	·01	·26	5
6	·27		·04	·03						·03		·16	6
7	·03	·02									·13	·28	7
8	·17		·18						·03		·08	·06	8
9	·11		·08	·06						·02	·02		9
10	·07	·05	·15								·06	·37	10
11	·47	·31									·38	·01	11
12	·04		·45						·03		·01	·01	12
13	·08		·37		·06	·08			·16	·18	·03	·10	13
14		·04	·36		·86		·01		·06			·12	14
15		·16	·14						·04	·03	·30	·01	15
16			·06			·50			·03	·01	·31	·10	16
17	·01		·01								·04	·12	17
18		·23	·01	·02		·08					1·37	·08	18
19	·01	·04	·01			·75		·01	·01	·01	·36	·02	19
20	·01	·04				·08		·01	·20	·05	·07	·33	20
21	·01	·21		·02				·05		·31		·09	21
22	·02	·10	·11			·02		·16		·17	·04	·40	22
23		·03	·39			1·10		·04	·30			·15	23
24		·12	·04			·14	·15	·01		·50		·18	24
25		·04	·04	·13	·03	·09	·16			·01	·11	·04	25
26			·01	·06			·05			·22	·07	·35	26
27		·37	·14	·34					·38	·01		·02	27
28		·18	·01	·30			·06	·09			·04	·10	28
29		X		·06		·49	·02		·50	·62	·01	·01	29
30		X			·11	·04	·01		·51	·22			30
31		X		X		X			X	·03	X	·02	31
Total	1·85	2·06	2·88	1·36	1·41	3·62	·51	·52	2·32	3·01	3·91	3·89	TOTAL for year 27·34
No. of Rain Days	~~18~~	~~18~~	~~22~~	~~13~~	~~6~~	~~13~~	~~8~~	~~8~~	~~13~~	~~21~~	~~22~~	~~28~~	~~190~~

9,000, IX. '10.

81

E7 1912

281

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at Wymondham

in the County of Norfolk

by

RAIN GAUGE
Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
" " " Sea Level ___ ft. 1408

Time of Observation

Nearest Railway Station
Name
Distance ___ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02		·03		·10	·03		·08	·01		·37	1
2	·01		·09	·04	·01		·29			·03		·03	2
3	·12	·08	·01		·02	·21	·01	·03	·05	·12		·07	3
4	·11		·44	·01	·03	·20		·02			·15	·01	4
5	·04	·12	·29		·01	·08		·02			·02		5
6	·84	·10	·01		·04	·26	·17	·07	·16			·01	6
7	·09	·01				·23	·02		·07			·01	7
8	·18	·03	·05	·02		·02	·07	·19	·35			·03	8
9	·01	·01	·01	·18	·07	·01	·01		·23			·32	9
10				·03				·10	·26		·16	·02	10
11	·02	·05	·01	·09					·07		·61	·21	11
12	·08	·06	·08		·07	·02				·01	·80		12
13		·07	·04			·07		·03			·45	·05	13
14			·01		·03	·08		·01	·01	·02	·09	·09	14
15	·02	·03	·23		·24	·15		·03			·03	·07	15
16		·01	·04		·06	·08		·06		·15	·02		16
17	·33		·23			·20		·09			·01	·09	17
18	·02		·17				·72	·01		·08	·06	·06	18
19	·03	·15	·20			·01	·69	10		·07	·03		19
20	·14		·05		·10		·01	·15		·29	·01	·01	20
21	·01	·01	·19		·01		·03	·69		·09	·05		21
22	·11	·11	·06		·59	·06	·65	·15				·06	22
23	·37	·48	·22		·01			·62	·09		·20	·01	23
24	·19		·07			·03	·55	·17				·09	24
25	·02					·16	·02	1·19			·29	·27	25
26	·01	·03				·06	·18	5·33		·28	·15	·26	26
27		·01						02		·09		·18	27
28				·04			·12	·16	·02	·33	·17	·52	28
29		·01		·01		·09	·36	·28	·55	·05	·44		29
30	·06	X			·06	·01		·27	·70	·25			30
31		X	·11	X	·12	X	·14	·12	X	·10	X	·13	31
Total	2·82	1·39	2·61	·45	1·47	2·13	4·07	9·91	2·64	1·97	3·74	2·97	TOTAL for year 3617
No. of Rain Days.	~~23~~	~~19~~	~~22~~	~~9~~	~~16~~	~~21~~	~~18~~	~~25~~	~~13~~	~~16~~	~~19~~	~~24~~	~~225~~

W. 8,000, X. '11.

259

FORM A.
BRITISH RAINFALL.

27 JAN 1914

1408

REGISTER OF RAINFALL IN 1913

Kept at Wymondham
in the County of Norfolk
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·25	·14	·16	·01	·01			·11		·04	·01	1
2	·03	·19	·02	·01	·05		·18		·10		·03	·01	2
3	·01		·27		·23				·04	·43		·08	3
4	·07				·03	·01					·01	·20	4
5	·09				·05				·11	1·45	·02		5
6	·01				·20	·22		·02	·08	·30	·03	·01	6
7		·04			·10					·35	·01		7
8	·01				·27	·18	·03			·05	·12	·02	8
9		·12	·04	·06	·22	·19		·08	·01	·01	·06	·03	9
10				·09			·50	·01			·10		10
11	·67			·57				·20			·60		11
12				·02							·12		12
13			·05	·01				·02			·57		13
14	·10		·08	·08			·48		·10	·28	·05		14
15	·06	·04	·21	·18			·37		·02		·06		15
16	·12		·38	·29					·34		·10	·03	16
17	·05		·27	·02		·06	·11	·01	·02		·01	·02	17
18	·01		·07	·08				·02	·39				18
19	·07		·10					·04	·20			·14	19
20	·16				·01	·84			·01	·18			20
21	·03	·03	·12		·03		·24			·33	·24		21
22	·11		·09				·41		·28				22
23			·01			·07	·01	·11	·01				23
24	·10			·02		·23							24
25				·16			·02			·01			25
26		·04	·08							·67		·16	26
27		·04	·02							·05			27
28	·20	·01	·10	·04						·08			28
29	·30	X	·30	·18	·22							·09	29
30	·32	X		·29	·07			·01		·05	·22	·10	30
31		X	·01	X		X		·24	X	·01	X		31
Total	2·63	·76	2·36	2·26	1·49	1·81	2·35	·76	1·82	4·25	2·39	·90	YEAR'S TOTAL 23.78
Rain Days.	~~21~~	~~9~~	~~19~~	~~17~~	~~13~~	~~9~~	~~10~~	~~11~~	~~16~~	~~15~~	~~16~~	~~13~~	~~170~~

W. 7,500, XI. ·12

DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

278

1408

Kept at Wymondham

in the County of Norfolk

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·17			·18		1
2	·02						·02				·06	·01	2
3					·12		·60	·03			·01		3
4	·12		·11	·20		·02		·01		·01	·25	·14	4
5			·02	·19	·08	·01	·07	·37		·01	·01		5
6		·06	·14		·13		·03	·04		·02		·15	6
7		·05	·37		·08	·09					·03	·39	7
8	·25	·04	·49	·07	·19	·30		·12	·07				8
9	·47		·44		·02	·63				·08		·85	9
10	·58	·01	·05	·09	·02							·01	10
11		·37	·39	·05	·09	·09			·16		·34	·42	11
12	·04		·02		·01				·28		·01	·26	12
13		·21	·27		·01				·03	·02	·22	·64	13
14			·25		·01		·02			·33	·13	·44	14
15	·08		·20				1·10				·31	·34	15
16	·08		·15				·22		·11		·05	·01	16
17		·48							·18		·01	·25	17
18		·24	·02						·09		·01	·75	18
19		·04	·14						·23		·28	·03	19
20	·04	·01	·42			·01			·11	·13			20
21	·05	·22	·20					·01		·05	·22	·07	21
22			·08		·25	·03	·27	·01		·55		·10	22
23			·07			·04	·04			·05	·04	·02	23
24	·01		·03	·08	·02	·01		·05		·09	·07		24
25					·04		·01			·66			25
26							·03	·09		·02	·12	·38	26
27	·02						·38	·03			·02	·34	27
28	·01						·04			·10	·48	1·30	28
29	·05	X	·07		—		·06			·49	·04		29
30		X	·07								·19	·06	30
31		X		X	·04	X	·07		X	·04	X	·12	31
Total	1·82	1·73	4·00	·68	1·11	1·23	2·96	·93	1·26	2·65	3·08	7·08	YEAR'S TOTAL 28·53
Rain Days.	~~14~~	~~11~~	~~22~~	6	~~13~~	~~10~~	~~15~~	~~11~~	9	16	~~23~~	~~23~~	~~145~~

W.7,000, XI. 13

88 crowly B 1.11.16 1545 273

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Wymondham W 88

in the County of Norfolk

by J. B. Pomeroy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in. 1408

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·33	·04		·14			·01	·33		·09	·06	1
2	·06	·04	·28	·06				·33	·03		·05		2
3	·26	·01	·13	·10				·20	·08		·18	·19	3
4	·01			·02			·01			·04	·22	·53	4
5	·04	·05			·15			·04		·34	·08	·24	5
6	·11	·20		·17	·03		·26					·06	6
7	·09	·29	·30				·35	·07				·19	7
8	·07	·05	·02	·05				·03		·01			8
9	·06	·09				·02					·26	·56	9
10	·42							·02		·02		·07	10
11	·02			·01	·08		·14			·02	·33	·08	11
12	·08			·30	·21		·03	·79			·84	·04	12
13	·12	·35		·03	1·03			·03	·01		·07		13
14	·39	·54		·02	·01		·56					·37	14
15		·02			·10			·06				·21	15
16	·02	·29					·75	·03		·01	·07	·04	16
17	·37	·21	·02				·09				·05	·04	17
18	·02	·02	·27		·27						·19		18
19	·02	·08	·04				·15			·15			19
20	·20			·01								·45	20
21	·34				·03		·03			·07		·10	21
22	·10	·02	·34				·48		·01			·21	22
23		·08				·04	·10		·01		·07	·12	23
24	·02	·08	·33				·65		·06	·04	·07	·12	24
25	·03					·08	·01			·07	·14	·03	25
26	·01	·15	·05			·02				·08	·03	·25	26
27		·03				·08	·16		·14	·32		·06	27
28		·14				·23		·01	·46	·48			28
29	·04					·17	·37	·18	·16		·11	·11	29
30	·13					·45	·08	·07	·19				30
31	·02							·09		·20		·13	31
Total	3·23	3·07	1·82	·77	2·05	1·09	4·22	1·96	1·48	1·85	2·85 ~~2·95~~	4·26	YEAR'S TOTAL 28·63 ~~28·66~~
Rain Days.	27	21	11	10	10	8	17	15	11	14	17	24	185

W. 8,000. X. 14.

8L ~~See~~ 8L only obs. 1516 ~~241~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1408

Kept at Wymondham
in the County of Norfolk
by J. B. Pomeroy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.01		.05	.05					.16		1
2	.44		.07		.47	.08	.11		.11	.02			2
3		.09	.07				.18		.51	.31	.43	.05	3
4	.30	.16	.04			.42	1.22		.41	.06	.38	.26	4
5	.08	.09	.21	.04		.22			.01	.14	.31		5
6		.06	.31	.30		.05	.01			.07	.37		6
7	.13		.36		.46	.19	.19			.06	.21		7
8			.04		.23	.19						.38	8
9			.06		.28							.20	9
10			.14	.08		.11	.11		.03			.17	10
11	.09	.69	.10	.22	.11	.49			.01			.01	11
12	.06			.01	.35	.54	.08	.18		.18		.08	12
13	.04	.17	.06	.10	.09	.01	.01	.05		.02			13
14		.82	.01	.05	.11	.02	.03	.33	.33	.10		.24	14
15		.41	.25					.17				.	15
16		.05	.05	.27			.08	.07				.12	16
17	.01			.34			.29	.08	.17	.43			17
18	.01	.28		.28		.01		.12	.07	.22	.80		18
19	.11	.01		.27		.04		.03	.21	.07	.24	.09	19
20	.22		.15	.02				.21	.02		.19	.17	20
21	.06	.21	.21	.05			.01					.39	21
22		.20	.03		.50	.04	.02			.01		.49	22
23		1.10				.05		.01			.14	.15	23
24		.39				.22	.03	.04		.58	.02	.38	24
25		.16	.18					.13		.22	.07		25
26						.09		.11		.04	.14	.05	26
27		.16	1.01			.01		.08		.32		.03	27
28		.24	.52		.07	.04			.03		.03	.19	28
29		.17				.08		1.17		.31		.05	29
30		✕				.23		.31		.30		.01	30
31	.21	✕		✕	.03	✕		.10	✕	.01	✕		31
Total	1.79	5.46	3.88	~~2.03~~ 2.03	2.75	~~3.29~~ 3.18	2.37	3.19	1.91	3.46	3.49	~~3.41~~ 3.51	YEAR'S TOTAL ~~36.92~~ 37.02
Rain Days.	~~14~~	~~19~~	~~21~~	~~13~~	~~12~~	~~22~~	~~14~~	~~17~~	~~12~~	~~20~~	~~14~~	~~20~~	~~198~~

W. 8,000. X. 15.

8L ✓ W DL Cordley Preston 1450 ~~225~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wymondham
in the County of Norfolk
by J. B. Pomeroy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 1408
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.04		.48				1.28	.36			.03	1
2	.11		.02			.09		.47					2
3		.04						.78		.14			3
4		.33	.05					.09		.85		.02	4
5	.17	.08	.03	.31					.54		.16		5
6						.16			.05		.04		6
7	.47		.03			.48				.61			7
8	.22						1.22	.27		.28	.16	.01	8
9	.10		.06	.05				.11			.17	.13	9
10	.18		.20	.20						.09	.06		10
11	.12	.02	.79	.15						.31	.07		11
12	.25		.02	.13				.05		.41			12
13	.22		.17	.02		.07		.23			.01	.01	13
14	.07			.20				.22				.02	14
15	.22							.67		.06			15
16	.07			.59			.05	.07		.48		.31	16
17	.02			.26	.46	.45	.21		.68	.56		.07	17
18	.02			.04				.02	.77				18
19		.04	.29						.27				19
20	.05	.27	.14			.03					.23		20
21			.16			.15		.11			.06		21
22			.07					.09		.10			22
23		.15			.15			.08				.04	23
24						.18		.27			.07	.03	24
25			.12								.22	.25	25
26			.05					.11			.65	.03	26
27			.16			.09		.39				.11	27
28						.49		.16				.08	28
29	.02	X				.37	.06	.06		.31			29
30	.14	X	.02				.24	.14		.11			30
31	.07	X	.60	X		X	.42	.22	X	.02	X	.05	31
Total	2.52	.97	2.98	2.43	.61	2.56	2.20	5.89	2.67	4.33	1.90	1.19	YEAR'S TOTAL 30.25
Rain Days.	16	8	18	11	2	11	6	22	6	14	12	15	143

W. 8,000, VIII. 16

~~325~~

81

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

30 . 1 1940

12 ~~216~~

Kept at Wymondham

in the County of Norfolk

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07				·47					1
2	·14		—	·03			·05		·11	·01		·29	2
3	·01	·05	·08					·05	·03		1·19		3
4		·08							·02	·06	·26		4
5		·05			·18			·26	·48	·21		·01	5
6		·12		·20					·04			·06	6
7	·21	·16				·02			·02	·05	·08		7
8				·02					·06		·09	·01	8
9	·10	·08				·09			·08	·22	·01	·07	9
10							·49		·51		·17		10
11		·03			·15				·16	1·10		·48	11
12		·16			·08		·31		·05	·17		·07	12
13		·02		·07	·17				·10			·01	13
14	·15			·03			·09		·30	·30		·05	14
15	·95		·04	1·60					·21	·05		·07	15
16				·29		·11			·17	·08			16
17	·15		·01	·06		·38	1·20		·27			·27	17
18	·79			·19		·10				·04		·61	18
19	·19						·06			·21		·19	19
20		·08				·01	·78		·10	·20			20
21	·03					·05	·02		·52	·13			21
22	·02					·09	·10			·01		·47	22
23					·25		·03		·01				23
24		·25			·05	·05	·02		·02		·05		24
25						·64	·24	·18	·16		·01	·09	25
26							·37	·13			·13	·19	26
27				·49			·06	·25			·04	·17	27
28			·28			·11		·08	·02			·55	28
29		×	·03						1·18		·04	·02	29
30		×	·17						·24		·45	·11	30
31		×		×		×			×		×		31
Total	2·74	1·08	·61	3·05	·88	1·65	3·82	1·42 ✓	4·86	2·84	2·52	~~2·59~~ 3·79	29·26
Rain Days.	11	11	6	11	6	11	14	7	24	15	12	20	148

W. 8,000, IX. 17.

81 W 01 and SB

1356 ~~285~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Wymondham

in the County of Norfolk

by J. B. Pomeroy.

Lat. Long. —

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in. 1408

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47				·17		·28		·01	·36	·07	·56	1
2		·06	·04		·02		·13			·08	·54	·73	2
3	·48		·14	—			·17	—	·03		·14	·01	3
4	·05		·18			·02		·05				·31	4
5	·56		·03						·06			·05	5
6	·02		·28								·09	·22	6
7			·36								·21	·18	7
8	·10		·01	·06						·04	·34	·04	8
9			·03	·08						·14	·06		9
10			·16	·01						·34	·18	·12	10
11	·21		·20	·08	·06		·65			·09	·06	·01	11
12	·03		·04	·07		·19	·14			·02			12
13	·10			·19		·01	·04			·06	·02		13
14	·50			·36			·08		·08	·03	·13		14
15	·18	·09		·30			·04			·06	·12	·07	15
16	·03	·84	·02	·08						·07	·01	·10	16
17		1·19	·01	·04	·08						·49	·04	17
18											·04	·18	18
19		·06	·30			·06	·02	·18	·29		·09	·10	19
20	·30	·21	·16			·41	·41	·27			·02		20
21		·43	·07			·06	·41	·33				·16	21
22		·38	·01				·26		·33		·05	·34	22
23						·04	·24	·02	·05			·04	23
24				·02		·10	·06					·03	24
25				·05	·20	·11		·28				·03	25
26		·45	·32	·17		·15	·01	·21	·09	·27		·46	26
27		·25	·02	·19		—	·01	·02		·54	·25	·03	27
28				·08			·04	·76	·01	·68	·02	·36	28
29	·17	×	·01	·18		·03	·03	·09		·26	·28	·23	29
30	·02	×	·06	·19		·22				·15	·18	·23	30
31		×		×		×			×	·18	×	·16	31
Total	3·22	3·96	2·45	2·15	·53	1·40	3·02	2·21	~~·94~~ ·95	3·37	3·39	4·79	YEAR'S TOTAL 31·44
Rain Days.	15	10	21	17	5	12	18	10	9	17	22	26	182

W. 6,500, VII. 18. w.w.c

248 1283

Part on Sheet B

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1408

Kept at Wymondham

in the County of Norfolk

by J. B. Pomeroy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02				·09		·23		·02	·71			1
2			·02	·03			·09	·19	·03			·12	2
3		·01		·22		·02			·12			·13	3
4	·01		·03	·24	·03		·09	·06	·01			·34	4
5			·09	·11	·20		·23	·09	·18			·28	5
6			·22		·05		·39	·02	·01			·12	6
7	·01	·01	·07	·09	·09		·09					·07	7
8	·04	·01		·51	·10		·62	·28					8
9	·29	·05		·54				·05				·04	9
10	·25	·04	·07	·12			·03				·02	·15	10
11	·78		·01	·08	·05		·08					·29	11
12	·12		·14	·16		·05	·02					·11	12
13	·04	·01		·05		·25			·02		·01	·06	13
14	·02		·27	·11		·12	·05		·06		·28		14
15		·02	·25	·11					·04	·13	·15	·07	15
16				·10	·06				·81			·19	16
17			·01	·04	·21		·05		·18				17
18	·03			·02	·05	·65		·32	·48			·16	18
19	·18			·04				·78	·07			·08	19
20		·24		·22		·64			·16				20
21				·05			·71	·09	·38			·09	21
22	·01			·06			·63	·17	·31			·23	22
23							·06						23
24			·12				·38		·01			·09	24
25		·06	·01	·11	·01	·09	·24		·07				25
26	·06		·06	·18	·29	·07							26
27	·13	·11		·19		·45					·11	·12	27
28	·59		·01	·03	·21	·05	·03				·09	·07	28
29			·01		·69		·14				·24	·23	29
30				·04	·18		·10	·01	·04			·16	30
31	·10							·02		·02		·22	31
Total	2·68	·56	1·39	3·45	2·31	2·39	4·26	2·08	3·00 ~~3·10~~	·86	·90	3·42	Year's Total 27·30 ~~27·40~~
Days with ·01 in. or more	17	10	15 ~~18~~	25	15	10	20	12	19	3	7	23	176
04	11	5	9	22	13	9	17	9	13	2	5	23	138

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

YARMOUTH GREAT

NORFOLK

1912 — 1920

R[…] 2

FORM A. BRITISH RAINFALL. 9 JAN 1913

Kept at G^t [illegible] … g. 1 D 45th East

in the County of [illegible] … 8 AM

by Geo. [illegible] … Vauxhall

5 in. Snowdon

above Ground 1 ft. — in.

„ Sea Level ~~[illegible]~~ 7 ft. 6"

IMPORTANT N[…] nd the result entered to the previous day. If an[…] niversal rule, he is earnestly requested to add the […] year in the space provided for it at the end of […] rement of rain, the selection and plac[…] British Rainfall Organization are given […] on application to Dr. H. R. Mill, 62, C[…]

Jan. 1, following.

Rain & Snow Gauge frozen 5 & 6 Day when thawed

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.01			.24	.33			.05	.02	.25	1
2			.12	.03	.12		.30		.08	.03	.10	.03	2
3	.10		.07	.08		.35		.04	.05	.10	.04		3
4	.06				.01	.21				Trace	.11		4
5	Trace	×	.12			.08		Trace			.02		5
6	.60	5 .44×	.03		.04	.04	.33	.36	.15			Trace	6
7					Trace	.46	.01	.23	.03		.01	.02	7
8	.15	Trace	.03	.04		Trace	.10	.01	.32				8
9				.12					.57	Trace		.26	9
10			.01	.03				.38	.25		.02	.02	10
11		.03		.02				.29	.04		.84	.11	11
12		.06	.03		.04	.08					.19		12
13	.02	.03	.03			.08		.09			.47	.01	13
14			.01		Trace	.03			Trace	.01	.11	.12	14
15			.20		.29	.15		.01			.02		15
16			.01			.14				.09	.01		16
S & P 17	.16		.30		.05	.11		.11			.04		17
18			.25		Trace		.15		.01	.13	.12	.18	18
19		.04	.04				.21	.09	Trace	.05	.02	.01	19
20	.02	.01			.03		.01	.08		.31			20
21			.42				.21	.37		.22	.03		21
22	.10	.08	.05		.01		.17	.07				.03	22
23	.30	.42	.18		Trace	.08	Trace	.52	.01	.03	.13		23
24	.03	.01	.01		Trace	.14	.26	.35				.07	24
25						.18		.77		.01	.18	.35	25
26						.11	.17	4.35		.25	.14	.36	26
27							.08	.02		.03	.13	.12	27
28				.05	Trace			.01	.01	.28	.13	1.40	28
29		Trace			Trace	.15	Trace	.05	.61		.21		29
30	.03				.07	.26		.04	1.10	.15	.04		30
31	.05		.12		.35		.34	.06		.15			31
Total	1.62	1.12	2.04	.37	1.11	2.89	2.67	8.30	3.23	1.89	3.13	1.97	YEAR'S TOTAL 30.34
Rain Days.	~~14~~	13	20	7	~~17~~	~~19~~	~~16~~	~~23~~	~~15~~	~~18~~	~~24~~	~~17~~	~~204~~
	13				10	18	14	22	13	16		16	186

W. 7,500, XI. 12

✓

RE 2

FORM A.
BRITISH RAINFALL.

9 JAN 1913

Kept at G^t Yarmouth

in the County of Norfolk 1

by Geo W. Hughes

Lat. 52 D. 35 M. N^th Long. 1 D. 45 M. East

Time of Observation 8 AM

Nearest Railway Station Vauxhall

Diameter of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ~~about~~ ~~11~~ 7 ft. 6"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Rain & Snow ✗ 5 Gauge Frozen 5 & Day taken thawed 5	·01			·24	·33			·05	·02	·25	1
2			·12	·03	·12		·30		·08	·03	·10	·03	2
3	·10		·07	·08		·35		·04	·05	·10	·04		3
4	·06				·01	·21				Trace	·11		4
5	Trace		·12			·08		Trace			·02		5
6	·60	·44 ✗	·03		·04	·04	·33	·36	·15			Trace	6
7					Trace	·46	·01	·23	·03		·01	·02	7
8	·15	Trace	·03	·04		Trace	·10	·01	·32				8
9				·12					·57	Trace		·26	9
10			·01	·03				·38	·25		·02	·02	10
11		·03		·02				·29	·04		·84	·11	11
12		·06	·03		·04	·08					·19		12
13	·02	·03	·03			·08		·09			·47	·01	13
14			·01		Trace	·03			Trace	·01	·11	·12	14
15			·20		·29	·15		·01			·02		15
16			·01			·14				·09	·01		16
S & P 17	·16		·30		·05	·11		·11			·04		17
18			·25		Trace		·15		·01	·13	·12	·18	18
19		·04	·04				·21	·09	Trace	·05	·02	·01	19
20	·02	·01			·03		·01	·08		·31			20
21			·42				·21	·37		·22	·03		21
22	·10	·08	·05		·01		·17	·07				·03	22
23	·30	·42	·18		Trace	·08	Trace	·52	·01	·03	·13		23
24	·03	·01	·01		Trace	·14	·26	·35				·07	24
25						·18		·77		·01	·18	·35	25
26						·11	·17	4·35		·25	·14	·36	26
27							·08	·02		·03	·13	·12	27
28				·05	Trace			·01	·01	·28	·13	·40	28
29		Trace			Trace	·15	Trace	·05	·61		·21		29
30	·03				·07	·26		·04	1·10	·15	·04		30
31	·05		·12		·35		·34	·06		·15			31
Total	1·62	1·12	2·04	·37	1·11	2·89	2·67	8·30	3·23	1·89	3·13	1·97	YEAR'S TOTAL 30·34
Rain Days.	~~14~~	12	20	7	~~17~~	~~19~~	~~16~~	~~23~~	~~15~~	~~18~~	~~24~~	~~17~~	~~204~~
	13				10	18	14	22	13	16		16	186

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
JAN 1913

Kept at Gt Yarmouth
in the County of Norfolk
by Geo W. Hughes

Lat. 52° 35m N. Long. 1° 45m East
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall
Diameter of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 7 ft. 5

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st Ja[illegible] of the following year in the space provided for it at the end of this paragraph. Full inst[illegible]ons for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		S Rain & Snow Gauge Frozen 6 Days Total when thawed	·02			·24	·33			·05	·03	·26	1
2		S	·12	·03	·12		·30		·08	·03	·09	·03	2
3	·10	S	·07	·07		·35		·04	·06	·11	·05		3
4	·06				·01	·21				Trace	·11		4
5	Trace		·12			·08		Trace			·02		5
6	·61	S ·43	·03		·03	·04	·33	·36	·15			Trace	6
7					Trace	·46	·01	·23	·03		·01	·02	7
8	·16	Trace	·03	·04		Trace	·10	·01	·32				8
9				·12					·57	Trace		·26	9
10			·02	·03				·38	·26		·02	·02	10
11		·03		·02				·29	·04		·85	·12	11
12		·07	·03		·04	·08					·19		12
13	·02	·03	·03			·09		·09			·47	·01	13
14			·01		Trace	·04			Trace	·01	·11	·12	14
15			·20		·29	·15		·02			·02		15
16			·01			·14				·09	·01		16
S & R 17	·16		·30		·05	·11		·11			·04		17
18			·26		Trace		·16		·01	·13	·11	·12	18
19		·04	·04				·21	·09	Trace	·06	·02	·01	19
20	·02	·01			·13		·01	·08		·32			20
21			·42				·21	·37		·23	·04		21
22	·10	·08	·05		·01		·17	·07				·04	22
23	·31	·42	·18		Trace	·08	Trace	·53	·01	·02	·13		23
24	·03	·01	·01		Trace	·14	·26	·36				·07	24
25						·18		·77		·07	·20	·35	25
26						·11	·17	4·37		·26	·14	·35	26
27							·08	·02		·04	·13	·12	27
28				·05	Trace			·01	·01	·28	·13	·11	28
29		Trace			Trace	·15	Trace	·05	·61		·22		29
30	·04				·07	·26		·05	1·11	·15	·04		30
31	·05		·12		·36		·34	·06		·16			31
Total	1·66	1·12	2·07	·36	1·11	2·91	2·68	8·36	3·26	1·95	3·18	2·01	YEAR'S TOTAL 30·67
Rain Days.	~~14~~	12	20	7	~~17~~	~~19~~	~~16~~	~~23~~	~~15~~	~~18~~	~~24~~	~~17~~	~~204~~
	13				10	18	14	22	13	16		16	186

W. 7,500, XI. '12

·80 = added for overflow 26 Aug (18·11·13)

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at Gt Yarmouth
in the County of Norfolk
by Geo W Hughes

Lat. 52D,35M,N. Long. 1D 45M, East
Time of Observation 8 AM
Nearest Railway Station Vauxhall
Diameter of Rain Gauge 5 in. Howard.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ~~About~~ 7 ft. 6"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Rain & Snow Gauge frozen 6 days, Total when thawed	·01			·24	·32			·05	·02	·25	1
2			·11	·02	12		·30		·07	·02	·08	·02	2
3	·10		·07	·08		·35		·03	·06	·10	·03		3
4	·06				·01	·21				Trace	·11		4
5	Trace		·12			·08		Trace			·01		5
6	·60	·40	·02		·04	·04	·33	·36	·15			Trace	6
7					Trace	·46	·01	·23	·03		·01	·02	7
8	·15	Trace	·02	·04		Trace	·10	·01	·32				8
9				·12					·56	Trace		·26	9
10			·01	·02				·38	·25		·01	·02	10
11		·02		·02				·29	·03		·84	·10	11
12		·06	·02		·03	·08					·18		12
13	·02	·02	·03			·07		·09			·46	·01	13
14			·01		Trace	·04			Trace	·01	·11	·12	14
15			·19		29	·15		·01			·02		15
16			·01			·14				·08	·01		16
Snow & Rain 17	·15		·30		·05	·11		·11			·03		17
18			·25		Trace		·15		·01	·13	·11	·11	18
19		·03	·03				·20	·09	Trace	·05	·01	·01	19
20	·03	·01			12		·02	·08		·31			20
21			·42				·21	·37		·22	·03		21
22	·09	·08	·05		·01		·17	·07				·02	22
23	·30	·42	·18		Trace	·08	Trace	·51	·01	·02	·13		23
24	·02	·01	·01		Trace	·14	·26	·36				·06	24
25						·18		·77		·01	·18	·34	25
26						·11	·17	overflowed (4·35)		·25	·13	·35	26
27							·08	·02		·02	·13	·11	27
28				·05	Trace			·01	·01	·28	·13	·10	28
29		Trace			Trace	15	Trace	·04	·61		·22		29
30	·03				·07	·26		·04	1·10	·14	·04		30
31	·05		·12		·34		·34	·05		·15			31
Total	1·60	1·05	1·98	·35	1·08	2·89 ✓	2·66	(8·27)	3·21	1·84	3·03	1·90	YEAR'S TOTAL (29·86)
Rain Days.	~~14~~ 13	~~14~~? 13	20	7	~~17~~ 10	~~19~~ 18	~~16~~ 14	~~23~~ 22	~~15~~ 13	~~18~~ 16	24	~~17~~ 16	~~204~~ 186

~~26~~

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
15 JAN 1914

Kept at Gt Yarmouth
in the County of Norfolk
by Geo. W. Hughes

Lat. 52° 35′ N. Long. 1° 46′ East
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·29	·11	·17	·02	·08	—	—	·03	—	·02	·01	1
2	·04	·18	·01	—	—	—	·18	—	·01	—	·07	—	2
3	—	—	·24	—	·13	—	Trace	Trace	·03	·09	—	·03	3
4	·02	—	—	·02	Trace	·05	Trace	—	·01	·10	·01	·07	4
5	·04	—	—	—	·04	Trace	—	—	—	·63	Trace	—	5
6	·02	Trace	Trace	—	·17	·01	—	·04	—	·10	·02	·08	6
7	—	·01	—	Trace	·02	—	·02	—	—	·35	—	—	7
8	—	—	—	·02	·06	·10	·01	—	—	·01	·11	Trace	8
9	—	·08	Trace	·04	·25	·19	Trace	·47	·02	·01	·02	—	9
10	—	Trace	—	·04	·02	·15	—	—	—	·04	·09	—	10
11	·73	—	—	Rain + Snow ·58	Trace	·01	—	·58	—	Trace	·48	—	11
12	—	—	—	·04	—	·06	—	Trace	—	—	·45	—	12
13	·07	·01	Trace	—	—	—	—	·03	—	—	·25	—	13
14	·04	Trace	·03	·06	—	—	·90	—	·70	·31	·05	—	14
15	·15	·01	·10	·12	—	—	·33	—	—	—	·09	—	15
16	·17	—	·23	·18	—	—	—	—	·13	—	·14	·03	16
17	·03	·01	Rain + Snow ·24	·07	—	—	·12	—	·04	—	Trace	·04	17
18	—	—	·06	·04	·02	—	·03	·03	·02	—	—	—	18
19	·07	—	·10	·03	·02	Trace	Trace	·01	—	—	—	·04	19
20	·12	—	·07	—	—	—	—	—	·27	·05	—	—	20
21	·04	—	·12	·01	·01	—	·29	—	Trace	·63	·23	—	21
22	·12	—	·02	—	—	—	·62	—	Trace	—	·01	—	22
23	·02	—	Trace	—	—	·02	·01	·25	—	—	—	—	23
24	·09	—	—	—	—	·25	—	·20	—	—	—	·05	24
25	·01	—	—	·11	—	·01	Trace	—	—	—	—	—	25
26	—	·02	·11	—	—	·06	—	—	—	·73	—	·09	26
27	—	·02	·11	Trace	Trace	Trace	—	—	—	·01	·02	—	27
28	·06	—	·11	Trace	—	·05	—	—	·01	·22	Trace	Snow ·10	28
29	·36		·19	·15	·33	—	—	—	Trace	·82	Trace	·05	29
30	·26		—	·66	·09	—	—	·01		—	·08	Snow ·20	30
31	—		·48		·01		—	·19		—			31
Total	2·48	·63	2·33	2·34	1·19	1·04	2·51	1·81	1·27	3·30	2·14	·79	YEAR'S TOTAL 21·83
Rain Days.	21	12	21	20	17	16	15	12	14	16	21	13	198
		9	17	17	14	13	10	10	11	15	17	12	166

W.7,000, XI. 13

FORM A. BRITISH RAINFALL.

15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Gt Yarmouth

in the County of Norfolk

by Geo. W. Hughes,

Lat. 52° 35′ N Long. 1° 46′ East

Time of Observation 8 A.M.

Nearest Railway Station Vauxhall

Diameter of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·28	·12	·18	·03	·09	—	—	·04	—	·02	·01	1
2	·05	·19	·02	—	—	—	·18	—	·01	—	·08	—	2
3	—	—	·24	—	·14	—	Trace	Trace	·03	·09	—	·04	3
4	·02	—	—	·02	Trace	·06	Trace	—	·01	·11	·01	·08	4
5	·04	—	—	—	·04	Trace	—	—	—	·63	Trace	—	5
6	·03	Trace	Trace	—	·17	·01	—	·04	—	·10	·03	·08	6
7	—	·01	—	Trace	·02	—	·02	—	—	·35	—	—	7
8	—	—	—	·03	·07	·10	·01	—	—	·02	·12	Trace	8
9	—	·08	Trace	·04	·25	·20	Trace	·46	·03	·31	·03	—	9
10	—	Trace	—	·04	·02	·16	—	—	—	·04	·09	—	10
11	Snow & Rain ·14	—	—	Rain & Snow ·58	Trace	·01	—	·59	—	Trace	·49	—	11
12	—	—	—	·05	—	·06	—	Trace	—	—	·45	—	12
13	·08	·01	Trace	—	—	—	—	·03	—	—	·24	—	13
14	·05	Trace	·04	·07	—	—	·91	—	·70	·31	·05	—	14
15	·15	·01	·10	·13	—	—	·33	—	—	—	·10	—	15
16	·17	—	·23	·19	—	—	—	—	·13	—	·14	·04	16
17	·03	·01	·23	·07	—	—	·12	—	·04	—	Trace	·05	17
18	—	—	·07	·05	·02	—	·03	·03	·02	—	—	—	18
19	·08	—	·10	·03	·02	Trace	Trace	·02	—	—	—	·05	19
20	·13	—	·08	—	—	—	—	—	·27	·07	—	—	20
21	·04	—	·12	·01	·01	—	·29	—	Trace	·63	·23	—	21
22	·12	—	·02	—	—	—	·62	—	Trace	—	·01	—	22
23	·02	—	Trace	—	—	·02	·01	·25	—	—	—	—	23
24	·09	—	—	—	—	·25	—	·20	—	—	—	·05	24
25	·01	—	—	·11	—	·01	Trace	—	—	—	—	—	25
26	—	·02	·11	—	—	·07	—	—	—	·74	—	·09	26
27	—	·02	·12	Trace	Trace	Trace	—	—	—	·01	·02	—	27
28	·07	—	·11	Trace	—	·05	—	—	·01	·22	Trace	Snow ·10	28
29	·35		·19	·16	·33	—	—	—	Trace	·02	Trace	·05	29
30	·26		—	·67	·09	—	—	·01	—	—	·09	·20	30
31	—		·47		·01		—	·20		—			31
Total	2·56	·63	2·37	2·43	1·22	1·09	2·52	1·83	1·29	3·35	2·20	·84	YEAR'S TOTAL 22·33
Rain Days.	21	9 12	~~21~~ 17	~~20~~ 17	~~17~~ 14	~~16~~ 13	~~15~~ 10	~~12~~ 10	~~14~~ 11	~~16~~ 15	~~21~~ 17	~~13~~ 12	~~198~~ 166

W.7,000, XI. 13

Remarks

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

15 JAN 1914

Kept at Gt Yarmouth E4M

in the County of Norfolk

by Geo. W. Hughes

Lat. 52° 35′ N. Long. 1° 46′ East
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall
Diameter of Rain Gauge 5 in. Howard
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·29	·11	·17	·02	·08	—	—	·03	—	·01	·01	1
2	·03	·18	·01	—	—	—	·18	—	·01	—	·06	—	2
3	—	—	·23	—	·14	—	Trace	Trace	·02	·08	—	·03	3
4	·01	—	—	·02	Trace	·05	Trace	—	·01	·10	·01	·06	4
5	·03	—	—	—	·03	Trace	—	—	—	·62	Trace	—	5
6	·02	Trace	Trace	—	·17	·01	—	·03	—	·09	·02	·06	6
7	—	·01	—	Trace	·01	—	·02	—	—	·35	—	—	7
8	—	—	—	·02	·06	·10	·01	—	—	·01	·10	Trace	8
9	—	·08	Trace	·03	·24	·19	Trace	·46	·02	·01	·02	—	9
10	—	Trace	—	·03	·01	·15	—	—	—	·03	·08	—	10
11	Snow & Rain ·73	—	—	·57	Trace	·01	—	·56	—	Trace	·48	—	11
12	—	—	—	·03	—	·06	—	Trace	—	—	·43	—	12
13	·07	·01	Trace	—	—	—	—	·02	—	—	·23	—	13
14	·04	Trace	·03	·05	—	—	·89	—	·70	·30	·04	—	14
15	·14	·01	·09	·12	[illegible]	—	·33	[illegible]	—	—	·09	—	15
16	·16	—	·23	·17	—	—	—	—	·12	—	·14	·03	16
17	·01	·01	·23	·06	—	—	·12	—	·03	—	Trace	·04	17
18	—	—	·05	·03	·01	—	·03	·02	·01	—	—	—	18
19	·06	—	·09	·03	·01	Trace	Trace	·01	—	—	—	·04	19
20	·12	—	·07	—	—	—	—	—	·27	·05	—	—	20
21	·03	—	·11	·01	·01	—	·29	—	Trace	·62	·22	—	21
22	·12	—	·02	—	—	—	·62	—	Trace	—	·01	—	22
23	·01	—	Trace	—	—	·02	·01	·25	—	—	—	—	23
24	·07	—	—	—	—	·25	—	·20	—	—	—	·04	24
25	·01	—	—	·10	—	·01	Trace	—	—	—	—	—	25
26	—	·01	·10	—	—	·06	—	—	—	·72	—	·09	26
27	—	·01	·11	Trace	Trace	Trace	—	—	—	·01	·01	—	27
28	·06	—	·09	Trace	—	·05	—	—	·01	·21	Trace	Snow ·10	28
29	·36		·18	·15	·33	—	—	—	Trace	·07	Trace	·05	29
30	·25		—	·66	·09	—	—	·01	—	—	·08	Snow ·20	30
31	—		·48		·01		—	·19		—		—	31
Total	2·34	·61	2·23	2·25	1·14	1·04	2·50	1·75	1·23	3·22	2·03	·75	YEAR'S TOTAL 21·09
Rain Days.	21	12 9	21 15	20 17	~~17~~ 12	~~16~~ 13	~~15~~ 10	~~12~~ 10	14 11	16 15	~~21~~ 17	~~13~~ 12	~~198~~ 166

W.7,000, XI. 13

Exc 8 L

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Gt Yarmouth
in the County of Norfolk
by Geo. W. Hughes

Lat. 52° 31′ N. Long. 1° 46′ East
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall, G.E.R.
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level About 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	—	—	·05	—	·01	·14	—	1
2	·01	—	—	·10	—	—	·05	—	—	—	·01	·03	2
3	·02	—	·05	·03	·07	—	·09	—	—	—	Trace Mist	—	3
4	·16	—	·04	·09	·01	—	—	—	—	·02	·20	·04	4
5	·10	—	·12	·17	·13	—	·14	·13	—	·05	·01	—	5
6	·23	·02	Trace	Trace	·08	·01	·37	·02	—	—	·07	·11	6
7	·01	·02	·27	Trace	·11	·01	·47	—	—	—	·01	·05	7
8	·20	·04	·66	—	·26	·30	—	·07	·25	·02	—	—	8
9	·50	Trace	·55	Trace	·01	·55	—	—	·20	·05	—	·67	9
10	1·12	—	·09	·03	—	Trace	—	—	·02	—	—	·39	10
11	—	·11	·24	·17	·27	·21	—	—	·10	—	·37	·29	11
12	·02	—	·04	—	·07	—	—	—	—	—	—	·18	12
13	·01	·17	·22	—	·02	—	—	—	—	·09	·09	·50	13
14	—	—	·25	—	—	—	—	—	—	·06	·24	·55	14
15	·04	Trace	·18	—	—	—	·60	—	—	—	·47	·19	15
16	·01	—	·17	—	—	—	·03	—	·01	—	·03	·04	16
17	·01	·16	—	—	—	—	—	—	·03	—	·06	·07	17
18	—	·23	·04	—	—	—	—	·06	·10	—	—	·45	18
19	·02	·02	·20	—	—	—	—	—	·33	—	Snow + Rain ·23	·01	19
20	·01	Trace	·38	—	—	~~·01~~	—	—	·29	·13	·03	·01	20
21	·06	·44	·08	—	—	—	—	·05	·05	·04	·14	·15	21
22	—	—	·01	·02	·08	·01	·28	—	—	·09	—	·07	22
23	Rime Frost Trace	—	·07	·01	·16	·01	·07	—	—	·04	·02	·01	23
24	Rime Frost Trace	Rime Frost ·01	·01	·13	—	·03	—	—	—	·02	·08	—	24
25	—	Trace	—	—	·05	·01	·02	·14	—	·68	—	—	25
26	—	—	·01	—	—	—	·01	·15	—	—	·07	·28	26
27	·01	—	—	—	—	—	·21	·03	—	·01	·01	·23	27
28	Trace	·02	—	Trace	—	—	·02	—	—	·14	·85	Rain + Snow 1·75	28
29	·01	·	—	·01	—	—	·03	—	—	·12	·06	·01	29
30	·01	X	·07	—	—	—	·01	—	—	·01	·20	—	30
31	—	X	Trace Mist	X	·07	X	·02	—	X	·01	X	·05	31
Total	2·56	1·24	3·77	·76	1·39	1·15	2·42	·70	1·38	2·09	3·39	6·13	YEAR'S TOTAL 26·98
Rain Days.	~~21~~ 20	~~15~~ 11	~~24~~ 23	~~14~~ 10	14	~~11~~ 10	16	9	10	18	22	24	~~198~~ 187

W. 8,000. X. 14.

Slip made 3/3/15

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 APR 1915

Kept at G^t Yarmouth
in the County of Norfolk
by Geo W Hughes

Lat. 52° 31' N Long. 1° 46' E
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall G.E.R.
Diameter of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	—	—	—	—	·05	—	·01	·14	—	1
2	·01	—	—	·10	—	—	·05	—	—	—	·01	·03	2
3	·02	—	·06	·03	·08	—	·09	—	—	—	Trace Mist	—	3
4	·16	—	·04	·09	·01	—	—	—	—	·02	·20	·05	4
5	·10	—	·14	·17	·14	—	·14	·13	—	·06	·01	—	5
6	·20	·03	Trace	Trace	·09	·01	·37	·03	—	—	·07	·11	6
7	·01	·03	·27	Trace	·11	·01	·47	—	—	—	·01	·06	7
8	·20	·05	·66	—	·26	·30	—	·07	·25	·02	—	—	8
9	·50	Trace	·55	Trace	·02	·55	—	—	·19	·06	—	·67	9
10	1·10	—	·09	·03	—	Trace	—	—	·03	—	—	·39	10
11	—	·12	·24	·18	·28	·21	—	—	·10	—	·37	·29	11
12	·02	—	·04	—	·07	—	—	—	—	—	—	·18	12
13	·01	·18	·22	—	·02	—	—	—	—	·09	·09	·49	13
14	—	—	·26	—	—	—	—	—	—	·06	·24	·55	14
15	·04	Trace	·19	—	—	—	·60	—	—	—	·47	·18	15
16	·01	—	·17	—	—	—	·04	—	·01	—	·03	·04	16
17	·01	·16	—	—	—	—	—	—	·03	—	·07	·07	17
18	—	·23	·05	—	—	—	—	·07	·10	—	—	·45	18
19	·03	·02	·21	—	—	—	—	—	·33	—	Snow + Rain ·23	·01	19
20	·01	Trace	·36	—	—	·01	—	—	·29	·13	·03	·01	20
21	·07	·43	·08	—	—	—	—	·06	·66	·05	·14	·15	21
22	—	—	·01	·03	·08	·01	·27	—	—	·10	—	·07	22
23	Trace Rime	—	·07	·01	·16	·02	·07	—	—	·04	·02	·01	23
24	Trace Frost	·01	·01	·13	—	·04	—	—	—	·02	·08	—	24
25	—	Trace	—	—	·05	·01	·03	·14	—	·68	—	—	25
26	—	—	·01	—	—	—	·02	·15	—	—	·07	·29	26
27	·01	—	—	—	—	—	·21	·03	—	·02	·01	·23	27
28	Trace	·02	—	Trace	—	—	·03	—	—	·14	·85	Rain + Snow 1·70	28
29	·01	—	—	·01	—	—	·04	—	—	·62	·06	·01	29
30	·02	✕	·08	—	—	—	·01	—	—	·01	·20	—	30
31	—	✕	Trace Mist	✕	·08	✕	·02	—	✕	·01	✕	·06	31
Total	2·54	1·28	3·84	·78	1·45	1·17	2·46	·73	1·39	2·14	3·40	6·10	YEAR'S TOTAL 27·28
Rain Days.	~~21~~ 20	~~15~~ 11	~~24~~ 23	~~14~~ 10	14	~~11~~ 10	16	9	10	18	22	24	~~188~~ 187

W. 8,000. X. 14.

Slip made 3/3/15

Ex LMcC.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

Kept at Gt Yarmouth

in the County of Norfolk |

by Geo. W. Hughes

Lat. 52° 31′ N Long. 1° 46′ East

Time of Observation 8 A.M.

Nearest Railway Station Vauxhall

Diameter of Rain Gauge 5 in. Howard

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	—	—	·04	—	·01	·13	—	1
2	·01	—	—	·10	—	—	·04	—	—	—	·01	·02	2
3	·01	—	·05	·02	·07	—	·08	—	—	—	Trace Mist	—	3
4	·16	—	·03	·09	·01	—	—	—	—	·02	·19	·04	4
5	·10	—	·12	·17	·03	—	·14	·12	—	·05	·01	—	5
6	·21	·01	Trace	Trace	·08	·01	·37	·01	—	—	·06	·10	6
7	·01	·01	·27	Trace	·11	·01	·46	—	—	—	·01	·05	7
8	·20	·03	·65	—	·26	·30	—	·06	·24	·01	—	—	8
9	·50	Trace	·54	Trace	·01	·54	—	—	·19	·05	—	·67	9
10	·98	—	·08	·02	—	Trace	—	—	·02	—	—	·38	10
11	—	·11	·23	·17	·27	·21	—	—	·10	—	·36	·28	11
12	·02	—	·03	—	·07	—	—	—	—	—	[illegible]	·17	12
13	·01	·17	·21	—	·02	—	—	—	—	·08	·08	·48	13
14	—	—	·25	—	—	—	—	—	—	·05	Snow Rain ·23 (23)	·53	14
15	·04	Trace	·18	—	—	—	·59	—	—	—	·47 (47)	·18	15
16	·01	—	·16	—	—	—	·02	—	·01	—	·03 (·03)	·03	16
17	Trace	·15	—	—	—	—	—	—	·02	—	·06	·06	17
18	—	·22	·04	—	—	—	—	·05	·10	—	~~·02~~	·44	18
19	·02	·01	·20	—	—	—	—	—	·32	~~·15~~	Snow Rain ·22	·01	19
20	Trace	Trace	·37	—	—	·01	—	—	·28	·13	·02	·01	20
21	·06	·43	·07	—	—	—	—	·05	·05	·03	·14	·15	21
22	—	—	·04	·02	·08	·01	·27	—	—	·09	—	·06	22
23	Trace Rime	—	·06	·01	·16	·01	·06	—	—	·03	·02	·01	23
24	Trace Frost	Rime Frost Trace	·01	·13	—	·03	—	—	—	·01	·07	—	24
25	—	Trace	—	—	·05	·01	·02	·14	—	·67	—	—	25
26	—	—	·01	—	—	—	·01	·15	—	—	·06	·28	26
27	·01	—	—	—	—	—	·20	·02	—	·01	·01	·23	27
28	Trace	·01	—	Trace	—	—	·01	—	—	·13	·84	Rain + Snow 1·78	28
29	Trace	—	—	·01	—	—	·02	—	—	·62	·05	·01	29
30	·01	×	·07	—	—	—	·01	—	—	·01	·19	—	30
31	—	×	Trace Mist	×	·07	×	·01	—	×	·01	×	·05	31
Total	2·36	1·15	3·66	·74	1·39	1·14	2·31	·64	1·33	2·01	3·26	6·02	YEAR'S TOTAL 26·01
Rain Days.	~~21~~ 17	~~14~~ 10	24 23	~~14~~ 10	14	~~11~~ 10	16	9	10	18	22	24	~~197~~ 183

W. 8,000. X. 14.

82

1552
~~274~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Great Yarmouth
in the County of Norfolk
by G. W. Hughes

Exd DL

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·24	08		·06			12	·41	19	·09	07	1
2	·02	·06	·21	06				·15	·46		·12		2
3	36		·30	·08			·01	·10	·11		·18	·14	3
4	·02		·01		·01		·10		·05	·07	·14	·42	4
5	·06							·03		·36	·02	·22	5
6	·02	·35	·28	·19	·03		34	·33				·08	6
7	·16	·22	·09				·29	17		·03		·14	7
8	·03	·15	·02	·06			·03	·03	·02	·04			8
9	·03	·17		·11				13	·01	01	·22	·42	9
10	·33					·01		·01				·04	10
11					·07		·18		·01	·03	·26	·26	11
12	04	·01	·01	·30	·05		·08	41			·52	·19	12
13	·12	·25		·07	1·20			·73	·01		·25	·06	13
14		·23			·01		93	·09				·23	14
15	·24	·08			·02		·12	·17				·09	15
16	·33	·06			·01		·85	·10			·21		16
17	·29	·39			05		·15				·02	·21	17
18	·13	·05	·24		·37			·03			·32	·01	18
19	04	·15	·30				·18			23			19
20	·20			06				·01				·40	20
21	·45			·03	07		05			14		·20	21
22	·06	·36	·23	·06			·36		·02			·13	22
23	·01	·08					·32				·02	·03	23
24	·01	·12	·14				·48		·01		·22	·16	24
25	·06		·08			·18	·08			04	·29	·05	25
26	·01	·14				22	02			·08	·06	·20	26
27		·03				·02	·97		·04	·12		·05	27
28		·05				95	24		·39	·72			28
29	·02				·06	·81	·01	22	·28	·01	·08	·06	29
30	·08	✕				01	·12	·05	·50		·02		30
31	·01	✕		✕		✕	·02	·04	✕	·17	✕	·20	31
Total	3·31	3·19	1·99	1·02	2·01	2·20	5·93	2·92	2·32	2·24	3·04	4·06	YEAR'S TOTAL 34·23
Rain Days.	27	20	13 15	10 13	13 14	7 9	23	19	14	15	18	25 26	204

W. 8,000. X. 14.

Exc D L

1553

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Gt Yarmouth
in the County of Norfolk
by Geo. W. Hughes

Lat. 52° 35' N Long. 1° 45' E
Time of Observation 8 AM
Nearest Railway Station Vauxhall (G. E. Rail)
Diameter of Funnel of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·24	Snow ·08	—	·07	—	—	·12	·42	·19	·10	·07	1
2	·03	·06	·21	·07	—	—	Trace	·15	·46	Dew Trace	·13	—	2
3	·36	—	·30	·09	—	Trace	·01	·10	·11	—	·18	·14	3
4	·02	—	·01	—	·01	—	Thunder during night ·10	—	·05	·07	·13	·42	4
5	·06	—	—	—	—	—	—	·03	—	·36	·02	·21	5
6	·02	·36	·28	·19	·04	—	Heavy Thunder ·33	·33	—	—	—	·07	6
7	·16	·21	·09	Trace	—	—	·29	·17	Trace	·03	—	·14	7
8	·04	·14	Snow ·02	·06	—	—	·04	·03	·03	·04	—	—	8
9	·04	·16	—	·11	—	—	—	·13	Dew ·07	·01	·22	·42	9
10	·32	—	—	—	—	·01	—	·01	—	—	—	·04	10
11	—	—	—	—	·07	—	·18	—	Dew ·01	·04	·26	·25	11
12	·05	·02	·01	·30	·05	—	·09	·41	—	—	·52	Frozen	12
13	·12	·25	—	·07	1·21	—	—	·73	·01	—	·25	2 Days Thawed ·25	13
14	—	·23	—	Trace	·02	—	·93	·09	—	—	—	·23	14
15	·24	·08	—	—	·02	—	·12	·17	—	—	—	·09	15
16	·32	·06	—	—	·01	—	·84	·11	—	—	·21	—	16
17	·30	·39	—	—	·05	—	·15	—	—	—	·02	·21	17
18	·13	·05	Snow & Rain ·20	—	·38	—	—	·03	Trace	—	·32	·01	18
19	·04	·15	Snow ·30	—	—	—	·17	—	—	·23	—	—	19
20	·20	—	—	·06	—	—	—	·01	—	—	—	·40	20
21	Snow & Rain ·45	—	—	Hail & Rain ·03	·08	—	·05	—	—	·14	—	·19	21
22	Thawed Gauge ·05	·37	·23	·06	—	—	·37	—	·02	—	—	·13	22
23	·01	·08	Trace	—	—	—	·32	—	—	—	·03	·03	23
24	·01	Snow & Rain ·13	·14	—	—	Trace	·48	—	·01	—	·22	·15	24
25	·06	—	Snow ·08	—	—	·18	·08	—	—	·05	·29	·05	25
26	·01	·14	Slight Snow & Rain Trace	—	—	·22	·02	—	—	·09	·06	·20	26
27	—	·03	—	—	—	·02	·97	—	·05	·12	—	·05	27
28	—	·05	—	—	—	·94	·23	—	·40	·72	—	—	28
29	Snow & Rain ·02	✕	—	—	·06	·81	·01	·22	·29	·01	·08	·06	29
30	·08	✕	—	—	Trace	·01	·12	·06	·50	—	·02	Trace	30
31	·01	✕	—	✕	—	✕	·02	·04	✕	·17	✕	·20	31
Total	3·33	3·20	1·95	1·04	2·07	2·19	5·92	2·94	2·37	2·27	3·06	4·01	YEAR'S TOTAL 34·35
Rain Days.	27	20	13 ~~15~~	10 ~~13~~	13 ~~14~~	7 ~~9~~	23 ~~24~~	19	14 ~~16~~	15	18	25 ~~26~~	20~~8~~4 ~~216~~

W. 8,000. X. 15.

Esc dL

1554

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Gt Yarmouth
in the County of Norfolk
by Geo W Hughes

Lat. 52°35' N Long. 1°46' E.
Time of Observation 8 A.M.
Nearest Railway Station Vauxhall (G. Eastern)
Diameter of Funnel of Rain Gauge Howard, 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·77	·22	Snow ·07	—	·06	—	—	·12	·41	·18	·09	·06	1
2	·02	·05	·20	·06	—	—	Trace	·14	·46	Dew Trace	·12	—	2
3	·35	—	·29	·08	—	Trace	·01	·09	·10	—	·17	·14	3
4	·01	Heavy Dew —	·01	—	·01	—	·10	—	·04	·06	·13	·42	4
5	·05	—	—	—	—	—	—	·03	—	·36	·01	·20	5
6	·01	·34	·27	·17	·03	—	·33	·33	—	—	—	·07	6
7	·16	·21	·08	Trace	—	—	·29	·17	Trace	·03	—	·13	7
8	·02	·14	Snow ·01	·06	—	—	·03	·02	·02	·03	—	—	8
9	·02	·15	—	·10	—	—	—	·12	Dew ·01	Trace	·21	·40	9
10	·31	—	—	—	—	·01	—	·01	—	—	—	·03	10
11	—	—	—	—	·07	—	·17	—	Dew ·01	·03	·24	·25	11
12	·03	·01	Trace	·29	·05	—	·08	·40	—	—	·50	Frozen	12
13	·11	·24	—	·06	1·16	—	—	·70	·01	—	·24	2 days thawed ·25	13
14	—	·22	—	Trace	·01	—	·89	·08	—	—	—	·22	14
15	·23	·07	—	—	·01	—	·11	·17	—	—	—	·08	15
16	·31	·05	—	—	Trace	—	·80	·10	—	—	·20	—	16
17	·28	·38	—	—	·04	—	·15	—	—	—	·02	·19	17
18	·12	·04	Frozen	—	·37	—	—	·02	Trace	—	·30	Trace	18
19	·03	·14	2 days ·42	—	—	—	·16	—	—	·22	—	—	19
20	·18	—	—	·05	—	—	—	·01	—	—	—	·38	20
21	Snow at night ·44	—	—	Hail & Rain ·02	·07	—	·04	—	—	·13	—	·18	21
22	Thawed Gauge ·04	·36	·22	·05	—	—	·36	—	·02	—	~~·02~~	·11	22
23	·01	·07	Trace	—	—	—	·29	—	—	—	·02	·02	23
24	·01	S & Rain ·12	·13	—	—	Trace	·46	—	·01	—	S. Rain ·21	·14	24
25	·05	—	Snow ·07	—	—	·17	·07	—	—	Hail ·04	S. Hail & Rain ·27	·04	25
26	·01	·13	Trace	—	—	·21	·01	—	—	·08	Hail & Rain ·05	·19	26
27	—	·02	—	—	—	·01	·90	—	·04	·12	—	·04	27
28	—	·04	—	—	—	·90	·22	—	·38	·71	~~·07~~	—	28
29	S & Rain ·02		—	—	·05	·78	·01	·22	·28	·01	·07	·05	29
30	·07		—	—	Trace	Trace	·11	·05	·50	—	·01	Trace	30
31	Trace		—		—		·01	·03		·16		·19	31
Total	3·05	3·00	1·77	·94	1·93	2·08	5·60	2·81	2·29	2·16	2·86	3·78	YEAR'S TOTAL 32·27
Rain Days.	27 26	20	15 12	12 10	14 12	9 6	24 23	19	16 14	16 14	18	26 24	216 198

W. 8,000. X. 15.

with ·01 & over 198.

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

F 1091

REGISTER OF RAINFALL IN 1916

HOLLERITH CARDS | INITIALS
PUNCHED BY | g/8 | 8/4/59
VERIFIED BY | G. Splea?? 17/4/59

Kept at Gt. Yarmouth

in the County of Norfolk

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground – ft. 8 in.

Height of ground above sea level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	2·3	–	–	–	2·3	1·3	–	–	·8	–	1·8	–		1
2	12·4	·2	–	–	1·5	–	4·1	–	5·3	–	–	–		2
3	Tr	2·3	1·0	–	–	2·8	2·3	–	2·8	4·3	9·6	·3		3
4	6·1	1·3	·7	–	·2	7·6	Tr	–	6·1	1·5	4·1	5·3		4
5	1·8	2·3	–	·8	–	2·8	1·0	–	·8	2·6	2·5	·5		5
6	–	2·8	10·2	12·2	–	1·0	1·0	Tr	–	Tr	6·8	–		6
7	3·8	Tr	6·6	·5	4·6	1·3	4·1	–	–	1·3	3·3	·3		7
× 8	·3	–	2·8	–	3·6	–	–	–	–	·5	–	2·3		8
9	·2	·8	2·0	–	3·6	4·1	–	–	–	·2	–	11·4		9
10	–	1·5	1·8	–	–	4·8	5·3	–	·5	·5	–	8·1		10
11	1·8	17·3	5·3	4·3	·3	12·7	Tr	–	Tr	–	–	1·8		11
12	2·0	·5	·5	8·9	9·7	16·5	3·3	·5	–	1·5	–	·5		12
13	2·3	–	·2	Tr	2·5	·8	2·3	–	4·8	3·8	–	–		13
14	·5	7·1	·5	·5	4·1	1·8	–	8·1	3·8	–	·5	3·8		14
15	·3	8·1	3·1	–	–	Tr	·5	5·1	2·8	10·2	–	·5		15
16	–	2·6	·5	4·8	–	–	5·3	1·0	7·1	2·8	–	3·3		16
17	·5	–	·5	5·6	–	–	2·8	2·3	1·5	6·6	–	1·0		17
18	·2	3·3	–	5·1	–	·5	·5	8·1	10·4	5·1	15·0	–		18
19	·8	·3	–	2·0	–	·8	–	·2	1·5	1·3	8·9	1·0		19
20	4·1	–	3·8	2·5	–	–	–	11·4	–	–	4·8	1·0		20
21	~~Tr~~	·5	2·0	·5	–	–	–	·2	–	–	–	11·9		21
22	·5	2·0	·2	–	29·5	2·0	·2	–	–	–	–	9·9		22
23	–	9·9	–	–	·3	6·1	·5	·8	–	–	1·8	6·9		23
24	–	10·1	·8	–	–	11·2	·5	·8	–	9·1	–	6·1		24
25	–	1·5	3·1	–	–	–	·3	3·3	–	4·1	·8	2·6		25
26	–	2·3	–	–	–	–	·3	2·3	–	–	5·6	–		26
27	–	3·8	16·0	–	–	·5	·3	1·8	·8	8·9	–	–		27
28	~~Tr~~	7·1	14·5	–	–	·2	·2	–	·3	1·0	–	3·3		28
29	–	3·3	3·6	–	–	2·3	–	16·5	–	3·1	–	1·0		29
30	–	X	–	–	–	3·0	–	10·7	–	10·9	–	·5		30
31	2·3	X	–	X	–	X	–	·8	X	Tr	X	3·3		31
TOTAL 99	42·2	91·2	78·7	47·7	62·2	84·1	34·8	73·9	49·3	79·3	65·5	86·6	795·5	
*Days with 0.2 mm. or more	1·66	3·59	3·11	1·88	2·45	3·31	1·37	2·91	1·94	3·12	2·58	3·41	31·33	
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

ex of

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

8 JAN

Kept at Gt Yarmouth

in the County of Norfolk

by Geo. W. Hughes.

Lat. 52° 35′ N Long. 1° 45′ E.

Time of Observation 8 AM.

Nearest Railway Station Vauxhall G.E.R.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	—	—	·09	·05	—	—	·03	—	·07	—	1
2	·49	·01	—	—	·06	—	·16	—	·21	—	—	—	2
3	Trace	·09	·04	—	—	·11	·09	—	·11	·17	·38	Snow ·01	3
4	·24	·05	& Snow left ·03	—	·01	·30	Trace	—	·24	·06	·16	Snow & Rain ·21	4
5	·07	·09	Frozen	·03	—	·11	·04	—	·03	·10	Gale S.E. 3 PM ·10	·02	5
6	—	·11	2 Days ·40	·48	Slight showers no trace	·04	·04	Trace	—	Trace	Strong wind at night ·27	—	6
7	·15	Trace	Snow ·26	·02	·18	·05	·16	—	—	·05	·13	Misty showers ·01	7
8	·01	—	Snow & Rain ·11	—	·14	Slight showers —	—	—	—	·02	—	·09	8
9	·01	·03	Snow & Rain ·08	—	·14	·16	—	—	—	·01	—	·45	9
10	—	·06	·07	—	—	Early of 11th ·19	·21	—	·02	·02	—	·32	10
11	·07	·68	·21	·17	after 7 AM 12th ·01	·50	Trace	—	Trace	—	—	·07	11
12	·08	·02	·02	·35	·38	·65	·13	·02	Misty showers No trace	·06	—	·02	12
13	·09	—	Mist ·01	Trace	·10	·03	·09	—	·19	·15	—	—	13
14	·02	Rain & Snow ·28	·02	Snow Hail & Rain ·02	·16	·07	—	·32	·15	—	·02	·15	14
15	·01	·32	·12	—	—	Trace	·02	·20	·11	·40	—	·02	15
16	—	·10	·02	·19	Trace	—	·21	·04	—	·11	—	·13	16
17	·02	—	Mist ·02	·22	—	—	·11	·09	·28	·26	Gale S.E. Evening & night	·04	17
18	Dew ·01	·14	—	·20	—	·02	·02	·32	·06	·20	Sleet in evening & Gale SE ·59	—	18
19	·03	·01	—	·08	—	·03	—	·01	·41	·05	·35	·04	19
20	·16	—	·15	·10	—	Slight showers no trace	—	·45	·06	—	·19	·04	20
21	Trace	Hail & Rain ·02	·08	·02	—	—	—	·01	—	—	—	·47	21
22	·02	Snow & Rain ·08	·01	—	Heavy Thunder Midday 1.16	·08	·01	—	—	—	—	·39	22
23	—	Snow & Rain ·39	Fine Snow all day —	—	·01	·24	·02	·03	—	—	·07	·27	23
24	—	Melted Snow ·40	Snow ·03	—	—	·44	·02	·03	—	·36	—	·24	24
25	—	Snow & Rain ·06	Snow & Rain ·12	—	—	—	Mist ·01	·13	—	·16	·03	·10	25
26	Misty showers —	Snow & Rain ·09	—	—	—	—	Mist ·01	·09	—	—	·22	—	26
27	—	Rain & Snow ·15	·59	—	—	·02	Mist ·01	·07	·03	·35	—	—	27
28	Misty showers Trace	·28	Melted Snow & Rain ·57	—	—	·01	Mist ·01	—	·01	·04	—	·13	28
29	—	·13	·14	—	—	·09	—	·65	—	·12	—	·04	29
30	—	╳	—	—	·01	·12	—	·42	—	·43	—	·02	30
31	·09	╳	—	╳	Trace	╳	—	Early of 1st ·03	╳	Trace	╳	·13	31
	42.2	91.2	78.75	47.75	62.2	84.1	34.8	73.9	49.3	79.25	65.5	86.6	YEAR'S TOTAL 795.5
Total	1·66	3·59	3·10	1·88	2·45	3·31	1·37	2·91	1·94	3·12	2·58	3·41	31·32
Rain Days.	~~21~~ 18	~~24~~ 23	~~23~~ 22	~~13~~	~~15~~ 13	~~22~~ 21	~~21~~ 19	~~18~~ 17	~~15~~ 15	~~22~~ 20	~~13~~ 13	~~24~~ 24	~~232~~ 217

W. 8,000, VIII. 16

Dh Esc D.J. Mar + apr. from Preston 15.2 ~~242~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Great Yarmouth
in the County of Norfolk
by G. W. Hughes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09				·08	·04			·03		·06		1
2	·50	·01			·06		·16		·21				2
3		·09	·03			·11	·09		·11	·17	·37	·01	3
4	·25	·05	·06		·01	·30			·24	·06	·16	·22	4
5	·07	·09	·15	·02		·11	·03		·03	·09	·10	·02	5
6		·11	·23	·48		·04	·03				·27		6
7	·16		·24	·02	·18	·04	·16	—		·05	·13	·01	7
8	·01		·11		·14					·02		·09	8
9	·01	·03	·07		·14	·15				·01		·45	9
10		·06	·06			·19	·21		·01	·02		·32	10
11	·07	·68	·21	·18	·01	·50						·07	11
12	·08	·02	·02	·35	·38	·64	·13	·02		·05		·02	12
13	·09		·01		·10	·02	·09		·19	·15			13
14	·02	·27	·02	·03	·17	·07		·31	·15		·02	·15	14
15	·01	·32	·13				·02	·19	·11	·40		·02	15
16		·10	·02	·19			·21	·03		·11		·13	16
17	·02		·02	·21			·10	·08	·28	·26		·04	17
18	·01	·14		·20		·02	·02	·32	·06	·20	·60		18
19	·03	·01		·07		·02		·01	·41	·05	·35	·04	19
20	·17		·16	·09				·45	·06		·19	·04	20
21		·02	·07	·02				·01				·48	21
22	·02	·08	·01		1·15	·07	·01					·39	22
23		·39			·01	·24	·02	·03			·07	·28	23
24		·41	·02			·44	·01	·03		·36		·24	24
25		·06	·12				·01	·12		·16	·03	·10	25
26		·10					·01	·08			·22		26
27		·15	·61			·02	·01	·06	·02	·35			27
28		·28	·58			·01	·01		·01	·04		·13	28
29		·13	·14			·09		·65		·13		·04	29
30		✕			·01	·12		·42		·43		·02	30
31	·09	✕		✕		✕		·03	✕		✕	·13	31
Total	1·70	3·60	3·09	1·86	2·44	3·24	1·33	2·84	1·92	3·11	2·57	3·44	YEAR'S TOTAL 31·14
Rain Days.	18 ~~21~~	23 ~~24~~	23	12	13 ~~15~~	21 ~~24~~	19 ~~21~~	17 ~~18~~	15 ~~16~~	20 ~~22~~	13	24	218

W. 8,000. X. 15.

[illegible] 1524

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at G^t Yarmouth
in the County of Norfolk
by George W Hughes.

Lat. 52° 35′ N Long. 1° 46′ E
Time of Observation 8 AM
Nearest Railway Station Vauxhall G.E.R.
Diameter of Funnel of Rain Gauge 5 in. Howard
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	—	—	·08	·03	—	—	·02	—	·06	—	1
2	·49	Trace	—	—	·05	—	Squally ·15	—	·20	—	—	—	2
3	Trace	·08	·02	—	—	·11	·08	—	·10	·16	·37	Snow ·01	3
4	·23	·04	Snow left in funnel + ·02	—	·01	·29	Trace	—	·24	·05	·15	Snow + Rain ·21	4
5	·06	·08	Frozen	·01	—	·10	·03	—	·02	·09	Gale S.E. 3 PM ·09	·02	5
6	—	·10	7 Days ·40	·48	Slight Showers —	·03	·03	Trace	—	Trace	·26	—	6
7	·15	Trace	Snow ·25	·01	·17	·03	·15	—	—	·04	·12	Misty Showers Trace	7
8	Trace	—	Snow + Rain ·10	—	·13	Slight Shower —	—	—	—	·01	—	·08	8
9	Trace	·02	Snow + Rain ·06	—	·13	·15	—	—	—	Trace	—	·45	9
10	—	·05	·05	—	—	Early of the 11th ·18	·20	—	·01	·01	—	·31	10
11	·06	·66	·19	·17	after 7 AM of 12th Trace	·49	Trace	—	Trace	—	—	·06	11
12	·07	·01	·02	·34	·37	Showery wind ·63	·13	·01	Misty Showers —	·04	—	·02	12
13	·08	—	Mist ·01	Trace	·09	·01	·08	—	·18	·13	—	—	13
14	·01	Snow + Rain ·26	·01	Snow, Hail + Rain ·02	·16	·06	—	·30	·13	—	·02	·15	14
15	Trace	·32	·11	—	—	Trace	·01	·19	·11	·39	—	·02	15
16	—	·09	·01	·18	Trace	—	·19	·03	—	·11	—	·13	16
17	·01	—	Mist ·01	·21	—	—	·10	·08	·28	·25	Gale S.E. —	·04	17
18	Dew Trace	·13	—	·19	—	·02	·01	·31	·05	·19	Sleet during morn & Gale S.E. ·57	—	18
19	·02	Trace	—	·06	—	·02	—	·01	·38	·04	·35	·03	19
20	·16	—	·15	·09	—	Slight showers —	—	·44	·05	—	·17	·03	20
21	Trace	Hail + Rain ·02	·06	·01	—	—	—	·01	—	—	—	·46	21
22	·02	Snow + Rain ·07	·01	—	Heavy Thunder midday 1·13	·07	·01	—	—	—	—	Early of 23rd ·37	22
23	—	Snow + Rain ·38	Fine snow during day	—	·01	·23	·01	·02	—	—	·06	·26	23
24	—	Melted snow ·40	Snow about 5.30 PM ·02	—	—	·42	·01	·02	—	·35	—	Early of 25th ·23	24
25	—	Snow + Rain ·06	Snow + Rain Blizzard at night ·11	—	—	—	Mist Trace	·12	—	·15	·02	·09	25
26	Misty Showers	Snow + Rain ·08	—	—	—	—	Mist Trace	·07	—	—	·21	—	26
27	~~Misty Showers Trace~~	Snow + Rain ·13	·57	—	—	·02	Mist Trace	·06	·02	·33	—	—	27
28	Misty Shower Trace	·26	Snow + Rain Blizzard ·57	—	—	Trace	Mist Trace	—	·01	·03	—	·12	28
29	—	·02	·15	—	—	·08	—	Gale during night ·63	—	·12	—	·03	29
30	—	X	—	—	~~·01~~	·12	—	Gale during night ·41	—	·43	—	·01	30
31	·08	X	—	X	Trace	X	Rain in centre of town	·02	X	Trace	X	·12	31
Total	1·53	3·36	2·90	1·77	2·34	3·09	1·19	2·73	1·80	2·92	2·45	3·25	YEAR'S TOTAL 29·33
Rain Days.	~~21~~ 14	~~24~~ 21	~~23~~ 22	~~13~~ 12	~~15~~ 12	~~22~~ 20	~~21~~ 15	~~18~~ 17	~~16~~ 15	~~22~~ 19	~~13~~ 13	~~24~~ 23	~~232~~ 203

W. 8,000, VIII. 16

1455

FORM A. BRITISH RAINFALL.

28. JAN 1918

Exd

REGISTER OF RAINFALL IN 1917

Kept at Gt Yarmouth
in the County of Norfolk
by George W Hughes

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	Snow ·01	Mist ·01	·06	—	—	—	·90	·10	Trace	·07	—	1
2	·10	Trace	—	Snowing	—	·01	—	·56	Trace	Trace dew	—	Hail & snow ·02	2
3	—	—	·04	(2 Days) ·82	—	—	—	·35	—	·01	—	Snow ·10	3
4	—	Melted S. ·38	—	—	—	—	—	·02	—	·86	—	·03	4
5	·16	Melted S ·09	Snow ·04		—	—	—	·01	Trace from Dew	·01	·06	—	5
6	·01	—	—	2 Days ·12	—	—	—	—	·16	—	—	—	6
7	·39	—	Melted S ·04	—	—	—	—	—	—	·50	·01	·03	7
8	·07	—	·02	·12	—	—	1·13	·57	—	·15	·07	·08	8
9	·05	—	·01	Snowing	—	—	·06	·01	—	—	·17	·17	9
10	Snow ·02	—	·24	Blizzard & Snowing	—	—	—	·02	—	·05	·13	·01	10
11	·19	·06	·47	Snowing	—	—	—	—	·01	·24	·03	—	11
12	S & R ·36	·06	·50	4 Days ·45	—	·01	—	—	—	·25 ·02	Mist ·01	Trace	12
13	S & R ·27	—	·07		—	—	—	·03	·06	·02	—	—	13
14	1" Melted S & Rain ·05	Trace	·07	~~2 Days~~ ·22	Slight Shower No trace	—	Thunder 7-30 PM ·97	—	—	·02	—	·04	14
15	S & R ·20	—	Trace	—	Trace from Mist	—	·06	·44	—	Trace	·01	—	15
16	S & R ·05	·05	·01	·28	—	—	·08	—	—	·24	—	·25	16
17	S & R ·04	·01	Early 18th ·06	S & Raining	·32	Thunder 9·30 PM ·02	·03	—	·32	·29	—	·05	17
18	·05	—	—	S & Raining	Slight Shower No trace	Thunder 2 PM ·91	·33	·01	·31	·01	—	—	18
19	—	·01	Snow about 6 AM 20th ·34	~~S & Rain~~ 3 Days ·28	—	·24	—	·04	·60	—	—	—	19
20	S & R ·02	·25	S & R ·05	—	—	·18	—	·01	—	—	·27	—	20
21	—	·22	·06	Trace	·30	·08	—	·17	—	·03	·01	—	21
22	—	·03	Snow ·07	—	·03	—	—	·02	—	·10	—	—	22
23	—	Trace Mist	—	—	·04	—	—	·10	Trace	—	—	·02	23
24	—	—	—	·01	—	·09	Trace	·14	—	·14	·18	Melted Snow ·02	24
25	—	—	S & R ·05	—	—	·19	·01	Trace	—	—	Hail Snow & Rain ·26	·36	25
26	—	—	Snow ·05	—	—	·09	—	·60	·04	—	Snow ·56	·08	26
27	—	—	—	—	—	—	—	·45	—	—	—	·02	27
28	—	·04	·17	—	—	·32	—	·07	—	·03	—	·04	28
29	Melted S. ·02		Trace	—	—	·32	·26	·04	—	·03	—	·02	29
30	Melted S. ·08	✕	·01	—	—	—	·24	·06	—	·08	—	—	30
31	Melted S. ·08	✕	S & R ·67	✕	—	✕	·68	·09	✕		✕	—	31
Total	2·21 ✓	1·21 ✓	3·05 ✓	2·36 ✓	·69 ✓	2·46 ✓	3·87 ✓	4·71 ✓	1·60 ✓	3·06 ✓	1·84 ✓	1·34 ✓	YEAR'S TOTAL 28·40 ✓
Rain Days.	19 ✓	~~18~~ 12	~~24~~ 22	~~18~~ (17)	~~7~~ 11	12 ✓	~~12~~ 11	~~24~~ 23	~~11~~ 8	~~23~~ 19	14 ✓	~~19~~ 17	~~202~~

3·01

51

178

W. 8,000, IX. 17.

19

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Gt Yarmouth
in the County of Norfolk
by C. W. Hughes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	–	–	–	–	–	–	·07	–	·01	·15	1
2	·07	·01	–	·05	–	–	–	·62	–	·02	·02	·15	2
3	·10	–	–	–	–	–	–	·28	–	–	·67	–	3
4	·02	·01	·02	–	·01	–	–	·01	·50	–	18	–	4
5	–	·01	·13	–	·30	–	–	·22	·12	·08	–	·02	5
6	–	·12	·02	·23	·01	–	–	–	–	·01	–	·02	6
7	·09	–	–	·01	–	01	–	–	·05	·05	–	·02	7
8	·11	·10	·03	·01	–	–	–	–	·05	–	·10	·02	8
9	·12	·02	·01	·02	–	09	–	–	·60	·23	–	·08	9
10	·06	·01	–	–	–	–	·26	–	·08	–	·09	·27	10
11	·01	·19	–	–	·10	–	·08	–	·11	·66	·02	·36	11
12	–	·09	–	–	·17	–	·25	09	·06	·23	–	·19	12
13	–	05	–	–	·10	–	–	–	·01	·01	–	·01	13
14	36	–	–	–	–	–	·08	–	·13	·13	–	·03	14
15		–	06	1·58	–	·02	·05	–	·13	·15	–	·02	15
16	{1·05	–	–	·33	–	04	·04	–	·08	·10	–	·02	16
17	·26	–	–	·10	–	–	·81	–	–	–	–	·27	17
18	·33	–	–	12	–	12	·01	–	·18	·07	–	·37	18
19	·13	–	–	·10	–	02	·01	–	·03	·21	–	07	19
20	·01	·11	–	04	–	02	1·88	–	·04	·19	–	·19	20
21	·03	–	–	–	–	02	·01	–	·05	·30	·01	·01	21
22	04	–	–	05	–	02	·15	–	·16	·01	–	·44	22
23	07	–	–	·01	10	–	12	·08	–	–	·01	–	23
24	–	·13	–	02	–	·02	·15	–	·10	–	·01	–	24
25	–	–	·05	–	–	·28	·17	·06	–	–	·01	·05	25
26	–	–	·03	–	–	–	·65	·21	·01	·02	·06	·13	26
27	·01	·03	–	·36	–	–	·35	·09	–	–	–	·20	27
28	·02	08	·09	–	–	·13	04	·10	·02	–	·04	·24	28
29	·01	×	·03	–	–	–	–	·01	1·20	–	·03	·02	29
30	01	×	·24	–	–	–	–	–	·18	·16	–	·06	30
31	03	×	03	×	–	×	–	–	×	·02	×	·04	31
Total	2·95	·97	·74	3·03	·79	79	5·11	1·77	3·96	2·65	1·26	3·45	YEAR'S TOTAL 27·47
Rain Days.	24	15	12	15	7	12	18	11	23	19	14	27	197

W. 6,500, VII. 18. W W C

1363

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

16 MAR 20

Kept at Gt Yarmouth
in the County of Norfolk
by E. W. Hughes for A. W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	-	-	-	·16	-	·01	-	-	·27	·03	·50	1
2	·10	·01	·01	-	·02	-	·01	-	-	·04	·34	·30	2
3	·39	-	·10	-		-	·13	-	·01	-	·09	·02	3
4	·18	-	·29	-		·27	-	-	-	-	·01	·32	4
5	·60	·02	·03	-		101	-	-	-	-	-	·06	5
6	-	-	·08	.		Trace		-	.	-	-	·16	6
7	-	-	·19	.		-	·02	-	.	.	·04	-	7
8	·18	-	-	·07		-	·01	-	-	·01	Trace	·43	8
9	·07	-	·02	·06		.	-	-	-	·15	·13	·03	9
10	·03	-	·08	·01	×	.		-	-	·45	·03	·03	10
11	·04	-	·29	·03		-	·23	-	-	·09	·08	·15	11
12	·11	-	·04	·07		·14	·35	-	Fine mist	·01	·11	-	12
13	-	-	·03	·02		·01	·40	-	·01	·06	·09	·01	13
14	·33	·01	-	·29		-	·06	-	·01	·03	·07	-	14
15	·12	-	·03	R&H. ·20		-	·07	-	-	H. & Rain ·76	·03	·01	15
16	·11	·63	·01	·06		-	-	·11	-	·18	·03	·11	16
17	-	·61	·07	-	×	-	-	-	-	-	·23	·02	17
18	·02	·13	·11	-		-	-	·08	·04	-	-	·12	18
19	-	·09	-	-		-	·01	·20	·34	-	·06	-	19
20	·17	·05	·05	-		·55	·59	·25	·17	Trace from dew	-	·02	20
21	-	·15	·03	-		·09	·24	-	·23	-	-	·18	21
22	-	·09	fine snow	-		-	·21	-	·07	-	·01	·18 *	22
23	·02	·02	-	-		·19	·04	·09	·42	.	Trace	-	23
24	-	-	-	·02	·49 ×	·09	·03	-	-	.	-	-	24
25	·05	-	-	Trace	·33	·15	-	·14	-	·10	-	·06	25
26	·12	·34	·15	·18	·01	·03	-	·39	·04	·88	Trace	·33	26
27	·05	·03	·07	·02	-	-	·03	-	-	·23	·15	·02	27
28	·02	-	- 2 days		-	-	·02	·68	·07	·53	·08	·30	28
29	·02		·04	·24	-	·13	Trace	·19	-	·24	·16	·06	29
30	- fine s		·07	20	-	·12	·01	-	-	·09	·12	·19	30
31	- ·s		-		-		·08	-		·08		·15	31
Total	3·12	2·18	1·79	1·47	1·01	1·78	2·55	2·13	1·41	4·20	1·89	3·76	Year's Total 27·29
Days with ·01 in. or more	21	13	21	14	(7)	12	20	9	11	18	20	25	(191)

1288

26 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Great Yarmouth
in the County of Norfolk
by G. W. Hughes per A.W. Preston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	.	.	.	·02	.	·10	.	·08	·21	.	.	1
2	·01	.	.	·02	.	.	.	·14	·05	·07	.	·08	2
3	-	.	.	·01		.	.	.	·01	.	.	·15	3
4	·06	.	.	·17	.	.	.	·01	.	.	.	·15	4
5	·01	·01	·12	·03	·10	.	·10	·10	·02	.	.	·11	5
6	.	.	·07	.	·04	.	·56	·07	·01	.	.	.	6
7	.	.	·20	·18	·02	.	·17	.	.	.	.	·10	7
8	.	.	·02	·40	·07	.	·04	.	.	.	.	.	8
9	·10	·02	.	·75	.	.	.	·32	.	.	.	·01	9
10	·16	·14	·04	·03	.	.	·02	·02	.	.	.	·12	10
11	·52	·03	·03	·22	.	.	.	.	.	.	.	·32	11
12	·10	.	·09		.	.	·21	.	.	.	.	·17	12
13	·09	·01	·02	·02	.	·34	.	.	·02	.	.	·02	13
14	·01	·03	·28	·10	.	·26	·02	.	·06	·03	·24	.	14
15	·01	·01	·04	·08	.	.	·04	.	·18	·23	·16	·04	15
16	.	.	.	·09	.	.	.	.	·74	·03	.	·18	16
17	.	.	.	·10	·75	.	.	.	·15	.	.	·08	17
18	.	.	.	·05	·05	.	.	.	·17	.	.	·05	18
19	·15	.	.	·09	.	.	.	·78	.	.	.	·05	19
20	·18	·25	.	·09	.	·77	.		.	.	.	.	20
21	.	·01	.	·14	.	.	·48	·17	·27	.	.	·05	21
22	.	.	.	·04	.	.	·02	·11	·17	.	.	·01	22
23	.	·01	.	.	.	.	·48	.	.	.	.	·15	23
24	.	·01	·05	.	.	.	·19	.	·02	·01	.	·07	24
25	.	·02	·01	·02	.	·10	·33	·02	.	.	.	.	25
26	·04	.	·03	·08	·42	·01	·03	.	.	.	.	·01	26
27	·14	·14	.	·18	·01	·40	.	.	.	.	·04	·09	27
28	·56	·01	.	·15	.	·03	·01	.	.	.	·07	·03	28
29	·01	.	.	-	·05	.	·22	.	.	.	·09	·14	29
30	.	✕	.	·03	·11	·02	·19	.	·03	.	·14	·09	30
31	·10	✕	·01	✕	·02	✕	.	·01	✕	·01	✕	·25	31
Total	2·26	·70	1·01	3·07	1·66	1·93	3·21	1·75	1·98	·59	·74	2·52	Year's Total 21·42 ✓
Days with ·01 in. or more	18	14	14	25	12	8	18	13	15	7	6	25	175 ✓
Days with ·04 in. or more	12	3	8	18	8	5	13	9	9	3	6	20	114 ✓

REGI

Kept at R.N.AS. Gry — °43'E. 18. JAN 19 — am.

in the County of Norf

by Meteorological

Gauge 8 in.

Ground 1 ft. – in.

Sea Level 19 ft.

—

YARMOUTH GREAT

R.N.A.S.

1919 — 1920

FORM A. BRITISH RAINFALL.

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of thi … nent of rain, the selection and placing … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Can

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·05	–	–	–	·82	·11	·01	·1	·01	1
2	·09	–	–	·75	–	–	–	·58	–	–	–	–	2
3	·03	–	–	·11	–	–	–	·29	–	·05	–	·07	3
4	–	·19	–	–	–	–	–	·01	–	·7	–	–	4
5	·17	·19	·02	·07	–	–	–	–	–	–	·04	–	5
6	·01	–	–	–	–	–	–	–	·11	–	·03	–	6
7	·34	–	–	–	–	–	–	–	–	·58	–	·02	7
8	·07	–	–	·1	–	–	·71	·48	–	·16	·07	·09	8
9	·03	–	–	·02	–	–	–	·01	–	–	·16	·2	9
10	·06	–	·21	·06	–	–	–	·02	–	·06	·06	–	10
11	·14	·07	·65	·18	–	·02	–	–	–	·22	·02	–	11
12	·41	·02	·26	·05	–	–	–	–	–	·25	·01	–	12
13	·26	–	·08	–	–	–	–	·1	·04	·04	–	–	13
14	·11	–	·03	·19	–	–	·54	–	–	·05	·01	·03	14
15	·18	–	–	–	–	–	·07	·13	–	·02	·01	–	15
16	·02	·05	–	·23	–	–	·33	–	–	·22	–	·12	16
17	·02	–	·04	·19	·25	·04	·11	–	·31	·29	–	·03	17
18	·03	–	–	·04	–	·89	·19	–	·47	–	–	–	18
19	–	–	·25	·01	·03	·05	–	·01	·29	–	–	–	19
20	–	·22	·04	–	–	·16	–	–	–	–	·22	·01	20
21	–	·18	·08	–	·16	·09	–	·06	–	·03	·01	–	21
22	–	–	–	–	·02	–	–	·04	–	·08	–	–	22
23	–	–	–	–	·04	–	–	·12	–	–	–	·01	23
24	–	–	–	–	–	·07	–	·06	–	·13	·08	·04	24
25	–	–	·03	–	–	·13	–	–	–	–	·19	·33	25
26	–	–	·03	–	–	·06	–	·57	·02	–	·57	–	26
27	–	–	–	–	–	·13	–	·47	–	–	–	·02	27
28	–	·03	·13	–	–	·28	–	·11	–	·02	–	·05	28
29	–		–	–	–	·14	·28	–	–	·03	–	·02	29
30	·04	X	·02	–	–	–	·18	·08	–	·11	–	–	30
31	·06	X	·47	X	–	X	·62	·11	X	–	X	–	31
Total	2·07 52·6	·95 24·1	2·34 59·4	2·05 52·1	·50 12·7	2·06 52·3	3·03 77·0	4·07 103·4	1·35 34·3	3·05 77·5	1·58 40·1	1·05 26·7	YEAR'S TOTAL 24·10 612·16
Rain Days.	18	8	15	14	5	12	9	19	7	19	15	15	156

27

24·07
23·937

24·1
23·622
0·478

12·15

W. 8,000, IX. 17.

REGI

✓

FORM A.
BRITISH RAINFALL.
18. JAN 191

Kept at R.N.A.S. Great Yarmouth.

in the County of Norfolk.

by Meteorological Staff

Lat. 52° 34 N Long. 1° 43 ' E.

Time of Observation 9 am.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·05	–	–	–	·82	·11	·01	·1	·01	1
2	·09	–	–	·75	–	–	–	·58	–	–	–	–	2
3	·03	–	–	·11	–	–	–	·29	–	·05	–	·04	3
4	–	·19	–	–	–	–	–	·01	–	·4	–	–	4
5	·14	·19	·02	·04	–	–	–	–	–	–	·04	–	5
6	·01	–	–	–	–	–	–	–	·11	–	·03	–	6
7	·34	–	–	–	–	–	–	–	–	·58	–	·02	7
8	·04	–	–	·1	–	–	·71	·48	–	·16	·04	·09	8
9	·03	–	–	·02	–	–	–	·01	–	–	·16	·2	9
10	·06	–	·21	·06	–	–	–	·02	–	·06	·06	–	10
11	·14	·04	·65	·18	–	·02	–	–	–	·22	·02	–	11
12	·41	·02	·26	·05	–	–	–	–	–	·25	·01	–	12
13	·26	–	·08	–	–	–	–	·1	·04	·04	–	–	13
14	·11	–	·03	·19	–	–	·54	–	–	·05	·01	·03	14
15	·18	–	–	–	–	–	·04	·13	–	·02	·01	–	15
16	·02	·05	–	·23	–	–	·33	–	–	·22	–	·12	16
17	·02	–	·04	·19	·25	·04	·11	–	·31	·29	–	·03	17
18	·03	–	–	·04	–	·89	·19	–	·47	–	–	–	18
19	–	–	·25	·01	·03	·05	–	·01	·29	–	–	–	19
20	–	·22	·04	–	–	·16	–	–	–	–	·22	·01	20
21	–	·18	·08	–	·16	·09	–	·06	–	·03	·01	–	21
22	–	–	–	–	·02	–	–	·04	–	·08	–	–	22
23	–	–	–	–	·04	–	–	·12	–	–	–	·01	23
24	–	–	–	–	–	·04	–	·06	–	·13	·08	·04	24
25	–	–	·03	–	–	·13	–	–	–	–	·19	·33	25
26	–	–	·03	–	–	·06	–	·54	·02	–	·54	–	26
27	–	–	–	–	–	·13	–	·44	–	–	–	·02	27
28	–	·03	·13	–	–	·28	–	·11	–	·02	–	·05	28
29	–		–	–	–	·14	·28	–	–	·03	–	·02	29
30	·04		·02	–	–	–	·18	·08	–	·11	–	–	30
31	·06		·44		–		·62	·11		–		–	31
Total	2·07 ✓ 52·6 ✓	·95 ✓ 24·1 ✓	2·34 ✓ 59·4 ✓	2·05 52 ✓	·50 ✓ 12·7	2·06 52·3	3·03 77·0 ✓	4·07 103·4 ✓	1·35 ✓ 34·3	3·05 77·5 ✓	1·58 40·1 ✓	1·05 26·7 ✓	YEAR'S TOTAL 24·10 612·18
Rain Days.	18 ✓	8 ✓	15 ✓	14 ✓	5 ✓	12 ✓	9 ✓	19 ✓	7 ✓	19 ✓	15 ✓	15 ✓	156 ✓

27

4·07
3·937

24·1
23·622
0·478

12·15

W. 8,000, IX. 17.

Section **A** for the entry of daily observations

Station No. ....

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1091

REGISTER OF RAINFALL IN 1917

HOLLERITH CARDS | PUNCHED BY Jb 8/4/59 | VERIFIED 1.3 [illegible] 20/4/59 2E

Kept at R. N. A. S. Gt. Yarmouth
in the County of Norfolk
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. – in.
Height of ground above sea level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
17	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	–	1.3	–	–	–	20.8	2.8	·2	2.5	·2		1
2	2.3	–	–	19.1	–	–	–	14.7	–	–	–	–		2
3	8	–	–	2.8	–	–	–	7.4	–	1.3	–	1.8		3
4	–	4.8	–	–	–	–	–	·3	–	17.8	–	–		4
5	4.3	4.8	·5	1.8	–	–	–	–	–	–	1.0	–		5
6	·3	–	–	–	–	–	–	–	2.8	–	·8	–		6
7	8.6	–	–	–	–	–	–	–	–	14.7	–	·5		7
8	1.8	–	–	2.5	–	–	18.0	12.2	–	4.1	1.8	2.3		8
9	·8	–	–	·5	–	–	–	·3	–	–	4.1	5.1		9
10	1.5	–	5.3	1.5	–	–	–	·5	–	1.5	1.5	–		10
11	3.5	1.8	16.5	4.6	–	·5	–	–	–	5.6	·5	–		11
12	10.4	·5	6.6	1.3	–	–	–	–	–	6.3	·2	–		12
13	6.6	–	2.0	–	–	–	–	2.5	1.0	1.0	–	–		13
14	2.8	–	·8	4.8	–	–	13.7	–	–	1.3	·3	·8		14
15	4.6	–	–	–	–	–	1.8	3.3	–	·5	·3	–		15
16	·5	1.3	–	5.8	–	–	8.4	–	–	5.6	–	3.1		16
17	·5	–	1.0	4.8	6.3	1.0	2.8	–	7.9	7.4	–	·8		17
18	·8	–	–	1.0	–	22.6	4.8	–	11.9	–	–	–		18
19	–	–	6.4	·3	·8	1.3	–	·3	7.4	–	–	–		19
20	–	5.5	1.0	–	–	4.1	–	–	–	–	5.6	·2		20
21	–	4.6	2.0	–	4.1	2.3	–	1.5	–	·8	·2	–		21
22	–	–	–	–	·5	–	–	1.0	–	2.0	–	–		22
23	–	–	–	–	1.0	–	–	3.1	–	–	–	·2		23
24	–	–	–	–	–	1.8	–	1.5	–	3.3	2.0	1.0		24
25	–	–	·8	–	–	3.3	–	–	–	–	4.8	8.4		25
26	–	–	·8	–	–	1.5	–	14.5	·5	–	14.5	–		26
27	–	–	–	–	–	3.3	–	11.9	–	–	–	·5		27
28	–	·8	3.3	–	–	7.1	–	2.8	–	·5	–	1.3		28
29	–	[illegible] –	–	–	–	3.5	7.1	–	–	·8	–	·5		29
30	1.0	X	·5	–	–	–	4.6	2.0	–	2.8	–	–		30
31	1.5	X	11.9	X	–	X	15.8	2.8	X	–	X	–		31
TOTAL 99	52.6	24.1	59.4	52.1	12.7	52.3	77.0	103.4	34.3	77.5	40.1	26.7	612.2	
*Days with 0.2 mm. or more	2.07	6.95	2.34	2.05	·50	2.06	3.03	4.07	1.35	3.05	1.58	1.05	2[illegible]	
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*)........ (P.T.O.)

Section **A** for the entry of daily observations

Station No. 1412

FORM 1091

METEOROLOGICAL OFFICE—AIR MINISTRY

REGISTER OF RAINFALL IN 1918

PUNCHED 8/4/59
VERIFIED BY 20/4/59 2ER

Kept at Costeston
in the County of Norfolk
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 22 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
18	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0·2	—	—	0·5	—	—	—	—	1·3	—	0·7	3·2		1
2	1·4	0·2	0·5	1·0	—	—	—	22·4	—	0·4	—	3·5		2
3	0·2	—	2·4	—	—	—	—	0·5	0·2	—	14·1	—		3
4	—	0·3	0·6	—	—	—	—	—	11·7	0·3	5·0	—		4
5	—	0·4	—	—	5·7	—	—	5·0	2·9	1·3	—	0·3		5
6	—	1·9	—	6·5	—	—	—	—	0·2	—	—	0·7		6
7	3·2	1·2	—	0·1	—	0·3	—	—	1·2	1·2	—	0·4		7
8	0·4	1·5	—	—	—	—	—	—	3·0	—	2·5	0·7		8
9	0·8	0·4	1·1	0·1	—	1·7	0·2	—	12·2	6·9	—	2·3		9
10	1·5	—	—	—	—	—	5·7	—	1·3	0·2	0·9	6·0		10
11	—	3·3	—	—	2·2	—	1·6	—	1·6	15·8	0·3	9·9		11
12	—	2·4	—	—	3·7	—	7·2	4·5	1·9	4·9	—	3·1		12
13	—	0·6	—	—	2·1	—	—	—	0·8	—	—	0·4		13
14	10·8	—	—	—	—	0·3	1·3	—	5·0	4·6	—	1·0		14
15	17·9	—	1·8	33·0	—	2·4	1·6	—	3·4	2·1	—	0·4		15
16	0·6	—	—	7·6	—	0·2	0·4	—	2·5	1·5	—	0·4		16
17	3·0	—	—	1·5	—	1·2	20·4	—	—	—	—	7·1		17
18	8·9	—	—	4·0	—	1·7	0·2	—	6·8	2·0	—	10·3		18
19	1·6	—	—	0·4	—	—	0·4	—	—	5·4	—	1·5		19
20	0·3	2·2	—	0·9	—	0·4	38·4	—	0·9	6·8	—	4·3		20
21	1·2	0·1	—	—	—	0·4	2·0	—	3·4	4·7	—	—		21
22	0·8	—	—	0·9	—	0·5	3·6	—	0·9	—	—	11·0		22
23	1·4	—	—	—	2·0	—	3·5	1·3	—	0·1	0·5	—		23
24	—	4·2	—	0·9	—	—	1·6	—	3·0	—	—	—		24
25	—	—	1·5	—	—	5·6	3·6	4·7	—	0·3	—	0·6		25
26	—	—	—	—	—	—	10·1	2·8	—	—	1·5	3·1		26
27	0·2	0·8	—	9·9	—	—	4·1	3·0	0·3	—	0·1	4·4		27
28	0·4	1·3	2·7	—	—	2·4	—	0·9	—	—	0·5	6·9		28
29	—	X	—	—	—	—	—	0·2	29·6	—	0·9	0·4		29
30	0·4	X	5·5	—	—	—	—	—	3·2	3·8	—	1·3		30
31	0·3	X	1·0	X	—	X	—	—	X	0·3	X	1·0		31
TOTAL 99	55·5	20·8	17·1	67·3	15·7	17·1	105·9	45·3	97·3	62·6	27·3	84·2	616·1	
*Days with ~~0.2 mm. or more~~	2·19	·82	·67	2·65	·62	·67	4·17	1·78	3·83	2·47	1·07	3·31	24·26	
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

WD adjust 28.iv.19

Excd Cor. for wts.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

23. 1. 19

Kept at R.A.F Meteorological Station Great Yarmouth
in the County of Norfolk
by The Meteorological Officer

Lat. 52°35'N Long. 1°44'E
Time of Observation 9 a.m.
Nearest Railway Station G.E.R Station, Southtown, Great Yarmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (1.0 mm)

measurement:- millimetres and tenths.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	0.3	1.3	1.0	Nil	Nil	Nil	Nil	Nil	3.2	0.3	Nil	1
2	0.2	Nil	Nil	0.5	Nil	Nil	Nil	Nil	1.3	Nil	0.7	3.2	2
3	1.4	0.2	0.5	1.0	Nil	Nil	Nil	22.4	Nil	0.4	Nil	3.5	3
4	0.2	Nil	2.4	Nil	Nil	Nil	Nil	0.5	0.2	Nil	14.1	Nil	4
5	Nil	0.3	0.6	Nil	Nil	Nil	Nil	Nil	11.7	0.3	5.0	Nil	5
6	Nil	0.4	Nil	Nil	5.7	Nil	Nil	5.0	2.9	1.3	Nil	0.3	6
7	Nil	1.9	Nil	6.5	Nil	Nil	Nil	Nil	0.2	Nil	Nil	0.7	7
8	3.2	1.2	Nil	0.1	Nil	0.3	Nil	Nil	1.2	1.2	Nil	0.4	8
9	0.4	1.5	Nil	Nil	Nil	Nil	Nil	Nil	3.0	Nil	2.5	0.7	9
10	0.8	0.4	1.1	0.1	Nil	1.7	0.2	Nil	12.2	6.9	Nil	2.3	10
11	1.5	Nil	Nil	Nil	Nil	Nil	5.7	Nil	1.3	0.2	0.9	6.0	11
12	Nil	3.3	Nil	Nil	2.2	Nil	1.6	Nil	1.6	15.8	0.3	9.9	12
13	Nil	2.4	Nil	Nil	3.7	Nil	7.2	4.5	1.9	4.9	Nil	3.1	13
14	Nil	0.6	Nil	Nil	2.1	Nil	Nil	Nil	0.8	Nil	Nil	0.4	14
15	10.8	Nil	Nil	Nil	Nil	0.3	1.3	Nil	5.0	4.6	Nil	1.0	15
16	17.9	Nil	1.8	33.0	Nil	2.4	1.6	Nil	3.4	2.1	Nil	0.4	16
17	0.6	Nil	Nil	7.6	Nil	0.2	0.4	Nil	2.5	1.5	Nil	0.4	17
18	3.0	Nil	Nil	1.5	Nil	1.2	20.4	Nil	Nil	Nil	Nil	7.1	18
19	8.9	Nil	Nil	4.0	Nil	1.7	0.2	Nil	6.8	2.0	Nil	10.3	19
20	1.6	Nil	Nil	0.4	Nil	Nil	0.4	Nil	Nil	5.4	Nil	1.5	20
21	0.3	2.2	Nil	0.9	Nil	0.4	38.4	Nil	0.9	6.8	Nil	4.3	21
22	1.2	0.1	Nil	Nil	Nil	0.4	2.0	Nil	3.4	4.7	Nil	Nil	22
23	0.8	Nil	Nil	0.9	Nil	0.5	3.6	Nil	0.9	Nil	Nil	11.0	23
24	1.4	Nil	Nil	Nil	2.0	Nil	3.5	1.3	Nil	0.1	0.5	Nil	24
25	Nil	4.2	Nil	0.9	Nil	Nil	1.6	Nil	3.0	Nil	Nil	Nil	25
26	Nil	Nil	1.5	Nil	Nil	5.6	3.6	4.7	Nil	0.3	Nil	0.6	26
27	Nil	Nil	Nil	Nil	Nil	Nil	10.1	2.8	Nil	Nil	1.5	3.1	27
28	0.2	0.8	Nil	9.9	Nil	Nil	4.1	3.0	0.3	Nil	0.1	4.4	28
29	0.4	X	2.7	Nil	Nil	2.4	Nil	0.9	Nil	Nil	0.8	6.9	29
30	Nil	X	Nil	Nil	Nil	Nil	Nil	0.2	29.6	Nil	0.9	0.4	30
31	0.4	X	5.5	X	Nil	X	Nil	Nil	X	3.8	X	1.3	31
Total	~~55.2~~	~~19.8~~	~~17.4~~	~~68.3~~	~~15.7~~	~~17.1~~	~~105.9~~	~~45.3~~	~~94.1~~	~~65.5~~	~~27.6~~	~~83.2~~	YEAR'S TOTAL ~~615.1~~
Rain Days	~~20~~ 21	14	9	~~13~~ 12	5	12	18	10	~~22~~ 23	~~1~~8	~~11~~ 10	~~25~~ 26	~~177~~ 178
	55.5	20.8	17.1	67.3	15.7	17.1	105.9	45.3	97.3	62.6	27.3	84.2	616.1

W. 6,500, VII. 18. W W C

Exe

[illegible]

[illegible]

2 ERS

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Gorleston

in the County of ~~Suffolk~~ & Norfolk

by Thomas Evans

Lat. .... Long. ....

Time of Observation 7h

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. - in.

,, ,, ,, ,, Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·3	-	-	-	2·6	-	2·6	-	-	5·6	0·4	13·1	1
2	2·6	0·6	0·6	-	2·6	-	1·8	-	-	-	5·1	6·5	2
3	6·2	-	0·7	-	-	-	3·7	-	-	0·4	3·8	1·2	3
4	4·4	3·7	3·7	-	-	5·6	-	-	-	-	-	5·1	4
5	15·3	0·7	0·5	-	-	-	-	-	-	-	-	1·9	5
6	-	-	1·2	-	-	-	-	-	-	-	3·2	1·5	6
7	-	-	0·8	-	8·7	-	0·6	-	-	-	0·9	11·4	7
8	3·6	-	-	1·5	-	-	0·6	-	-	-	0·3	0·6	8
9	3·4	-	0·7	2·6	-	-	-	-	-	3·9	2·1	0·8	9
10	1·6	-	1·4	0·5	3·3	-	-	-	-	6·6	1·0	-	10
11	2·2	-	2·0	1·2	-	-	6·4	-	-	1·5	3·5	3·5	11
12	2·1	-	0·7	1·3	-	2·2	9·0	-	-	-	2·5	0·3	12
13	0·2	-	0·2	2·4	-	-	11·4	-	-	-	1·3	0·4	13
14	7·2	-	-	7·8	-	-	1·9	-	-	-	6·3	0·3	14
15	2·8	0·6	-	3·2	-	-	2·0	-	-	12·1	1·2	0·3	15
16	5·2	14·8	0·6	1·3	-	-	-	4·6	-	0·6	0·6	2·4	16
17	-	11·6	2·4	1·2	1·0	-	-	-	-	-	5·5	0·7	17
18	0·6	4·4	-	-	-	-	-	2·0	1·6	-	0·4	2·8	18
19	-	1·9	-	-	-	-	-	4·2	0·7	0·2	1·3	-	19
20	4·7	0·6	0·8	0·6	-	13·4	12·3	5·6	2·4	0·1	-	0·7	20
21	-	3·6	-	-	-	2·3	4·7	-	-	-	-	3·0	21
22	-	2·6	-	-	-	-	5·6	-	2·5	-	0·3	4·6	22
23	0·4	-	-	-	-	3·6	1·4	0·8	-	-	-	3·6	23
24	-	-	-	0·6	-	3·3	0·5	-	-	-	-	-	24
25	1·4	-	-	1·4	7·2	3·3	-	3·3	-	4·2	-	2·0	25
26	3·7	5·7	2·0	4·4	-	0·8	-	10·2	2·6	11·7	-	8·0	26
27	2·2	0·6	2·4	0·6	-	-	0·7	-	-	8·9	1·5	1·1	27
28	0·2	X	-	4·0	-	-	-	16·2	-	13·1	2·6	6·6	28
29	0·4	X	0·5	2·3	-	3·2	-	5·1	-	8·2	3·8	1·7	29
30	-	X	1·8	4·3	-	2·0	-	-	-	1·5	2·2	4·5	30
31	-	X	-	X	-	X	1·8	-	X	0·8	X	5·7	31
99 TOTAL	3·06 77·7	2·02 51·4	·91 23·0	1·62 41·2	1·00 25·4	1·56 39·7	2·64 67·0	2·05 52·0	·39 9·8	3·13 79·4	1·96 49·8	3·71 94·3	YEAR'S TOTAL 610·7
Days with 0·2 mm. or more	22	13	18	18	6	10	17	9	5	15	22	28	183

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

74

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1287

REGISTER OF RAINFALL IN 1920.

Kept at Yarmouth (Gorleston)

in the County of Norfolk

by Coastguard

Lat. 52° 35′ Long. 1° 43′ E

Time of Observation 7 h GMT

Nearest Railway Station

1ER

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.7	-	-	-	0.7	-	2.0	-	2.6	4.3	-	—	1
2	0.4	-	-	-	-	-	-	2.8	1.0	1.6	-	1.6	2
3	-	-	-	0.9	-	-	-	-	0.3	-	-	3.0	3
4	0.3	-	-	3.6	2.1	0.2	0.2	0.1	0.9	-	-	4.4	4
5	0.9	-	2.8	1.0	2.7	-	2.0	3.2	0.9	-	-	3.1	5
6	-	-	2.0	0.1	1.0	-	15.1	1.1	0.2	0.2	-	-	6
7	-	-	4.2	4.0	0.6	-	3.8	-	-	-	-	2.1	7
8	-	-	1.1	9.1	1.5	-	1.1	-	-	-	0.2	-	8
9	2.7	0.2	-	16.0	0.2	-	0.5	14.2	-	-	-	0.6	9
10	2.8	3.7	0.9	0.2	-	-	0.4	-	-	-	-	2.4	10
11	11.9	1.0	0.9	1.6	-	-	1.5	-	-	-	-	3.3	11
12	2.6	-	2.2	3.9	-	-	3.7	-	-	-	-	3.3	12
13	2.6	0.4	0.9	0.6	-	7.0	0.2	-	-	-	-	0.9	13
14	0.4	0.6	6.2	1.9	-	10.8	0.3	-	0.7	0.3	6.8	-	14
15	0.7	0.2	0.8	3.2	-	-	1.1	-	3.0	0.2	4.6	1.4	15
16	-	0.1	-	1.6	-	-	-	-	19.9	-	-	3.4	16
17	0.1	0.1	-	2.0	11.0	-	-	-	4.7	-	-	1.6	17
18	0.4	-	-	3.0	1.0	-	-	7.0	5.6	0.4	-	1.1	18
19	4.0	0.1	-	2.7	-	-	-	12.6	0.4	-	-	1.7	19
20	4.0	5.4	-	4.9	-	18.5	-	1.8	-	-	-	0.2	20
21	-	0.4	-	2.9	-	-	14.5	1.8	3.3	-	-	0.7	21
22	0.2	-	-	1.6	-	-	0.7	3.3	3.2	-	-	0.4	22
23	0.1	0.2	0.1	-	-	-	9.6	-	0.2	-	-	3.3	23
24	-	0.2	1.5	-	-	-	4.3	-	0.4	-	-	2.7	24
25	-	0.8	-	-	-	2.0	6.6	0.8	-	-	-	-	25
26	0.9	-	0.2	2.0	25.6	0.6	1.3	-	-	-	-	0.2	26
27	2.4	2.4	-	4.9	0.2	7.6	-	-	-	-	1.0	1.1	27
28	12.7	0.2	-	2.8	-	0.7	0.3	-	-	-	1.7	1.4	28
29	0.4	-	1.8	-	1.3	-	4.3	-	0.1	-	2.2	5.6	29
30	-		-	0.6	8.0	-	2.9	-	1.0	-	3.5	0.1	30
31	1.9		-		0.5		-	0.9		0.2		8.6	31
99	2.09	.63	1.01	2.96	2.22	1.87	3.01	1.95	1.91	.28	.79	2.29	YEAR'S TOTAL
TOTAL	53.1	16.0	25.6	75.1	56.4	47.4	76.4	49.6	48.4	7.2	20.0	58.2	533.4 ✓
Days with 0·2 mm. or more	20 ✓	13 ✓	13 ✓	23 ✓	14 ✓	8 ✓	22 ✓	11 ✓	17 ✓	7 ✓	7 ✓	25 ✓	180 ✓
Days with 1·0 mm. or more	10 ✓	4 ✓	8 ✓	19 ✓	9 ✓	5 ✓	15 ✓	9 ✓	9 ✓	2 ✓	6 ✓	19 ✓	115 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W, Copied from M 3 200.